****
* SCHLUMBERGER *
****

HIGH RESOLUTION
DIPMETER

****

ARROW LISTING

****

DEPARTMENT OF INDIAN & NORTHERN AFFAIRS
Regional Conservation Engineer
MAR 24 1980
Northern Natural Resources & Environment Branch

COLUMBIA GAS DEV CANADA LTD

COLUMBIA ET AL KOTANEELEE

WILDCAT 60,07,35.917N.124,07,36.45W.

YUKON DEC 14,1979

RUN NO. ONE JOB NO. 03375

CLUSTER RESULTS ONLY

1.2 M. - CORR. - 0.3 M. STEP

45 DEG.X1 SEARCH ANGLE

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD CDR
1057	11.4	104	8.9	283	12.2	12.7		A	10	5	46	*
1058	14.4	110	8.9	283	12.1	12.6		A	10	4	58	
1058	18.2	98	8.9	283	12.1	12.5		A	10	8	74	
1058	15.9	100	9.0	284	12.1	12.4		A	10	8	71	
1058	14.9	98	9.0	284	12.1	12.4	**	A	10	8	82	
1059	14.9	96	9.1	283	12.3	12.5	**	A	10	8	77	
1059	12.8	89	9.1	282	12.2	12.6		A	10	8	80	
1059	13.5	87	9.0	281	12.2	12.8		A	10	8	80	
1060	11.6	80	9.0	281	12.1	12.8		A	10	5	73	
1060	12.0	82	9.0	281	12.1	12.9		A	10	8	94	
1060	13.1	95	8.9	281	12.2	13.0	**	A	10	8	83	
1061	12.2	93	9.0	281	12.4	13.1		A	10	5	79	
1061	11.6	102	9.0	281	12.5	13.1	**	A	10	8	72	
1061	10.7	106	8.9	281	12.6	13.1		A	10	8	91	
1061	10.5	89	8.9	281	12.6	13.1	**	A	10	8	93	
1062	10.7	84	8.9	281	12.6	13.0	**	A	10	8	92	
1062	11.1	84	8.9	281	12.6	13.0	**	A	10	8	93	
1062	12.2	82	8.9	281	12.5	12.9	**	A	10	8	88	
1063	16.1	88	8.9	281	12.5	12.9	**	A	10	8	81	
1063	15.7	90	8.9	281	12.5	12.9	**	A	10	8	66	
1063	15.0	90	8.9	281	12.3	12.8	**	A	10	8	59	
1064	11.5	97	8.9	281	12.1	12.7		A	10	8	60	
1064	11.7	78	9.0	281	11.8	12.5		A	10	4	62	
1064	13.6	52	8.9	281	11.6	12.4		A	10	7	86	
1065	NO CORR		8.9	281	11.5	12.5						
1065	14.4	60	9.0	283	11.5	12.6		A	10	7	88	
1065	13.5	117	9.0	283	11.6	12.7	**	A	10	8	91	
1066	14.9	118	9.1	282	11.8	13.0	**	A	10	8	89	
1066	14.4	118	9.1	282	12.0	13.3	**	A	10	8	89	
1066	14.4	119	9.2	281	12.1	13.6	**	A	10	8	85	
1067	21.3	123	9.2	281	12.3	13.8	**	A	10	8	71	
1067	27.0	121	9.2	281	12.5	13.8	**	A	10	8	54	
1067	28.2	120	9.3	281	12.5	13.8		A	10	4	62	
1068	28.2	119	9.3	281	12.6	13.7	**	A	10	8	52	
1068	27.8	118	9.3	281	12.6	13.6	**	A	10	8	48	
1069	NO CORR		9.4	281	12.6	13.6						
1070	19.0	62	9.6	281	13.0	13.7		D	10	1	80	
1070	19.6	69	9.6	281	13.0	13.7	**	B	10	8	67	
1071	19.1	85	9.6	281	12.8	13.7		B	10	7	82	
1071	18.4	89	9.7	280	12.6	13.6	**	B	10	8	87	

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR
1071	18.4	94	9.7	281	12.6	13.6	**	B	10	8	85	
1072	20.7	62	9.8	281	12.5	13.5		D	10	2	65	
1072	20.3	51	9.9	281	12.5	13.5		D	10	1	53	
1072	22.2	58	9.8	281	12.3	13.3		D	10	1	84	
1073	24.5	94	9.7	281	12.3	13.3	**	B	10	6	85	
1073	25.0	104	9.7	282	12.2	13.2	**	B	10	4	84	
1073	16.0	89	9.8	282	12.5	13.3		D	11	2	96	
1074	24.8	89	9.8	282	12.6	13.4	**	D	10	2	79	
1074	26.0	86	9.8	281	12.6	13.3	**	D	10	2	78	
1074	26.5	86	9.9	281	13.0	13.4	**	D	10	2	60	
1075	26.7	96	9.9	282	13.1	13.4	**	D	10	2	60	
1075	NO CORR		10.0	285	13.4	13.7						
1075	NO CORR		10.0	284	13.1	13.7						
1076	25.1	105	10.0	283	12.6	13.6	**	A	10	8	81	
1076	26.3	108	10.1	282	12.3	13.5	**	A	10	8	95	
1076	26.5	107	10.1	282	12.0	13.4	**	A	10	8	96	
1077	26.7	107	10.1	282	11.8	13.3	**	A	10	8	90	
1077	23.3	105	10.0	283	11.8	13.2	**	A	10	8	87	
1077	23.7	104	10.0	282	11.8	13.1	**	A	10	8	86	
1078	22.3	102	10.0	282	11.8	13.1	**	A	10	8	78	
1078	19.0	94	10.0	282	11.8	13.2	**	A	10	8	77	
1078	20.0	100	10.1	282	11.8	13.4		A	10	8	80	
1079	23.4	97	10.1	282	11.9	13.6	**	A	10	8	80	
1079	23.2	99	10.1	282	11.9	13.7		A	10	8	79	
1079	24.4	98	10.1	281	11.9	13.8		A	10	8	71	
1079	23.6	98	10.1	281	11.9	13.8		A	10	8	59	
1080	22.4	103	10.2	281	11.9	13.8		C	10	2	40	
1080	22.2	104	10.2	282	11.9	13.9		C	10	3	54	
1080	22.3	104	10.2	281	11.9	13.9	**	A	10	8	31	
1081	21.1	104	10.2	281	11.9	14.0		A	10	8	34	
1081	21.1	104	10.2	281	11.9	14.0	**	A	10	8	52	
1081	20.8	104	10.2	281	11.9	14.0	**	A	10	8	44	
1082	21.1	102	10.2	280	11.9	14.1		A	10	8	49	
1082	20.1	102	10.2	280	11.9	14.1	**	A	10	8	68	
1082	20.0	104	10.2	281	11.9	14.1	**	A	10	8	77	
1083	20.1	104	10.2	281	11.9	14.1	**	A	10	8	68	
1083	20.0	105	10.2	281	11.9	14.2	**	A	10	8	92	
1083	21.6	105	10.3	281	11.9	14.2	**	A	10	8	90	
1083	19.9	104	10.3	281	11.9	14.3	**	A	10	8	64	
1084	20.0	106	10.2	281	11.8	14.3	**	A	10	8	72	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LQ GI	Q	C.E.	PART	MAX	SPD CDR
1084	63.9	145	10.3	281	11.9	14.3		D	10	3	68	
1084	21.1	115	10.3	281	11.9	14.3		C	10	3	85	
1085	21.2	114	10.3	281	11.9	14.3		C	10	3	80	
1085	20.5	106	10.3	281	11.9	14.3		A	10	8	77	
1085	20.4	105	10.4	281	11.8	14.3		A	10	8	69	
1086	19.3	102	10.4	281	11.8	14.3	**	A	10	8	71	
1086	19.6	102	10.4	282	11.8	14.3	**	A	10	8	71	
1086	19.1	98	10.4	283	11.8	14.3	**	A	10	8	62	
1086	19.4	95	10.4	282	11.8	14.2	**	A	10	8	71	
1087	21.3	95	10.4	283	11.8	14.2	**	A	10	8	80	
1087	21.6	98	10.4	282	11.8	14.1		A	10	8	79	
1087	21.8	98	10.4	282	11.8	14.1	**	A	10	8	73	
1088	21.0	100	10.4	282	11.8	14.1	**	A	10	8	80	
1088	22.4	103	10.4	281	11.8	14.1	**	A	10	8	85	
1088	20.7	96	10.4	281	11.7	14.1	**	A	10	8	79	
1089	22.9	102	10.4	281	11.6	14.1	**	A	10	8	87	
1089	20.2	105	10.4	281	11.6	14.2	**	A	10	8	87	
1089	20.4	105	10.4	281	11.6	14.3	**	A	10	8	88	
1090	20.5	104	10.4	281	11.6	14.5	**	A	10	8	90	
1090	20.7	103	10.4	281	11.6	14.6	**	A	10	8	88	
1090	20.8	103	10.4	281	11.6	14.6	**	A	10	8	78	
1090	20.8	104	10.4	282	11.6	14.7		A	10	8	79	
1091	20.6	103	10.4	282	11.6	14.7		A	10	8	73	
1091	20.6	105	10.4	283	11.6	14.7		A	10	8	74	
1091	21.6	102	10.4	282	11.7	14.7	**	A	10	8	71	
1092	21.9	102	10.4	282	11.7	14.7	**	A	10	8	71	
1092	21.8	104	10.4	282	11.7	14.7	**	A	10	8	61	
1092	21.5	103	10.4	281	11.8	14.7	**	A	10	8	64	
1093	27.0	105	10.4	281	11.8	14.7	**	A	10	8	70	
1093	26.5	107	10.4	281	11.7	14.6	**	A	10	8	76	
1093	22.2	104	10.4	281	11.7	14.6		A	10	8	73	
1093	21.4	103	10.4	281	11.7	14.6	**	A	10	8	80	
1094	22.4	106	10.4	281	11.7	14.6	**	A	10	8	73	
1094	20.3	103	10.4	281	11.7	14.6		A	10	8	87	
1094	19.6	103	10.4	281	11.6	14.5		A	10	8	83	
1095	19.7	103	10.4	281	11.6	14.5		A	10	8	87	
1095	22.2	104	10.4	282	11.6	14.5		A	10	8	75	
1095	21.7	103	10.4	281	11.7	14.5	**	A	10	8	72	
1096	21.1	104	10.4	282	11.7	14.5	**	A	10	8	79	
1096	22.1	105	10.4	282	11.7	14.5	**	A	10	8	78	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD COR
1096	19.4	102	10.5	282	11.7	14.4	**	A	10	8	85	
1097	19.1	102	10.5	283	11.7	14.4	**	A	10	8	87	
1097	19.1	102	10.5	283	11.7	14.4	**	A	10	8	86	
1097	17.7	100	10.5	283	11.6	14.3	**	A	10	8	90	
1097	20.6	104	10.5	284	11.6	14.3	**	A	10	8	70	
1098	20.3	105	10.6	284	11.6	14.3	**	A	10	8	84	
1098	20.6	107	10.6	285	11.6	14.3	**	A	10	8	84	
1098	20.5	107	10.6	285	11.7	14.3	**	A	10	8	72	
1099	20.5	107	10.5	285	11.7	14.3	**	A	10	8	72	
1099	21.0	108	10.5	286	11.7	14.3	**	A	10	8	69	
1099	20.8	105	10.5	285	11.7	14.3	**	A	10	8	52	
1100	21.1	104	10.5	286	11.7	14.3		A	10	8	60	
1100	20.1	104	10.5	285	11.8	14.3		A	10	8	54	
1100	20.6	103	10.4	284	11.8	14.2	**	A	10	8	57	
1100	19.9	103	10.4	285	11.8	14.2	**	A	10	8	63	
1101	22.4	108	10.4	285	11.8	14.2		A	10	5	40	
1101	20.9	107	10.5	286	11.7	14.2		A	10	8	78	
1101	20.9	107	10.5	286	11.7	14.2		A	10	8	75	
1102	20.7	105	10.6	285	11.7	14.2		A	10	5	32	
1102	20.8	102	10.6	284	11.7	14.2		A	10	8	62	
1102	21.3	103	10.6	283	11.8	14.2	**	A	10	8	72	
1103	20.7	102	10.6	282	11.8	14.2	**	A	10	8	73	
1103	19.3	105	10.5	283	11.8	14.2		A	10	8	75	
1103	18.4	106	10.5	285	11.8	14.2		A	10	8	73	
1104	19.5	102	10.6	285	11.8	14.2		C	10	2	64	
1104	19.2	113	10.6	285	11.8	14.2		C	10	3	62	
1104	20.1	104	10.6	284	11.9	14.2		A	10	8	44	
1104	20.1	101	10.6	284	11.9	14.1	**	A	10	8	51	
1105	19.4	103	10.6	285	11.9	14.1	**	A	10	8	69	
1105	19.6	103	10.6	286	11.9	14.0	**	A	10	8	66	
1105	19.1	104	10.6	287	11.9	14.0	**	A	10	8	62	
1106	20.3	105	10.6	287	11.9	13.9	**	A	10	8	60	
1106	21.1	107	10.6	287	11.9	13.8		A	10	8	52	
1106	20.7	105	10.6	286	11.9	13.8	**	A	10	8	67	
1107	21.0	105	10.7	286	11.9	13.8	**	A	10	8	63	
1107	20.5	104	10.6	285	11.9	13.8		A	10	8	56	
1107	19.8	102	10.6	284	11.9	13.9		A	10	8	52	
1108	19.3	104	10.7	283	11.9	14.0	**	A	10	8	93	
1108	19.5	104	10.7	283	12.0	14.0	**	A	10	8	88	
1109	19.3	106	10.6	284	11.9	13.9	**	A	10	8	90	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LQ GI	Q	C.E	PART	MAX	SPD COR
1109	19.3	106	10.6	284	11.9	13.8	**	A	10	8	93	
1109	21.1	109	10.6	284	11.8	13.6	**	A	10	8	86	
1111	NO CORR		10.6	281	11.8	13.4						
1111	23.8	101	10.6	281	11.8	13.4	**	A	10	8	54	
1112	24.2	102	10.6	281	11.8	13.4	**	A	10	8	57	
1112	22.7	101	10.7	281	11.8	13.4		A	10	4	55	
1112	22.1	101	10.7	281	11.8	13.4	**	A	10	8	75	
1113	22.2	101	10.7	281	11.8	13.4	**	A	10	8	88	
1113	20.8	101	10.7	282	11.9	13.5	**	A	10	8	97	
1113	23.6	95	10.7	281	11.9	13.4	**	A	10	8	92	
1114	22.4	96	10.7	282	11.9	13.4	**	A	10	8	89	
1114	21.9	100	10.6	282	11.9	13.4	**	A	10	8	88	
1114	22.5	100	10.6	281	11.9	13.3	**	A	10	8	82	
1115	22.4	101	10.5	282	11.9	13.2	**	A	10	8	85	
1115	22.6	100	10.5	281	11.8	13.0	**	A	10	8	86	
1115	22.3	105	10.4	281	11.8	12.7		C	10	2	81	
1115	19.9	101	10.5	281	11.7	12.5		B	10	5	71	
1116	17.4	100	10.6	281	11.8	12.6		D	10	3	79	
1117	19.1	115	10.6	281	11.9	12.7	**	B	10	8	79	
1117	20.2	109	10.5	280	11.9	12.9	**	A	10	8	90	
1117	20.2	107	10.6	280	11.8	13.1	**	A	10	8	91	
1118	20.9	106	10.7	280	11.9	13.3	**	A	10	8	90	
1118	20.5	107	10.7	281	12.0	13.4	**	A	10	8	79	
1118	20.9	107	10.7	281	12.0	13.5	**	A	10	8	81	
1118	20.4	108	10.8	281	12.0	13.6		A	10	8	72	
1119	21.7	112	10.7	281	12.0	13.7		A	10	8	66	
1119	24.0	97	10.8	281	12.0	13.7		C	10	1	38	
1120	21.5	112	10.7	281	12.0	13.8		C	10	3	54	
1120	20.1	110	10.7	280	12.0	13.8	**	A	10	8	41	
1120	21.1	109	10.7	280	12.0	13.8		A	10	8	57	
1121	21.4	111	10.8	280	12.0	13.8		A	10	5	79	
1121	19.9	111	10.7	281	12.0	13.8	**	A	10	8	78	
1121	18.7	111	10.8	281	11.9	13.8	**	A	10	8	74	
1122	18.3	111	10.8	281	11.9	13.8		A	10	8	81	
1122	23.1	112	10.8	281	11.9	13.9		A	10	8	81	
1122	25.3	114	10.9	281	12.0	14.0		A	10	8	64	
1122	22.4	109	10.9	281	11.9	14.0		A	10	8	60	
1123	22.2	107	10.9	281	11.9	14.0		A	10	8	77	
1123	21.7	107	10.9	281	11.9	14.0		A	10	8	81	
1123	21.9	107	10.9	281	11.9	14.0		A	10	8	81	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD CDR
1124	17.7	109	10.9	281	11.9	14.0	**	C	10	2	82	
1124	17.4	110	10.9	281	11.9	14.0	**	A	10	8	66	
1124	17.7	110	10.9	281	11.8	14.0	**	A	10	8	74	
1125	19.8	109	10.9	282	11.8	13.9	**	A	10	8	74	
1125	19.9	108	11.0	282	11.8	13.9	**	A	10	8	74	
1125	23.9	110	11.0	282	11.8	13.8	**	A	10	8	77	
1125	25.6	112	11.0	282	11.9	13.8	**	A	10	8	69	
1126	19.8	108	11.0	282	11.9	13.8	**	A	10	8	79	
1126	21.6	113	11.0	282	11.9	13.8	**	A	10	8	90	
1126	24.0	115	11.0	282	11.9	13.9	**	A	10	8	90	
1127	24.1	115	11.0	282	11.8	13.9	**	A	10	8	94	
1127	24.6	115	11.0	282	11.8	14.0	**	A	10	8	94	
1127	22.7	112	11.0	282	11.8	14.1	**	A	10	8	96	
1128	20.9	114	11.1	282	11.8	14.1		C	10	3	48	
1128	45.0	349	11.1	282	11.7	14.2		D	20	3	37	
1128	22.5	133	11.2	282	11.7	14.2		D	10	3	40	
1129	22.1	132	11.2	282	11.7	14.2		D	10	1	20	
1129	21.1	130	11.2	282	11.8	14.2		D	10	2	27	
1129	20.0	114	11.2	282	11.8	14.2		A	10	5	51	
1130	20.8	114	11.1	282	11.8	14.2		A	10	8	56	
1130	21.3	116	11.2	283	11.8	14.2		A	10	8	51	
1130	21.0	116	11.2	282	11.8	14.2	**	A	10	8	41	
1131	20.2	113	11.3	282	11.8	14.2	**	A	10	8	45	
1131	20.2	111	11.3	283	11.8	14.2	**	A	10	8	52	
1131	20.5	110	11.3	282	11.8	14.1	**	A	10	8	54	
1132	20.6	109	11.3	282	11.8	14.1	**	A	10	8	53	
1132	20.5	108	11.3	281	11.8	14.0	**	A	10	8	55	
1132	21.1	331	11.3	281	11.6	13.9	**	A	10	8	25	
1132	19.0	109	11.3	281	11.9	13.9		A	10	5	43	
1133	19.8	107	11.3	282	11.9	13.9		A	10	5	45	
1133	20.3	110	11.3	282	11.9	13.8		A	10	8	47	
1133	19.1	111	11.2	282	11.9	13.8		A	10	5	49	
1134	20.1	107	11.2	281	11.9	13.8		A	10	5	46	
1134	19.5	111	11.1	281	11.9	13.8		C	10	3	51	
1134	19.7	110	11.2	281	11.9	13.7		A	10	5	47	
1135	19.6	109	11.3	281	11.9	13.7	**	A	10	8	50	
1135	19.4	109	11.3	281	11.9	13.7	**	A	10	8	57	
1135	19.7	111	11.4	281	12.0	13.7	**	A	10	8	57	
1136	18.8	108	11.4	281	12.0	13.7		A	10	8	62	
1136	30.7	115	11.5	281	12.0	13.7		D	20	1	45	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI		Q	C.E	PART	MAX	SPD CDR	
1138	47.7	71	11.5	281	12.0	13.6			B	10	5	50		
1139	46.7	70	11.5	281	12.0	13.6			D	10	3	55		
1139	46.1	70	11.5	281	12.0	13.6			D	10	3	61		
1139	20.5	106	11.4	281	12.0	13.6			A	10	5	53		
1140	19.9	106	11.5	281	12.0	13.5			A	10	5	59		
1140	19.3	106	11.5	281	12.0	13.7			A	10	5	55		
1140	19.0	106	11.4	281	12.0	13.7			C	10	2	57		
1140	20.1	101	11.5	281	12.0	13.6			A	10	8	77		
1141	19.5	101	11.4	281	12.0	13.6			A	10	8	78		
1141	19.3	101	11.4	281	12.0	13.4			A	10	8	79		
1141	19.3	99	11.5	281	12.0	13.3	**		A	10	8	80		
1142	17.8	103	11.5	281	12.0	13.1	**		A	10	8	87		
1142	20.9	114	11.5	281	12.0	12.9	**		A	10	8	94		
1142	21.1	117	11.5	281	11.9	12.6	**		A	10	8	89		
1143	23.6	115	11.5	280	11.9	12.4	**		A	10	8	90		
1143	20.1	109	11.5	280	11.9	12.4	**		A	10	8	84		
1143	20.0	109	11.4	280	11.9	12.4	**		A	10	8	84		
1143	20.5	111	11.4	280	11.9	12.4	**		A	10	8	71		
1144	20.3	109	11.4	279	11.8	12.3			A	10	8	89		
1144	46.1	108	11.4	279	11.8	12.2			D	10	3	48		
1144	47.8	111	11.4	279	11.8	12.2			D	10	2	48		
1145	47.5	110	11.4	279	11.8	12.2			D	10	1	40		
1145	29.1	89	11.4	280	11.9	12.2			B	20	5	30		
1146	21.8	93	11.3	280	12.0	12.3			D	21	1	22		
1146	34.8	320	11.3	280	12.0	12.3			C	10	3	53		
1146	31.8	317	11.3	280	12.0	12.3			C	10	3	63		
1147	32.7	319	11.4	280	11.9	12.2			C	10	3	73		
1147	33.8	317	11.4	279	11.8	12.2			C	10	3	70		
1147	18.2	95	11.4	279	11.8	12.2	**		A	10	8	83		
1147	18.4	97	11.4	279	11.9	12.2	**		A	10	8	84		
1148	18.3	97	11.3	279	11.9	12.2	**		A	10	8	83		
1148	18.3	98	11.3	280	11.9	12.2	**		A	10	8	82		
1149	52.2	53	11.4	280	11.9	12.1			D	10	2	17		
1149	51.5	55	11.5	280	11.9	12.1			D	10	1	18		
1150	47.1	50	11.4	280	11.9	12.1			D	10	2	38		
1150	49.3	50	11.4	281	11.9	12.2			D	10	3	33		
1150	48.3	51	11.3	279	11.9	12.1			D	10	1	34	*	
1151	NO CORR		11.4	279	11.9	12.2								
1151	50.8	51	11.4	280	12.0	12.2	**		D	10	2	39		
1152	33.0	103	11.3	281	11.9	12.2			B	10	8	52		

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD CDR
1152	31.5	106	11.3	281	11.9	12.2	**	B	10	8	33	
1153	NO CORR		11.3	281	11.9	12.2						
1154	39.4	103	11.4	281	11.9	12.3	**	D	11	2	41	
1154	40.7	111	11.4	281	11.9	12.3		D	11	1	45	*
1154	NO CORR		11.3	281	11.9	12.3						
1155	NO CORR		11.2	281	12.1	12.4						
1156	20.4	107	11.2	280	12.1	12.4		A	10	5	39	
1156	23.7	97	11.2	281	12.0	12.4	**	A	10	6	46	
1157	24.5	89	11.3	281	12.0	12.3		A	10	5	54	
1157	25.0	96	11.3	281	12.0	12.3	**	A	10	8	59	
1157	27.4	94	11.4	281	12.0	12.3		C	10	2	49	
1157	23.4	104	11.4	281	12.0	12.3		A	10	5	45	*
1158	NO CORR		11.4	281	12.0	12.3						
1158	19.9	100	11.4	281	12.0	12.3	**	D	10	2	23	
1159	28.2	102	11.4	281	12.0	12.3		D	11	1	25	
1159	22.7	87	11.4	281	12.0	12.4		D	10	1	22	
1160	NO CORR		11.5	281	12.0	12.4						
1161	22.5	100	11.6	280	12.1	12.6		D	10	3	79	
1161	22.4	101	11.5	280	12.2	12.7		D	10	3	75	
1161	20.5	103	11.5	280	12.2	12.8		A	10	5	62	
1161	20.8	103	11.4	280	12.1	12.8		C	10	3	63	
1162	21.2	106	11.4	281	12.0	12.8	**	A	10	8	33	
1162	20.4	107	11.5	281	11.9	12.8		A	10	5	43	
1162	19.1	107	11.6	281	11.9	12.9		A	10	8	62	
1163	18.9	107	11.6	281	11.9	13.0		A	10	8	62	
1163	21.3	102	11.6	281	11.9	13.0	**	A	10	8	48	*
1163	20.9	102	11.6	281	11.9	13.1	**	A	10	8	53	
1164	20.9	103	11.6	281	11.9	13.2		A	10	8	53	
1164	22.9	104	11.6	281	11.8	13.2	**	B	10	8	55	
1164	21.6	106	11.6	281	11.8	13.3	**	B	10	8	58	
1164	22.9	118	11.7	281	11.8	13.3		D	10	2	26	*
1165	20.5	102	11.8	282	11.9	13.3		D	10	1	34	
1165	19.8	100	11.7	282	11.9	13.3		D	10	1	36	
1165	22.7	99	11.8	283	11.9	13.4		B	10	4	41	
1166	28.8	110	11.7	282	12.0	13.4		D	10	1	40	
1166	NO CORR		11.7	282	12.0	13.5						
1167	35.6	126	11.7	282	11.8	13.7		C	10	3	56	
1168	35.5	126	11.7	282	11.9	13.8		C	10	3	57	
1168	35.5	126	11.8	282	12.1	13.8		C	10	3	56	
1168	35.4	128	11.8	282	12.2	13.9		C	10	3	49	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI		Q	C.E	PART	MAX	SPD CDR	
1169	57.4	139	11.8	281	11.9	14.1			D	20	2	29		
1170	55.6	140	11.9	282	11.8	14.2	**		B	20	8	26		
1170	20.5	106	11.9	282	11.9	14.3			D	10	3	35		
1170	20.1	107	11.9	283	11.9	14.4			D	10	3	29		
1171	21.0	107	11.9	283	12.0	14.4			D	10	2	33		
1171	20.1	110	12.0	283	12.0	14.5			D	10	1	18		
1171	18.4	107	12.0	283	12.0	14.5			D	10	1	21		
1172	19.7	107	12.0	282	11.9	14.5			D	10	3	33		
1172	22.8	97	12.0	282	11.9	14.5			D	10	1	24		
1172	16.5	106	12.0	282	11.8	14.5			D	11	1	36		
1173	24.7	101	12.0	282	11.8	14.5	**		D	10	2	30		
1173	23.2	103	12.0	281	11.8	14.5			D	10	1	35		
1173	23.2	105	12.0	281	11.8	14.5			B	10	8	49		
1174	18.3	138	12.0	281	11.7	14.5			D	11	2	41		
1174	24.4	107	12.0	281	11.7	14.5	**		B	10	8	48		
1174	23.3	116	12.0	281	11.7	14.5	**		B	10	8	52		
1175	20.0	108	12.1	282	11.7	14.5			C	10	2	30		
1175	22.0	113	12.1	282	11.7	14.5	**		A	10	8	50	*	*
1175	22.9	111	12.1	282	11.7	14.5			C	10	2	48		
1175	22.4	109	12.1	282	11.8	14.5			C	10	1	16		
1176	23.1	108	12.1	282	11.8	14.5			C	10	2	33		
1176	20.7	109	12.1	282	11.8	14.5	**		D	10	2	30		
1176	19.3	113	12.1	282	11.8	14.5			D	10	2	41		
1177	20.5	120	12.1	283	11.8	14.5			D	10	2	35		
1177	19.0	109	12.1	282	11.8	14.5			D	10	2	34		
1177	19.8	104	12.1	283	11.7	14.5			B	10	5	36		
1178	19.5	104	12.1	283	11.7	14.5			B	10	5	33		
1178	22.9	119	12.2	283	11.7	14.5			D	10	3	49		
1178	20.4	109	12.2	283	11.7	14.5			B	10	5	37		
1179	21.8	111	12.3	283	11.7	14.5			B	10	5	39		
1179	22.6	108	12.3	283	11.7	14.5			D	10	2	33		
1179	21.3	107	12.2	282	11.7	14.5	**		B	10	8	32		
1180	20.5	107	12.3	282	11.7	14.5			D	10	2	33		
1180	20.6	109	12.3	283	11.7	14.5			D	10	3	38		
1180	34.3	349	12.3	283	11.7	14.5			B	20	4	19		
1181	36.9	349	12.3	283	11.7	14.5	**		D	20	2	23		
1181	18.4	106	12.3	283	11.7	14.5			D	10	1	26		
1181	32.6	352	12.3	283	11.8	14.5			B	20	5	34	*	*
1182	NO CORR		12.3	283	11.8	14.5								
1184	20.1	110	12.4	284	11.8	14.5			D	10	3	39		

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CDR	
1185	21.2	122	12.3	285	11.9	15.0		D	10	1	38		
1186	17.8	127	12.3	285	11.9	15.2	**	D	20	2	41		
1186	16.3	112	12.4	284	11.9	15.3	**	D	20	2	41		
1186	15.6	113	12.4	284	11.9	15.3	**	D	20	2	31		
1187	NO CORR		12.5	283	11.9	15.1							
1187	46.1	31	12.5	284	11.9	15.0	**	B	10	8	30	*	
1187	46.3	29	12.6	283	11.8	14.8	**	B	10	8	25	*	
1188	46.6	30	12.6	283	11.8	14.7		B	10	5	23	*	
1188	17.3	101	12.6	283	11.8	14.7		D	20	1	39		
1188	19.9	111	12.6	283	11.7	14.7		D	20	1	57		
1189	17.3	104	12.6	284	11.7	14.7		B	10	8	47		
1189	18.9	111	12.7	284	11.6	14.7		D	10	1	32		
1189	20.0	117	12.7	284	11.6	14.8		B	10	4	56		
1189	21.0	107	12.7	284	11.6	14.9	**	B	10	6	32		
1190	21.0	111	12.7	284	11.7	14.9		B	10	5	31		
1190	19.3	84	12.7	285	11.8	15.0		D	11	1	50		
1190	47.4	30	12.8	285	11.9	15.1		D	20	3	49		
1191	44.9	30	12.8	285	12.1	15.3		D	20	3	56		
1193	NO CORR		12.9	284	11.9	15.0							
1193	NO CORR		13.0	283	12.0	14.5							
1194	15.5	112	13.0	282	12.0	14.2		D	10	3	82		
1195	17.3	110	13.1	283	12.1	14.3	**	A	10	8	85		
1195	19.3	110	13.1	283	12.0	14.2	**	A	10	6	81		
1195	19.3	111	13.1	284	12.0	13.9	**	A	10	6	85		
1196	16.7	111	13.1	284	11.9	13.5		C	10	3	91		
1197	18.5	85	13.1	287	11.8	12.3		D	11	1	58	*	
1198	19.7	41	13.1	286	11.9	12.3		D	20	1	56	*	
1198	21.0	96	13.1	285	11.8	12.3		D	10	1	38	*	
1198	16.0	106	13.1	285	11.8	12.3		D	10	3	48	*	
1199	16.0	103	13.1	285	11.8	12.3		C	10	2	53	*	
1199	16.5	107	13.1	285	11.8	12.3		A	10	8	45		
1199	16.3	98	13.0	285	11.8	12.4		C	10	3	41		
1200	20.3	26	13.0	285	11.9	12.4		D	20	1	57		
1200	18.5	26	12.9	284	11.9	12.5		B	20	4	49		
1200	18.6	24	12.9	284	11.9	12.4		B	20	5	26		
1200	19.0	22	12.9	284	11.9	12.4		D	20	3	24		
1202	NO CORR		12.9	283	11.9	12.4							
1202	18.3	104	13.0	282	11.9	12.5		B	10	5	35		
1203	19.7	106	13.0	283	11.9	12.5		B	10	5	56		
1203	18.1	118	13.1	283	11.9	12.6		A	10	5	66		

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI		Q	CLE	PART	MAX SPD CDR
1203	18.0	119	13.1	283	11.9	12.6			A	10	8	57
1204	18.3	119	13.1	283	11.9	12.6			A	10	8	56
1204	19.4	117	13.1	283	11.9	12.7			C	10	3	48
1204	20.1	113	13.1	283	11.9	12.7			A	10	5	45
1204	20.6	113	13.1	283	11.9	12.8	**		C	10	2	28
1205	21.9	116	13.1	283	11.9	12.8			C	10	1	19
1205	23.0	114	13.1	283	11.9	12.8			C	10	3	55
1205	24.7	116	13.1	283	11.9	12.8	**		C	10	2	23
1206	50.7	141	13.1	283	12.0	12.8			D	10	3	44
1206	51.2	140	13.1	283	12.0	12.7			D	10	3	70
1206	51.3	139	13.2	282	11.9	12.7			D	10	3	67
1207	51.1	139	13.2	282	11.9	12.7			D	10	1	44
1207	24.2	103	13.3	282	11.9	12.7			D	10	1	17
1208	19.3	95	13.4	284	12.0	12.6			D	11	1	44
1209	19.2	96	13.3	285	12.0	12.6			D	11	1	12
1210	21.2	116	13.3	285	12.0	12.6			B	10	5	54
1210	20.1	114	13.3	283	12.0	12.6			B	10	5	54
1210	19.4	114	13.4	283	12.0	12.6			D	10	3	29
1211	19.8	111	13.4	283	12.0	12.6			D	10	3	52
1211	20.0	111	13.3	283	12.0	12.6			A	10	8	51
1211	20.3	111	13.3	283	12.0	12.6	**		A	10	8	29
1211	20.4	112	13.3	283	12.0	12.6			A	10	8	53
1212	21.1	113	13.3	283	11.9	12.6			A	10	8	55
1212	21.1	112	13.3	283	11.9	12.6	**		A	10	8	38
1212	20.7	112	13.3	283	11.9	12.6			A	10	8	50
1213	21.2	112	13.4	283	11.9	12.6	**		A	10	8	36
1213	19.4	113	13.4	283	11.9	12.7			A	10	5	30
1213	19.5	112	13.4	283	11.9	12.7	**		A	10	8	51
1214	19.3	112	13.4	283	11.9	12.7	**		A	10	8	49
1214	19.4	107	13.3	283	11.9	12.8			A	10	5	55
1214	20.7	111	13.3	283	12.0	12.8			A	10	5	51
1214	20.3	116	13.3	283	12.0	12.8			C	10	2	30
1215	21.1	114	13.3	283	12.0	12.8			A	10	5	39
1215	21.3	113	13.3	283	12.0	12.8			A	10	5	33
1215	20.9	115	13.3	283	12.0	12.8			A	10	5	39
1216	21.6	113	13.3	282	12.0	12.8	**		A	10	8	34
1216	19.9	115	13.3	283	12.0	12.8			A	10	5	42
1216	19.9	113	13.4	282	12.0	12.8	**		A	10	8	35
1217	20.1	112	13.4	282	11.9	12.8			A	10	5	44
1217	20.4	112	13.4	282	11.9	12.8	**		A	10	8	41

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR
1217	20.1	110	13.4	281	11.9	12.8	**	A	10	8	36	
1218	20.6	111	13.3	282	11.9	12.7		A	10	5	33	*
1219	26.0	120	13.4	283	11.9	12.6		D	10	1	26	*
1220	NO CORR		13.4	282	11.9	12.6						
1220	23.4	124	13.5	282	11.9	12.6		D	10	2	27	
1221	26.9	123	13.5	281	11.9	12.6		D	10	2	23	
1221	18.8	114	13.5	281	11.9	12.6		B	10	5	49	
1221	19.8	117	13.5	282	11.9	12.6		B	10	8	46	
1222	21.0	118	13.4	282	11.9	12.6		D	10	2	30	
1222	19.9	118	13.4	282	11.9	12.6		B	10	5	41	
1222	21.0	116	13.4	282	11.9	12.6		A	10	7	46	
1223	22.9	119	13.4	282	11.9	12.6		A	10	8	32	
1223	22.7	118	13.4	282	12.0	12.6		C	10	2	30	
1223	17.5	111	13.4	282	12.0	12.6		C	10	1	38	*
1224	17.9	113	13.5	283	12.0	12.6		C	10	2	65	*
1224	20.3	123	13.5	282	12.0	12.5		A	10	8	75	
1224	19.7	124	13.5	282	12.0	12.5		A	10	8	90	
1225	19.4	126	13.4	282	11.9	12.4	**	A	10	8	71	
1225	19.7	126	13.4	282	11.9	12.3		A	10	5	89	
1225	17.6	99	13.4	282	11.9	12.2		C	10	3	57	
1225	20.0	103	13.4	282	11.9	12.2		A	10	8	44	
1226	17.0	100	13.5	283	11.9	12.2		A	10	5	28	
1226	23.6	118	13.6	282	11.9	12.2	**	A	10	6	19	
1227	21.2	110	13.6	282	11.9	12.2	**	A	10	8	47	
1227	15.3	105	13.6	282	11.9	12.2	**	C	10	2	65	
1227	21.2	117	13.5	283	11.9	12.2		A	10	8	82	
1228	22.1	112	13.5	282	11.9	12.3		A	10	8	72	
1228	22.5	112	13.5	282	11.9	12.3		A	10	8	73	
1228	18.9	109	13.4	282	11.8	12.3	**	A	10	8	70	
1229	18.5	108	13.4	283	11.9	12.3	**	A	10	8	84	
1229	19.0	109	13.4	283	11.8	12.3	**	A	10	8	81	
1229	19.1	108	13.4	283	11.8	12.3	**	A	10	8	78	
1229	19.1	108	13.5	283	11.9	12.4	**	A	10	8	73	
1230	19.7	108	13.5	282	11.9	12.4	**	A	10	8	76	
1230	20.2	106	13.5	282	11.9	12.3	**	A	10	8	88	
1230	20.1	107	13.5	282	11.9	12.3	**	A	10	8	86	
1231	13.7	111	13.4	282	11.9	12.3		A	10	5	50	
1231	14.1	101	13.4	283	11.9	12.3		A	10	8	53	
1231	14.1	110	13.4	283	11.9	12.3		A	10	8	57	
1232	15.3	106	13.5	283	11.9	12.3		A	10	8	51	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4		LD GT	Q	C.E	PART	MAX	SPD CDR	
1232	13.9	95	13.4	283	11.9	12.3			D	10	3	66		
1232	20.9	78	13.5	283	11.9	12.3			D	11	1	48		
1232	36.5	87	13.5	283	11.9	12.3			D	50	3	34		
1233	28.0	56	13.5	283	11.9	12.3			D	30	3	42		
1233	27.7	133	13.4	283	11.9	12.3			A	10	5	46		
1233	29.4	134	13.5	283	11.9	12.3			A	10	5	71		
1234	28.6	135	13.5	283	11.9	12.2		**	A	10	4	71		
1234	28.0	133	13.5	282	11.9	12.2		**	A	10	4	71		
1234	15.5	107	13.6	283	12.0	12.2			C	10	2	36		
1235	14.7	109	13.5	283	12.0	12.3			C	10	2	40		
1235	15.1	104	13.5	283	12.0	12.3			A	10	5	56		
1235	14.6	106	13.5	282	12.0	12.3			A	10	8	64		
1236	14.3	107	13.4	282	11.9	12.3			A	10	8	62		
1236	15.0	105	13.4	282	11.9	12.3			A	10	8	60		
1236	15.0	108	13.5	283	11.9	12.3			A	10	8	69		
1236	14.6	108	13.5	283	11.9	12.3			C	10	2	55		
1237	15.7	109	13.5	283	11.9	12.3			A	10	8	76		
1237	16.3	111	13.5	284	11.9	12.3		**	A	10	8	82		
1237	17.0	113	13.5	284	12.0	12.3			A	10	5	80		
1238	17.1	110	13.5	284	12.0	12.4			A	10	5	68		
1238	17.2	110	13.5	284	12.0	12.4			A	10	5	53		
1238	17.6	105	13.5	283	12.0	12.4			A	10	8	51		
1239	18.3	111	13.4	284	12.0	12.4			A	10	8	62		
1239	19.5	108	13.4	283	12.0	12.4			A	10	7	67		
1239	18.2	116	13.3	284	12.0	12.5			A	10	8	70		
1239	17.9	124	13.3	285	12.0	12.4			A	10	4	82		
1240	18.9	121	13.3	284	12.0	12.3		**	A	10	8	78		
1240	18.4	122	13.3	284	11.9	12.2			A	10	8	91		
1243	23.6	113	13.5	283	11.9	12.1			A	10	7	66		
1243	22.3	121	13.5	283	11.9	12.1			A	10	5	47		
1243	18.8	115	13.4	282	11.9	12.1			C	10	2	27	*	
1244	18.3	119	13.5	282	11.8	12.1			A	10	8	47		
1244	21.0	124	13.5	283	11.8	12.1			A	10	8	53	*	*
1244	20.8	118	13.6	283	11.8	12.1			B	10	4	13		
1245	21.3	119	13.6	283	11.8	12.1			B	10	4	29		
1245	18.5	113	13.6	283	11.8	12.1			D	10	3	63		
1245	18.3	113	13.5	283	11.8	12.1			D	10	3	63		
1246	18.8	116	13.4	283	11.8	12.1			D	10	1	62		
1246	18.1	113	13.5	283	11.8	12.1			D	10	1	38		
1246	18.8	114	13.5	283	11.8	12.1			D	10	3	38		

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1=3	DIAM 2=4	LD GL	Q	CLE	PART	MAX	SPD CDR
1247	24.2	198	13.4	283	11.8	12.1		D	20	1	42	
1247	27.6	199	13.4	283	11.8	12.1		D	20	3	42	
1248	18.2	118	13.4	283	11.8	12.1		D	10	1	19	
1248	24.7	127	13.5	283	11.8	12.1		D	11	1	21	*
1249	44.7	142	13.5	284	11.8	12.1		D	10	1	14	
1249	45.1	142	13.5	284	11.8	12.1		D	10	3	20	
1249	44.8	143	13.4	284	11.8	12.1		D	10	3	26	
1250	44.9	143	13.4	284	11.8	12.1		D	10	3	18	
1250	17.8	111	13.4	284	11.8	12.1		D	10	1	30	
1250	18.5	112	13.3	284	11.8	12.1		D	10	3	23	
1250	19.7	118	13.3	284	11.9	12.1		D	10	1	27	
1251	20.3	120	13.3	285	11.9	12.1		D	10	1	44	
1251	20.1	122	13.3	286	11.9	12.1		B	10	5	45	
1251	19.7	124	13.3	286	11.9	12.0		D	10	1	15	*
1252	16.7	110	13.3	286	11.8	12.0	**	B	10	8	53	
1252	17.0	112	13.3	287	11.8	12.0		B	10	5	56	
1253	17.0	111	13.2	287	11.9	12.0		B	10	5	62	
1253	17.2	111	13.2	287	11.9	12.0	**	A	10	8	54	
1253	17.4	113	13.2	287	11.9	12.2	**	A	10	8	54	
1253	17.9	114	13.3	286	11.9	12.2	**	A	10	8	50	
1254	17.3	115	13.3	286	11.9	12.2	**	A	10	8	43	
1254	18.3	117	13.3	286	12.0	12.0	**	A	10	8	47	
1254	17.2	115	13.3	286	12.0	12.0		A	10	5	45	
1255	17.6	114	13.3	286	12.0	12.0		A	10	8	68	
1255	17.4	110	13.3	286	12.0	12.0	**	A	10	8	56	
1255	16.7	111	13.3	286	12.1	12.0		A	10	8	55	*
1256	16.6	110	13.3	286	12.1	12.0	**	A	10	8	54	
1256	16.1	112	13.3	286	12.1	12.0		A	10	8	51	
1256	16.9	113	13.3	286	12.2	12.0		A	10	8	53	
1257	16.3	112	13.4	285	12.2	12.0		A	10	8	71	
1257	16.9	111	13.4	284	12.2	12.0		A	10	8	70	
1257	17.9	111	13.3	284	12.2	11.9	**	A	10	8	62	
1257	17.6	112	13.4	284	12.3	11.9	**	A	10	8	63	
1258	17.7	114	13.4	284	12.2	12.0	**	A	10	8	63	
1258	17.6	115	13.4	285	12.3	12.0		A	10	8	71	
1258	17.0	114	13.4	285	12.3	12.0		C	10	3	60	
1259	17.5	114	13.4	285	12.3	12.0		A	10	5	71	
1259	17.7	114	13.4	285	12.3	12.0		A	10	5	72	
1259	17.3	114	13.4	285	12.3	12.0		A	10	8	76	
1260	17.6	114	13.5	285	12.3	12.0	**	A	10	8	72	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	O	C.E	PART	MAX	SPD CDR
1260	17.9	113	13.5	285	12.4	12.0	**	A	10	8	57	
1260	17.3	113	13.5	285	12.4	12.0	**	A	10	8	53	
1261	17.1	113	13.4	285	12.4	12.0	**	A	10	8	56	
1261	16.8	114	13.4	286	12.5	12.0	**	A	10	8	55	
1261	16.9	115	13.4	286	12.5	12.0	**	A	10	8	56	
1261	16.8	116	13.4	286	12.5	12.0	**	A	10	8	59	
1262	17.0	115	13.5	286	12.5	12.0	**	A	10	8	55	
1262	17.5	117	13.5	286	12.5	12.0		C	10	3	45	
1262	17.7	117	13.5	286	12.6	12.0		C	10	3	51	
1263	17.9	116	13.5	285	12.6	12.0		C	10	3	44	
1263	NO CORR		13.5	285	12.6	12.0						
1263	16.5	112	13.5	285	12.7	12.0	**	A	10	8	57	
1264	16.8	111	13.5	284	12.8	11.9	**	A	10	8	64	
1264	17.0	113	13.5	286	12.8	12.0	**	A	10	8	71	* *
1265	16.7	113	13.5	286	13.0	12.0		A	10	5	31	* *
1265	20.0	114	13.4	285	13.0	12.0		C	10	1	13	* *
1265	15.0	109	13.4	285	13.1	12.0		A	10	5	54	* *
1266	15.2	109	13.5	285	13.1	12.0		A	10	5	50	* *
1266	14.6	107	13.5	284	13.1	12.0		C	10	2	24	
1266	13.7	104	13.5	284	13.1	12.0		C	10	1	22	
1267	47.4	83	13.6	284	13.0	12.0	**	D	11	2	25	
1267	37.7	109	13.6	284	12.9	12.0		D	11	2	30	
1267	36.8	95	13.6	284	12.8	12.0		D	10	3	48	* *
1268	NO CORR		13.6	284	12.8	12.0						
1268	50.3	92	13.6	284	12.8	12.0		D	11	2	26	* *
1268	44.5	89	13.6	284	12.8	12.0	**	D	10	2	23	
1268	43.8	93	13.6	285	12.8	12.0		D	10	2	22	
1269	41.5	88	13.6	285	12.8	12.0		D	10	3	30	
1269	40.2	93	13.6	285	12.8	12.0		B	10	5	35	
1270	30.5	89	13.6	284	12.8	12.0		C	10	3	48	
1270	30.6	88	13.6	283	12.9	12.0		C	10	3	52	
1270	30.0	89	13.6	284	12.9	12.0		C	10	3	57	
1271	29.9	90	13.6	284	12.8	12.0		A	10	5	49	
1271	28.2	95	13.6	285	12.9	12.1		B	10	5	52	
1271	29.9	95	13.6	286	12.9	12.1		B	10	5	55	
1271	29.2	95	13.6	286	12.9	12.1	**	B	10	8	44	
1272	46.7	87	13.6	286	12.8	12.2	**	B	20	8	40	
1272	29.1	96	13.6	287	12.8	12.2		D	10	2	47	
1273	39.6	93	13.6	287	12.6	12.3		A	10	5	59	
1273	36.0	96	13.6	288	12.4	12.3		C	10	2	48	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO G1	Q	C.E	PART	MAX	SPD CUR	
1273	42.7	97	13.6	288	12.3	12.4		C	10	2	57		
1274	41.2	97	13.6	288	12.2	12.4		A	10	5	57		
1274	40.3	122	13.5	288	12.2	12.5		D	10	3	30		
1275	31.5	86	13.5	288	12.2	12.6		A	10	8	76		
1275	32.6	87	13.4	288	12.2	12.7		A	10	8	77		
1275	33.0	89	13.4	288	12.3	12.7		A	10	8	82		
1275	33.5	88	13.4	287	12.3	12.8		A	10	8	64		
1276	NO CORR		13.4	287	12.6	12.9							
1276	NO CORR		13.4	287	13.0	13.1							
1276	NO CORR		13.5	287	13.5	13.5							
1277	20.2	35	13.4	287	14.6	14.7		D	11	3	65		
1277	33.2	41	13.4	288	14.5	14.8		D	11	1	89		
1278	25.9	49	13.4	288	14.1	14.6		D	10	3	77		
1278	26.5	60	13.5	287	13.3	13.8		D	11	1	53	*	
1279	NO CORR		13.5	287	13.0	13.4							
1281	NO CORR		13.5	287	12.7	13.0							
1281	NO CORR		13.5	287	12.8	13.2							
1282	NO CORR		13.5	288	12.8	13.3							
1282	NO CORR		13.4	287	12.6	13.3							
1282	55.8	348	13.4	288	12.3	13.2		D	10	3	33	*	
1283	NO CORR		13.3	288	11.9	12.1							
1284	NO CORR		13.3	288	11.9	12.1							
1284	NO CORR		13.3	288	11.9	12.1							
1285	37.8	70	13.1	289	12.0	12.1	**	B	10	8	32		
1285	37.8	73	13.0	288	12.0	12.2		B	10	4	43		
1286	45.1	73	13.0	288	12.3	12.3		D	11	1	45		
1286	41.9	76	13.0	288	12.3	12.3	**	D	10	2	28		
1287	36.5	75	13.1	287	12.4	12.5		D	10	2	34		
1287	39.6	73	13.2	287	12.3	12.6		B	10	4	55		
1287	36.6	76	13.1	287	12.3	12.6	**	B	10	4	33		
1288	40.6	74	13.1	287	12.2	12.6	**	B	10	8	29		
1288	40.5	73	13.1	287	12.1	12.6	**	B	10	8	27		
1288	44.2	84	13.1	287	12.1	12.6		D	10	1	34		
1289	42.8	78	13.1	287	12.0	12.5		D	10	3	36		
1289	39.6	81	13.1	287	12.0	12.5		B	10	4	35		
1289	NO CORR		13.2	286	12.0	12.4							
1289	NO CORR		13.2	286	12.0	12.3							
1290	38.5	69	13.2	287	12.1	12.3		D	10	3	39		
1291	31.9	93	13.1	288	12.5	12.4		A	10	7	64		
1291	39.1	104	13.1	288	12.9	12.7		C	10	3	54		

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CDR	
1291	30.9	97	13.1	288	13.2	12.9		A	10	8	51		
1292	32.8	100	13.1	287	13.5	13.0		A	10	8	64		
1292	NO CORR		13.1	287	13.4	13.0							
1292	NO CORR		13.1	287	13.0	12.7							
1293	52.3	100	13.2	287	12.6	12.5		D	11	1	42	*	*
1293	53.8	90	13.2	288	12.2	12.4		D	11	1	42		
1293	58.9	174	13.2	288	12.1	12.4	**	B	20	4	9		
1294	59.5	95	13.3	287	12.1	12.4		D	10	1	11		
1294	59.0	95	13.3	287	12.1	12.5		D	10	3	49		
1295	58.8	98	13.3	287	12.2	12.5		B	10	5	41		
1296	28.1	108	13.5	287	12.2	12.6	**	D	10	2	47		
1296	30.9	105	13.6	288	12.1	12.7	**	B	10	8	33	*	*
1297	37.5	110	13.6	288	12.1	12.9	**	B	10	4	37		
1297	36.7	110	13.6	288	12.0	12.9		B	10	5	57		
1298	30.6	108	13.6	287	12.0	12.9		D	10	2	47		
1298	31.9	106	13.6	287	11.9	12.8		B	10	5	22	*	*
1298	NO CORR		13.7	285	11.9	12.8							
1300	NO CORR		13.7	283	11.9	12.9							
1300	31.0	281	13.7	284	11.9	13.1		D	10	1	60		
1300	29.9	269	13.7	283	12.0	13.1		D	10	3	33		
1301	27.3	269	13.7	284	12.0	13.1		D	10	1	35		
1301	27.6	267	13.7	284	11.9	13.1		D	10	1	36		
1303	20.2	74	13.7	283	11.8	12.8		B	10	4	45		
1303	18.7	62	13.6	283	11.9	12.8		D	10	2	40		
1303	NO CORR		13.7	282	11.9	12.9							
1304	50.7	68	13.8	281	12.0	13.0		D	20	2	17		
1304	21.8	65	13.9	282	12.0	13.0		B	10	5	33		
1305	19.7	69	13.9	283	11.9	12.9		C	10	3	26		
1305	22.5	70	13.8	283	11.9	12.9		A	10	4	39		
1305	NO CORR		13.8	283	11.9	12.9							
1306	9.4	88	13.8	282	11.9	12.8		C	10	1	27		
1306	42.8	72	13.8	282	11.9	12.9	**	B	20	4	23	*	*
1306	19.8	74	13.9	281	12.0	12.9		A	10	5	43	*	*
1307	18.2	85	13.9	281	12.0	13.0		C	10	1	54	*	*
1307	22.5	100	13.9	281	12.1	13.1		A	10	8	65		
1307	23.1	98	13.9	281	12.0	13.1		A	10	8	68		
1307	23.0	97	13.9	281	12.0	13.1		A	10	8	59		
1308	21.4	95	13.9	281	12.0	12.9		A	10	6	63		
1308	21.6	73	13.9	282	11.9	12.9		C	10	2	51	*	*
1308	23.4	59	13.9	282	11.9	12.8		C	10	1	22	*	*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD CDR
1309	23.6	82	14.0	282	12.0	12.8		A	10	5	65	
1309	21.0	83	14.0	282	11.9	12.8		A	10	6	72	
1309	17.0	95	14.0	282	11.9	12.8		A	10	8	57	
1310	19.2	82	14.0	281	12.0	12.9		A	10	8	53	
1310	22.3	86	14.0	281	11.9	12.9		A	10	5	65	
1310	17.8	78	14.0	281	11.9	13.0		C	10	2	51	
1310	18.8	59	14.0	281	11.9	13.0		C	10	2	59	
1311	14.3	92	13.9	281	11.9	13.0		D	10	3	55	
1311	18.1	93	14.0	281	11.8	13.0		D	10	3	38	
1311	16.3	99	14.0	282	11.8	13.1		B	10	8	3-	
1312	15.3	101	13.9	283	11.8	13.1		B	10	5	35	
1312	11.0	92	14.0	282	11.9	13.2		D	10	3	60	
1312	30.1	54	13.9	282	12.1	13.3		D	20	3	93	
1313	27.1	47	13.9	281	13.2	14.1		D	20	3	78	
1313	25.7	47	13.9	280	14.0	14.8		D	20	3	67	
1313	27.5	51	13.8	281	14.8	15.6		D	20	1	51	
1314	NO CORR		13.8	281	15.3	16.3						
1314	NO CORR		13.7	280	14.6	16.2						
1314	NO CORR		13.8	279	13.6	15.9						
1314	2.1	85	13.9	278	13.2	15.8		D	10	1	60	* *
1315	1.9	120	13.9	276	12.5	15.4		D	10	3	36	* *
1315	7.6	271	14.0	277	12.2	15.1		D	11	1	42	
1316	5.2	249	14.0	277	12.0	14.9		D	11	1	3-	
1317	14.5	106	14.1	280	11.3	15.1		C	10	3	54	* *
1317	15.2	107	14.1	281	11.3	15.2		A	10	8	57	* *
1318	15.2	108	14.1	281	11.2	15.3		A	10	8	53	* *
1318	14.8	105	14.1	281	11.2	15.3		A	10	5	46	* *
1318	14.4	108	14.1	281	11.3	15.4		A	10	5	59	* *
1318	10.1	100	14.1	280	11.3	15.4		C	10	2	58	
1319	9.3	97	14.1	278	11.3	15.4		A	10	8	61	
1319	9.8	97	14.1	277	11.3	15.5		A	10	5	65	
1319	11.6	93	14.1	277	11.2	15.6		A	10	8	71	
1320	4.2	84	14.0	277	11.1	15.8		A	10	4	46	* *
1320	1.5	114	14.1	280	11.5	16.4		C	10	1	47	* *
1321	NO CORR		14.2	279	11.2	16.9						
1321	14.9	89	14.1	278	11.2	17.0		C	10	2	35	* *
1321	9.7	56	14.1	278	11.4	17.1		D	10	3	75	* *
1322	13.2	64	14.1	276	11.7	17.1		D	11	2	63	* *
1322	9.7	95	14.1	274	11.9	17.1		D	11	1	23	* *
1324	18.4	253	14.5	277	11.1	17.1		B	20	5	42	* *

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR
1325	26.2	164	14.4	271	10.5	17.1		A	10	8	71	*
1325	26.9	161	14.5	270	10.2	17.1	**	A	10	8	81	*
1325	28.2	158	14.5	269	9.9	17.1	**	A	10	8	44	*
1326	27.3	161	14.5	271	9.7	17.1	**	A	10	8	90	*
1326	NO CORR		14.6	270	9.8	17.1						
1329	NO CORR		14.3	276	9.9	17.1						
1329	10.4	108	14.1	276	9.8	17.1		D	10	3	55	*
1330	2.5	55	14.0	276	10.1	17.1		D	11	1	88	*
1331	14.9	140	13.8	280	10.0	17.1		D	11	1	57	
1332	NO CORR		13.6	280	8.8	17.1						
1332	NO CORR		13.5	280	8.7	17.1						
1333	11.1	110	13.6	282	8.1	17.1		D	10	3	97	*
1333	13.1	115	13.6	282	7.7	17.1	**	B	10	8	82	*
1334	NO CORR		13.6	282	7.4	17.1						
1337	NO CORR		13.5	285	7.5	17.1						
1338	43.1	351	13.5	285	7.9	17.1		D	10	3	76	*
1338	NO CORR		13.5	285	8.8	17.1						
1340	10.6	119	13.5	281	9.5	17.1		B	10	4	57	*
1340	57.2	96	13.5	279	9.7	17.1		D	20	3	51	
1340	NO CORR		13.5	279	10.1	17.1						
1341	NO CORR		13.4	279	10.8	17.1						
1341	NO CORR		13.3	274	11.2	17.1						
1342	NO CORR		13.4	273	11.0	17.1						
1342	6.0	102	13.4	276	11.0	17.1		D	10	1	59	*
1343	NO CORR		13.3	281	11.1	17.1						
1344	NO CORR		13.3	281	11.4	17.1						
1346	NO CORR		13.6	280	11.5	17.1						
1346	NO CORR		13.6	278	11.6	17.1						
1347	NO CORR		13.7	277	12.0	17.1						
1347	NO CORR		13.8	277	12.1	17.1						
1348	NO CORR		14.0	277	12.7	17.1						
1348	NO CORR		14.0	277	13.3	17.1						
1353	NO CORR		13.6	281	14.4	17.1						
1354	NO CORR		13.5	283	12.5	17.1						
1355	34.8	264	13.6	283	11.7	17.1	**	D	10	2	10	
1356	NO CORR		13.6	284	11.8	17.1						
1356	NO CORR		13.6	284	11.8	17.1						
1357	36.0	263	13.6	284	11.9	17.1		D	10	3	36	
1357	38.3	247	13.6	284	12.0	17.1		D	20	3	59	*
1357	NO CORR		13.6	287	12.2	17.1						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD COR
1357	NO CORR		13.6	288	12.3	17.1						
1358	NO CORR		13.6	288	12.4	17.1						
1358	NO CORR		13.6	284	12.3	17.2						
1359	NO CORR		13.6	283	12.2	17.1						
1361	NO CORR		13.5	283	13.1	17.1						
1361	NO CORR		13.5	283	13.4	17.2						
1363	NO CORR		13.6	285	13.3	17.1						
1364	51.7	306	13.6	283	13.8	17.1		D	10	3	48	
1365	49.5	304	13.6	283	14.0	17.1		D	10	3	48	
1365	NO CORR		13.6	283	14.0	17.1						
1365	NO CORR		13.6	283	14.0	17.1						
1366	NO CORR		13.6	285	14.0	17.1						
1367	NO CORR		13.6	286	14.2	17.1						
1369	NO CORR		13.6	283	13.6	17.1						
1369	NO CORR		13.6	283	13.6	17.1						
1371	NO CORR		13.9	283	12.8	17.1						
1371	9.4	178	14.0	283	12.3	17.1		C	10	1	14	
1371	9.1	205	13.9	283	12.0	17.1		C	10	1	65	
1371	12.8	172	13.8	283	11.8	17.1		C	10	3	74	
1372	9.9	171	13.7	283	11.5	17.1		A	10	5	63	
1372	10.9	177	13.8	284	11.4	17.1		A	10	5	63	
1372	11.6	182	13.7	284	11.5	17.1	**	A	10	8	54	
1373	11.8	185	13.7	284	11.5	17.1		C	10	3	52	
1373	NO CORR		13.6	286	11.4	17.1						
1374	NO CORR		13.6	287	11.3	17.1						
1374	13.7	168	13.6	287	11.2	17.1		A	10	5	32	
1374	11.9	167	13.6	286	11.2	17.1	**	A	10	8	44	
1375	12.9	166	13.6	286	11.2	17.1		A	10	8	57	
1375	8.0	145	13.6	285	11.3	17.1		C	10	1	29	*
1375	NO CORR		13.5	284	11.5	17.1						
1377	NO CORR		13.5	284	11.7	17.1						
1377	NO CORR		13.5	284	11.8	17.1						
1377	NO CORR		13.5	283	12.0	17.1						
1378	NO CORR		13.5	283	11.9	17.1						
1378	NO CORR		13.5	284	12.6	17.1						
1378	NO CORR		13.5	284	13.1	17.1						
1379	NO CORR		13.5	285	13.5	17.1						
1379	NO CORR		13.6	285	13.5	17.1						
1379	NO CORR		13.6	285	12.8	17.1						
1380	NO CORR		13.5	284	11.8	17.1						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CDR
1381	NO CORR		13.5	281	11.8	17.0						
1381	NO CORR		13.4	282	12.1	16.9						
1382	NO CORR		13.4	283	12.6	17.0						
1382	10.4	163	13.4	284	13.2	17.0		A	10	8	88	
1383	8.8	148	13.4	283	12.4	16.8	**	A	10	8	96	
1383	10.6	126	13.4	282	11.6	16.5	**	A	10	8	97	*
1383	11.1	129	13.4	282	11.0	16.2	**	A	10	8	88	*
1384	14.1	176	13.4	282	10.9	15.9		C	11	1	61	
1385	NO CORR		13.1	281	11.3	15.6						
1385	NO CORR		12.9	281	12.0	15.8						
1385	NO CORR		12.9	281	12.4	15.9						
1386	60.3	105	12.8	284	13.8	16.4		D	10	3	70	
1388	59.8	111	12.6	288	12.3	15.9		D	11	1	23	
1389	27.7	174	12.5	288	12.6	15.7		D	10	1	30	
1389	29.4	177	12.4	288	12.8	15.7		D	10	1	41	
1389	29.5	179	12.4	288	13.0	15.7		D	10	1	68	
1390	29.6	178	12.5	287	13.2	15.6		D	10	2	23	
1390	NO CORR		12.6	288	12.8	15.7						
1391	NO CORR		12.6	287	12.7	15.7						
1392	13.9	169	12.5	288	12.4	15.8		C	10	1	19	
1392	13.6	155	12.4	288	12.2	15.6		C	10	1	11	
1392	16.9	148	12.4	288	12.2	15.5		C	10	3	21	
1393	NO CORR		12.5	289	12.6	15.4						
1393	18.3	135	12.6	289	12.9	15.4		C	10	3	10	
1393	16.6	140	12.7	289	13.2	15.4		A	10	5	29	
1394	14.0	127	12.7	289	13.4	15.4		C	10	3	26	
1394	NO CORR		12.7	289	13.0	15.4						
1394	NO CORR		12.6	290	12.7	15.4						
1395	11.2	136	12.5	290	12.7	15.5		D	10	1	39	
1395	11.0	145	12.5	290	12.7	15.8		D	10	3	41	
1395	11.2	140	12.4	289	12.7	15.9		D	10	3	77	
1396	10.7	129	12.4	288	12.4	15.9		D	10	2	88	
1396	16.5	139	12.4	287	11.9	15.7		A	10	4	96	
1396	17.9	143	12.4	287	11.4	15.2	**	A	10	8	94	
1397	NO CORR		12.4	288	11.3	15.1						
1397	10.3	138	12.4	288	11.3	15.1		C	10	1	22	*
1397	15.9	150	12.5	289	11.3	15.2	**	A	10	8	56	
1398	15.4	152	12.5	289	11.2	15.2	**	A	10	8	45	
1398	14.1	152	12.5	288	11.2	15.3		A	10	8	50	
1398	14.7	150	12.5	287	11.2	15.4		C	10	2	64	

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	CLE	PART	MAX	SPD CDR	
1399	15.9	152	12.5	287	11.1	15.5	**	A	10	8	71		
1399	15.4	148	12.5	287	11.1	15.6	**	A	10	8	70		
1399	15.9	146	12.5	287	11.0	15.7		A	10	8	55		
1399	13.6	149	12.5	287	11.0	15.8		C	10	3	69	*	*
1400	12.7	127	12.5	288	11.0	15.8		A	10	5	71	*	*
1400	19.5	157	12.4	288	11.0	15.9		C	10	1	34		
1400	14.2	146	12.3	288	11.0	15.9		A	10	5	67		
1401	14.5	143	12.3	288	11.1	15.9		A	10	7	69		
1401	14.2	139	12.3	288	11.1	16.0	**	A	10	8	61		
1401	13.4	142	12.3	288	11.0	16.1		A	10	8	58		
1402	14.8	150	12.3	288	11.0	16.2	**	A	10	8	37		
1402	13.1	151	12.3	288	11.0	16.3		A	10	5	38		
1402	13.3	150	12.3	288	11.0	16.4	**	A	10	8	25		
1403	13.7	148	12.3	288	11.0	16.4	**	A	10	8	24		
1403	13.9	143	12.3	288	10.9	16.5		A	10	8	55		
1403	15.3	144	12.3	288	10.9	16.5		A	10	8	51		
1403	15.9	146	12.3	289	10.9	16.6		A	10	8	62		
1404	15.4	145	12.3	288	10.9	16.6		A	10	8	55		
1404	13.8	138	12.2	289	10.9	16.7		A	10	5	45		
1404	14.1	135	12.2	289	10.9	16.7		A	10	5	44		
1405	15.3	140	12.2	289	10.9	16.8		A	10	5	47		
1405	12.3	136	12.2	289	10.9	16.8		C	10	2	20		
1405	13.5	151	12.2	289	10.9	16.9		C	10	3	37		
1406	3.4	122	12.2	288	11.0	16.9		D	10	2	33		
1406	4.3	122	12.1	289	11.2	16.9	**	D	10	2	42	*	*
1406	13.2	149	12.1	288	11.4	16.9		D	11	1	50		
1407	18.1	154	12.0	289	11.6	17.0		D	20	1	27		
1407	8.3	130	12.0	289	11.8	17.0		D	10	3	44		
1407	6.7	124	12.1	288	11.8	17.0		D	10	1	44		
1407	3.6	66	12.2	289	11.8	17.0	**	D	10	2	20		
1408	4.6	83	12.2	289	11.7	17.0	**	D	10	2	16		
1408	12.4	135	12.3	289	11.3	17.1		D	11	1	32		
1409	17.2	147	12.3	289	11.1	17.1	**	A	10	8	15		
1409	15.4	143	12.3	289	11.0	17.1		A	10	5	39		
1409	15.7	144	12.3	289	11.1	17.1		C	10	2	21		
1410	15.1	147	12.3	289	11.2	17.1	**	A	10	8	43		
1410	17.2	145	12.4	289	11.2	17.1	**	A	10	8	51		
1410	12.8	143	12.4	289	11.2	17.1	**	A	10	8	47		
1410	12.2	139	12.4	290	11.2	17.1		A	10	5	49	*	*
1411	NO CORR		12.4	290	11.5	17.1							

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO	Q	C.E	PART	MAX	SPD COR	
1411	15.0	149	12.4	290	11.9	17.1		C	10	2	6		
1412	15.8	144	12.4	291	11.8	17.1		C	10	1	62		
1413	13.0	150	12.4	292	11.1	17.1		C	10	1	29		
1416	NO CORR		12.4	295	11.3	17.1							
1416	16.5	150	12.4	295	11.3	17.1		D	11	1	27		
1416	10.0	147	12.4	295	11.3	17.1		B	10	5	35		
1417	NO CORR		12.4	294	11.5	17.1							
1420	NO CORR		12.5	294	12.1	17.1							
1420	NO CORR		12.4	294	12.0	17.1							
1421	NO CORR		12.4	295	12.0	17.1							
1421	NO CORR		12.3	293	12.1	17.1							
1421	NO CORR		12.2	292	12.1	17.0							
1422	16.9	121	12.2	294	12.6	17.0		D	11	1	19		
1423	23.5	136	12.3	294	13.0	17.1		B	10	5	36		
1423	24.8	127	12.3	294	13.0	17.2		D	10	2	17		
1424	25.2	135	12.4	297	12.4	17.2		D	10	2	30		
1424	NO CORR		12.6	297	11.5	17.1							
1425	15.5	148	12.5	293	11.3	17.1		D	10	1	33		
1426	13.8	141	12.4	292	11.5	17.1		D	10	2	42		
1426	12.1	137	12.4	293	11.6	17.1		B	10	5	35		
1427	13.6	158	12.4	293	11.5	17.1		D	10	2	50	*	
1427	13.5	147	12.5	293	11.5	17.1		D	10	3	54		
1427	7.2	127	12.6	293	11.4	17.1		D	10	1	52		
1428	13.2	149	12.6	293	11.3	17.1	**	D	10	2	38		
1428	13.5	142	12.6	293	11.3	17.1		D	10	3	37		
1428	NO CORR		12.5	294	11.4	17.1							
1430	NO CORR		12.4	294	11.8	17.1							
1430	NO CORR		12.4	295	11.9	16.9							
1431	NO CORR		12.3	294	11.8	16.7							
1431	21.8	185	12.2	295	11.8	16.7		D	10	3	50		
1432	21.9	178	12.2	294	11.8	16.7		D	10	3	54		
1432	20.6	175	12.2	295	11.8	16.7	**	D	10	2	43		
1432	21.0	174	12.2	296	11.8	16.8		D	10	3	50		
1432	21.9	168	12.3	295	11.8	16.8	**	D	10	2	20		
1433	11.3	186	12.3	296	11.9	16.8	**	D	10	2	26		
1434	10.3	170	12.2	297	12.0	16.7	**	B	10	8	28		
1434	8.6	159	12.3	296	12.0	16.7		D	10	3	20		
1434	NO CORR		12.3	296	12.0	16.7							
1435	NO CORR		12.2	296	12.1	16.7							
1436	NO CORR		12.2	296	12.1	16.9							

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR
1436	NO CORR		12.2	295	12.5	16.9						
1439	NO CORR		12.4	296	12.4	17.0						
1439	17.9	144	12.4	296	12.1	16.8		D	11	1	25	
1439	11.9	164	12.5	296	12.1	16.6		D	10	3	55	
1439	12.0	166	12.5	296	12.1	16.5		D	10	3	50	
1440	NO CORR		12.4	296	12.1	16.3						
1440	NO CORR		12.4	295	12.1	16.2						
1440	52.0	178	12.4	296	12.1	16.1		D	21	1	30	
1441	54.3	171	12.4	295	12.1	16.0		D	20	3	53	
1441	14.5	139	12.4	295	12.2	15.9		D	10	1	61	
1441	52.4	172	12.4	295	12.2	15.8		D	20	1	23	
1442	NO CORR		12.4	295	12.2	15.8						
1442	50.5	171	12.4	294	12.2	15.8		D	20	3	37	
1442	51.2	175	12.4	295	12.2	15.8	**	D	20	2	12	
1442	19.4	34	12.4	294	12.3	15.8		D	10	2	21	
1443	16.0	26	12.4	295	12.3	15.8		D	10	3	14	
1443	16.0	20	12.4	295	12.4	15.8		B	10	4	30	
1443	17.7	22	12.4	295	12.4	15.8		B	10	5	39	
1444	13.0	43	12.4	296	12.4	15.7		D	10	1	30	
1445	NO CORR		12.3	296	13.0	15.8						
1446	NO CORR		12.3	296	13.5	15.9						
1446	NO CORR		12.3	296	13.7	16.0						
1449	NO CORR		12.5	298	13.1	15.8						
1449	NO CORR		12.6	297	12.9	15.8						
1449	15.3	133	12.6	296	12.7	15.6		D	10	1	28	
1450	15.4	136	12.7	297	12.6	15.6		D	10	3	38	
1450	14.6	134	12.7	297	12.5	15.5		D	10	1	22	
1451	NO CORR		12.5	296	13.0	15.5						
1452	22.8	360	12.5	295	13.1	15.5		D	10	1	43	
1452	28.0	357	12.5	295	13.5	15.6		D	10	1	32	
1452	30.4	358	12.5	296	14.2	15.8		D	10	1	31	
1453	29.5	359	12.5	296	15.1	16.0		D	10	1	15	
1453	27.8	354	12.6	297	15.7	16.1		D	10	1	36	
1453	26.3	357	12.6	297	15.5	16.0		D	10	3	42	
1453	15.5	320	12.6	297	15.1	15.8		A	10	5	61	
1454	12.1	310	12.6	297	14.7	15.7		A	10	5	75	
1454	18.5	312	12.5	298	14.0	15.6		C	10	2	66	
1454	9.0	309	12.5	297	13.6	15.5		A	10	5	72	
1455	15.2	323	12.5	296	13.3	15.4		C	10	2	55	
1456	NO CORR		12.5	296	13.1	15.3						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.F.	PART	MAX	SPD COR
1455	25.4	322	12.5	296	13.4	15.3		A	10	5	65	
1456	21.2	330	12.5	297	13.9	15.2		C	10	2	52	
1456	25.2	317	12.5	297	14.4	15.2		A	10	8	70	
1456	25.1	322	12.6	297	14.3	15.2		A	10	7	66	
1456	NO CORR		12.6	296	13.9	15.3						
1457	23.3	126	12.7	295	13.4	15.2	**	D	11	2	1	
1457	16.2	152	12.8	295	13.0	15.1		D	10	3	57	
1458	10.5	147	13.0	295	12.7	15.0		B	10	6	34	
1458	9.9	144	13.0	295	12.6	14.9		B	10	4	40	
1458	9.0	138	13.0	296	12.6	14.9		B	10	5	35	
1459	NO CORR		13.0	297	12.6	14.9						
1459	6.3	193	13.0	297	12.5	14.9		D	10	2	32	
1459	9.8	156	13.0	298	12.6	14.9		B	10	6	24	
1461	28.8	266	12.9	296	12.6	14.9		D	21	1	49	
1461	26.2	259	12.9	295	12.6	14.8		D	21	2	52	
1461	20.5	262	12.8	295	12.6	14.8	**	B	20	8	60	
1462	38.1	104	12.7	297	12.6	14.8	**	B	10	8	60	
1462	39.3	103	12.6	297	12.6	14.9		D	10	2	43	
1463	17.5	121	12.6	297	12.6	14.9		D	10	2	12	
1463	NO CORR		12.7	296	12.6	14.9						
1463	12.7	139	12.7	296	12.6	14.9		B	10	5	41	
1464	NO CORR		12.6	296	12.6	14.9						
1464	NO CORR		12.6	296	12.6	14.9						
1464	15.4	139	12.5	296	12.7	14.7		B	10	5	37	
1465	21.9	19	12.6	296	12.7	14.7		D	20	2	7	
1465	15.2	139	12.6	295	12.7	14.6		D	10	3	32	
1465	64.5	78	12.7	296	12.7	14.6		D	30	3	27	
1466	13.6	136	12.7	295	12.7	14.6	**	A	10	8	39	
1466	13.0	131	12.8	295	12.7	14.5		A	10	5	43	
1466	13.2	136	12.8	296	12.8	14.5	**	A	10	8	56	
1467	14.5	130	12.8	295	12.8	14.4		A	10	8	56	
1467	16.0	134	12.8	295	12.9	14.3	**	D	11	2	20	
1467	19.5	144	12.8	295	12.9	14.2		D	10	3	59	
1468	19.8	147	12.7	296	13.0	14.2		D	10	1	48	
1468	20.8	147	12.7	296	13.0	14.2	**	D	10	2	40	
1468	NO CORR		12.7	296	13.0	14.2						
1471	13.5	155	12.9	297	13.4	14.2		D	10	3	35	
1471	NO CORR		12.9	298	13.5	14.2						
1472	NO CORR		12.9	298	13.9	14.3						
1472	11.6	36	12.9	298	14.2	14.3	**	D	10	2	61	

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO	Q	C.E	PART	MAX	SPD COR
1472	NO CORR		12.8	298	14.5	14.4						
1483	NO CORR		13.0	296	14.6	13.4						
1483	11.7	57	13.0	296	14.7	13.3		D	10	1	50	
1483	10.5	49	12.9	296	14.6	13.3		B	10	4	58	
1484	11.6	52	12.9	297	14.8	13.4		D	20	3	53	
1484	10.2	60	12.9	297	14.9	13.4		B	20	5	28	
1484	NO CORR		12.9	297	15.1	13.4						
1484	NO CORR		12.9	296	15.3	13.4						
1485	NO CORR		12.9	296	15.2	13.3						
1485	NO CORR		13.0	297	15.2	13.3						
1485	50.8	52	13.0	297	15.4	13.3		D	10	3	34	
1486	53.9	54	13.0	297	15.3	13.4		D	10	3	69	
1486	44.5	49	13.0	298	15.3	13.3		D	10	1	2	
1486	NO CORR		13.0	297	15.6	13.3						
1488	NO CORR		13.1	297	15.9	13.3						
1488	15.0	144	13.1	297	16.4	13.5		D	11	1	54	
1489	19.0	137	13.1	297	16.7	13.7		D	11	2	30	
1489	23.1	132	13.2	298	16.9	13.7		D	10	3	41	
1489	22.3	133	13.2	298	16.9	13.7		D	10	3	41	
1490	20.6	130	13.3	297	16.9	13.4		C	10	3	45	
1490	16.8	142	13.3	297	16.9	13.1		A	10	5	19	
1490	24.5	158	13.3	297	16.9	12.9		C	11	1	39	
1491	NO CORR		13.5	298	16.6	12.7						
1491	16.5	139	13.5	298	16.5	12.7		A	10	8	43	
1492	16.5	138	13.6	299	16.3	12.8		A	10	5	37	
1492	17.1	142	13.6	299	16.4	12.8	**	A	10	8	39	
1492	17.2	143	13.6	299	16.4	12.7	**	A	10	8	16	
1493	NO CORR		13.6	298	16.3	12.7						
1493	14.0	179	13.6	297	16.1	12.6		D	20	1	32	
1494	NO CORR		13.6	297	15.8	12.5						
1494	NO CORR		13.6	298	15.8	12.5						
1494	21.3	119	13.5	299	15.9	12.5		D	10	2	40	
1495	22.2	118	13.5	298	15.9	12.5		D	10	2	35	
1495	12.6	130	13.5	299	16.0	12.5		D	10	2	37	*
1495	12.1	135	13.4	299	16.1	12.5		B	10	6	53	
1495	12.8	118	13.3	299	16.2	12.5		D	10	3	55	
1496	43.4	273	13.2	298	16.6	12.6		D	10	3	53	
1496	42.9	274	13.2	298	16.8	12.7		D	10	1	38	
1497	43.7	275	13.2	298	16.9	12.7		D	10	2	36	
1497	66.7	101	13.3	298	16.9	12.7		D	20	3	19	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR	
1497	NO CORR		13.3	299	16.7	12.6							
1498	NO CORR		13.4	300	16.7	12.6							
1499	14.6	140	13.6	299	16.0	12.9		C	10	1	61		
1499	12.9	142	13.6	299	14.9	12.8		A	10	8	81		
1499	15.5	144	13.7	298	13.8	12.7		A	10	6	89		
1500	17.1	142	13.7	296	12.8	12.6	**	A	10	8	88		
1500	20.9	130	13.7	296	11.9	12.4		B	10	5	93		
1500	11.6	133	13.7	296	11.7	12.3		D	20	2	24	*	*
1501	7.7	118	13.6	294	11.7	12.2		D	20	1	21	*	*
1502	17.6	140	13.6	294	11.8	12.2		B	10	4	33		
1503	11.4	134	13.5	295	11.8	12.0		D	20	1	36	*	*
1503	16.5	164	13.4	295	11.8	12.0		D	21	1	32	*	*
1504	13.6	141	13.2	295	11.8	12.0		D	11	1	40	*	*
1505	14.8	176	13.0	294	11.8	12.0		D	20	3	39	*	*
1505	15.5	174	13.0	293	11.8	12.0		D	20	3	42	*	*
1505	20.6	181	12.9	294	11.8	12.0		D	20	3	30		
1505	NO CORR		12.9	294	11.9	11.9							
1506	12.2	125	12.9	294	11.9	12.0		D	10	2	26	*	*
1506	12.8	131	12.8	294	11.9	12.0		B	10	8	84		
1506	11.4	131	12.8	294	12.1	12.0		D	10	1	88		
1507	11.7	130	12.8	294	12.4	12.1		D	10	1	88		
1507	11.8	137	12.8	294	12.7	12.2		D	11	1	79		
1507	15.5	149	12.8	295	13.0	12.2		D	10	3	58		
1508	17.1	173	13.0	296	13.4	12.6	**	B	10	4	71		
1509	13.2	168	13.0	295	13.1	12.6	**	B	10	4	83		
1509	14.0	164	13.0	295	12.7	12.4	**	B	10	8	94		
1509	14.6	166	13.0	295	12.2	12.1	**	B	10	8	96		
1509	11.8	156	13.0	294	11.9	12.0		B	10	7	91		
1510	12.2	160	13.0	294	11.9	11.9	**	D	10	2	72		
1510	33.8	183	13.1	294	11.8	11.9		D	10	2	68		
1510	33.1	181	13.1	294	11.8	11.9		B	10	5	71		
1511	12.5	121	13.1	294	11.9	11.9		D	20	1	70		
1511	12.7	126	13.1	294	12.0	11.9		D	20	3	15		
1511	13.0	125	13.0	294	12.0	12.0		D	20	3	49		
1512	30.0	173	13.0	294	12.1	12.0		D	10	1	56		
1512	16.4	135	13.0	293	12.1	12.0		D	20	1	53		
1513	NO CORR		12.7	293	12.0	12.1							
1515	NO CORR		12.1	291	11.8	12.7							
1515	NO CORR		12.1	291	11.9	12.9							
1516	18.1	146	12.0	294	12.0	13.2	**	A	10	8	94		

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD COR
1516	17.9	147	12.1	294	12.0	13.2	**	A	10	8	94	
1517	17.8	146	12.1	293	11.9	13.1	**	A	10	8	93	
1517	16.5	146	12.1	291	12.0	13.0		A	10	8	92	
1517	8.2	126	12.2	287	12.0	13.1		A	10	5	97	*
1518	12.3	105	12.3	281	12.0	13.1		A	10	5	95	*
1518	9.2	121	12.3	281	12.0	13.8		A	10	5	53	*
1518	9.7	126	12.3	284	12.1	14.4		A	10	5	46	*
1519	11.4	123	12.3	287	12.1	14.9		A	10	8	54	*
1519	21.4	139	12.4	296	12.2	15.4		C	11	1	56	*
1520	NO CORR		12.5	301	12.3	15.0						
1520	10.3	123	12.4	299	12.3	14.8		A	10	7	67	*
1520	14.5	136	12.3	299	12.2	15.0		A	10	7	71	*
1521	14.5	136	12.4	298	12.2	15.1		A	10	7	72	*
1521	14.4	130	12.5	299	12.2	15.5		A	10	4	73	*
1521	12.0	117	12.5	299	12.2	15.7		C	10	1	23	*
1522	9.1	122	12.6	297	12.1	15.8		C	10	1	41	*
1522	NO CORR		12.6	295	12.2	16.0						
1522	NO CORR		12.7	293	12.2	16.2						
1523	NO CORR		12.8	293	12.6	16.5						
1523	21.6	135	12.9	296	14.0	16.8		D	11	1	73	*
1524	NO CORR		12.9	297	13.9	16.6						
1524	NO CORR		12.9	297	13.4	16.0						
1524	NO CORR		12.9	298	13.4	15.8						
1525	NO CORR		12.8	298	13.6	15.6						
1525	11.8	120	12.7	297	14.3	16.0		D	10	3	60	*
1525	10.9	120	12.7	298	14.7	16.4		B	10	5	59	
1526	8.4	96	12.7	295	14.8	16.7		D	10	3	58	
1526	8.9	97	12.7	293	15.0	16.9		B	10	4	55	
1526	NO CORR		12.8	293	14.9	17.0						
1528	6.2	124	12.8	298	16.0	17.0		D	10	1	42	
1529	27.0	110	12.7	300	15.9	17.1		D	10	3	49	*
1529	26.0	109	12.7	299	15.9	17.1		D	10	1	65	*
1530	32.0	109	12.7	295	15.8	17.1		D	11	1	8	
1530	NO CORR		12.8	294	15.8	17.1						
1530	NO CORR		12.8	294	15.7	17.1						
1530	15.9	87	12.8	295	15.8	17.1		D	21	1	43	
1531	12.7	112	12.9	295	15.7	17.1		D	20	3	61	
1531	8.5	114	12.9	297	15.5	17.1		D	20	1	33	
1532	NO CORR		13.0	299	15.0	17.1						
1532	NO CORR		13.0	298	14.8	17.1						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD CDR	
1533	NO CORR		12.9	297	14.8	17.1							
1534	NO CORR		13.1	295	14.3	17.1							
1534	NO CORR		13.1	295	14.5	17.1							
1535	35.0	180	13.1	296	14.7	17.0		D	10	3	71		
1536	40.8	180	13.4	295	14.5	17.0		D	11	1	28	*	
1538	NO CORR		13.7	297	12.6	16.7							
1538	NO CORR		13.9	297	12.2	16.4							
1540	NO CORR		14.0	296	12.3	16.8							
1542	66.1	163	13.7	298	12.4	16.5		D	10	3	54		
1542	NO CORR		13.5	298	12.1	16.8							
1543	NO CORR		13.4	298	12.2	16.9							
1544	NO CORR		13.4	297	12.7	16.4							
1544	55.5	91	13.5	295	12.8	16.3		D	20	3	55	*	
1544	NO CORR		13.5	295	13.2	16.1							
1545	NO CORR		13.5	296	13.4	16.2							
1545	41.8	13	13.5	298	13.6	16.5		D	30	3	46		
1545	41.1	8	13.5	298	13.5	16.6		D	30	1	31		
1546	NO CORR		13.5	297	13.2	16.7							
1546	30.9	245	13.5	297	13.3	16.9		B	10	4	42		
1547	NO CORR		13.5	297	13.1	16.9							
1549	NO CORR		13.6	295	13.4	16.9							
1550	NO CORR		13.5	297	13.0	16.5							
1552	NO CORR		13.5	294	13.7	16.8							
1553	NO CORR		13.5	296	14.4	16.9							
1553	NO CORR		13.5	297	14.1	16.9							
1554	11.8	168	13.5	297	14.2	17.0		B	10	4	22		
1554	11.2	176	13.5	296	14.3	17.1		B	10	5	46		
1554	13.1	142	13.6	296	14.4	17.1		D	10	1	39		
1556	NO CORR		13.8	296	13.8	17.1							
1556	19.3	185	13.9	297	13.3	17.0		C	10	3	74		
1557	19.2	180	13.9	299	12.7	17.0		A	10	8	85		
1557	17.7	183	14.0	299	12.1	17.0	**	A	10	8	84		
1557	8.4	155	14.0	298	11.5	17.1	**	C	10	2	80		
1558	12.5	143	14.0	297	11.3	17.1		A	10	8	66		
1558	14.6	147	14.0	296	11.2	17.1	**	A	10	8	65		
1558	14.8	142	13.9	296	11.3	17.1	**	A	10	8	74		
1559	14.3	156	13.9	296	11.4	17.1		A	10	7	83		
1559	17.3	158	13.8	296	11.5	17.1		A	10	8	72		
1559	18.7	157	13.8	296	11.7	17.1		D	11	1	68		
1559	13.0	149	13.7	296	12.0	17.1		D	20	3	63		

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CDR
1560	25.9	165	13.7	296	12.2	17.1		D	10	2	65	
1560	28.4	162	13.6	297	12.2	17.1	**	B	10	8	76	
1560	29.8	161	13.6	297	12.0	17.1	**	B	10	8	82	
1561	35.0	161	13.5	298	11.7	17.1	**	D	10	2	91	
1561	10.5	156	13.4	298	11.5	17.1		B	20	4	74	
1561	NO CORR		13.2	297	11.4	17.1						
1562	10.3	149	13.0	297	11.6	17.1		D	20	3	89	
1562	11.0	133	13.0	296	11.9	17.1		D	20	1	87	*
1562	58.3	197	12.9	295	12.4	17.1		D	10	3	85	*
1563	48.0	197	13.0	294	13.4	17.0		D	11	1	71	
1563	NO CORR		13.0	294	14.0	17.0						
1564	NO CORR		13.1	295	14.3	17.1						
1565	NO CORR		13.1	297	13.8	17.1						
1566	16.6	133	13.2	299	13.5	17.1		B	10	5	45	
1566	14.9	141	13.3	298	13.4	17.1		D	10	2	54	
1566	18.9	146	13.4	298	13.4	17.1		D	11	2	19	
1567	44.8	113	13.5	296	14.0	17.1		D	20	1	37	
1567	46.4	114	13.5	296	13.9	17.1		D	20	3	35	
1568	45.9	111	13.5	295	13.9	17.1	**	D	20	2	10	
1571	24.2	139	13.5	297	15.1	17.0	**	D	20	2	31	
1572	17.1	131	13.5	296	15.1	17.0		D	11	1	42	
1572	24.6	123	13.5	296	15.0	17.0		D	20	1	45	
1573	21.7	154	13.5	295	14.2	17.1		D	11	1	32	
1573	12.4	150	13.5	295	13.6	17.1		B	10	7	66	
1573	12.0	142	13.4	294	13.3	17.1		B	10	8	68	
1573	12.1	150	13.5	294	13.1	17.1		B	10	5	48	
1574	15.8	164	13.5	294	13.2	17.1		D	10	2	45	
1574	14.1	136	13.4	294	13.4	17.1		D	10	1	45	*
1574	9.4	87	13.4	293	13.5	17.1		D	10	3	60	*
1575	NO CORR		13.4	293	13.5	17.1						
1575	NO CORR		13.4	293	13.5	17.1						
1576	NO CORR		13.4	296	13.3	17.1						
1576	NO CORR		13.3	296	13.1	17.1						
1577	NO CORR		13.3	296	12.8	17.1						
1577	NO CORR		13.3	296	12.6	17.1						
1577	NO CORR		13.2	295	12.5	17.1						
1578	NO CORR		13.3	296	12.2	17.0						
1578	NO CORR		13.3	296	12.0	17.0						
1579	NO CORR		13.3	297	12.0	17.1						
1580	NO CORR		13.4	296	11.9	17.1						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD COR
1580	NO CORR		13.4	296	11.9	17.0						
1580	NO CORR		13.4	298	12.0	17.0						
1581	NO CORR		13.4	298	12.0	17.1						
1581	NO CORR		13.4	297	12.0	17.0						
1582	NO CORR		13.5	297	12.0	16.9						
1582	NO CORR		13.5	296	11.9	16.9						
1583	NO CORR		13.5	296	11.9	16.9						
1583	22.8	133	13.5	297	11.9	16.9	D	10	3	44		
1583	NO CORR		13.5	297	12.0	16.9						
1584	NO CORR		13.3	297	12.0	17.1						
1584	NO CORR		13.3	297	12.0	17.1						
1585	NO CORR		13.3	298	12.0	17.1						
1585	NO CORR		13.3	297	12.0	17.1						
1585	NO CORR		13.3	296	12.0	17.1						
1586	NO CORR		13.3	296	12.1	17.1						
1586	NO CORR		13.2	296	12.1	17.1						
1587	41.9	319	13.2	296	12.1	17.1	D	20	1	26		
1587	42.0	324	13.2	297	12.1	17.1	D	20	1	28		
1587	60.5	64	13.2	294	12.1	17.0	D	30	3	30	*	*
1588	36.9	324	13.3	295	12.1	17.0	D	20	3	39	*	*
1588	43.3	71	13.3	294	12.2	17.0	D	10	1	49	*	*
1588	43.7	70	13.2	294	12.4	17.1	B	10	4	45	*	*
1589	48.3	74	13.2	295	12.3	17.1	B	10	5	54		
1589	NO CORR		13.3	295	12.2	17.1						
1589	46.3	78	13.3	295	12.1	17.1	D	10	1	25	*	*
1590	63.3	117	13.3	296	12.1	17.0	D	11	1	28	*	*
1591	NO CORR		13.4	295	12.3	17.0						
1591	67.7	122	13.5	296	12.3	17.0	D	10	3	55	*	*
1592	NO CORR		13.5	294	12.4	17.1						
1592	NO CORR		13.5	294	12.3	17.1						
1592	NO CORR		13.5	294	12.2	17.0						
1593	19.3	142	13.6	297	12.3	16.9	D	11	1	36		
1594	15.5	127	13.6	297	12.3	17.0	D	10	3	35		
1594	12.6	118	13.6	297	12.3	17.1	D	10	1	39		
1594	14.4	103	13.6	298	12.1	17.1	D	10	1	37		
1594	12.8	133	13.5	298	12.2	17.0	D	10	1	4		
1596	NO CORR		13.6	296	12.6	17.1						
1596	NO CORR		13.6	295	12.8	17.1						
1597	12.6	133	13.6	295	13.1	17.1	D	10	1	41		
1597	14.9	130	13.6	294	13.0	17.0	D	10	1	47		

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CUR	
1597	17.2	130	13.6	294	13.1	17.0		D	10	1	36	*	*
1598	18.7	136	13.6	294	13.3	17.1		D	10	1	29	*	*
1598	NO CORR.		13.5	293	13.4	17.1							*
1598	30.0	184	13.5	294	13.4	17.0		D	20	1	23		*
1598	29.8	180	13.5	295	13.3	16.8		D	20	3	57		*
1601	NO CORR		13.6	298	12.9	16.9							*
1601	NO CORR		13.6	299	13.0	17.1							*
1602	NO CORR		13.6	298	13.2	17.1							*
1605	17.9	181	13.6	297	13.4	17.1		D	10	3	60		*
1605	21.4	180	13.6	297	13.5	17.1		D	10	3	64		*
1605	16.2	163	13.6	296	13.6	17.1		D	10	3	76		*
1606	13.1	158	13.6	297	13.5	17.1		D	10	3	53		*
1606	21.1	164	13.6	298	13.5	17.1		D	10	2	49		*
1607	NO CORR		13.6	298	13.1	17.1							*
1607	NO CORR		13.5	295	12.5	17.1							*
1609	21.7	101	13.4	295	12.7	17.1		D	10	1	39		*
1609	22.8	102	13.5	295	12.7	17.1	**	D	10	2	51		*
1609	23.5	100	13.5	295	12.5	17.1		B	10	5	70		*
1609	12.3	128	13.5	295	12.1	17.1		B	20	5	74		*
1610	13.8	135	13.5	295	11.8	17.1		D	20	1	49		*
1610	NO CORR		13.5	295	12.0	17.0							*
1612	NO CORR		13.5	295	12.5	17.1							*
1612	NO CORR		13.5	295	12.3	17.1							*
1614	39.5	349	13.2	294	12.6	17.1		D	10	3	35		*
1615	NO CORR		13.3	297	12.7	17.1							*
1615	NO CORR		13.4	297	12.5	17.1							*
1616	NO CORR		13.6	295	11.1	17.1							*
1617	NO CORR		13.6	294	11.0	17.1							*
1618	NO CORR		13.6	294	11.2	17.1							*
1618	NO CORR		13.6	293	11.3	17.1							*
1618	34.7	170	13.6	293	11.5	17.1		D	21	2	43	*	*
1619	34.9	177	13.6	294	11.8	17.1		D	20	3	77		*
1619	15.9	263	13.6	294	11.7	17.1		D	10	3	88		*
1619	15.8	266	13.6	295	11.2	17.1		D	10	3	78		*
1620	NO CORR		13.4	294	10.7	17.1							*
1622	NO CORR		13.5	299	9.8	17.1							*
1623	NO CORR		13.5	299	10.4	17.1							*
1625	NO CORR		13.0	295	9.5	17.1							*
1625	NO CORR		13.0	295	9.2	17.1							*
1625	NO CORR		12.9	295	9.0	17.1							*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD COR
1626	NO CORR		12.9	297	9.9	17.1						
1626	NO CORR		12.9	298	9.0	17.1						
1626	NO CORR		12.9	297	8.9	17.1						
1627	NO CORR		13.0	296	9.4	17.1						
1627	NO CORR		13.0	296	9.7	17.1						
1627	NO CORR		13.1	295	10.0	17.1						
1630	12.2	130	12.4	297	11.0	17.1		D	10	3	70	*
1630	11.7	130	12.4	297	11.3	17.1		D	10	3	76	*
1630	12.0	129	12.4	298	11.9	17.1		D	10	3	25	*
1631	12.6	132	12.4	297	11.9	17.1		D	10	1	17	*
1631	13.0	132	12.5	296	11.9	17.1		D	10	1	8	*
1633	NO CORR		12.8	297	12.8	17.1						
1633	NO CORR		12.9	296	12.7	17.1						
1634	NO CORR		13.0	293	12.4	17.1						
1634	63.2	101	13.1	290	10.9	17.1		D	10	3	36	*
1635	62.2	102	13.2	290	10.6	17.1		D	10	1	44	*
1635	NO CORR		13.2	288	10.5	17.1						
1635	NO CORR		13.3	298	10.7	17.1						
1637	11.5	285	13.5	291	11.6	17.1		D	10	3	39	*
1637	NO CORR		13.4	296	11.8	17.1						
1637	NO CORR		13.3	298	12.0	17.1						
1641	NO CORR		13.6	299	12.3	17.1						
1641	NO CORR		13.6	298	12.0	17.1						
1641	18.5	124	13.6	297	10.9	17.1		A	10	8	70	
1642	17.3	127	13.6	297	10.2	17.1		A	10	8	79	*
1642	17.9	136	13.6	297	9.5	17.1		A	10	5	79	
1642	13.9	136	13.6	297	8.9	17.1		A	10	4	77	
1643	21.7	145	13.6	296	8.9	17.1		C	10	3	60	
1643	NO CORR		13.6	296	8.8	17.1						
1643	NO CORR		13.6	295	8.8	17.1						
1644	NO CORR		13.6	295	8.8	17.1						
1644	NO CORR		13.6	297	8.8	17.1						
1644	NO CORR		13.6	297	8.9	17.1						
1644	20.5	125	13.6	298	9.2	17.1		D	10	3	88	*
1646	NO CORR		13.3	299	10.5	17.1						
1647	NO CORR		12.9	298	12.2	17.1						
1647	NO CORR		12.9	298	12.3	17.1						
1648	41.0	232	13.0	298	12.3	17.1		B	10	4	49	
1649	44.0	228	13.4	296	12.4	17.1		D	11	1	15	
1650	NO CORR		13.5	299	12.9	17.0						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX CUR	SPD
1651	55.9	155	13.6	300	12.9	16.9		D	10	3	84	
1651	NO CORR		13.6	298	13.7	17.0						
1652	55.5	159	13.4	297	13.2	17.1		D	11	1	51	
1654	46.4	86	13.4	297	12.8	17.1		D	10	3	53	*
1654	NO CORR		13.5	297	12.8	17.1						
1654	NO CORR		13.5	297	12.8	17.1						
1655	NO CORR		13.6	299	13.9	17.1						
1656	NO CORR		13.5	300	13.9	17.1						
1657	NO CORR		13.5	299	12.9	17.1						
1657	NO CORR		13.5	298	12.5	17.1						
1659	NO CORR		13.6	299	11.8	17.1						
1659	NO CORR		13.6	299	12.1	17.0						
1659	NO CORR		13.6	298	12.6	17.0						
1660	NO CORR		13.6	299	13.2	17.0						
1660	NO CORR		13.6	298	14.0	17.1						
1661	36.2	218	13.5	297	13.6	17.1		D	10	3	16	
1662	34.4	214	13.5	296	13.3	17.1		D	10	1	40	
1662	35.7	218	13.5	296	13.1	17.1		D	10	1	41	
1662	35.5	224	13.5	297	12.8	17.0		D	10	1	41	
1662	19.3	154	13.5	298	13.3	17.1		D	21	1	29	
1664	NO CORR		13.6	297	13.4	17.1						
1665	NO CORR		13.6	297	13.4	17.1						
1666	NO CORR		13.5	297	13.4	17.1						
1666	NO CORR		13.5	297	13.5	17.1						
1666	NO CORR		13.5	296	13.7	17.1						
1667	NO CORR		13.5	298	13.7	17.0						
1667	NO CORR		13.5	299	13.6	17.0						
1667	NO CORR		13.5	299	13.5	17.0						
1668	NO CORR		13.6	299	13.6	17.1						
1668	NO CORR		13.6	298	13.5	17.1						
1669	NO CORR		13.6	296	13.0	17.1						
1669	NO CORR		13.6	296	12.6	17.1						
1669	NO CORR		13.6	295	12.5	17.1						
1669	NO CORR		13.6	296	12.6	17.1						
1670	NO CORR		13.6	297	13.0	17.1						
1670	NO CORR		13.6	298	13.4	17.1						
1671	NO CORR		13.5	298	13.1	17.1						
1671	NO CORR		13.5	296	12.8	17.1						
1672	NO CORR		13.5	296	12.5	17.1						
1672	NO CORR		13.4	296	12.5	17.1						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD CDR
1673	NO CORR		13.4	296	12.6	17.1						
1674	37.0	164	13.3	298	12.8	17.1		D	10	3	45	
1674	40.2	160	13.4	297	12.6	17.0		D	10	1	17	
1677	NO CORR		13.3	297	12.5	16.4						
1678	NO CORR		13.4	297	12.6	16.5						
1678	NO CORR		13.5	295	12.8	16.5						
1679	NO CORR		13.4	296	12.9	16.7						
1680	NO CORR		13.2	298	13.4	16.3						
1680	NO CORR		13.1	297	13.6	15.7						
1681	NO CORR		12.8	298	13.0	15.4						
1681	NO CORR		12.7	298	12.9	15.1						
1683	45.6	336	13.1	297	13.1	14.8		D	20	3	37	
1683	44.7	336	13.1	298	13.1	15.0		D	20	1	53	
1683	62.9	78	13.1	298	13.0	15.1		D	10	3	37	
1683	63.8	79	13.2	297	13.2	15.2		D	10	3	31	
1684	66.7	78	13.2	297	13.5	15.3		D	10	1	37	
1687	52.7	73	13.2	298	13.3	15.7		D	10	2	35	
1688	53.3	74	13.2	298	13.5	15.7		D	10	1	35	
1688	56.0	74	13.1	298	13.7	15.6		D	10	1	25	
1691	NO CORR		13.2	296	12.4	15.4						
1692	36.0	199	13.3	295	12.5	16.1		B	10	4	60	
1693	36.9	199	13.4	295	12.5	16.2		D	10	2	41	
1694	NO CORR		13.4	296	12.1	16.2						
1694	28.7	164	13.3	296	12.0	16.2		D	11	1	34	
1695	33.6	143	13.3	298	12.5	16.0		B	10	5	78	
1696	33.7	141	13.3	299	13.1	16.1		B	10	5	77	
1696	31.6	141	13.2	300	13.2	16.2		B	10	6	78	
1698	24.1	158	13.3	297	12.2	15.9	**	D	10	2	77	
1698	23.4	154	13.3	297	12.4	15.7		D	10	3	75	
1698	25.0	153	13.3	296	12.7	15.5		D	10	1	70	
1701	NO CORR		13.2	295	13.0	15.5						
1702	19.4	146	13.1	295	12.7	14.9		C	10	1	4	
1703	18.8	153	13.0	295	12.7	14.7		C	10	3	38	
1703	29.1	139	12.9	295	12.8	14.4	**	A	10	8	92	
1703	25.8	138	12.9	295	13.5	14.4	**	A	10	8	94	
1704	21.9	140	12.9	295	14.2	14.6	**	A	10	8	92	
1704	18.0	142	12.8	295	14.8	14.8		A	10	8	84	
1705	NO CORR		12.8	293	14.5	15.4						
1705	27.7	176	12.8	293	14.4	15.4		C	11	1	36	
1705	21.7	122	12.8	294	14.1	15.4		D	10	2	29	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E.	PART	MAX	SPD CDR	
1706	NO CORR		12.8	296	13.6	15.3							
1707	NO CORR		12.8	297	13.7	15.2							
1707	21.1	130	12.7	296	13.9	15.2		D	10	1	45		
1707	22.5	131	12.8	296	14.1	15.2		B	10	5	48		
1708	23.2	141	12.7	295	14.4	15.4		D	11	3	68		
1708	20.4	145	12.7	295	14.6	15.4		D	10	2	31		
1711	33.3	132	12.6	298	15.6	15.9		D	10	3	59		
1711	33.8	131	12.6	298	15.7	16.0	**	B	10	8	57		
1711	38.2	133	12.6	298	15.8	16.0	**	D	10	2	45		
1713	NO CORR		13.3	299	16.5	15.5							
1714	NO CORR		13.4	300	16.3	15.6							
1715	16.2	124	13.6	300	15.1	13.1		D	10	1	96		
1715	18.4	131	13.6	299	14.8	12.1		D	10	2	88	*	
1715	13.9	138	13.6	298	14.7	11.9		D	10	2	45		
1715	20.1	152	13.6	298	14.4	11.9		D	10	2	59		
1716	13.0	137	13.6	298	14.2	12.4	**	D	10	2	69		
1716	15.6	140	13.6	299	14.0	13.2		B	10	5	68		
1716	16.4	137	13.6	299	13.8	13.8		D	10	1	60		
1717	16.3	157	13.6	300	13.8	14.1		D	10	1	27	*	
1717	9.1	161	13.6	301	14.0	13.8		D	11	3	70		
1717	16.2	150	13.6	301	14.1	13.6		B	10	4	67		
1718	15.4	146	13.5	301	14.3	13.5	**	A	10	8	60		
1718	14.7	147	13.4	301	14.4	13.4		C	10	2	69	*	
1718	14.8	148	13.2	301	14.4	13.2	**	A	10	8	77		
1719	14.2	142	13.0	301	14.3	12.9	**	A	10	8	89		
1719	14.4	131	12.9	301	14.3	12.6	**	B	10	8	72		
1720	16.5	121	12.7	298	14.2	12.1		D	10	1	70	*	
1720	12.1	141	12.7	299	14.1	12.3		D	10	1	65		
1725	32.7	233	12.9	301	13.9	12.3	**	D	10	2	0	*	
1725	30.8	234	12.9	300	13.9	12.3		D	10	1	67	*	
1725	32.0	231	12.8	299	13.9	12.4		D	10	1	78	*	
1726	30.0	228	12.9	299	13.9	12.4		D	10	3	59	*	
1726	NO CORR		13.0	300	13.8	12.8							
1727	NO CORR		13.1	301	13.7	13.1							
1728	NO CORR		13.2	304	13.7	13.1							
1728	NO CORR		13.0	303	13.7	13.1							
1728	NO CORR		12.8	302	13.7	13.3							
1729	NO CORR		12.6	300	13.7	13.6							
1729	NO CORR		12.5	299	13.6	14.3							
1731	NO CORR		12.9	299	13.8	15.0							

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD CDR
1733	13.8	134	13.0	298	13.5	12.5		A	10	5	88	* *
1733	15.8	123	12.9	298	13.3	12.3		C	10	3	73	* *
1733	13.8	144	13.0	298	13.2	12.3	**	A	10	8	72	* *
1734	13.2	151	13.0	299	13.2	12.2		A	10	8	68	* *
1734	13.0	146	13.1	299	13.1	12.2		A	10	5	70	* *
1734	13.6	129	13.1	299	13.2	12.2		A	10	4	79	*
1735	13.5	128	13.1	298	13.2	12.2		A	10	8	65	*
1735	13.7	139	13.1	297	13.2	12.2		A	10	8	45	*
1735	14.7	143	13.1	297	13.2	12.2	**	A	10	8	71	*
1736	14.9	144	13.1	298	13.2	12.2	**	A	10	8	76	*
1736	13.1	129	13.1	298	13.2	12.2		D	10	2	67	* *
1736	13.0	127	13.0	299	13.1	12.2		B	10	4	79	* *
1737	13.6	124	12.9	299	13.1	12.2	**	D	10	2	75	* *
1737	13.6	124	12.9	299	13.0	12.2		D	10	3	95	* *
1737	NO CORR		13.0	300	12.9	12.3						*
1737	13.2	128	12.9	299	12.9	12.2	**	A	10	8	70	* *
1738	13.3	129	12.9	299	13.0	12.2		A	10	8	80	* *
1738	13.2	130	12.8	300	13.0	12.1		A	10	5	80	* *
1738	13.5	126	12.7	299	13.1	12.1		A	10	8	83	* *
1739	17.5	133	12.7	300	13.1	12.1	**	A	10	8	72	* *
1739	17.2	132	12.7	300	13.2	12.1	**	A	10	8	79	* *
1739	18.0	131	12.7	300	13.3	12.1	**	A	10	8	71	* *
1740	16.1	143	12.7	301	13.3	12.1	**	A	10	8	71	*
1740	12.6	127	12.7	300	13.3	12.1		B	10	8	63	* *
1740	13.3	127	12.7	300	13.3	12.1		D	10	3	74	* *
1740	14.1	126	12.7	301	13.2	12.1	**	D	10	2	73	* *
1741	14.2	128	12.7	301	13.2	12.1	**	D	10	2	65	* *
1741	NO CORR		12.7	300	13.1	12.1						*
1742	NO CORR		12.7	298	13.1	12.1						*
1742	20.6	163	12.7	296	13.1	12.1	**	B	20	8	72	* *
1742	13.0	125	12.7	294	13.1	12.1		D	10	3	87	* *
1743	12.7	129	12.8	295	13.1	12.2		D	10	1	86	* *
1743	12.6	124	12.8	297	13.1	12.2		A	10	5	60	* *
1743	12.2	122	12.8	298	13.2	12.2		A	10	8	71	* *
1744	12.1	124	12.7	300	13.3	12.3		A	10	8	78	* *
1744	12.4	125	12.7	301	13.4	12.4		A	10	8	76	* *
1744	11.8	122	12.8	301	13.5	12.4		A	10	8	71	* *
1744	16.8	142	12.9	302	13.5	12.4		D	10	1	70	* *
1745	22.8	157	12.9	301	13.5	12.4		D	11	1	20	*
1745	15.3	142	12.9	301	13.5	12.4		B	10	8	59	* *

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	CLE	PART	MAX	SPD COR
1745	13.1	134	12.8	301	13.5	12.4		B	10	8	67	* *
1746	13.5	136	12.8	301	13.5	12.4		B	10	8	57	* *
1746	18.6	164	12.8	301	13.5	12.3		D	11	2	49	* *
1747	5.1	284	13.0	299	13.5	12.3		B	20	5	41	* *
1747	37.5	59	12.9	299	13.5	12.3		B	10	8	67	* *
1748	35.6	51	12.9	298	13.5	12.3		D	10	2	55	* *
1748	33.6	53	12.9	299	13.5	12.3		D	10	1	41	* *
1748	NO CORR		13.0	300	13.5	12.3						*
1749	40.2	67	13.0	301	13.5	12.3		D	10	1	24	* *
1749	NO CORR		13.0	301	13.5	12.3						*
1750	NO CORR		13.0	301	13.5	12.3						*
1750	13.0	122	12.9	300	13.5	12.3		A	10	8	84	* *
1750	13.5	127	13.0	301	13.6	12.3	**	A	10	8	90	* *
1751	13.5	128	13.0	301	13.6	12.3	**	A	10	8	81	* *
1751	13.4	129	12.9	300	13.6	12.3	**	A	10	8	49	* *
1751	13.8	131	12.9	301	13.7	12.4	**	A	10	8	66	* *
1751	13.8	132	12.9	301	13.7	12.4	**	A	10	8	80	* *
1752	13.8	132	12.9	301	13.8	12.5	**	A	10	8	82	* *
1752	14.1	132	12.9	302	13.8	12.5		C	10	2	61	* *
1752	44.9	211	13.0	300	13.9	12.5		D	10	1	30	* *
1753	44.9	209	13.0	299	13.9	12.5		D	10	1	34	* *
1753	18.4	260	12.9	297	14.0	12.6	**	D	20	2	20	* *
1753	24.4	277	12.9	297	14.0	12.6		D	21	1	22	* *
1754	40.4	210	12.9	298	14.0	12.7		D	10	3	20	*
1754	NO CORR		12.9	300	13.9	13.1						*
1755	9.6	159	12.9	301	13.9	13.0		D	10	1	24	* *
1756	6.4	139	12.9	301	13.9	12.2	**	D	10	2	12	* *
1757	4.8	157	12.9	301	13.9	12.1	**	D	10	2	65	*
1757	6.2	150	13.0	301	13.9	12.1		D	10	3	61	*
1757	NO CORR		13.0	301	13.9	12.1						*
1758	11.9	132	13.0	300	13.8	12.2		A	10	5	31	* *
1758	11.7	132	13.0	300	13.8	12.3		A	10	8	79	* *
1758	11.2	136	13.0	301	13.7	12.4		A	10	5	67	* *
1758	13.1	130	13.1	301	13.6	12.6		C	10	2	47	* *
1759	13.5	132	13.1	301	13.5	12.7		C	10	2	10	* *
1759	13.7	131	13.2	301	13.4	12.7		C	10	2	19	* *
1759	13.7	132	13.2	300	13.3	12.6		C	10	2	61	* *
1760	17.2	147	13.2	300	13.3	12.6	**	A	10	8	64	* *
1760	14.9	140	13.1	300	13.4	12.7		A	10	5	63	*
1760	14.4	145	13.0	300	13.4	12.8		A	10	7	58	*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CDR	
1761	15.8	149	12.9	300	13.4	13.0		A	10	5	55		
1761	18.6	147	12.9	300	13.4	13.3	**	A	10	8	31		
1762	15.4	142	13.0	301	13.5	13.7	**	C	10	2	65	*	*
1762	13.8	128	13.0	301	13.5	13.8		C	10	3	54	*	*
1762	13.5	128	13.0	299	13.5	13.8		A	10	5	93	*	*
1762	14.0	131	13.0	299	13.5	13.9		A	10	6	94	*	*
1763	13.6	127	13.0	298	13.5	13.9	**	A	10	8	93	*	*
1763	13.5	122	13.0	297	13.5	13.9	**	A	10	8	91	*	*
1763	13.0	124	13.0	297	13.5	14.1		A	10	8	95	*	*
1764	13.9	117	13.0	297	13.5	14.3		A	10	8	94	*	*
1764	14.2	116	13.0	298	13.4	14.4	**	A	10	8	81	*	*
1765	10.5	127	13.2	300	13.4	14.2		D	20	1	69	*	*
1765	37.0	20	13.2	301	13.4	14.0		D	10	1	63		*
1765	7.3	158	13.3	301	13.4	13.8		D	20	3	42		*
1766	NO CORR		13.2	301	13.3	13.4							*
1766	NO CORR		13.3	301	13.2	13.1							*
1767	37.9	24	13.3	301	13.2	13.0	**	B	10	8	5		*
1767	15.8	140	13.3	300	13.2	13.1	**	A	10	8	38	*	*
1768	10.3	150	13.3	300	13.3	13.1	**	C	10	2	34		*
1768	15.6	132	13.3	300	13.3	13.1		C	10	1	53		*
1768	16.9	149	13.4	301	13.3	12.9		A	10	5	69		*
1769	16.4	155	13.3	300	13.2	12.7	**	A	10	8	83		*
1769	16.4	156	13.4	301	13.1	12.4	**	A	10	8	89		*
1769	17.5	159	13.4	301	13.0	12.2	**	A	10	8	94		*
1770	18.9	157	13.4	300	12.9	12.1		C	10	3	34	*	*
1770	15.5	147	13.4	300	12.9	12.1		A	10	5	75		*
1771	17.9	149	13.3	300	12.9	12.1		C	10	1	52		*
1771	16.4	154	13.3	301	12.9	12.1		C	10	2	52		*
1771	16.3	154	13.2	301	12.9	12.1		C	10	2	53		*
1772	NO CORR		13.2	303	12.8	12.1							*
1772	15.8	132	13.1	302	12.8	12.1	**	C	10	2	60	*	*
1772	13.5	128	13.0	302	12.8	12.1	**	A	10	8	53	*	*
1773	15.7	136	12.9	302	12.8	12.0		A	10	4	62	*	*
1773	15.2	133	12.8	302	12.8	12.0	**	C	10	2	56	*	*
1774	12.2	124	12.7	301	12.8	12.0	**	D	10	2	79	*	*
1774	11.5	130	12.7	301	12.9	11.9	**	D	10	2	71		*
1774	12.5	122	12.7	301	12.9	11.9		D	10	3	68		*
1775	12.4	123	12.8	301	13.0	11.9		D	10	3	62		*
1775	15.1	143	12.7	301	13.0	11.9		A	10	5	45		*
1775	15.8	155	12.7	302	13.0	11.9		A	10	6	65		*

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD COR
1776	12.7	144	12.7	301	13.0	11.9		A	10	5	59	* *
1776	13.8	142	12.7	301	13.0	11.9		A	10	8	70	* *
1776	12.6	133	12.7	301	12.9	12.0		C	10	2	63	* *
1776	12.9	133	12.8	301	12.9	12.0		C	10	1	35	* *
1778	NO CORR		12.9	298	12.5	11.9						*
1779	NO CORR		12.9	299	12.4	11.9						*
1779	NO CORR		12.8	300	12.4	12.0						*
1780	NO CORR		12.9	302	12.4	12.0						*
1781	NO CORR		12.7	301	12.6	12.1						*
1781	16.4	177	12.7	302	12.6	12.1		D	11	1	21	* *
1781	NO CORR		12.7	302	12.6	12.1						*
1782	13.2	163	12.6	302	12.6	12.1		D	10	1	20	* *
1782	10.6	161	12.6	302	12.6	12.1		D	10	1	60	* *
1782	14.2	155	12.6	302	12.6	12.1		B	10	4	74	* *
1783	28.3	137	12.5	302	12.6	12.1		B	10	5	43	* *
1783	29.9	139	12.5	302	12.6	12.1		D	10	2	57	* *
1783	27.5	132	12.6	302	12.7	12.1		D	10	1	48	* *
1785	NO CORR		12.5	298	12.6	12.0						*
1787	NO CORR		12.5	302	12.3	11.9						*
1787	NO CORR		12.5	302	12.3	11.9						*
1787	NO CORR		12.5	302	12.3	11.9						*
1788	NO CORR		12.5	302	12.3	11.9						*
1788	NO CORR		12.5	302	12.3	11.9						*
1788	13.7	136	12.5	302	12.3	11.9		D	10	3	30	* *
1789	13.6	135	12.5	302	12.3	11.9		D	10	3	20	* *
1789	13.7	135	12.6	303	12.3	11.9		D	10	1	56	* *
1789	15.0	131	12.5	302	12.3	11.9		D	10	2	38	* *
1790	16.6	133	12.5	302	12.3	11.9		B	10	8	40	*
1790	18.7	138	12.5	302	12.3	11.9		D	10	2	41	* *
1790	15.3	130	12.4	302	12.2	11.9	**	B	10	8	27	*
1790	NO CORR		12.4	302	12.2	11.9						*
1791	16.5	175	12.4	301	12.2	11.9		D	11	2	22	* *
1792	14.8	148	12.4	301	12.2	11.9		D	20	3	52	*
1792	32.8	339	12.4	301	12.2	11.9		D	11	1	12	* *
1794	37.9	341	12.3	302	12.4	12.0		D	10	1	24	* *
1794	37.2	342	12.3	303	12.4	12.0		D	10	2	21	* *
1794	39.8	343	12.3	302	12.4	12.0		D	10	3	37	* *
1794	NO CORR		12.3	302	12.3	12.0						*
1795	39.4	271	12.4	301	12.3	11.9		D	10	1	15	* *
1795	NO CORR		12.4	301	12.3	11.9						*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CDR	
1796	NO CORR		12.4	302	12.4	11.9							
1797	41.2	276	12.3	301	12.3	11.9		D	10	3	68	*	*
1798	22.5	195	12.4	301	12.3	11.9		D	10	3	72		*
1798	23.8	197	12.4	301	12.3	11.9		D	10	3	69		*
1798	23.7	198	12.4	302	12.3	12.0		D	10	3	73		*
1799	26.2	201	12.4	302	12.3	12.0		D	10	3	79		*
1799	8.6	258	12.3	301	12.4	12.0		D	11	1	79	*	*
1800	10.9	196	12.3	300	12.4	11.9		B	10	4	73	*	*
1800	9.2	192	12.3	300	12.4	11.9		D	10	1	45	*	*
1800	17.0	171	12.3	300	12.4	11.9		D	11	1	37	*	*
1801	13.7	129	12.4	302	12.4	11.9		D	10	3	63	*	*
1802	13.6	130	12.4	302	12.4	11.9		D	10	1	25	*	*
1802	13.5	129	12.4	302	12.5	11.9	**	B	10	8	57	*	*
1802	14.3	124	12.4	301	12.5	11.9		D	10	3	55		*
1803	13.6	130	12.3	301	12.6	11.9		D	10	3	36	*	*
1803	13.7	127	12.3	301	12.6	11.9		D	10	1	33	*	*
1805	NO CORR		12.4	297	12.9	11.9							*
1806	NO CORR		12.5	300	12.9	11.9							*
1806	NO CORR		12.5	301	12.9	11.9							*
1809	NO CORR		12.4	301	13.0	11.8							*
1810	NO CORR		12.4	302	13.2	11.8							*
1814	31.3	154	12.4	302	13.7	11.7		D	21	1	30		*
1814	NO CORR		12.4	302	13.8	11.7							*
1814	14.5	331	12.4	302	13.9	11.7		B	10	4	35	*	*
1815	17.1	328	12.4	302	13.9	11.7		D	10	2	45	*	*
1815	6.5	347	12.4	302	14.0	11.8		D	11	1	41	*	*
1815	11.1	127	12.4	302	14.1	11.8		D	30	2	68		*
1815	11.4	133	12.4	302	14.2	11.7		D	30	2	60		*
1816	12.4	144	12.4	302	14.2	11.7		A	10	5	41	*	*
1816	11.8	136	12.3	302	14.3	11.6		A	10	8	49	*	*
1816	11.7	133	12.3	302	14.3	11.6		A	10	8	52	*	*
1817	11.7	141	12.3	302	14.4	11.6	**	A	10	8	50	*	*
1817	11.7	142	12.3	302	14.5	11.5	**	A	10	8	60	*	*
1817	NO CORR		12.4	302	14.5	11.5							*
1818	11.8	146	12.4	303	14.5	11.5		A	10	5	33	*	*
1818	11.3	137	12.4	303	14.7	11.5		A	10	5	52	*	*
1818	12.0	139	12.4	303	14.8	11.5		C	10	3	26	*	*
1819	12.0	139	12.4	303	14.9	11.5	**	C	10	2	8	*	*
1819	NO CORR		12.4	302	15.0	11.5							*
1819	18.7	182	12.4	302	15.0	11.5		D	10	2	31	*	*

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI.	Q	C.E	PART	MAX	SPD COR
1819	NO CORR		12.5	303	15.0	11.5						
1820	17.8	182	12.5	303	15.0	11.5		D	10	3	21	*
1820	15.3	162	12.5	303	15.0	11.4		D	10	1	45	
1821	35.0	201	12.5	302	15.0	11.5		D	10	1	32	*
1821	35.3	202	12.5	302	15.1	11.4		D	10	3	51	*
1822	NO CORR		12.5	302	15.2	11.4						
1822	NO CORR		12.5	302	15.2	11.4						
1822	NO CORR		12.5	302	15.3	11.3						
1823	29.4	196	12.5	303	15.4	11.2		D	11	1	61	*
1823	12.3	140	12.5	302	15.6	11.2		A	10	8	69	*
1824	11.9	145	12.5	303	15.6	11.2		A	10	8	58	*
1824	12.0	148	12.5	303	15.7	11.2		A	10	5	23	*
1825	11.8	149	12.4	303	15.8	11.1		C	10	1	52	*
1825	12.1	146	12.4	302	15.9	11.0		C	10	3	58	*
1825	12.2	141	12.4	302	16.0	11.0	**	A	10	8	50	*
1826	12.4	142	12.4	302	16.1	11.0		C	10	3	50	*
1826	11.6	144	12.4	302	16.2	11.0		A	10	8	78	*
1826	14.2	169	12.3	303	16.2	11.4		A	10	8	69	
1826	15.5	175	12.3	303	16.1	11.7		B	10	8	59	
1827	11.9	142	12.2	303	16.1	11.9		D	11	2	54	*
1827	NO CORR		12.1	302	16.1	12.3						
1827	11.8	133	12.1	302	16.2	12.5		D	30	1	23	*
1828	11.7	128	12.0	300	16.4	12.9		D	30	1	26	*
1828	29.5	182	12.0	300	16.5	13.2		D	20	1	38	
1828	16.5	167	12.0	301	16.6	13.2		D	10	3	61	*
1829	26.8	184	12.1	301	16.6	13.1		B	20	4	65	
1829	18.6	180	12.1	302	16.7	12.7		D	10	2	65	
1829	10.7	146	12.1	302	16.7	12.2		D	20	2	28	*
1830	NO CORR		12.1	300	16.6	12.2						
1830	11.8	128	12.1	301	16.5	12.4		D	20	3	53	*
1830	11.9	124	12.2	300	16.5	12.6		D	20	3	58	*
1831	17.9	171	12.3	302	16.5	12.7		D	10	1	27	*
1831	19.2	184	12.2	301	16.4	13.0		D	10	3	50	*
1832	23.1	182	12.3	301	16.4	13.2		D	10	3	53	
1832	23.7	184	12.4	301	16.4	13.5		D	10	3	47	
1832	16.6	174	12.4	301	16.4	13.8		D	10	1	69	*
1833	NO CORR		12.4	302	16.3	13.8						
1836	NO CORR		12.6	302	15.7	14.4						
1837	NO CORR		12.5	302	15.4	14.3						
1837	18.3	149	12.4	301	15.2	14.2	**	D	10	2	69	*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR
1837	16.9	150	12.4	302	15.3	14.3		D	10	3	74	* *
1837	15.6	155	12.4	302	15.4	14.5		D	10	3	72	* *
1838	NO CORR		12.4	302	15.9	14.7						*
1838	NO CORR		12.4	302	16.3	15.0						*
1838	NO CORR		12.4	301	16.3	15.0						*
1840	NO CORR		12.5	302	16.6	15.2						*
1840	NO CORR		12.5	302	16.6	15.3						*
1840	NO CORR		12.5	302	16.4	15.3						*
1841	NO CORR		12.5	302	16.2	15.4						*
1841	NO CORR		12.5	303	15.9	15.4						*
1842	NO CORR		12.5	303	15.4	15.1						*
1842	NO CORR		12.6	304	15.1	14.9						*
1842	NO CORR		12.7	303	14.9	14.8						*
1843	NO CORR		13.1	302	14.3	15.1						*
1844	NO CORR		13.1	302	14.3	15.2						*
1844	NO CORR		13.1	302	14.5	15.4						*
1845	NO CORR		13.1	302	15.0	15.6						*
1845	NO CORR		13.1	302	14.8	15.7						*
1846	NO CORR		13.1	303	14.5	15.5						*
1846	45.4	128	13.1	303	14.3	15.2		D	11	1	3	*
1846	NO CORR		13.1	303	14.2	15.0						*
1847	33.1	271	12.9	303	13.8	14.6		D	20	1	27	*
1847	29.5	272	12.9	303	13.6	14.4		D	20	3	46	*
1847	47.9	122	12.9	302	13.5	14.3		D	10	3	37	*
1848	NO CORR		12.9	303	13.6	14.4						*
1848	52.0	114	12.8	303	14.0	14.6		D	11	1	14	*
1849	46.5	116	13.0	303	14.8	15.6		D	10	1	59	*
1849	46.7	110	13.1	303	14.8	16.0	**	B	10	8	73	*
1851	NO CORR		13.6	303	13.4	13.2						*
1852	NO CORR		13.5	304	12.6	13.2						*
1853	NO CORR		13.6	303	12.6	13.2						*
1854	NO CORR		13.4	303	12.8	13.6						*
1854	NO CORR		13.3	303	12.8	13.7						*
1855	NO CORR		13.1	303	12.6	14.0						*
1856	NO CORR		13.2	302	12.5	14.0						*
1857	37.6	316	13.3	302	12.3	13.7	**	D	11	2	12	* *
1858	29.2	320	13.3	302	12.0	13.7		D	10	1	17	* *
1858	29.2	320	13.3	302	12.0	13.6		D	10	3	19	* *
1858	29.4	321	13.3	301	12.0	13.5		D	10	3	20	* *
1859	NO CORR		13.2	302	12.0	13.2						*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD CDR	
1859	NO CORR		13.2	302	12.0	13.0							
1859	NO CORR		13.2	302	12.0	12.8							
1860	46.5	88	13.2	302	11.9	12.8		D	20	3	66		
1861	NO CORR		13.1	302	11.9	12.8							
1862	32.6	4	13.1	302	11.9	12.8		D	11	1	31		
1862	39.5	15	13.0	303	11.9	12.7		B	10	5	46		
1863	NO CORR		12.9	302	11.9	12.6							
1865	NO CORR		12.7	303	11.8	12.8							
1865	NO CORR		12.8	303	11.8	12.8							
1866	NO CORR		12.7	303	11.8	12.8							
1866	NO CORR		12.7	303	11.8	12.8							
1867	13.0	342	12.6	303	11.9	12.6		D	10	2	72		
1867	10.0	347	12.7	303	11.9	12.5		D	10	3	75	*	
1868	8.9	348	12.7	303	12.0	12.5		D	10	3	54		
1868	NO CORR		12.7	303	12.0	12.4							
1869	NO CORR		12.6	303	12.0	12.4							
1869	NO CORR		12.6	303	12.0	12.4							
1869	NO CORR		12.7	303	11.9	12.3							
1870	NO CORR		12.7	303	11.9	12.3							
1871	NO CORR		12.7	302	11.9	12.3							
1872	NO CORR		12.9	304	11.9	12.4							
1874	22.4	300	12.8	301	11.9	12.2		D	10	3	48	*	
1874	22.6	304	12.8	303	11.9	12.2		D	10	1	40	*	
1875	22.4	306	12.8	304	11.9	12.3		D	10	3	39	*	
1876	27.2	98	12.7	303	11.9	12.3		B	10	5	80	*	
1876	25.6	100	12.6	303	11.9	12.4		B	10	5	63	*	
1876	26.5	94	12.6	303	11.9	12.4		B	10	4	62	*	
1876	26.6	99	12.6	303	11.9	12.5		D	10	3	65	*	
1877	27.1	96	12.7	304	11.9	12.5		D	10	1	62	*	
1877	30.9	357	12.6	303	11.9	12.5		D	20	3	48	*	
1877	30.7	357	12.6	304	11.9	12.5		D	20	1	53	*	
1878	29.9	356	12.7	303	11.9	12.5		D	20	1	60	*	
1878	29.2	255	12.7	303	11.8	12.6		D	10	3	28	*	
1879	28.5	255	12.7	303	11.8	12.6		D	10	3	36	*	
1879	29.4	255	12.7	303	11.8	12.6		D	10	3	46	*	
1879	28.4	256	12.8	303	11.9	12.6		D	10	3	52	*	
1880	NO CORR		12.6	302	11.9	12.6							
1881	15.1	286	12.6	302	12.0	12.7		D	10	1	63	*	
1881	16.0	281	12.6	302	12.1	12.8		D	10	3	51	*	
1882	15.0	285	12.6	302	12.2	12.9		D	10	1	15	*	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD CDR	
1882	13.7	269	12.7	302	12.3	13.0		D	10	3	45	*	*
1883	NO CORR		12.7	302	12.2	13.0							*
1883	NO CORR		12.7	302	12.1	12.8							*
1884	NO CORR		12.9	303	11.9	12.6							*
1885	NO CORR		12.9	303	11.9	12.6							*
1886	NO CORR		12.8	303	11.8	12.6							*
1886	18.8	199	12.9	302	11.8	12.6		B	10	8	60	*	*
1886	23.0	226	12.9	303	11.8	12.6		D	11	1	54		*
1887	24.7	224	12.8	302	11.8	12.6		D	11	1	22		*
1887	22.8	204	12.7	302	11.8	12.7		D	11	2	12		*
1888	NO CORR		12.7	302	11.8	12.8							*
1889	NO CORR		12.6	302	11.8	13.0							*
1889	NO CORR		12.6	302	11.7	13.0							*
1889	NO CORR		12.6	302	11.7	13.1							*
1890	NO CORR		12.7	302	11.7	13.1							*
1890	NO CORR		12.7	302	11.7	13.1							*
1890	NO CORR		12.7	301	11.7	13.2							*
1891	NO CORR		12.7	302	11.8	13.0							*
1892	NO CORR		12.8	301	11.8	12.8							*
1893	NO CORR		12.9	302	11.8	12.7							*
1893	48.0	175	12.8	302	11.8	12.9		D	10	1	35		*
1894	48.9	176	12.8	302	11.7	12.9	**	D	10	2	20		*
1894	NO CORR		12.8	302	11.7	12.9							*
1895	50.1	181	12.8	302	11.7	12.8		D	10	3	47	*	*
1896	NO CORR		12.8	302	11.8	12.7							*
1898	47.4	210	12.8	302	11.9	13.4		D	10	1	26		*
1899	44.8	207	12.9	301	11.8	13.5		B	10	5	31		*
1899	43.4	204	12.8	301	11.8	13.4		D	10	2	30		*
1899	47.2	208	12.8	300	11.8	13.4		D	10	3	47		*
1900	NO CORR		12.7	301	11.7	13.5							*
1900	NO CORR		12.7	302	11.7	13.6							*
1900	NO CORR		12.7	302	11.7	13.7							*
1901	22.2	311	12.9	301	11.7	14.0		D	30	3	55	*	*
1901	23.5	201	12.8	301	11.7	14.1	**	D	10	2	16	*	*
1902	24.0	202	12.9	302	11.7	14.2		D	10	3	15	*	*
1902	24.2	201	12.9	302	11.7	14.3		D	10	1	42	*	*
1902	24.0	200	13.0	303	11.7	14.3		D	10	3	46	*	*
1903	NO CORR		13.0	303	11.7	14.4							*
1904	25.3	106	12.9	302	11.6	14.4		D	10	1	55	*	*
1904	24.7	105	13.0	302	11.7	14.3		D	10	1	51		*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	CLE	PART	MAX	SPD COR
1904	25.9	116	13.0	302	11.7	14.4		D	10	1	30	
1904	NO CORR		13.0	303	11.7	14.5						
1905	NO CORR		13.0	303	11.7	14.7						
1906	NO CORR		13.0	302	11.7	15.0						
1906	55.6	124	13.1	302	11.5	15.1		D	11	1	42	
1907	58.2	118	13.1	303	11.4	15.2	**	B	10	4	41	
1907	58.6	118	13.2	303	11.3	15.2	**	B	10	4	49	
1907	58.2	116	13.2	302	11.2	15.3	**	B	10	8	50	
1908	NO CORR		13.1	302	11.0	15.4						
1908	64.5	111	13.1	302	11.0	15.5	**	D	11	2	10	*
1908	65.3	115	13.1	302	11.0	15.6	**	D	11	2	42	
1908	NO CORR		13.1	302	11.0	15.8						
1909	NO CORR		13.1	302	11.0	15.9						
1910	62.1	108	13.0	302	11.3	16.2		D	11	1	44	
1910	58.2	113	13.0	302	11.3	16.4		D	10	3	53	
1911	NO CORR		13.0	302	11.2	16.7						
1911	63.2	111	13.0	302	11.7	16.9		D	10	1	86	
1911	57.3	115	13.0	302	12.0	16.8		D	10	1	81	
1914	NO CORR		13.1	302	10.4	17.1						
1914	NO CORR		13.1	302	10.4	17.1						
1916	NO CORR		12.9	302	10.3	17.1						
1916	NO CORR		12.9	302	10.0	17.1						
1916	NO CORR		12.8	302	9.6	17.1						
1917	52.1	107	12.7	302	9.4	17.1		D	10	3	71	*
1917	NO CORR		12.6	302	9.8	17.1						
1917	NO CORR		12.6	301	10.5	17.0						
1918	NO CORR		12.5	302	11.0	17.0						
1918	50.4	101	12.4	302	11.6	17.0		D	11	1	35	
1919	NO CORR		12.4	302	14.3	16.8						
1919	NO CORR		12.4	302	14.4	16.7						
1920	NO CORR		12.4	303	14.2	16.7						
1920	NO CORR		12.4	302	14.0	16.8						
1921	NO CORR		12.4	302	13.8	16.8						
1922	NO CORR		12.4	302	13.6	16.6						
1922	NO CORR		12.4	302	13.4	16.4						
1923	NO CORR		12.4	302	13.0	16.3						
1924	NO CORR		12.4	302	12.3	16.2						
1924	NO CORR		12.4	302	12.0	16.1						
1925	NO CORR		12.5	302	12.2	16.1						
1925	NO CORR		12.5	303	12.4	16.1						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CDR	
1926	NO CORR		12.4	303	12.0	16.5							
1927	NO CORR		12.4	303	11.9	16.8							
1927	NO CORR		12.4	302	12.1	16.9							
1929	NO CORR		12.4	303	10.5	17.1							
1930	NO CORR		12.3	302	9.2	17.1							
1931	22.1	117	12.1	301	9.3	17.1		C	10	1	51		
1931	21.2	117	12.1	301	9.1	17.1		C	11	2	30		
1931	NO CORR		12.1	301	8.9	17.1							
1932	18.4	117	12.1	301	8.9	17.1		C	11	2	31		
1932	20.9	120	12.0	301	8.9	17.1		C	10	3	72		
1933	21.9	108	12.0	300	9.0	17.1		C	10	3	64		
1933	18.4	102	12.0	301	9.4	17.0		C	10	1	28	*	
1933	NO CORR		12.0	300	9.9	16.8							
1933	NO CORR		12.0	300	10.6	16.6							
1934	NO CORR		12.0	301	11.1	16.6							
1934	NO CORR		12.0	301	11.2	16.8							
1935	13.4	170	11.9	301	11.2	17.1		D	10	1	53	*	
1936	12.5	184	11.9	301	11.3	17.1		D	10	3	57	*	
1936	11.8	187	11.9	300	11.2	17.1		D	10	3	45	*	
1936	8.6	187	11.9	300	11.2	17.1		D	10	3	36	*	
1937	NO CORR		11.9	301	11.0	17.1							
1937	NO CORR		11.9	301	11.3	17.0							
1937	NO CORR		11.9	301	11.5	16.9							
1938	NO CORR		12.0	301	11.8	16.8							
1938	NO CORR		12.0	301	12.1	16.8							
1938	NO CORR		12.0	301	12.1	16.9							
1939	NO CORR		12.0	301	11.9	17.0							
1939	NO CORR		12.0	301	11.8	17.1							
1939	NO CORR		12.0	301	11.9	17.1							
1940	NO CORR		12.0	301	12.1	17.0							
1940	NO CORR		12.0	301	12.2	16.9							
1943	NO CORR		11.8	301	11.5	16.8							
1943	NO CORR		11.8	301	11.4	16.7							
1943	NO CORR		11.8	301	11.3	16.6							
1945	NO CORR		11.8	300	11.7	16.5							
1948	34.8	71	11.8	300	11.6	16.7		D	10	3	39		
1948	NO CORR		11.8	300	11.6	16.8							
1948	NO CORR		11.8	300	11.5	16.9							
1949	NO CORR		11.8	301	11.5	17.0							
1949	NO CORR		11.8	301	11.5	17.0							

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1=3	DIAM 2=4	LD GI	Q	C.E	PART	MAX	SPD CDR
1950	NO CORR		11.9	301	11.4	17.1						
1951	NO CORR		11.8	301	11.3	17.0						
1954	NO CORR		11.6	301	11.4	17.1						
1955	NO CORR		11.6	301	11.5	17.1						
1955	NO CORR		11.6	301	11.4	17.0						
1956	NO CORR		11.6	300	11.4	17.0						
1956	NO CORR		11.6	300	11.6	16.9						
1959	NO CORR		11.6	301	11.0	17.1						
1960	NO CORR		11.6	300	10.9	17.1						
1960	48.6	247	11.6	301	11.0	17.1	D	10	3	56		
1961	44.9	250	11.6	301	10.9	17.1	D	10	3	58		
1961	74.0	86	11.6	301	11.1	17.0	C	10	1	46		
1961	71.8	88	11.6	301	11.3	17.0	C	10	1	40		
1961	NO CORR		11.6	301	11.5	17.0						
1962	68.8	92	11.6	301	11.8	17.1	C	10	3	26		
1962	69.4	91	11.6	300	11.8	17.1	C	10	3	33		
1962	NO CORR		11.6	300	11.8	17.1						
1963	NO CORR		11.6	300	11.8	17.1						
1963	NO CORR		11.6	301	11.5	17.1						
1963	NO CORR		11.7	301	11.3	17.1						
1964	NO CORR		11.7	300	11.1	17.1						
1964	NO CORR		11.7	300	10.9	17.1						
1964	NO CORR		11.7	300	10.9	17.1						
1965	NO CORR		11.7	300	10.8	17.1						
1965	NO CORR		11.7	301	10.8	17.1						
1965	NO CORR		11.8	301	10.9	17.1						
1966	NO CORR		11.9	301	11.2	17.1						
1966	NO CORR		11.9	301	11.3	17.1						
1967	NO CORR		11.8	301	10.8	17.1						
1968	NO CORR		11.8	302	10.5	17.1						
1968	NO CORR		11.6	302	9.4	17.1						
1970	NO CORR		11.3	301	9.5	17.1						
1971	NO CORR		11.0	301	7.9	17.1						
1972	NO CORR		10.9	302	7.2	17.1						
1972	NO CORR		10.9	302	7.0	17.1						
1972	NO CORR		10.9	302	7.0	17.1						
1973	NO CORR		10.9	302	7.2	17.1						
1973	NO CORR		11.0	302	8.3	17.1						
1975	NO CORR		11.0	300	10.3	17.1						
1975	NO CORR		10.8	302	9.9	17.1						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD COR
1976	22.0	27	10.6	306	9.8	17.1		B	10	5	90	*
1976	32.3	46	10.6	310	10.0	17.1		D	10	1	93	*
1977	24.6	44	10.6	323	10.1	17.1		B	10	5	93	*
1977	25.6	59	10.7	340	10.1	17.1		D	11	1	74	*
1977	61.7	208	10.8	338	9.2	17.0		D	20	2	70	*
1978	64.3	205	10.9	332	8.2	17.0		D	20	3	61	*
1979	50.0	209	10.9	301	7.2	17.1		D	21	1	70	*
1981	NO CORR		11.2	305	10.2	17.1						
1981	NO CORR		11.1	302	11.0	17.1						
1982	NO CORR		11.2	301	11.5	17.1						
1982	NO CORR		11.2	302	11.5	17.1						
1984	17.6	178	11.1	301	11.4	17.1		D	10	1	63	*
1984	17.8	177	11.2	301	11.4	17.1		D	10	1	59	*
1984	19.8	182	11.2	301	11.3	17.1	**	D	10	2	9	*
1985	17.7	174	11.1	302	11.2	17.1		D	10	1	55	*
1985	NO CORR		11.2	303	11.0	17.1						
1985	9.7	127	11.1	301	10.8	17.1	**	A	10	8	71	*
1986	9.9	125	11.0	300	10.6	17.1	**	A	10	8	70	*
1986	9.9	125	10.9	299	10.5	17.1	**	A	10	8	72	*
1986	10.1	125	10.8	299	10.4	17.1	**	A	10	8	76	*
1986	7.5	137	10.7	300	10.3	17.1	**	A	10	4	93	*
1987	NO CORR		10.4	302	10.3	17.1						
1987	NO CORR		10.3	303	10.6	16.9						
1988	NO CORR		10.3	303	10.9	16.8						
1988	NO CORR		10.3	303	11.2	16.6						
1990	NO CORR		10.4	302	11.3	17.1						
1991	7.6	139	10.4	302	11.4	17.1		D	10	1	27	
1991	9.5	146	10.4	302	11.2	17.1		D	10	1	32	
1991	10.5	157	10.4	302	10.9	17.1		B	10	5	64	
1992	10.2	167	10.4	301	10.6	17.1		B	10	5	77	
1992	8.4	179	10.4	301	10.5	17.1		D	10	2	48	
1992	9.7	134	10.4	301	10.3	17.1		D	10	3	24	
1993	NO CORR		10.4	302	10.2	17.1						
1993	NO CORR		10.4	302	10.3	17.1						
1994	NO CORR		10.4	302	10.7	17.1						
1995	48.2	219	10.4	302	11.2	17.1		D	20	1	83	
1995	14.6	190	10.3	302	11.1	17.1		D	10	2	79	
1996	44.4	219	10.3	302	11.1	16.9		B	20	5	81	
1996	13.1	207	10.2	302	11.2	16.7	**	B	10	8	82	*
1996	9.3	177	10.1	302	11.3	16.6		D	11	2	51	

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GL	Q	C.E	PART	MAX	SPD COR	
2000	11.3	171	9.9	302	11.3	16.0	**	A	10	4	74		
2000	12.5	175	9.8	302	11.3	16.0		A	10	4	73		
2000	10.4	169	9.7	303	11.5	16.0		A	10	5	58		
2000	11.5	175	9.6	302	11.9	15.9		A	10	5	54		
2001	9.2	163	9.6	302	12.3	15.9		D	10	2	50		
2001	9.4	178	9.6	301	12.8	15.9		D	10	2	42		
2003	6.7	189	9.5	301	12.5	15.4		D	11	1	36		
2003	6.0	175	9.5	301	12.6	15.3		D	11	2	36		
2004	10.8	167	9.5	302	12.4	15.4	**	D	10	2	32		
2004	9.8	164	9.4	302	12.4	15.3		D	10	3	70		
2005	8.7	167	9.4	302	12.4	15.2		D	10	3	41		
2006	55.8	156	9.3	302	12.4	15.0	**	D	20	2	21		
2006	56.6	155	9.3	302	12.4	14.9		D	20	1	53		
2007	55.5	155	9.3	302	12.3	14.9		D	20	3	57		
2007	NO CORR		9.3	302	12.1	14.8							
2007	14.9	219	9.3	302	12.0	14.7		D	11	1	84		
2008	NO CORR		9.3	302	11.8	14.6							
2008	10.6	163	9.3	302	11.6	14.2		D	10	1	41		
2009	10.5	165	9.3	302	11.5	14.0		D	10	1	77		
2009	12.4	180	9.3	302	11.6	13.9	**	B	10	8	68		
2009	15.0	194	9.2	302	11.6	13.8	**	B	10	8	83		
2010	15.1	194	9.2	302	11.6	13.8	**	B	10	8	78		
2010	11.1	178	9.2	302	11.7	13.8		C	10	3	90		
2010	11.1	178	9.2	302	11.7	13.9		C	10	3	84		
2011	11.1	179	9.2	303	11.7	13.9		C	10	3	75		
2011	11.0	178	9.2	303	11.8	13.9		C	10	3	75		
2011	38.5	324	9.2	303	11.9	14.0		D	10	3	67		
2011	37.9	324	9.1	303	11.9	14.0		D	10	3	70		
2012	NO CORR		9.1	303	11.9	14.0							
2012	NO CORR		9.1	303	11.8	14.0							
2015	14.6	194	8.8	302	11.8	14.2		D	10	3	24		
2016	NO CORR		8.8	302	11.7	14.0							
2016	13.8	191	8.8	302	11.7	14.0		D	10	2	42		
2017	12.3	190	8.8	302	11.7	14.0		D	10	1	35		
2017	46.6	319	8.8	302	11.7	14.1	**	D	20	2	23	*	*
2017	NO CORR		8.8	302	11.6	14.1							
2018	NO CORR		8.8	302	11.7	14.1							
2020	10.2	170	8.8	302	11.9	14.0		C	10	3	54		
2021	9.9	167	8.8	302	11.8	14.1		A	10	5	57		
2021	9.8	168	8.8	302	11.8	14.2		A	10	5	67		

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1=3	DIAM 2=4	LQ GI	Q	C.E	PART	MAX	SPD COR	
2021	9.9	167	8.8	302	11.8	14.2		A	10	5	79		
2022	9.9	168	8.8	302	11.7	14.3	**	A	10	8	90		
2022	9.5	169	8.8	302	11.7	14.3		A	10	8	85		
2022	8.5	169	8.8	302	11.7	14.3		A	10	8	80		
2022	7.0	183	8.8	302	11.7	14.3	**	A	10	8	81		
2023	10.8	173	8.8	302	11.6	14.3	**	A	10	8	85		
2023	10.3	166	8.8	302	11.6	14.4	**	A	10	8	89		
2023	8.9	125	8.8	302	11.5	14.4		A	10	5	64	*	*
2024	9.1	119	8.8	303	11.5	14.4		A	10	8	57	*	*
2024	9.0	118	8.8	302	11.5	14.5		A	10	8	64	*	*
2026	NO CORR		8.9	302	11.3	15.1							
2027	NO CORR		8.9	302	11.9	15.3							
2028	45.4	216	8.9	300	12.5	15.4		D	10	3	50	*	*
2028	NO CORR		8.9	301	13.0	15.7							
2030	34.4	177	8.9	302	14.3	16.6		D	10	1	26	*	*
2031	32.8	177	8.9	302	14.1	16.6		D	11	2	24	*	*
2031	33.9	174	9.0	303	14.0	16.5	**	B	10	8	21	*	*
2033	17.2	153	9.1	302	13.9	16.2		C	10	1	75	*	*
2033	20.1	162	9.2	302	13.1	16.2	**	A	10	8	71		
2033	12.2	154	9.2	302	12.2	16.1	**	A	10	8	85		
2034	12.3	157	9.2	302	11.4	16.1	**	A	10	8	91		
2034	13.9	166	9.2	303	10.6	16.1		A	10	5	92		
2034	NO CORR		9.2	302	10.6	16.1							
2035	NO CORR		9.2	303	10.7	16.2							
2035	60.5	358	9.2	302	11.8	16.5		D	20	3	51	*	*
2036	NO CORR		9.1	302	12.1	16.7							
2036	20.4	11	9.1	303	12.7	17.0		D	10	1	32		
2037	NO CORR		9.0	303	12.7	17.1							
2038	19.4	11	8.9	301	12.4	17.1		D	10	1	40	*	*
2038	18.6	5	8.8	301	12.2	17.1		D	10	3	26	*	*
2038	18.2	10	8.8	301	12.1	17.1		D	10	3	20	*	*
2039	NO CORR		8.9	304	12.1	17.1							
2039	10.1	167	8.9	304	12.2	17.1		D	10	1	40	*	*
2039	10.5	158	9.0	304	12.2	17.1		D	10	3	63	*	*
2040	NO CORR		9.0	303	12.2	17.1							
2041	NO CORR		9.1	303	12.0	17.1							
2042	29.4	106	9.0	303	11.7	17.0		D	31	1	21	*	*
2043	18.2	80	9.2	304	11.7	16.9		D	10	3	35		
2043	18.3	78	9.2	303	11.4	16.8		D	10	3	34		
2044	18.2	79	9.2	303	11.2	16.6		D	10	3	40		

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD COR	
2044	15.3	68	9.2	303	10.8	16.4		D	10	2	60	*	*
2046	33.5	181	9.0	306	11.6	16.6		D	10	2	46	*	*
2046	26.7	177	8.9	305	11.4	16.7		D	10	1	64		*
2047	27.7	181	8.9	304	11.3	16.9		B	10	4	43		*
2047	26.4	180	8.8	302	11.1	17.0		B	10	5	42		*
2048	52.4	168	8.8	303	10.8	17.1		D	10	3	11	*	*
2050	NO CORR		8.9	302	10.6	17.1							*
2050	NO CORR		8.9	302	10.4	17.1							*
2050	51.4	168	8.9	302	10.1	17.1		D	10	1	22	*	*
2051	59.1	18	8.8	302	9.9	17.1		D	10	3	36	*	*
2052	NO CORR		8.8	302	9.8	17.1							*
2052	52.4	22	8.8	303	9.8	17.1		D	11	1	12	*	*
2052	61.5	24	8.6	302	10.2	17.1	**	D	11	2	12	*	*
2053	NO CORR		8.4	303	11.5	17.1							*
2053	NO CORR		8.3	303	12.2	17.1							*
2053	NO CORR		8.3	304	12.3	17.1							*
2054	NO CORR		8.2	304	12.0	17.1							*
2054	NO CORR		8.2	304	11.8	17.1							*
2056	NO CORR		8.4	314	10.4	17.0							*
2057	NO CORR		8.4	312	10.6	17.0							*
2057	55.8	95	8.5	308	10.9	17.0		D	10	3	43	*	*
2057	56.3	93	8.5	305	11.2	17.1		D	10	3	24	*	*
2060	NO CORR		8.9	303	11.9	17.1							*
2062	NO CORR		9.0	304	10.7	17.1							*
2065	14.4	166	8.6	304	10.6	17.1		B	10	8	82	*	*
2065	17.1	175	8.5	305	11.1	17.1		D	10	3	83	*	*
2065	16.4	174	8.5	305	11.7	17.1		D	10	3	60	*	*
2066	14.9	172	8.4	306	12.2	17.1		D	10	3	44	*	*
2066	29.3	163	8.4	307	12.6	17.1		D	10	3	27	*	*
2066	28.6	163	8.3	308	12.0	17.1		D	10	3	41	*	*
2067	29.7	163	8.3	308	11.5	17.1		D	10	3	34	*	*
2067	30.6	166	8.3	308	10.9	17.1		D	10	1	55	*	*
2067	NO CORR		8.3	309	10.6	17.1							*
2068	38.0	192	8.3	308	10.6	17.1		D	10	3	69	*	*
2068	37.5	189	8.3	306	10.7	17.1		D	10	3	81	*	*
2070	13.4	124	8.2	306	10.9	17.1		A	10	7	80		*
2071	14.5	115	8.2	305	11.3	17.1	**	A	10	8	84		*
2071	13.7	106	8.2	304	11.8	17.1		A	10	7	72		*
2071	14.4	112	8.2	303	12.1	17.1	**	A	10	8	53		*
2071	22.4	37	8.2	302	12.2	17.1		D	11	1	59		*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GT	Q	C.E	PART	MAX	SPD COR	
2072	16.0	43	8.4	307	12.0	17.1	**	B	10	8	17	*	*
2074	NO CORR		8.7	302	12.2	17.1							*
2074	23.5	41	8.7	302	12.2	17.1		D	11	1	13		*
2075	NO CORR		8.6	303	11.4	17.1							*
2076	NO CORR		8.4	304	11.3	17.1							*
2077	NO CORR		8.3	308	12.2	17.1							*
2078	20.6	53	8.2	308	12.2	17.1		D	10	3	59	*	*
2078	21.1	53	8.2	307	12.0	17.1		D	10	1	29	*	*
2078	21.7	53	8.2	304	11.8	17.1		D	10	3	17	*	*
2078	NO CORR		8.3	303	11.8	17.1							*
2079	17.7	57	8.4	305	11.8	17.1		D	10	1	21	*	*
2079	26.3	55	8.4	305	11.8	17.1		D	11	1	13	*	*
2080	NO CORR		8.4	306	11.8	17.1							*
2080	NO CORR		8.5	307	11.9	17.1							*
2080	42.1	244	8.5	308	12.0	17.1		D	20	3	64	*	*
2081	NO CORR		8.7	312	12.4	17.1							*
2082	NO CORR		8.6	311	12.5	17.1							*
2082	21.7	120	8.7	305	11.6	17.1		D	11	1	53	*	*
2082	16.6	126	8.7	303	11.1	17.1		D	10	3	87	*	*
2083	NO CORR		8.8	302	10.7	17.1							*
2084	8.6	123	8.6	303	11.2	17.1		D	10	3	84	*	*
2084	9.2	121	8.6	303	11.6	17.1	**	D	10	2	69	*	*
2084	9.1	121	8.6	303	12.0	17.1	**	D	10	2	55	*	*
2085	9.2	120	8.7	302	12.4	17.1	**	D	10	2	41	*	*
2085	NO CORR		8.7	302	12.4	17.1							*
2088	NO CORR		8.6	304	13.4	17.1							*
2089	NO CORR		8.7	304	12.7	17.1							*
2096	NO CORR		8.8	305	12.5	17.1							*
2097	NO CORR		8.7	311	11.7	17.1							*
2098	NO CORR		8.5	313	12.4	17.1							*
2099	55.0	83	8.5	311	12.4	17.1		D	20	1	15	*	*
2099	14.0	220	8.5	308	12.0	16.9		D	10	3	37	*	*
2099	14.1	219	8.5	306	11.6	16.7		D	10	3	39	*	*
2099	14.1	218	8.6	305	11.2	16.5		D	10	3	52	*	*
2100	NO CORR		8.7	304	11.0	16.4							*
2101	NO CORR		8.7	304	11.0	16.4							*
2103	NO CORR		8.2	306	11.1	15.4							*
2104	8.5	133	7.9	308	11.4	14.9		A	10	8	53	*	*
2104	8.5	131	7.9	306	11.4	15.4	**	A	10	8	62	*	*
2104	8.5	128	7.9	304	11.5	15.8		A	10	8	70	*	*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR	
2105	8.5	126	7.9	302	11.6	16.2		A	10	8	76	*	*
2107	NO CORR		8.2	305	11.0	16.6							*
2107	NO CORR		8.2	304	10.9	16.6							*
2108	NO CORR		8.2	305	10.8	16.6							*
2109	NO CORR		8.2	311	10.5	16.5							*
2110	13.7	151	8.2	313	10.7	16.5	**	B	10	6	68		*
2110	11.0	143	8.2	311	10.9	16.5		D	10	1	67	*	*
2110	12.1	144	8.1	308	10.9	16.4	**	D	10	2	58	*	*
2110	10.5	134	8.1	305	10.8	16.4		D	10	1	60	*	*
2111	62.7	202	8.2	304	10.5	16.3		D	20	3	66	*	*
2111	12.4	188	8.3	305	10.4	16.1		D	11	1	21	*	*
2112	NO CORR		8.3	306	10.4	16.1							*
2112	NO CORR		8.3	307	10.4	16.1							*
2114	NO CORR		8.1	310	11.3	16.2							*
2115	NO CORR		7.7	310	11.6	16.1							*
2117	48.6	154	7.6	304	11.5	15.8	**	D	11	2	17	*	*
2117	44.2	148	7.6	304	11.8	15.8		D	10	3	40	*	*
2118	NO CORR		7.8	302	12.0	15.4							*
2118	7.6	83	7.8	302	11.9	15.0		D	10	3	44	*	*
2119	7.0	97	7.8	302	11.9	14.6		D	10	3	59	*	*
2119	45.8	55	7.8	301	12.1	14.7		D	31	1	14	*	*
2119	38.5	89	7.8	301	12.4	15.1		D	20	1	41	*	*
2120	4.4	118	7.9	301	12.6	15.7	**	D	10	2	3	*	*
2120	37.1	81	7.9	301	12.9	16.3		D	20	1	39	*	*
2120	5.7	118	8.0	303	13.1	16.8		B	10	5	35	*	*
2121	NO CORR		8.1	304	13.0	17.0							*
2123	NO CORR		8.1	302	13.1	16.9							*
2123	32.8	186	8.1	302	13.0	16.8		D	10	3	14		*
2124	NO CORR		8.1	302	13.2	16.8							*
2124	15.9	181	8.1	302	13.2	16.9		D	10	3	32		*
2124	15.1	177	8.1	302	13.4	16.9		B	10	4	53		*
2125	13.1	180	8.1	302	13.3	16.7		D	10	2	37	*	*
2125	20.2	180	8.1	303	13.2	16.4		D	10	1	27	*	*
2125	NO CORR		8.2	303	13.0	16.1							*
2126	NO CORR		8.2	304	13.0	16.0							*
2127	NO CORR		8.1	303	13.8	16.1							*
2128	NO CORR		8.1	304	13.2	15.9							*
2129	NO CORR		8.1	304	12.3	15.7							*
2129	35.4	121	8.1	304	12.3	15.5		D	10	3	62	*	*
2130	NO CORR		8.1	304	12.1	15.5							*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD COR
2134	9.5	136	7.9	305	12.6	14.9	**	A	10	8	40	*
2134	9.5	137	7.9	305	12.0	14.5	**	A	10	8	51	*
2134	9.5	134	7.9	304	11.6	14.2		A	10	5	63	*
2135	12.9	143	7.9	304	11.4	14.0	**	A	10	6	83	*
2135	8.8	132	7.8	303	11.4	14.0		A	10	5	69	*
2135	8.5	134	7.7	303	11.8	14.2		A	10	5	57	*
2136	8.9	129	7.6	303	12.6	14.8		C	10	1	41	*
2136	NO CORR		7.7	303	14.5	16.3						
2138	NO CORR		7.5	303	13.8	15.4						
2139	25.9	157	7.6	304	11.7	13.2	**	D	10	2	44	*
2140	26.2	157	7.6	304	11.7	13.1	**	D	10	2	38	*
2140	25.6	157	7.6	304	11.7	13.1		D	10	1	30	*
2140	25.8	158	7.7	305	11.7	13.1	**	D	10	2	49	*
2142	18.3	156	7.6	303	11.8	13.7		B	10	5	85	
2142	16.2	157	7.5	303	11.8	13.8		B	10	8	85	
2143	16.1	158	7.4	303	11.8	13.8	**	B	10	8	76	
2143	10.8	143	7.3	304	11.7	13.8	**	B	10	8	81	*
2143	8.6	132	7.3	305	11.6	13.5		A	10	5	62	*
2144	8.0	131	7.3	305	11.6	13.3		A	10	8	67	*
2144	8.9	140	7.3	306	11.7	13.2		A	10	8	66	*
2144	6.8	142	7.3	307	11.7	13.0		C	10	3	77	*
2146	40.9	350	7.3	304	11.7	12.8		D	20	1	53	*
2146	40.4	353	7.3	303	11.8	12.8		D	20	1	40	
2146	NO CORR		7.3	304	11.8	12.8						
2146	49.5	296	7.3	304	11.8	12.8		D	10	1	24	*
2147	48.9	293	7.3	304	11.8	12.8		D	11	1	20	*
2147	47.3	301	7.3	304	11.8	12.8		D	10	3	34	*
2149	NO CORR		7.2	303	11.8	12.9						
2150	21.9	6	7.2	305	11.9	12.6		B	10	4	61	*
2151	8.5	102	7.2	304	11.9	12.6		D	10	3	19	*
2151	8.4	102	7.2	304	11.9	12.6		D	10	3	16	*
2152	NO CORR		7.2	304	11.8	12.6						
2152	18.6	86	7.2	303	11.8	12.6		D	11	1	16	*
2153	NO CORR		7.2	302	11.9	12.3						
2153	37.1	263	7.2	302	11.9	12.2		D	20	3	33	*
2154	8.4	107	7.1	302	11.9	12.1		A	10	8	80	*
2154	9.2	96	7.1	302	11.9	12.1		A	10	8	73	*
2154	9.0	95	7.1	302	11.8	12.1		A	10	8	73	*
2155	10.8	93	7.1	301	11.8	12.1		C	10	3	73	*
2156	NO CORR		7.1	303	11.8	12.2						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI.	Q	C.E.	PART	MAX	SPD COR
2156	9.0	123	7.1	303	11.8	12.2		D	10	2	42	*
2156	NO CORR		7.1	303	11.8	12.2						
2156	8.2	119	7.1	302	11.8	12.3		D	10	3	31	*
2157	60.4	25	7.1	304	11.8	12.3		D	20	1	23	*
2157	62.4	26	7.1	305	11.8	12.3		D	20	3	41	
2158	52.3	77	7.0	303	11.8	12.4		D	10	3	41	*
2158	52.2	74	7.0	302	11.8	12.5		D	10	3	41	*
2160	NO CORR		6.8	303	11.9	12.3						
2160	NO CORR		6.9	303	11.9	12.2						
2161	7.0	101	6.9	304	11.9	12.3		D	10	1	70	
2161	5.5	60	7.0	303	11.9	12.5		D	10	3	67	*
2162	5.6	60	7.0	303	11.9	12.8		D	10	3	65	*
2162	5.3	63	7.0	303	11.9	13.0		D	10	3	60	*
2163	16.8	74	7.1	304	11.9	13.1		D	10	3	28	*
2163	18.8	61	7.1	303	11.9	13.0		D	10	3	29	*
2164	17.0	74	7.2	303	11.8	12.8		D	10	3	34	*
2164	NO CORR		7.2	302	11.8	12.6						
2166	4.9	40	7.2	303	11.8	12.7		D	11	1	25	
2166	5.5	131	7.2	304	11.7	12.7		D	10	2	15	*
2167	4.8	148	7.2	304	11.7	12.8		D	10	1	26	*
2168	7.2	133	7.1	303	11.7	12.9		B	10	5	31	*
2168	8.4	150	7.1	304	11.7	12.9		D	10	1	24	*
2168	6.1	146	7.0	305	11.7	12.9		D	10	1	11	*
2169	10.1	155	7.0	306	11.7	13.0		D	11	1	26	*
2170	NO CORR		6.9	305	11.7	12.9						
2170	NO CORR		6.8	304	11.7	12.9						
2171	23.3	184	6.8	304	11.7	12.9		D	11	1	29	*
2171	NO CORR		6.8	305	11.8	12.9						
2171	14.2	186	6.7	304	11.8	12.9		D	10	3	73	*
2172	1.3	268	6.7	304	11.8	12.9	**	D	10	2	50	*
2172	1.2	260	6.7	303	11.8	12.8	**	D	10	2	51	*
2172	1.3	268	6.6	303	11.8	12.7	**	D	10	2	51	*
2173	1.3	277	6.7	304	11.8	12.6		D	10	1	63	*
2173	NO CORR		6.7	305	11.8	12.6						
2173	NO CORR		6.7	306	11.8	12.6						
2174	8.7	230	6.6	304	11.8	12.6		D	20	1	14	*
2174	51.8	171	6.6	303	11.8	12.6	**	D	10	2	24	*
2175	NO CORR		6.7	303	11.8	12.7						
2176	48.7	171	6.6	302	11.8	12.6		B	10	5	50	*
2176	11.3	211	6.7	303	11.8	12.6		B	20	5	35	*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR
2176	22.7	146	6.7	304	11.8	12.5		B	10	5	26	* *
2178	24.1	155	6.4	306	11.8	12.3		D	10	1	25	* *
2179	24.9	146	6.3	304	12.9	13.1		D	10	1	62	* *
2180	NO CORR		6.4	303	15.5	15.2						*
2180	NO CORR		6.4	303	15.6	15.3						*
2182	36.0	146	6.5	305	11.8	12.3		D	10	3	71	* *
2183	36.1	144	6.5	304	11.8	12.2		D	10	3	63	* *
2183	36.7	143	6.4	304	11.8	12.2		D	10	3	62	* *
2183	37.0	140	6.4	303	11.8	12.1		B	10	5	62	* *
2184	NO CORR		6.4	304	11.8	12.0						*
2188	NO CORR		6.1	303	11.9	11.9						*
2188	NO CORR		6.1	305	11.9	12.0						*
2189	5.9	144	5.9	304	11.9	12.0	**	B	10	8	82	* *
2189	4.4	128	5.9	303	12.2	12.4		C	10	2	77	* *
2189	5.2	101	6.0	302	12.7	13.1		A	10	8	91	* *
2190	5.1	122	6.1	301	13.2	13.7		A	10	5	90	* *
2190	5.8	121	6.3	302	13.7	14.3		C	10	3	57	* *
2191	NO CORR		6.3	301	13.9	14.3						*
2192	3.8	185	6.3	302	13.7	14.1		A	10	5	95	*
2192	5.1	167	6.4	303	13.3	13.5	**	A	10	8	94	* *
2192	5.2	163	6.4	304	12.9	13.0	**	A	10	8	94	*
2192	5.4	180	6.4	305	12.4	12.4	**	A	10	8	88	*
2193	NO CORR		6.4	305	12.2	12.2						*
2193	58.7	173	6.4	307	12.2	12.2		D	20	3	15	* *
2194	50.5	77	6.3	305	12.1	12.0		D	10	1	14	* *
2194	50.3	78	6.3	303	12.1	12.0		D	10	1	12	* *
2195	51.3	78	6.3	303	12.0	11.8		D	10	1	13	* *
2196	22.8	210	6.2	303	12.0	11.8		D	30	3	63	* *
2196	31.0	132	6.1	302	12.0	11.8		D	10	3	66	* *
2196	30.4	132	6.0	302	12.0	11.8		D	10	3	70	* *
2197	30.3	131	6.0	302	12.0	11.8		D	10	1	80	* *
2197	7.4	357	5.9	302	12.0	11.8		D	20	1	36	* *
2199	NO CORR		5.7	302	12.2	12.1						*
2200	NO CORR		5.6	302	12.5	12.0						*
2201	NO CORR		5.6	302	12.2	12.1						*
2201	NO CORR		5.6	303	12.1	12.3						*
2203	32.6	178	5.7	303	12.4	12.6		B	10	5	24	* *
2203	33.1	175	5.8	303	12.3	12.5		D	10	3	25	* *
2204	NO CORR		5.9	306	12.1	12.3						*
2204	10.4	148	6.1	310	12.2	12.5		C	10	1	59	* *

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	CLE	PART	MAX	SPD COR	
2205	15.3	149	6.1	312	12.2	12.6	**	A	10	8	98		
2205	14.3	153	6.2	314	12.2	12.6	**	A	10	8	94		
2205	14.4	154	6.3	315	12.4	12.7	**	A	10	8	90		
2206	13.8	169	6.3	317	12.9	12.9	**	B	10	8	84		
2206	11.3	185	6.4	318	13.3	13.1	**	B	10	8	81		
2206	10.7	167	6.4	318	13.6	13.2	**	B	10	4	86		
2207	5.5	173	6.4	317	13.5	13.0		D	10	1	65	*	
2207	NO CORR		6.4	316	13.2	12.9							
2207	NO CORR		6.4	316	12.9	12.7							
2208	NO CORR		6.4	317	12.5	12.6							
2210	NO CORR		6.2	318	12.0	13.2							
2211	NO CORR		6.1	324	11.9	13.2							
2212	6.2	168	5.7	327	12.4	13.5	**	A	10	8	93	*	
2212	5.3	172	5.7	326	13.0	14.0	**	A	10	8	94	*	
2212	5.2	174	5.7	325	14.0	15.0	**	A	10	8	93	*	
2213	5.1	171	5.9	324	15.0	16.0	**	A	10	8	86	*	
2213	2.7	141	6.0	326	15.5	16.5	**	B	10	8	73	*	
2213	14.8	201	6.2	329	15.1	16.1		D	20	1	98		
2213	14.4	203	6.3	331	14.4	15.1	**	D	20	2	87		
2214	13.6	203	6.5	333	13.5	13.8		D	20	2	95		
2214	12.2	206	6.5	335	12.8	12.9		D	20	1	82		
2214	NO CORR		6.5	334	12.9	12.7							
2215	27.1	72	6.6	335	13.2	12.7	**	D	10	2	40	*	
2215	27.2	75	6.6	335	13.5	12.7	**	D	10	2	41	*	
2215	27.4	78	6.6	335	13.9	12.6		D	10	1	70	*	
2216	28.3	80	6.7	335	14.0	12.6		B	10	5	57	*	
2217	22.8	184	6.6	331	12.8	12.1		D	10	3	14	*	
2217	23.0	181	6.6	329	12.4	11.9		D	10	3	15	*	
2219	13.9	204	6.5	324	12.1	12.0		B	20	7	61	*	
2219	5.5	101	6.4	324	12.2	12.0	**	D	10	2	97	*	
2220	5.6	99	6.4	324	12.3	12.2	**	D	10	2	98	*	
2220	5.5	99	6.3	325	12.5	12.4	**	D	10	2	93	*	
2220	4.7	137	6.3	325	12.9	13.1		D	10	3	95	*	
2221	11.1	183	6.3	326	14.4	15.5		B	10	4	97		
2221	10.6	192	6.3	329	14.1	15.1	**	D	10	2	98		
2222	11.2	180	6.2	333	12.4	12.7		D	11	2	63	*	
2223	11.3	179	6.2	331	12.3	12.4		D	11	2	57	*	
2224	NO CORR		6.3	331	12.1	12.1							
2224	NO CORR		6.3	331	12.1	12.1							
2225	NO CORR		6.3	331	12.3	12.1							

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	CLE	PART MAX	SPD CDR
2225	NO CORR		6.2	331	12.4	12.1					
2226	NO CORR		6.2	330	12.5	12.1					
2226	7.5	167	6.1	332	12.5	12.2		D	10	1 44	
2227	NO CORR		6.1	333	12.5	12.3					
2227	6.3	172	6.2	335	12.5	12.6		B	10	5 39	*
2227	4.1	128	6.3	334	12.6	12.8		A	10	5 91	*
2228	5.5	158	6.4	334	12.7	13.0		A	10	8 93	*
2228	5.6	158	6.5	334	12.8	13.2		A	10	8 93	*
2228	4.3	134	6.5	334	12.9	13.3		A	10	5 92	*
2228	7.9	88	6.5	336	12.9	13.3		A	10	7 88	*
2229	7.8	81	6.6	337	13.0	13.3		A	10	5 94	*
2229	11.5	90	6.7	338	13.0	13.2	**	C	10	2 84	*
2229	11.1	94	6.8	339	12.9	13.1	**	C	10	2 81	*
2230	NO CORR		6.9	341	12.6	12.9					
2230	NO CORR		6.9	341	12.4	12.7					
2231	NO CORR		7.0	345	12.0	12.7					
2234	NO CORR		6.3	339	12.0	12.6					
2235	19.1	286	6.1	340	12.0	12.4		D	20	3 32	*
2235	36.4	183	6.0	341	12.1	12.3		D	30	1 8	*
2235	34.5	278	5.9	341	12.1	12.1		D	21	1 41	*
2236	28.4	77	5.9	341	12.2	12.0		B	10	5 33	*
2236	NO CORR		6.0	340	12.0	12.0					
2238	NO CORR		6.5	349	11.8	12.2					
2238	NO CORR		6.6	348	12.1	12.3					
2238	45.6	169	6.7	349	12.3	12.5		D	10	1 4	*
2238	49.2	169	6.7	349	12.3	12.4		D	10	2 0	*
2239	48.9	172	6.9	350	12.2	12.4		D	10	2 1	*
2239	NO CORR		7.0	351	12.1	12.3					
2239	NO CORR		7.1	352	12.0	12.3					
2240	NO CORR		7.2	352	12.1	12.3					
2240	21.3	136	7.2	352	12.0	12.3		D	21	1 16	*
2240	NO CORR		7.2	353	12.0	12.4					
2241	NO CORR		7.2	355	11.9	12.7					
2242	NO CORR		7.2	357	12.0	12.6					
2242	NO CORR		7.1	3	12.0	12.6					
2243	12.2	32	6.9	3	12.0	12.6		D	10	3 99	*
2243	14.3	129	6.8	2	12.1	12.9		A	10	8 55	*
2243	10.6	134	6.6	0	12.2	13.2		A	10	5 61	*
2244	10.6	131	6.6	356	12.3	13.5		A	10	5 61	*
2244	11.1	124	6.6	356	12.4	13.8		C	10	3 84	*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E.	PART	MAX	SPD COR
2244	NO CORR		6.6	356	12.4	13.8						
2245	11.9	144	6.5	356	12.3	13.6	**	B	10	8	85	*
2245	21.4	131	6.5	357	12.2	13.3	**	B	10	8	79	
2245	14.0	143	6.5	357	12.0	13.1	**	B	10	8	78	*
2245	25.1	131	6.4	357	11.9	12.8	**	B	10	6	67	
2246	12.8	153	6.3	357	11.8	12.6		D	10	2	76	*
2247	12.9	142	6.3	357	11.8	12.6		D	10	2	70	*
2247	8.8	139	6.2	357	11.8	12.6		B	10	5	75	
2247	24.8	124	6.2	358	11.9	12.7	**	A	10	8	74	*
2248	24.3	128	6.2	359	12.0	12.7		A	10	8	89	*
2248	24.6	126	6.1	359	12.1	12.8	**	A	10	8	70	*
2248	25.2	133	6.1	359	12.1	12.8	**	A	10	8	79	*
2249	NO CORR		6.0	1	12.1	12.8						
2249	26.9	206	5.9	0	12.1	12.8		D	10	3	67	*
2249	NO CORR		5.9	360	12.1	12.7						
2249	NO CORR		5.9	358	12.1	12.5						
2250	NO CORR		6.0	356	12.2	12.3						
2251	14.0	124	6.0	356	12.2	12.3		D	20	1	35	*
2251	13.0	301	5.9	356	12.2	12.3		B	10	8	54	*
2251	12.8	301	5.8	357	12.2	12.3		B	10	8	50	*
2252	14.1	302	5.8	357	12.2	12.2		B	10	5	46	*
2252	10.9	297	5.8	358	12.2	12.2		D	10	2	30	*
2253	NO CORR		5.8	359	12.2	12.2						
2253	11.1	164	5.7	1	12.2	12.3		C	10	3	96	*
2253	13.1	156	5.7	2	12.2	12.3		C	10	3	96	*
2254	13.5	156	5.7	5	12.3	12.2		C	10	3	96	*
2254	6.2	187	5.6	6	12.3	12.2		C	10	3	81	*
2254	10.3	148	5.6	7	12.8	12.7	**	A	10	4	76	*
2255	8.4	146	5.7	8	13.1	12.9		A	10	7	92	*
2255	7.9	149	5.7	9	13.3	13.0		A	10	7	95	*
2255	4.2	161	5.8	10	13.7	13.2		A	10	4	97	*
2256	1.1	261	5.8	11	13.5	12.7		C	11	1	2	*
2256	4.7	146	5.8	11	13.6	12.6		C	10	3	80	*
2256	5.4	153	5.8	9	13.6	12.7		A	10	8	69	*
2257	5.0	150	5.8	6	13.6	12.5	**	A	10	8	58	*
2257	4.7	147	5.8	4	13.5	12.4	**	A	10	8	66	*
2257	4.5	146	5.9	1	13.5	12.3	**	A	10	8	73	*
2259	NO CORR		6.0	359	13.3	11.8						
2260	10.2	107	5.8	355	13.3	12.3		D	10	3	74	*
2261	19.4	67	5.7	355	13.3	12.4		D	10	3	73	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CDR
2261	18.6	66	5.7	355	13.3	12.5	**	D	10	2	62	
2261	23.9	75	5.7	355	13.3	12.6	**	D	10	2	61	
2262	25.5	75	5.6	356	13.2	12.6	**	D	10	2	73	
2262	5.8	163	5.5	350	13.2	12.8		A	10	8	91	*
2262	5.6	158	5.5	346	13.0	12.9		A	10	8	91	*
2263	5.4	152	5.5	340	12.7	12.9		A	10	8	91	*
2263	5.4	150	5.6	337	12.5	13.0		A	10	8	92	*
2263	NO CORR		5.6	336	12.3	12.7						
2268	NO CORR		5.8	344	12.5	12.6						
2268	NO CORR		5.8	345	12.5	12.6						
2269	24.5	320	5.8	344	12.4	12.4		D	10	1	33	*
2269	24.8	320	5.8	343	12.3	12.3		D	10	3	21	*
2270	24.4	318	5.9	343	12.2	12.1		D	10	3	21	*
2270	53.7	161	5.9	343	12.0	11.9		D	20	3	59	*
2270	NO CORR		5.9	344	12.0	11.8						
2271	25.7	327	5.8	343	12.0	11.7		D	10	1	63	*
2274	NO CORR		5.6	339	12.3	11.8						
2274	NO CORR		5.6	340	12.8	12.0						
2275	NO CORR		5.6	344	13.9	12.3						
2276	NO CORR		5.6	345	13.9	12.3						
2276	34.2	83	5.6	344	13.9	12.3		B	10	5	31	*
2278	NO CORR		5.6	345	14.9	12.4						
2278	17.4	161	5.4	347	14.8	12.5		D	10	3	80	*
2279	16.5	160	5.4	347	14.8	12.5		D	10	3	75	*
2279	12.1	148	5.4	349	14.8	12.6		D	10	3	56	*
2279	11.4	160	5.4	350	14.7	12.7		D	10	2	39	
2280	14.6	215	5.4	350	14.5	12.7		B	20	5	76	
2280	14.0	208	5.3	351	14.3	12.7		D	20	1	65	
2280	22.2	194	5.3	352	13.9	12.7		D	10	1	3	
2281	31.4	78	5.2	352	13.6	12.6		D	21	1	51	*
2281	17.7	170	5.2	353	13.5	12.6		D	11	1	51	*
2281	23.1	190	5.2	353	13.4	12.5		B	10	5	76	*
2282	39.7	72	5.2	354	13.2	12.5		D	20	2	61	*
2283	38.8	70	5.2	354	13.1	12.4	**	B	20	4	56	*
2283	37.4	62	5.2	354	13.0	12.4		D	21	1	42	*
2283	6.0	206	5.1	354	13.1	12.4	**	D	10	2	81	
2284	8.6	196	5.1	354	13.4	13.0	**	D	10	2	97	
2284	8.6	191	5.1	354	13.8	14.1	**	D	10	2	95	
2284	8.1	184	5.0	353	14.2	15.2	**	D	10	2	86	
2285	8.3	145	5.0	353	14.5	15.6	**	B	11	4	79	

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR	
2285	15.1	152	5.1	353	14.5	15.4		D	11	1	90		
2285	8.9	85	5.0	354	14.3	14.5		D	11	1	80		
2285	9.4	147	5.0	355	14.1	13.4		D	10	2	72		
2286	8.5	150	5.1	356	14.0	12.7		B	10	5	83		
2286	NO CORR		5.1	354	14.0	12.2							
2286	7.6	141	5.3	354	14.0	11.8		D	10	2	29		
2287	NO CORR		5.3	353	14.1	11.7							
2287	6.0	135	5.4	353	14.2	11.9		D	10	3	42	*	
2288	8.5	139	5.4	354	14.3	12.1		D	10	1	54	*	
2288	8.4	101	5.5	355	14.4	12.3		D	11	1	72	*	
2288	NO CORR		5.6	356	14.5	12.7							
2289	NO CORR		5.6	356	14.5	12.7							
2289	NO CORR		5.6	357	14.4	12.7							
2291	23.8	140	5.6	8	13.1	12.4		B	10	5	51		
2292	23.6	140	5.6	8	13.0	12.5		B	10	8	70		
2292	20.4	139	5.6	7	12.9	12.6		D	10	2	62		
2292	6.7	139	5.6	7	12.8	12.7		B	20	5	65		
2292	22.1	100	5.6	8	12.8	12.8		A	10	5	63		
2293	21.5	102	5.6	8	12.9	12.9		A	10	5	50		
2293	21.5	102	5.6	8	13.0	12.8		A	10	5	52		
2293	19.8	98	5.6	8	13.2	12.9		C	10	3	55		
2294	33.8	37	5.6	8	13.3	12.9		D	21	1	17	*	
2294	22.6	60	5.5	8	13.3	12.9		D	10	2	84		
2295	24.3	55	5.5	8	13.4	13.0		D	10	3	83		
2295	22.6	55	5.5	9	13.4	13.2		B	10	5	79		
2296	10.9	127	5.6	14	13.1	13.2		D	10	1	74	*	
2296	14.7	113	5.6	16	12.9	13.1		D	10	3	84	*	
2296	17.8	115	5.6	18	12.8	12.9		B	10	8	91	*	
2297	25.7	113	5.6	20	12.7	12.7		D	11	2	86	*	
2297	NO CORR		5.6	22	12.6	12.5							
2297	18.2	110	5.6	22	12.6	12.4		D	10	1	18	*	
2296	49.0	74	5.7	23	12.6	12.4		D	30	1	14	*	
2298	26.3	142	5.8	22	12.7	12.4		D	20	3	50	*	
2298	20.1	148	5.9	22	12.7	12.4		D	11	1	65		
2299	20.5	149	6.1	22	12.7	12.4		D	11	2	62		
2299	22.8	146	6.2	22	12.5	12.4		A	10	5	61		
2299	28.0	141	6.3	22	12.3	12.3		A	10	4	58		
2299	17.0	175	6.5	23	12.2	12.2		A	10	5	37	*	
2300	26.6	143	6.6	23	12.1	12.1		A	10	5	37		
2300	15.8	168	6.7	23	12.1	12.1		A	10	7	27	*	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD CDR
2300	25.1	129	6.8	22	12.1	12.1		C	10	1	7	* *
2301	14.3	162	6.8	22	12.0	12.1		A	10	4	31	* *
2301	NO CORR		6.7	21	12.1	12.1						*
2302	NO CORR		6.6	21	12.2	12.1						*
2302	33.6	63	6.6	19	12.2	12.1		C	10	2	55	* *
2302	31.2	61	6.6	18	12.0	12.0		A	10	5	60	* *
2302	31.1	59	6.6	18	11.9	11.9		A	10	5	60	* *
2303	31.2	55	6.6	17	11.8	11.9		A	10	5	86	* *
2303	NO CORR		6.7	19	11.7	11.8						*
2304	NO CORR		6.6	20	11.8	11.9						*
2305	29.5	159	6.3	19	11.8	11.9		D	10	3	72	* *
2305	NO CORR		6.3	19	11.9	11.9						*
2305	NO CORR		6.3	19	11.9	11.9						*
2306	NO CORR		6.3	19	11.9	11.9						*
2307	NO CORR		6.4	21	11.9	11.9						*
2308	6.0	183	6.3	20	12.0	11.9		A	10	5	95	* *
2308	6.2	184	6.3	20	12.3	12.0	**	A	10	8	95	* *
2308	5.8	189	6.3	20	12.6	12.1		A	10	5	99	* *
2309	6.2	192	6.4	20	12.9	12.2		C	10	3	98	* *
2309	17.9	82	6.4	21	13.0	12.3		D	30	2	21	* *
2309	32.8	72	6.4	21	13.3	12.5		D	10	2	37	* *
2310	35.4	72	6.4	21	13.7	12.8		B	10	4	38	* *
2310	37.7	68	6.4	21	14.0	13.2		D	10	2	33	* *
2310	36.6	70	6.4	21	14.4	13.5		D	10	2	14	* *
2310	6.8	195	6.3	22	14.4	13.5		A	10	5	80	* *
2311	7.0	193	6.3	22	13.9	13.1	**	A	10	8	89	* *
2311	7.1	193	6.3	22	13.4	12.7	**	A	10	8	91	* *
2311	6.5	192	6.3	21	12.9	12.2		A	10	5	80	* *
2313	6.5	197	6.4	21	12.6	11.9		D	20	1	67	* *
2313	9.4	198	6.4	20	12.6	12.1		D	20	1	62	* *
2314	31.3	163	6.3	20	12.8	12.3	**	B	10	6	46	* *
2314	30.6	161	6.3	20	12.8	12.3		D	10	2	28	*
2314	29.1	168	6.3	19	12.8	12.2		D	10	2	70	* *
2315	25.0	169	6.4	18	12.7	12.0		D	11	1	59	* *
2316	10.5	180	6.3	19	12.7	12.0	**	B	20	8	13	* *
2316	NO CORR		6.3	18	12.6	12.0						*
2316	NO CORR		6.3	16	12.5	12.0						*
2317	11.6	157	6.3	16	12.5	12.0		C	10	2	66	* *
2317	NO CORR		6.3	16	12.5	12.0						*
2317	3.7	171	6.3	16	12.5	12.0		C	10	2	72	* *

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	CLE	PART	MAX	SPD CUR	
2317	10.8	169	6.3	16	12.6	12.1		A	10	5	70	*	*
2318	8.2	180	6.3	17	12.7	12.2		A	10	5	54		*
2318	11.7	172	6.4	17	12.8	12.3		A	10	4	61	*	*
2318	15.5	180	6.4	17	12.6	12.2		A	10	5	75	*	*
2319	12.4	167	6.4	18	12.7	12.4		A	10	7	23	*	*
2319	6.1	83	6.4	19	12.9	12.5		D	10	1	31	*	*
2320	8.3	111	6.4	21	13.0	12.7		D	10	3	46	*	*
2320	10.2	72	6.5	20	13.0	12.6		D	11	1	1	*	*
2321	7.8	133	6.5	17	12.9	12.4		B	10	8	59	*	*
2321	7.7	106	6.5	16	12.7	12.3		D	10	2	69	*	*
2322	5.5	143	6.6	14	12.5	12.1		B	10	8	68	*	*
2323	NO CORR		6.7	14	12.3	12.1							*
2325	7.3	211	6.4	19	12.8	12.2		D	10	1	71	*	*
2326	6.0	200	6.6	18	13.3	12.4		D	10	3	44	*	*
2326	NO CORR		6.7	17	13.6	12.4							*
2327	NO CORR		6.9	19	13.4	12.3							*
2327	NO CORR		6.9	20	13.4	12.3							*
2328	11.2	195	6.7	22	13.4	12.2		D	10	2	54		*
2328	9.6	181	6.6	21	13.3	12.3		D	10	3	53		*
2329	9.6	180	6.6	19	13.2	12.4		D	10	3	50		*
2329	10.9	191	6.6	17	13.0	12.4		D	10	1	54		*
2331	NO CORR		6.7	15	12.9	12.7							*
2331	25.4	123	6.8	13	12.7	12.7	**	D	11	2	15		*
2331	25.6	121	6.8	12	12.6	12.7	**	D	10	2	24		*
2332	24.8	111	6.9	11	12.7	12.7		B	10	4	80		*
2332	19.6	111	6.9	12	13.0	12.7		B	10	5	85	*	*
2333	20.6	115	6.9	12	13.6	12.8		D	10	3	73	*	*
2333	26.1	107	6.9	12	14.0	12.8		D	10	1	33	*	*
2334	NO CORR		6.6	13	13.3	12.9							*
2336	NO CORR		6.7	14	13.2	12.9							*
2336	NO CORR		6.6	14	13.3	12.8							*
2336	NO CORR		6.6	14	13.2	12.9							*
2338	6.8	179	6.7	12	12.8	13.0	**	A	10	8	48	*	*
2338	8.3	188	6.7	14	13.4	13.1		A	10	8	77	*	*
2338	8.0	188	6.7	14	14.5	13.4		A	10	8	81	*	*
2338	8.2	189	6.6	15	15.5	13.9		A	10	8	70	*	*
2339	7.7	176	6.6	17	16.7	14.3		A	10	4	26	*	*
2339	NO CORR		6.6	18	17.0	14.6							*
2339	NO CORR		6.5	20	17.0	14.7							*
2340	16.6	177	6.5	18	16.4	14.2		B	10	4	60	*	*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR	
2340	20.5	177	6.6	15	15.9	13.7		D	10	1	46	*	*
2341	14.1	164	6.7	11	15.3	13.2		D	10	3	25	*	*
2341	NO CORR		6.9	7	14.9	12.8							*
2342	NO CORR		6.8	10	14.7	12.9							*
2343	NO CORR		6.8	11	14.6	13.0							*
2343	NO CORR		6.9	12	14.6	13.0							*
2343	NO CORR		6.9	12	14.6	13.0							*
2344	NO CORR		6.9	11	14.0	13.1							*
2346	19.9	149	7.1	7	13.1	12.5		D	10	3	53		*
2347	19.3	149	7.1	6	13.1	12.3	**	D	10	2	28		*
2347	19.1	152	7.1	5	13.5	12.1		D	10	3	58		*
2348	22.7	131	6.9	5	14.0	12.1		D	11	1	41	*	*
2349	21.9	111	6.9	5	13.7	12.7	**	B	10	8	22	*	*
2349	22.0	104	6.9	3	13.6	12.9		B	10	5	57	*	*
2350	NO CORR		6.9	5	13.3	13.0							*
2351	3.3	269	7.1	5	12.6	13.2		D	20	3	58	*	*
2352	1.3	204	7.2	4	12.4	13.1		A	10	8	47	*	*
2352	1.8	235	7.2	4	12.2	13.0	**	A	10	8	76	*	*
2352	1.7	229	7.2	4	12.0	12.9	**	A	10	8	78	*	*
2353	1.6	241	7.2	4	11.8	12.8	**	A	10	8	74	*	*
2353	13.7	42	7.2	4	11.8	12.8	**	B	10	8	95		*
2353	16.0	33	7.2	5	12.0	13.0	**	B	10	4	83		*
2354	16.4	45	7.2	5	12.2	13.3		B	10	4	89		*
2354	15.2	45	7.2	4	12.4	13.5		B	10	4	80		*
2355	9.5	287	7.2	3	11.9	13.4		B	10	5	53	*	*
2356	21.9	72	7.1	1	11.9	13.1		D	20	1	54	*	*
2356	22.3	73	7.1	360	11.9	13.0		D	20	2	57	*	*
2356	NO CORR		7.1	359	11.9	12.8							*
2357	NO CORR		7.1	1	11.9	12.8							*
2358	11.1	178	7.0	5	11.9	12.9		D	11	1	33	*	*
2358	11.2	176	7.0	3	11.8	12.9		D	11	1	28	*	*
2359	NO CORR		7.2	360	11.8	12.9							*
2359	NO CORR		7.2	357	11.8	12.9							*
2359	3.4	211	7.2	357	11.9	12.9		D	10	1	49	*	*
2360	3.3	211	7.2	358	11.9	12.9		D	10	1	54	*	*
2360	2.9	248	7.2	360	11.9	12.8		B	10	5	79	*	*
2361	5.3	309	7.1	0	11.9	12.8		D	10	1	55	*	*
2361	28.4	233	7.0	360	11.9	12.8		D	10	1	27	*	*
2361	29.9	232	6.9	359	11.9	12.8		B	10	4	37	*	*
2362	28.5	229	6.9	357	11.9	12.9		D	10	1	28	*	*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	CLE	PART	MAX	SPD COR
2362	29.1	229	7.0	356	11.9	12.9		D	10	1	48	*
2363	NO CORR		7.0	358	11.9	12.9						
2364	NO CORR		6.8	359	11.9	12.8						
2366	NO CORR		6.8	359	11.8	12.8						
2366	NO CORR		6.8	359	11.8	12.9						
2366	28.1	184	6.7	359	11.8	12.9		D	21	1	14	*
2367	22.2	185	6.6	358	11.8	12.9		D	20	3	24	*
2367	36.3	155	6.6	357	11.8	12.9		D	10	3	49	*
2368	36.3	155	6.5	357	11.8	12.9		D	10	3	58	*
2368	37.3	159	6.5	358	11.8	12.9		B	10	8	58	*
2369	4.3	143	6.6	359	11.8	13.0		D	10	2	68	*
2370	2.0	160	6.6	358	11.8	13.1	**	D	10	2	57	*
2370	5.7	139	6.5	358	11.8	13.2		B	10	4	60	*
2370	6.5	135	6.6	359	11.8	13.3		D	10	1	35	*
2371	11.7	137	6.5	358	11.8	13.3	**	B	10	4	28	*
2373	NO CORR		6.5	357	11.8	13.7						
2373	NO CORR		6.5	357	11.8	13.8						
2374	NO CORR		6.5	358	11.7	13.9						
2374	9.6	160	6.4	358	11.7	13.9	**	A	10	8	89	*
2375	8.8	159	6.4	358	11.7	14.1	**	A	10	8	86	*
2375	8.8	158	6.5	358	11.7	14.3	**	A	10	8	84	*
2375	8.8	157	6.5	358	11.6	14.5	**	A	10	8	76	*
2377	5.9	157	6.4	359	11.7	14.9		A	10	8	85	*
2377	5.5	152	6.4	359	11.7	15.1		A	10	8	73	*
2377	6.8	137	6.4	358	11.7	15.3		B	10	5	76	*
2377	7.0	134	6.4	357	11.6	15.5		B	10	5	72	*
2378	2.7	231	6.4	358	11.5	15.7		D	11	2	66	*
2379	24.9	223	6.4	359	11.4	15.8		B	30	5	79	*
2379	9.1	20	6.4	359	11.5	15.9		D	20	1	85	*
2379	12.2	19	6.4	360	11.7	16.1		D	20	2	84	*
2380	16.5	24	6.4	0	11.8	16.3		B	20	7	75	*
2380	18.5	32	6.4	2	12.0	16.4		D	20	1	15	*
2380	6.9	151	6.4	3	12.0	16.5		A	10	8	64	*
2381	6.9	159	6.4	2	11.9	16.6	**	A	10	8	43	*
2381	6.4	141	6.4	2	11.9	16.7		A	10	4	48	*
2381	6.0	137	6.4	1	11.8	16.8		A	10	5	41	*
2381	48.4	82	6.4	1	11.8	16.9		D	10	3	34	*
2382	55.1	75	6.4	2	11.8	16.9		D	10	3	41	*
2382	NO CORR		6.4	3	11.8	17.0						
2383	NO CORR		6.5	2	11.4	17.0						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	CLE	PART	MAX	SPD COR	
2383	NO CORR		6.5	1	11.3	17.0							
2384	NO CORR		6.5	1	11.1	17.0							
2384	NO CORR		6.5	2	11.0	17.0							
2385	26.4	246	6.7	5	11.2	17.0		D	10	3	26	*	*
2385	NO CORR		6.6	3	11.1	17.0							
2386	NO CORR		6.5	359	10.8	17.0							
2386	NO CORR		6.5	358	10.5	16.9							
2387	NO CORR		6.5	359	10.6	16.8							
2387	NO CORR		6.5	358	10.7	16.7							
2387	NO CORR		6.5	358	10.8	16.7							
2388	NO CORR		6.4	359	10.9	16.6							
2388	NO CORR		6.4	359	10.9	16.6							
2388	NO CORR		6.4	359	11.0	16.6							
2388	NO CORR		6.3	359	11.0	16.6							
2389	NO CORR		6.2	360	11.0	16.6							
2389	34.5	120	6.1	0	11.0	16.6		D	10	3	65	*	*
2390	5.2	149	5.7	1	11.7	16.6		D	10	1	30	*	*
2390	4.8	171	5.6	360	13.3	16.6		B	10	5	42	*	*
2390	4.5	164	5.5	358	14.8	16.6		B	10	5	53	*	*
2391	4.8	168	5.5	358	16.5	16.7		D	10	3	73	*	*
2391	23.8	130	5.6	356	17.0	16.6		D	20	3	60	*	*
2391	47.3	314	5.6	356	17.0	16.6		D	10	3	60	*	*
2392	NO CORR		5.6	1	17.0	16.6							
2393	20.9	229	5.7	6	16.9	16.5		D	10	1	64	*	*
2394	20.6	229	5.8	6	16.9	16.7		D	10	1	42	*	*
2394	17.8	228	5.8	4	16.9	16.8		D	10	2	53	*	*
2394	14.3	230	5.9	2	16.9	16.9		B	10	4	63	*	*
2395	NO CORR		6.1	2	17.0	17.1							
2395	NO CORR		6.1	1	17.0	17.1							
2398	NO CORR		6.6	1	15.6	17.1							
2399	NO CORR		6.7	2	16.2	17.1							
2399	NO CORR		7.0	2	16.6	17.1							
2400	7.2	351	7.0	1	16.1	17.1		D	10	1	43		*
2400	7.5	330	7.0	0	15.7	17.1		D	10	1	33		*
2400	8.1	332	6.9	0	15.7	17.1		D	10	2	64		*
2401	6.3	325	6.9	1	15.7	17.1		D	10	1	30		*
2402	NO CORR		6.6	2	15.9	16.8							
2402	NO CORR		6.5	2	16.4	16.8							
2403	NO CORR		6.5	1	16.8	16.8							
2404	54.6	22	6.5	360	17.0	17.1		B	10	5	93		*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX SPD COR
2404	46.0	217	6.5	360	17.0	17.1		B	20	4	79
2405	39.0	242	6.5	359	16.8	17.1		D	11	1	33
2405	NO CORR		6.4	359	16.6	17.1					
2406	NO CORR		6.4	359	15.9	17.1					
2406	NO CORR		6.4	359	15.6	17.0					
2406	NO CORR		6.4	359	15.2	17.0					
2406	45.2	251	6.4	360	14.8	17.0		D	11	1	36
2407	39.0	250	6.2	2	15.7	17.1		D	10	3	46
2408	52.8	192	5.9	6	17.0	17.1		D	10	3	37
2409	NO CORR		5.8	7	16.9	17.1					
2409	NO CORR		5.7	7	16.9	17.1					
2409	NO CORR		5.6	7	16.8	17.1					
2410	NO CORR		5.6	8	16.6	17.1					
2410	NO CORR		5.6	9	16.6	17.1					
2411	NO CORR		5.6	11	16.7	17.1					
2412	NO CORR		5.6	7	17.0	17.1					
2412	NO CORR		5.6	5	17.0	17.1					
2413	NO CORR		5.6	4	17.0	17.1					
2413	NO CORR		5.6	3	17.0	17.1					
2413	NO CORR		5.6	3	17.0	17.1					
2413	NO CORR		5.7	3	17.0	17.1					
2414	NO CORR		5.7	3	17.0	17.0					
2414	NO CORR		5.8	3	17.0	17.0					
2414	NO CORR		5.9	4	17.0	17.0					
2415	NO CORR		6.1	3	17.0	17.0					
2416	NO CORR		6.7	2	16.4	17.1					
2416	NO CORR		7.0	2	16.6	17.1					
2417	NO CORR		7.1	2	17.0	16.8					
2418	46.7	100	7.1	3	16.9	16.5		D	10	1	32
2418	45.9	98	7.1	3	16.9	16.8		D	10	3	80
2420	NO CORR		7.0	1	17.0	16.9					
2423	23.1	105	6.8	355	13.7	14.7		D	20	1	80
2423	24.3	100	6.8	354	12.9	14.3		D	20	1	86
2423	21.9	117	6.8	354	12.2	13.8		D	11	1	95
2424	24.8	140	6.7	355	11.8	13.6		D	10	3	71
2424	25.5	135	6.6	355	11.7	13.7		D	10	3	64
2424	23.6	132	6.5	355	11.7	13.8		D	10	1	34
2424	23.1	133	6.4	355	11.7	14.0		D	10	3	34
2426	NO CORR		5.8	356	11.8	14.2					
2427	30.7	131	5.6	356	12.1	13.9		D	10	3	31

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CDR	
2427	30.6	132	5.6	356	12.5	13.7		D	10	3	43	*	*
2427	NO CORR		5.6	355	12.8	13.5							*
2427	23.4	156	5.6	356	13.0	13.4		D	20	3	72	*	*
2428	NO CORR		5.6	356	13.0	13.4							*
2428	NO CORR		5.6	356	13.0	13.4							*
2428	NO CORR		5.6	356	13.1	13.4							*
2429	3.6	261	5.6	353	13.5	14.0		D	10	3	82	*	*
2429	3.8	257	5.6	352	13.3	14.1		D	10	3	87	*	*
2430	4.3	258	5.6	350	13.1	14.3	**	D	10	2	88	*	*
2430	5.6	267	5.6	351	12.6	14.0		D	10	3	93		*
2431	4.7	25	5.6	354	12.4	13.9		D	11	1	20	*	*
2431	4.8	238	5.6	357	12.4	13.9		D	10	3	50	*	*
2431	16.8	262	5.6	359	13.8	13.4		D	20	1	26	*	*
2432	12.5	231	5.6	359	15.8	12.7		D	11	1	40	*	*
2432	5.3	8	5.6	358	16.0	12.9	**	A	10	8	68	*	*
2433	5.1	5	5.6	356	15.4	13.2	**	A	10	8	58	*	*
2433	5.2	1	5.6	354	15.0	13.4	**	A	10	8	54	*	*
2433	6.4	360	5.6	355	14.5	13.6		C	10	1	68	*	*
2434	NO CORR		5.6	355	14.3	13.6							*
2434	NO CORR		5.6	356	14.2	13.6							*
2434	15.5	5	5.5	357	14.6	13.9		C	10	3	89	*	*
2435	14.9	5	5.5	356	15.4	14.9	**	A	10	8	79	*	*
2436	14.5	3	5.5	355	16.0	15.6		A	10	5	77	*	*
2436	14.9	360	5.5	354	16.8	16.6		A	10	8	88	*	*
2436	NO CORR		5.5	356	17.0	17.1							*
2437	NO CORR		5.6	356	17.0	17.1							*
2437	NO CORR		5.6	355	17.0	17.1							*
2439	NO CORR		5.8	355	16.9	14.2							*
2439	29.5	337	5.9	354	16.9	15.3		D	10	3	68		*
2440	NO CORR		5.9	355	17.0	16.1							*
2440	23.8	332	6.0	355	16.7	16.5		D	10	1	80		*
2440	27.0	334	6.0	355	15.8	15.8		B	10	4	85		*
2441	NO CORR		6.1	354	14.2	14.2							*
2442	2.6	247	5.9	356	12.0	13.3		A	10	8	90	*	*
2443	2.2	260	5.9	356	12.1	13.5	**	A	10	8	84	*	*
2443	1.5	264	5.9	356	12.9	14.3		A	10	8	99	*	*
2443	1.3	259	5.9	356	13.8	15.2		A	10	8	98	*	*
2444	1.4	178	5.9	357	14.4	16.3		D	10	1	60	*	*
2444	NO CORR		5.8	358	14.4	17.0							*
2444	10.9	106	5.7	358	13.8	16.9		D	11	1	12	*	*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD COR	
2445	5.6	133	5.7	355	12.9	15.8	**	D	10	2	82	*	
2445	5.6	133	5.6	354	12.2	14.7		D	10	2	90	*	
2445	4.8	130	5.6	352	12.0	13.7	**	B	10	8	76	*	
2445	8.8	159	5.6	352	11.8	12.9		B	10	5	73	*	
2449	NO CORR		5.3	360	17.0	15.0							
2449	NO CORR		5.4	360	17.0	15.1							
2450	NO CORR		5.5	359	17.0	15.1							
2450	NO CORR		5.5	359	17.0	15.1							
2450	NO CORR		5.5	360	17.0	15.0							
2451	NO CORR		5.5	360	17.0	15.0							
2451	15.1	172	5.6	1	16.9	14.9		D	10	3	76	*	
2452	NO CORR		5.6	2	16.5	14.5							
2452	NO CORR		5.6	3	16.1	14.2							
2452	NO CORR		5.6	3	15.8	13.8							
2452	NO CORR		5.6	4	15.5	13.5							
2453	NO CORR		5.6	4	15.5	13.7							
2453	NO CORR		5.6	5	16.0	14.3							
2454	NO CORR		5.6	5	16.2	14.6							
2454	NO CORR		5.6	3	15.6	15.0							
2456	NO CORR		5.6	357	13.9	13.0							
2456	NO CORR		5.6	356	14.8	13.3							
2457	NO CORR		5.6	357	15.0	13.8							
2457	NO CORR		5.6	359	15.3	14.4							
2458	NO CORR		5.6	1	15.7	14.9							
2458	NO CORR		5.5	1	15.7	14.7							
2458	28.9	149	5.3	3	15.6	14.2		D	10	3	46	*	
2459	NO CORR		5.2	14	16.1	13.1							
2460	4.5	326	5.2	17	16.0	13.4		D	10	3	56		
2461	4.5	336	5.3	17	16.3	14.1		D	10	1	80		
2461	28.3	187	5.3	15	16.4	14.5		D	20	3	77	*	
2461	NO CORR		5.4	13	16.4	14.9							
2462	NO CORR		5.5	10	16.1	15.6							
2462	NO CORR		5.5	7	15.4	15.9							
2462	NO CORR		5.5	3	15.1	15.8							
2463	NO CORR		5.6	360	14.6	14.3							
2463	NO CORR		5.6	359	14.5	13.2							
2464	NO CORR		5.9	360	13.8	11.7							
2465	NO CORR		5.9	360	13.9	11.7							
2465	39.5	281	5.8	360	14.0	11.7		D	10	3	73		
2465	43.9	283	5.7	359	13.9	11.7		D	10	2	51		

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO G1	Q	C.E	PART	MAX	SPD COR
2466	46.5	285	5.6	359	13.6	11.8		B	10	4	50	
2466	46.0	286	5.6	359	13.5	11.9		B	10	4	44	
2467	17.7	77	5.5	2	13.7	12.0		D	11	3	98	
2467	12.3	81	5.5	3	13.8	12.1		D	10	3	95	
2467	11.1	83	5.4	4	14.1	12.2		D	10	1	65	
2468	34.4	279	5.3	5	14.3	12.2		D	20	3	92	*
2468	30.3	282	5.3	5	14.5	12.0		D	20	1	93	
2469	NO CORR		5.3	5	15.1	11.8						
2470	18.3	57	5.3	9	15.7	12.5	**	A	10	8	74	*
2470	17.5	55	5.3	10	16.2	13.1		A	10	7	91	*
2470	20.0	62	5.3	11	16.7	13.7		A	10	7	81	*
2471	NO CORR		5.4	10	17.0	14.3						
2472	5.3	192	5.5	9	16.5	14.3		D	10	2	86	*
2472	5.2	225	5.5	8	16.3	14.6		D	10	1	79	
2473	NO CORR		5.4	8	16.5	15.3						
2474	NO CORR		5.5	8	16.4	14.5						
2475	NO CORR		5.6	5	16.2	13.8						
2475	NO CORR		5.6	3	16.2	13.6						
2477	64.0	311	5.6	7	16.8	14.0		D	10	3	47	
2479	NO CORR		5.6	5	16.8	13.0						
2479	NO CORR		5.6	4	16.8	13.0						
2481	71.5	238	5.6	3	16.7	12.5		D	10	3	62	*
2481	NO CORR		5.6	4	16.8	12.5						
2482	NO CORR		5.6	4	16.8	12.6						
2482	NO CORR		5.6	5	16.9	12.7						
2482	NO CORR		5.6	5	16.9	12.9						
2483	NO CORR		5.5	5	16.7	13.0						
2484	NO CORR		5.3	4	16.7	12.9						
2484	27.1	177	5.3	5	16.6	12.7		D	10	3	30	
2485	39.9	301	5.3	6	16.2	12.3		D	20	3	32	
2486	NO CORR		5.6	5	15.9	12.5						
2487	NO CORR		5.6	6	16.1	13.1						
2487	NO CORR		5.6	6	16.4	13.7						
2488	NO CORR		5.6	5	16.8	14.4						
2489	4.5	69	5.6	1	17.0	14.2		D	10	3	55	
2489	NO CORR		5.6	360	17.0	13.5						
2492	NO CORR		5.6	3	16.9	13.4						
2494	NO CORR		5.6	5	16.8	13.9						
2494	NO CORR		5.6	6	16.7	14.3						
2494	42.0	101	5.6	6	16.6	14.7		B	10	5	46	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CDR	
2495	47.2	100	5.6	6	16.6	15.2		D	10	3	29		
2495	54.7	99	5.5	7	16.8	15.6		D	11	1	50		
2495	NO CORR		5.5	7	16.9	15.9							
2496	41.0	260	5.6	13	15.5	14.9	**	D	10	2	93		
2497	45.5	259	5.6	13	14.6	13.8	**	D	10	2	95		
2497	42.7	258	5.6	13	13.4	12.6		D	10	3	78	*	
2499	NO CORR		5.5	13	13.3	12.7							
2503	NO CORR		5.2	8	17.0	17.1							
2504	NO CORR		5.5	7	17.0	17.1							
2504	NO CORR		5.5	7	17.0	16.9							
2505	NO CORR		5.6	7	16.8	14.4							
2506	NO CORR		5.6	11	16.7	13.3							
2506	26.1	168	5.6	12	16.8	13.5		D	10	1	69		
2507	24.1	175	5.6	12	16.8	13.7		D	10	3	60		
2507	23.5	180	5.6	12	16.8	14.1		D	10	3	70	*	
2508	NO CORR		5.6	14	16.0	14.1							
2508	65.4	315	5.6	14	15.1	13.6		D	20	3	86		
2511	2.3	195	5.0	17	12.4	11.8		C	10	3	86	*	
2512	3.0	206	5.0	18	12.8	12.0		A	10	5	93	*	
2512	3.2	208	5.0	18	13.3	12.2		A	10	5	89	*	
2512	3.3	211	5.0	20	13.6	12.4		A	10	5	72	*	
2513	6.2	206	5.0	20	13.7	12.5		D	10	3	78	*	
2513	5.4	170	4.9	19	13.7	12.5		D	10	2	68	*	
2513	NO CORR		4.8	20	13.7	12.5							
2514	12.4	340	4.5	20	13.5	12.5		D	10	3	83	*	
2515	12.0	347	4.6	21	13.3	12.4		D	10	1	91	*	
2515	12.1	349	4.6	21	13.1	12.4		D	10	1	91	*	
2517	NO CORR		4.8	21	13.1	12.3							
2517	NO CORR		4.9	21	13.1	12.3							
2519	NO CORR		5.4	15	15.5	13.0							
2519	NO CORR		5.5	13	16.1	13.2							
2520	27.0	262	5.5	11	16.2	13.4		D	10	1	54	*	
2520	26.5	263	5.5	12	16.1	13.4		D	10	2	34	*	
2521	27.2	266	5.5	13	16.0	13.4		B	10	5	30	*	
2521	27.0	258	5.4	14	15.8	13.5		D	10	3	23	*	
2522	NO CORR		5.6	17	15.6	13.5							
2522	NO CORR		5.6	18	15.6	13.5							
2523	45.6	221	5.5	21	15.6	13.0		D	10	3	35		
2523	NO CORR		5.5	21	15.3	13.0							
2524	NO CORR		5.5	21	15.0	13.1							

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GT	Q	C.E	PART	MAX	SPD COR
2525	NO CORR		5.5	21	14.1	13.4						
2525	NO CORR		5.5	21	14.2	13.3						
2527	NO CORR		5.6	22	15.2	14.0						
2527	NO CORR		5.6	22	15.4	14.0						
2527	NO CORR		5.6	23	15.5	14.2						
2527	NO CORR		5.6	23	15.6	14.3						
2528	NO CORR		5.5	23	15.8	14.5						
2528	NO CORR		5.5	22	15.7	14.4						
2528	NO CORR		5.5	21	15.8	14.3						
2529	NO CORR		5.6	21	16.5	14.2						
2531	NO CORR		5.5	23	15.4	14.1						
2531	NO CORR		5.4	22	15.4	14.4						
2532	NO CORR		5.3	21	15.5	14.7						
2533	NO CORR		5.2	21	14.9	15.2						
2533	33.5	70	5.3	22	14.6	15.0		D	10	1	57	
2534	33.3	66	5.4	23	15.1	14.8		B	10	4	31	
2534	57.4	200	5.5	22	15.3	14.7		D	20	3	71	
2534	66.7	199	5.6	22	15.4	14.5		D	21	1	66	
2534	NO CORR		5.6	22	15.1	14.3						
2535	NO CORR		5.6	23	14.8	14.2						
2536	NO CORR		5.6	24	14.5	14.3						
2538	24.6	217	5.6	23	16.2	14.9		D	20	1	46	*
2539	28.0	221	5.6	23	16.2	14.9		D	20	2	29	
2539	26.5	226	5.6	23	15.7	15.0		D	20	1	33	
2540	24.1	223	5.6	22	15.5	15.4		D	20	1	52	
2540	NO CORR		5.6	23	15.4	15.5						
2540	52.6	46	5.6	23	15.8	15.5		D	10	2	41	
2541	57.6	48	5.6	23	16.7	15.7		D	10	3	69	
2541	NO CORR		5.6	22	16.9	16.0						
2542	NO CORR		5.6	22	16.7	16.2						
2543	NO CORR		5.6	19	15.2	16.6						
2543	NO CORR		5.6	18	14.7	16.3						
2544	12.8	300	5.6	18	14.4	15.4		D	10	1	70	
2544	13.1	294	5.6	18	14.3	14.5		B	10	5	78	
2544	9.5	291	5.6	18	14.0	14.0	**	B	10	8	85	
2545	10.9	175	5.6	16	13.7	13.4		D	10	3	89	
2545	14.3	175	5.6	16	14.3	14.1		D	10	3	75	
2546	11.4	204	5.6	16	14.9	14.8		D	10	3	85	
2546	NO CORR		5.6	17	15.3	15.6						
2546	NO CORR		5.6	18	15.2	15.5						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E.	PART	MAX	SPD CUR	
2547	NO CORR		5.6	20	14.8	15.0							
2548	37.3	298	5.6	22	13.3	12.7	**	D	10	2	21		
2548	22.3	286	5.6	22	13.1	12.6		B	20	4	56		
2548	31.8	293	5.6	22	13.1	12.6		D	10	1	55		
2548	33.8	294	5.6	22	13.0	12.6		D	10	3	50		
2549	17.6	222	5.5	22	13.2	12.6		D	40	3	52		
2549	NO CORR		5.4	23	13.5	12.6							
2549	NO CORR		5.3	23	13.8	12.7							
2550	NO CORR		5.2	24	14.2	12.8							
2550	NO CORR		5.2	24	14.4	13.0							
2551	13.8	310	4.9	24	14.0	13.2		C	10	3	87	*	
2551	12.8	282	4.6	24	13.9	13.4	**	A	10	8	94	*	
2551	12.7	284	4.5	25	14.2	14.4	**	A	10	8	97	*	
2552	12.4	285	4.4	26	14.6	15.5	**	A	10	8	98	*	
2552	12.3	283	4.3	28	15.3	16.5	**	A	10	8	99	*	
2552	NO CORR		4.4	29	15.8	17.1							
2552	NO CORR		4.4	29	15.8	17.1							
2553	NO CORR		4.4	29	15.9	17.1							
2554	NO CORR		4.4	31	15.9	17.1							
2555	NO CORR		4.8	12	16.4	17.1							
2556	36.5	216	4.8	11	16.4	17.1		B	10	5	41		
2556	38.2	205	4.7	10	16.4	17.1		D	10	1	42	*	
2557	NO CORR		4.5	11	16.5	17.1							
2559	NO CORR		4.4	8	17.0	17.1							
2559	NO CORR		4.6	6	16.9	17.1							
2560	54.4	197	4.7	7	16.6	17.1		D	20	2	47		
2560	54.0	202	4.7	7	16.6	17.1		D	20	2	90		
2561	35.5	212	4.8	8	16.7	17.1		D	10	3	74		
2561	31.2	203	4.7	10	17.0	17.1		D	11	1	44		
2567	NO CORR		4.9	7	17.0	17.1							
2567	NO CORR		4.9	7	17.0	17.1							
2568	NO CORR		4.9	8	17.0	17.1							
2568	NO CORR		4.8	9	17.0	17.1							
2569	NO CORR		4.8	10	17.0	17.1							
2569	NO CORR		4.8	12	17.0	17.1							
2569	NO CORR		4.9	15	17.0	17.1							
2570	39.4	303	5.0	18	17.0	17.1		D	31	2	65		
2570	16.7	292	5.2	21	17.0	17.1		B	10	8	98		
2570	31.3	316	5.4	23	16.8	17.1	**	B	20	4	90		
2570	36.1	319	5.5	24	16.2	16.6	**	D	20	2	89		

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD COR	
2571	22.5	313	5.4	26	15.8	16.1	**	B	10	8	84	*	*
2571	25.4	310	5.3	27	16.2	16.0		D	10	3	44	*	*
2572	NO CORR		5.2	28	16.8	16.5							*
2573	NO CORR		5.3	28	17.0	16.8							*
2573	26.3	293	5.3	29	17.0	17.1		D	11	1	71		*
2573	25.6	306	5.3	28	16.7	17.1	**	D	10	2	70		*
2573	20.2	317	5.3	30	16.3	16.9		D	10	1	79		*
2575	NO CORR		5.2	33	16.9	17.1							*
2576	34.1	280	5.3	30	16.6	17.1		D	10	3	79		*
2576	33.7	284	5.4	30	16.3	17.1		D	10	3	84		*
2577	34.4	285	5.5	29	16.1	17.1	**	D	10	2	75		*
2577	28.5	285	5.5	29	16.2	17.1		D	10	3	73		*
2577	NO CORR		5.6	29	16.8	17.1							*
2578	NO CORR		5.6	30	16.8	17.1							*
2579	30.7	301	5.7	28	14.4	15.9	**	D	11	2	73		*
2580	26.7	291	5.7	28	12.6	14.1		D	10	3	84		*
2580	11.6	253	5.7	27	12.6	13.7	**	B	10	8	83	*	*
2580	11.9	249	5.8	28	13.6	14.0	**	B	10	8	95	*	*
2581	11.8	246	5.8	28	14.8	14.8	**	B	10	8	90	*	*
2581	17.7	258	5.9	29	16.0	15.7	**	B	10	4	74		*
2582	11.2	282	5.9	29	16.0	16.1	**	D	11	2	96	*	*
2582	11.2	276	5.9	29	14.8	15.0	**	D	10	2	97	*	*
2583	10.7	241	5.7	31	12.6	12.5		D	10	1	75	*	*
2583	9.6	273	5.6	31	12.6	12.3	**	A	10	8	96	*	*
2583	8.4	273	5.6	33	13.8	13.6	**	A	10	8	93	*	*
2584	7.6	275	5.6	35	15.0	14.8	**	A	10	8	88	*	*
2584	6.9	278	5.6	37	16.2	16.1	**	A	10	8	76	*	*
2585	18.5	239	5.6	38	16.9	17.0		A	10	7	43		*
2585	9.0	235	5.6	38	16.9	16.6		A	10	8	67		*
2586	12.2	235	5.6	38	16.9	16.6		A	10	7	84		*
2586	10.8	236	5.6	38	16.9	16.6		A	10	8	87	*	*
2586	8.8	227	5.6	41	16.9	16.7		A	10	8	92	*	*
2587	1.8	136	5.7	41	17.0	17.1		C	11	1	97	*	*
2587	2.6	107	5.7	41	16.9	17.0		C	11	1	97	*	*
2589	NO CORR		6.1	38	16.7	16.9							*
2590	13.7	328	6.3	37	16.7	16.1		D	10	3	94		*
2590	14.1	328	6.4	37	16.5	15.3		D	10	3	95		*
2590	11.8	358	6.4	35	16.5	14.5		D	11	1	78		*
2591	1.4	189	6.4	34	16.3	14.0	**	D	10	2	83	*	*
2591	0.6	142	6.4	34	16.5	14.4	**	D	10	2	78		*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E.	PART	MAX	SPD CUR	
2591	4.3	162	6.4	35	16.6	15.1		D	10	3	94		
2591	4.6	173	6.4	36	16.1	15.4	**	D	10	2	77		
2592	4.3	186	6.4	37	15.4	15.1		D	10	2	97		
2592	4.7	218	6.4	37	14.7	14.4		D	10	3	94		
2592	4.0	297	6.4	37	13.7	13.5	**	D	11	2	66		
2593	11.6	292	6.4	38	13.2	13.0	**	B	20	6	27		
2593	11.9	296	6.4	38	13.0	12.9	**	B	20	8	22		
2593	10.3	288	6.3	38	12.8	12.9		D	20	1	35	*	
2594	34.8	290	6.3	39	13.0	13.0	**	A	10	8	98		
2594	34.0	288	6.3	40	13.7	13.5	**	A	10	8	99		
2594	33.6	286	6.3	42	14.6	14.5	**	A	10	8	97		
2594	32.2	286	6.3	43	15.6	15.5	**	A	10	8	70		
2595	NO CORR		6.2	43	16.3	16.5							
2595	NO CORR		6.1	41	16.7	16.9							
2595	NO CORR		6.0	41	17.0	17.1							
2596	NO CORR		5.8	41	17.0	17.1							
2596	7.8	256	5.7	41	16.7	16.6		A	10	8	73	*	
2597	7.9	257	5.7	41	16.6	16.5		A	10	8	71	*	
2597	7.7	259	5.6	42	16.7	16.5		A	10	8	67	*	
2597	7.5	257	5.6	42	16.7	16.5	**	A	10	8	68	*	
2599	43.2	250	6.2	43	16.6	16.9		D	11	1	93	*	
2599	46.0	263	6.3	43	15.9	16.4	**	D	10	2	83		
2600	48.4	264	6.3	42	15.6	16.1	**	D	10	2	76		
2600	48.0	263	6.4	41	15.7	15.8		D	10	3	84		
2600	42.7	260	6.5	40	16.1	15.7		D	10	2	76		
2605	NO CORR		6.6	46	14.4	15.6							
2605	NO CORR		6.5	46	14.7	15.6							
2605	20.2	67	6.7	46	15.4	16.2	**	D	10	2	86		
2606	20.1	73	6.7	46	16.0	16.5		D	10	1	86		
2606	18.3	73	6.7	46	16.4	16.7		D	10	3	75		
2607	NO CORR		6.5	46	17.0	16.9							
2607	NO CORR		6.5	46	17.0	17.0							
2609	NO CORR		6.7	44	15.7	15.8							
2609	NO CORR		6.7	44	15.4	15.4							
2611	NO CORR		6.8	43	13.4	14.8							
2615	22.5	244	5.6	42	13.4	12.8		D	11	1	40		
2615	22.6	242	5.6	44	13.3	12.7		D	11	1	31		
2615	26.2	249	5.6	44	13.3	12.7		D	10	2	72		
2616	26.1	248	5.6	45	13.3	12.9	**	B	10	4	67		
2616	30.1	243	5.7	45	13.4	13.0		D	11	1	53		

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO	Q	C.E	PART	MAX	SPD COR.	
2619	NO CORR.		5.7	48	14.2	13.7							
2620	NO CORR		5.8	47	14.5	13.5							
2621	22.5	265	6.0	47	14.4	13.5		D	30	3	41		
2621	50.8	238	6.0	47	14.0	13.5		D	20	3	81		
2621	25.3	269	6.0	47	13.8	13.8		D	30	3	32		
2621	51.2	242	6.0	47	13.8	14.1		D	20	3	75		
2622	7.3	53	6.0	48	14.1	14.1		D	10	2	94	*	
2622	5.5	57	5.9	48	14.5	14.1		D	10	3	80	*	
2624	NO CORR		5.8	47	14.8	13.3							
2625	37.7	262	5.8	47	14.9	14.1		D	11	1	41		
2625	43.3	269	5.8	47	14.6	14.0		B	10	4	31		
2625	48.4	267	5.9	47	14.3	13.8		D	10	1	41		
2626	47.0	270	5.9	46	14.1	13.7		B	10	5	59		
2626	49.4	267	5.9	44	13.9	13.6		D	10	2	43		
2626	NO CORR		5.9	44	13.9	13.6							
2627	NO CORR		6.0	44	13.9	13.4							
2627	NO CORR		6.0	44	13.9	13.3							
2627	NO CORR		6.0	43	13.9	13.3							
2629	NO CORR		6.3	47	14.4	13.9							
2629	59.3	225	6.3	47	14.6	13.8		D	10	3	36		
2629	61.0	227	6.3	47	14.7	13.7	**	D	10	2	17		
2630	15.0	56	6.2	48	14.6	13.4		D	20	1	15		
2631	20.4	47	6.3	49	14.5	13.4		D	20	1	34		
2631	13.2	43	6.3	50	14.5	13.4		D	20	2	37		
2631	11.8	41	6.3	49	14.5	13.2		D	21	1	28		
2632	NO CORR		6.3	49	14.5	13.1							
2633	NO CORR		6.5	47	13.5	13.1							
2633	32.9	357	6.5	49	12.9	13.1		D	11	1	56		
2634	NO CORR		6.5	50	13.0	13.1							
2634	24.9	353	6.5	50	13.4	13.2		B	10	4	82		
2634	22.5	343	6.5	51	13.7	13.4	**	B	10	8	57		
2635	21.4	342	6.5	50	14.1	13.5		D	10	2	29		
2635	39.8	141	6.6	50	14.1	13.6		D	10	2	31		
2636	41.2	144	6.6	50	13.9	13.5		D	10	2	42		
2636	41.2	142	6.5	50	13.6	13.4		D	10	1	65		
2636	37.8	147	6.5	50	13.1	13.2		D	10	1	58		
2636	14.1	276	6.6	50	12.4	12.9		B	20	5	60		
2638	46.5	141	6.5	53	12.9	13.2		D	10	1	41	*	
2638	NO CORR		6.6	56	13.2	13.5							
2639	NO CORR		6.6	56	13.3	13.5							

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR
2639	9.6	220	6.6	54	13.3	13.6		D	10	1	68	
2639	12.7	198	6.6	53	13.3	13.5		D	10	2	50	*
2639	11.4	229	6.6	53	13.3	13.4		D	10	1	45	*
2641	NO CORR		6.7	55	13.2	12.6						
2641	39.7	204	6.7	54	13.2	12.5		D	21	1	0	*
2642	40.2	204	6.7	53	13.1	12.5	**	D	21	2	14	*
2642	7.2	273	6.8	52	13.1	12.5		D	10	3	26	*
2643	5.9	264	6.7	52	13.2	12.7		B	10	8	49	*
2643	6.0	252	6.8	52	13.2	12.9		D	10	2	42	*
2643	6.2	257	6.9	54	13.3	13.2		B	10	5	30	*
2643	6.4	258	6.9	56	13.4	13.4		D	10	3	33	*
2644	0.3	210	7.0	57	13.4	13.6		D	10	1	4	*
2644	NO CORR		7.1	56	13.3	13.6						
2644	NO CORR		7.1	56	13.2	13.5						
2645	52.3	311	7.1	56	13.2	13.5		D	10	3	73	*
2645	55.2	308	7.2	56	13.1	13.5		D	10	1	29	*
2646	54.8	314	7.1	55	13.3	12.9		D	10	3	15	*
2646	NO CORR		7.1	54	13.4	12.5						
2646	55.7	312	7.1	55	13.4	12.3		D	10	1	27	*
2646	NO CORR		7.1	55	13.4	12.1						
2647	49.3	306	7.0	56	13.4	12.1		D	11	1	36	*
2647	7.7	247	6.8	53	13.4	12.2		A	10	5	47	*
2647	7.6	243	6.7	50	13.4	12.5		A	10	5	43	*
2648	7.5	242	6.7	49	13.2	13.0		A	10	5	52	*
2648	8.2	247	6.8	48	13.3	13.6		C	10	1	55	*
2649	NO CORR		7.1	52	13.9	14.1						
2649	NO CORR		7.2	52	14.1	14.1						
2650	24.2	246	7.1	51	14.2	14.1		D	10	1	29	*
2650	22.4	242	7.1	45	14.3	14.0		D	10	1	51	*
2650	26.2	232	7.1	47	14.5	13.9		B	10	5	56	*
2651	NO CORR		7.1	46	14.7	13.8						
2651	NO CORR		7.2	56	15.4	13.8						
2652	NO CORR		7.4	57	15.4	14.1						
2653	6.0	195	7.4	57	15.4	14.3		D	11	1	65	*
2653	NO CORR		7.3	52	15.4	14.2						
2653	9.5	246	7.3	51	15.3	14.0		D	10	2	39	*
2654	10.3	235	7.3	52	15.3	14.0		D	10	2	43	*
2654	7.9	231	7.4	53	15.2	14.0		D	10	1	14	*
2654	8.4	228	7.4	56	15.2	14.0	**	D	10	2	46	*
2655	NO CORR		7.3	50	15.4	14.2						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD COR
2656	NO CORR		7.3	58	15.3	14.1						
2656	NO CORR		7.3	57	15.3	14.0						
2656	NO CORR		7.3	57	15.2	13.8						
2657	NO CORR		7.4	57	15.1	13.8						
2657	NO CORR		7.4	57	15.0	13.7						
2657	NO CORR		7.3	57	15.0	13.5						
2657	NO CORR		7.4	57	14.9	13.4						
2658	55.1	221	7.3	57	14.9	13.1	D	10	3	48		
2658	NO CORR		7.3	57	14.9	12.8						
2659	NO CORR		7.2	57	15.1	12.7						
2659	10.6	285	7.3	57	15.0	12.9	B	10	4	38	*	*
2660	10.2	278	7.2	57	15.0	13.1	D	10	1	41	*	*
2660	10.2	280	7.2	57	15.0	13.3	D	10	3	47	*	*
2660	14.1	281	7.2	57	15.1	13.5	D	10	1	58		
2661	NO CORR		7.2	58	15.0	13.0						
2662	19.3	48	7.2	58	15.0	12.8	D	10	3	32		
2662	21.6	53	7.2	58	15.1	12.6	D	10	1	23		
2664	22.0	47	7.2	57	15.4	12.7	D	11	2	12		
2664	20.0	59	7.2	56	15.3	12.7	D	10	1	46		
2664	NO CORR		7.2	55	15.3	12.6						
2664	59.5	282	7.2	53	15.2	12.6	D	20	3	34	*	*
2665	44.7	338	7.2	53	15.2	12.5	D	10	3	39	*	*
2665	40.6	329	7.2	53	15.2	12.6	D	11	1	13	*	*
2665	NO CORR		7.2	54	15.2	12.6						
2666	NO CORR		7.2	56	15.1	12.6						
2667	30.1	109	7.2	54	15.1	12.6	D	30	2	51	*	*
2667	32.5	106	7.2	52	15.1	12.6	D	30	1	47	*	*
2668	11.7	181	7.2	49	15.1	12.6	D	10	3	66	*	*
2668	NO CORR		7.2	49	15.0	12.4						
2668	6.9	204	7.2	49	14.9	12.2	B	10	5	76	*	*
2669	8.8	213	7.2	51	14.9	12.0	B	10	8	85	*	*
2669	15.8	252	7.2	51	14.8	11.8	D	11	1	83	*	*
2670	NO CORR		7.2	50	14.9	12.2						
2671	NO CORR		7.2	51	15.2	13.2						
2673	NO CORR		7.2	54	14.6	13.1						
2675	17.1	248	7.2	53	14.8	13.1	D	10	2	53	*	*
2675	17.7	258	7.3	54	14.8	12.9	D	10	3	59	*	*
2676	NO CORR		7.3	54	14.6	12.8						
2676	NO CORR		7.2	54	14.5	13.1						
2676	NO CORR		7.2	55	14.4	13.1						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E.	PART	MAX	SPD COR	
2677	NO CORR		7.2	55	14.3	13.2							
2677	NO CORR		7.2	54	14.4	13.4							
2678	14.3	23	7.2	53	14.3	13.5		D	10	3	44		
2678	14.0	21	7.3	54	14.3	13.6		D	10	1	38		
2678	13.8	20	7.3	54	14.2	13.6		D	10	1	29		
2679	NO CORR		7.3	54	14.1	13.6							
2679	NO CORR		7.3	54	14.0	13.6							
2680	43.9	145	7.3	56	13.8	13.5		D	40	1	41	*	*
2680	46.1	140	7.4	55	13.8	13.5		D	40	3	52	*	*
2680	7.4	219	7.4	51	13.8	13.5		D	10	3	60	*	*
2681	8.3	223	7.4	52	13.7	13.5		B	10	5	62	*	*
2681	48.4	189	7.4	52	13.7	13.4		D	20	1	46	*	*
2681	6.1	210	7.4	53	13.7	13.4		D	10	1	51	*	*
2682	6.0	213	7.3	56	13.7	13.4		D	10	1	50	*	*
2682	NO CORR		7.3	56	13.7	13.4							
2683	NO CORR		7.3	56	13.8	13.4							
2683	25.4	128	7.3	54	13.8	13.3		D	11	1	23	*	*
2685	20.1	133	7.3	52	13.6	11.9		D	10	3	55	*	*
2685	20.7	132	7.3	52	13.6	11.9		D	30	3	47	*	*
2686	NO CORR		7.3	52	13.6	11.9							
2686	NO CORR		7.2	51	13.6	11.9							
2687	22.8	341	7.3	51	13.2	12.0		D	41	1	11	*	*
2687	NO CORR		7.4	51	13.0	12.1							
2688	15.1	204	7.5	53	12.8	12.1		D	10	3	30	*	*
2688	30.8	272	7.5	53	12.7	12.1		D	20	3	50	*	*
2688	40.5	272	7.5	52	12.7	12.1		D	21	1	45	*	*
2689	NO CORR		7.5	52	12.7	12.1							
2689	NO CORR		7.6	52	12.7	12.1							
2690	10.3	147	7.4	48	12.7	12.4		D	20	1	48	*	*
2690	47.6	223	7.3	48	12.7	12.7		D	10	1	36	*	*
2691	47.5	223	7.3	49	12.8	12.9		D	10	3	39	*	*
2691	11.9	143	7.3	50	12.8	13.1		D	20	1	34	*	*
2691	NO CORR		7.3	50	12.8	13.2							
2692	NO CORR		7.3	50	12.8	13.2							
2694	NO CORR		7.3	50	12.8	13.2							
2696	NO CORR		7.2	52	12.8	12.5							
2698	NO CORR		7.2	52	12.7	12.5							
2699	NO CORR		7.2	51	12.7	12.5							
2700	NO CORR		7.1	47	12.7	12.5							
2700	32.8	273	7.1	48	12.7	12.6		D	10	1	51	*	*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CUR	
2700	32.1	270	7.1	48	12.9	12.8	B	10	5	73	*		*
2702	NO CORR		7.2	50	13.7	13.5							
2703	NO CORR		7.2	50	13.7	13.6							
2703	NO CORR		7.2	50	13.7	13.6							
2703	NO CORR		7.2	50	13.8	13.6							
2703	NO CORR		7.2	50	13.8	13.7							
2706	NO CORR		7.3	50	13.9	13.7							
2707	NO CORR		7.2	44	13.6	13.6							
2707	NO CORR		7.2	41	13.4	13.4							
2707	NO CORR		7.2	41	13.0	13.2							
2708	NO CORR		7.1	44	12.7	13.0							
2709	NO CORR		7.3	47	12.8	13.4							
2710	49.8	192	7.3	47	12.7	13.4	D	10	3	65	*		*
2710	NO CORR		7.3	47	12.7	13.5							
2710	NO CORR		7.3	47	12.7	13.5							
2711	NO CORR		7.3	46	12.8	13.6							
2712	NO CORR		7.4	46	13.1	13.6							
2712	NO CORR		7.3	46	13.1	13.6							
2713	NO CORR		7.3	46	13.2	13.7							
2713	46.3	177	7.2	45	13.2	13.9	D	11	1	61	*		*
2714	45.3	168	7.2	45	13.3	14.0	B	10	5	70	*		*
2714	43.5	168	7.2	45	13.8	14.3	D	10	3	73	*		*
2714	41.8	176	7.2	46	14.0	14.5	D	11	3	64	*		*
2715	NO CORR		7.2	45	14.1	14.6							
2716	NO CORR		7.2	46	14.1	14.8							
2718	NO CORR		7.5	44	14.1	14.6							
2718	NO CORR		7.7	44	14.1	14.6							
2719	NO CORR		7.8	43	14.1	14.5							
2720	NO CORR		7.8	42	14.0	14.2							
2720	NO CORR		7.8	43	13.9	14.2							
2721	NO CORR		7.7	43	14.0	14.1							
2728	NO CORR		7.5	44	12.9	14.4							
2728	29.6	154	7.5	45	12.7	14.5	D	30	2	34			*
2729	14.2	152	7.5	46	12.7	14.5	D	20	1	34			*
2729	15.4	160	7.6	46	12.8	14.5	D	20	3	37			*
2729	NO CORR		7.5	46	13.2	14.6							
2730	46.3	128	7.5	46	13.3	14.6	D	10	2	30			*
2730	45.1	126	7.5	45	13.4	14.6	D	10	3	36			*
2730	50.1	136	7.6	44	13.4	14.7	D	11	1	24			*
2734	36.8	177	7.9	47	14.6	13.9	A	10	4	57			*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	CLE	PART	MAX	SPD COR
2735	34.2	180	7.9	46	14.4	13.6		C	10	3	42	
2735	38.4	171	7.9	46	14.3	13.3		A	10	8	52	
2735	40.7	167	8.0	45	14.4	13.1		A	10	8	72	
2735	42.0	180	8.0	44	14.5	13.3		C	10	2	68	
2736	36.0	176	8.0	44	14.6	13.6	**	C	10	2	64	
2736	41.9	181	8.1	45	14.3	14.0		C	10	1	41	
2737	NO CORR		8.2	45	14.3	14.1						
2739	NO CORR		8.4	39	14.1	14.0						
2740	NO CORR		6.9	49	15.7	13.6						
2742	NO CORR		7.5	41	16.7	14.2						
2743	NO CORR		7.4	43	16.7	14.3						
2744	NO CORR		7.4	44	16.7	14.3						
2744	NO CORR		7.4	43	16.7	14.3						
2745	NO CORR		7.5	43	16.7	14.2						
2745	NO CORR		7.5	43	16.7	14.2						
2746	NO CORR		7.5	43	16.7	14.2						
2746	37.8	22	7.5	44	16.7	14.2		D	10	3	31	*
2747	NO CORR		7.3	46	16.9	14.5						
2747	NO CORR		7.3	46	17.0	14.7						
2748	45.9	200	7.3	47	17.0	14.7		D	10	3	32	
2748	NO CORR		7.3	47	17.0	14.6						
2749	NO CORR		7.2	47	17.0	14.5						
2751	NO CORR		7.3	45	17.0	13.4						
2752	NO CORR		7.3	45	17.0	13.3						
2752	NO CORR		7.3	44	17.0	13.5						
2753	NO CORR		7.2	44	17.0	13.2						
2753	NO CORR		7.2	44	17.0	13.0						
2754	NO CORR		7.2	45	17.0	13.1						
2755	NO CORR		7.3	46	17.0	13.0						
2756	NO CORR		7.3	44	17.0	12.7						
2757	60.7	95	7.3	44	17.0	12.6		D	10	3	40	
2757	NO CORR		7.4	45	17.0	12.6						
2757	NO CORR		7.4	46	17.0	12.6						
2757	NO CORR		7.4	46	17.0	12.5						
2758	NO CORR		7.3	47	17.0	12.4						
2758	NO CORR		7.3	47	17.0	12.3						
2759	NO CORR		7.3	48	17.0	12.4						
2759	19.8	160	7.2	49	17.0	12.2		D	10	2	17	
2760	21.5	167	7.2	49	17.0	11.9		D	10	3	30	
2760	21.0	164	7.2	49	17.0	12.0		D	10	1	13	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR	
2761	NO CORR		7.2	50	17.0	12.3							
2762	NO CORR		7.1	49	17.0	12.1							
2765	37.9	130	7.1	51	17.0	12.9		D	10	1	42		
2765	32.6	129	7.1	50	17.0	12.7		D	10	1	29		
2765	31.9	127	7.1	50	17.0	12.7		D	10	3	40		
2766	35.5	118	7.1	49	17.0	12.5		D	10	5	31		
2766	36.3	119	7.1	49	17.0	12.5		D	10	2	30		
2766	35.8	115	7.2	49	17.0	12.5		D	10	3	28		
2768	67.1	145	7.2	50	17.0	11.9		D	10	3	32	*	
2769	NO CORR		7.4	51	17.0	12.0							
2770	NO CORR		7.5	52	17.0	12.1							
2771	NO CORR		7.6	51	17.0	12.0							
2772	NO CORR		7.6	52	17.0	12.0							
2772	NO CORR		7.6	53	17.0	12.0							
2772	NO CORR		7.6	53	17.0	12.0							
2774	48.1	306	7.7	51	17.0	12.2		D	10	1	40		
2774	46.6	307	7.8	50	17.0	12.2	**	D	10	2	51		
2775	49.1	302	8.0	51	17.0	12.7		D	10	3	40		
2775	NO CORR		8.0	51	17.0	12.5							
2776	NO CORR		8.0	51	17.0	12.3							
2776	NO CORR		8.0	50	17.0	12.2							
2777	NO CORR		8.0	49	17.0	12.4							
2781	NO CORR		8.6	50	17.0	12.6							
2781	NO CORR		8.7	50	17.0	12.6							
2782	NO CORR		8.7	50	17.0	12.6							
2782	48.6	57	8.8	50	17.0	12.5		D	10	1	34		
2782	NO CORR		8.8	50	17.0	12.3							
2782	53.4	56	8.8	50	17.0	12.3		D	10	2	65		
2783	NO CORR		8.8	50	17.0	12.3							
2783	33.0	125	8.8	51	17.0	12.4		D	10	1	28		
2783	29.9	126	8.8	51	17.0	12.4		D	10	3	33		
2784	44.2	220	8.8	51	17.0	12.4		D	20	3	44		
2784	51.4	225	8.8	51	17.0	12.4		D	21	1	30		
2785	NO CORR		8.8	49	17.0	12.2							
2785	NO CORR		8.8	49	17.0	12.1							
2786	NO CORR		8.8	49	17.0	12.2							
2788	NO CORR		9.1	50	17.0	12.4							
2788	NO CORR		9.2	50	17.0	12.3							
2788	9.6	126	9.3	50	17.0	12.2		D	10	1	65		
2789	8.1	146	9.4	49	17.0	12.2		D	10	3	33	*	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CDR
2790	NO CORR		9.6	50	17.0	12.8						
2790	NO CORR		9.7	49	17.0	12.8						
2790	33.7	134	9.7	49	17.0	12.7		D	10	1	3 *	
2791	NO CORR		9.7	49	17.0	12.6						
2791	33.1	135	9.8	49	17.0	12.6		D	10	1	30 *	
2791	33.8	136	9.9	49	17.0	12.6	**	D	10	2	13 *	
2792	29.1	127	9.9	48	17.0	12.8		D	10	1	19	
2792	NO CORR		9.9	47	17.0	12.9						
2792	NO CORR		9.8	47	17.0	13.0						
2793	NO CORR		9.9	47	17.0	13.1						
2793	11.9	263	9.9	46	16.6	13.5		D	10	1	37	
2794	8.1	235	9.9	45	16.5	13.7		D	10	3	18	
2794	4.6	263	9.9	45	16.3	13.9		B	10	5	45	
2794	5.5	147	9.9	45	16.0	14.1		B	10	4	67	
2795	6.3	264	9.8	45	15.7	14.1		B	10	4	48	
2795	9.0	289	9.8	44	15.6	13.9		D	10	2	59	
2796	61.4	303	9.9	47	15.7	14.3		D	10	3	61	
2797	62.2	300	9.9	47	15.7	14.4		D	10	1	43	
2797	61.4	301	9.9	46	15.7	14.4	**	D	10	2	24	
2798	32.3	307	9.9	46	15.2	14.0		D	10	1	78	
2799	33.5	307	9.8	46	15.2	14.1		D	10	3	68	
2799	36.2	302	9.9	46	15.2	14.6		D	10	1	61	
2802	NO CORR		10.1	43	14.6	14.9						
2802	27.0	51	10.1	43	14.7	15.0		D	20	3	53	
2803	58.1	153	10.2	43	14.7	15.2		D	10	1	35	
2803	51.1	149	10.2	44	14.6	15.2		D	10	3	40 *	
2803	NO CORR		10.2	44	14.6	15.3						
2804	58.6	153	10.2	44	14.6	15.6		D	10	3	33 *	
2804	NO CORR		10.3	44	14.5	15.6						
2805	8.6	261	10.2	44	14.6	15.5		D	11	1	48 *	
2805	13.5	222	10.2	44	14.8	15.1		D	10	3	66 *	
2805	13.4	221	10.2	43	14.9	14.8		B	10	5	68 *	
2808	NO CORR		10.2	42	14.6	14.4						
2808	NO CORR		10.1	42	15.0	14.4						
2808	NO CORR		10.0	43	15.3	14.3						
2809	48.9	297	10.2	44	15.6	14.3		D	11	1	36 *	
2809	47.6	287	10.2	44	15.6	14.3		D	20	3	83 *	
2810	54.5	307	10.3	45	15.6	14.2		D	10	1	65	
2810	49.6	309	10.3	44	15.7	14.1		B	10	5	38	
2811	32.0	187	10.4	42	15.7	13.9		D	10	2	56 *	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD COR	
2811	31.1	188	10.4	43	15.4	14.0		D	10	2	78	*	*
2812	33.3	190	10.4	43	15.0	14.2		D	10	1	87	*	*
2812	32.9	190	10.4	43	14.7	14.3		D	10	1	80	*	*
2813	NO CORR.		10.4	44	14.3	14.3							*
2817	NO CORR.		10.4	42	13.9	15.6							*
2817	NO CORR.		10.4	42	13.9	15.7							*
2821	NO CORR.		10.5	40	15.2	16.3							*
2822	NO CORR.		10.9	39	15.1	16.1							*
2823	16.2	215	10.9	40	15.3	15.7		D	10	1	41	*	*
2823	16.5	212	10.9	40	15.6	15.2		D	10	3	39	*	*
2823	15.6	204	10.9	40	16.0	14.6		D	10	2	56	*	*
2824	40.7	221	11.1	41	16.4	14.3		D	30	3	45	*	*
2824	NO CORR.		11.0	40	16.4	14.2							*
2824	13.2	212	11.0	40	16.3	14.2		D	10	1	20	*	*
2824	NO CORR.		10.9	39	16.3	14.2							*
2825	NO CORR.		11.0	39	16.3	14.2							*
2825	NO CORR.		11.1	39	16.2	14.2							*
2827	NO CORR.		11.1	41	16.1	14.1							*
2827	51.4	4	11.1	42	16.0	14.0		D	10	3	48		*
2828	NO CORR.		11.4	39	16.1	13.9							*
2829	NO CORR.		11.3	38	15.9	13.8							*
2830	NO CORR.		11.3	38	15.4	13.5							*
2830	NO CORR.		11.3	38	15.3	13.5							*
2831	NO CORR.		11.2	38	14.8	13.2							*
2832	NO CORR.		11.1	38	14.8	13.0							*
2833	49.8	35	10.9	35	14.7	12.9		D	10	1	59	*	*
2833	49.1	34	10.8	35	15.1	13.4		D	10	3	74	*	*
2833	NO CORR.		10.7	36	15.5	13.8							*
2834	NO CORR.		10.8	37	15.9	14.1							*
2834	NO CORR.		10.9	37	16.1	14.3							*
2834	NO CORR.		10.9	37	16.1	14.3							*
2835	23.4	243	10.9	37	16.0	14.3		D	11	1	52	*	*
2836	27.7	256	10.8	38	15.8	14.2		D	10	1	62	*	*
2836	27.2	256	10.8	38	15.8	14.1		D	10	3	54	*	*
2836	26.6	257	10.9	38	15.8	14.0		D	10	3	58	*	*
2837	26.9	261	10.9	37	15.8	13.9		D	10	1	58		*
2839	NO CORR.		11.5	39	16.5	13.0							*
2840	68.2	285	11.6	40	16.7	13.3		D	10	3	57	*	*
2840	63.6	283	11.6	40	16.6	13.3		D	10	1	53		*
2841	NO CORR.		11.6	40	16.4	13.3							*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E.	PART	MAX	SPD COR
2841	NO CORR		11.6	38	16.2	13.5						
2842	NO CORR		11.6	38	16.2	13.6						
2842	21.3	324	11.4	37	16.6	13.6		D	11	1	40	*
2843	15.0	340	11.2	37	16.3	13.1		D	10	3	38	*
2843	15.9	339	11.0	37	16.4	12.6		D	10	1	54	*
2843	14.2	318	10.8	37	16.4	12.2		D	11	1	62	*
2844	NO CORR		10.9	37	16.9	11.8						
2845	52.0	301	10.9	38	16.9	11.8		A	10	8	55	*
2845	NO CORR		10.9	38	16.9	11.8						
2845	NO CORR		10.9	38	16.9	11.9						
2846	NO CORR		10.9	39	16.9	11.9						
2846	NO CORR		10.8	40	16.8	12.3						
2846	NO CORR		10.8	40	16.8	12.8						
2847	NO CORR		10.7	40	16.7	13.6						
2848	NO CORR		10.6	39	16.6	13.6						
2849	21.3	122	10.7	37	16.9	14.2	**	D	10	2	34	
2849	16.5	130	10.7	36	17.0	14.3		D	10	3	71	*
2850	19.5	128	10.7	36	17.0	14.3		B	10	4	72	*
2851	NO CORR		10.7	37	17.0	14.0						
2852	NO CORR		10.8	37	17.0	13.9						
2852	NO CORR		10.8	37	17.0	13.9						
2853	NO CORR		10.7	37	17.0	13.9						
2853	NO CORR		10.7	37	17.0	13.8						
2854	NO CORR		10.5	35	17.0	13.8						
2855	NO CORR		10.4	36	17.0	13.8						
2856	NO CORR		10.4	36	17.0	13.9						
2856	NO CORR		10.4	36	17.0	13.9						
2856	NO CORR		10.4	36	17.0	13.8						
2857	NO CORR		10.4	37	17.0	13.8						
2857	NO CORR		10.4	36	17.0	13.6						
2858	NO CORR		10.4	36	17.0	13.7						
2859	NO CORR		10.4	38	17.0	13.7						
2860	NO CORR		10.4	38	17.0	13.5						
2861	68.8	259	10.4	38	17.0	13.5		D	10	3	71	
2863	NO CORR		10.4	38	17.0	13.3						
2863	NO CORR		10.4	37	17.0	13.1						
2864	NO CORR		10.4	37	17.0	13.0						
2866	56.1	132	10.4	39	17.0	12.5		D	10	3	57	
2866	54.1	132	10.4	39	17.0	12.5		D	10	3	60	
2868	NO CORR		10.4	39	17.0	12.5						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO	Q	C.E	PART	MAX	SPD COR
2868	NO CORR		10.4	39	17.0	12.5						
2868	NO CORR		10.4	38	17.0	12.3						
2869	NO CORR		10.4	38	17.0	12.3						
2869	NO CORR		10.4	38	17.0	12.4						
2869	NO CORR		10.4	38	17.0	12.4						
2870	NO CORR		10.4	38	17.0	12.4						
2870	NO CORR		10.4	37	17.0	12.3						
2871	NO CORR		10.4	37	17.0	12.3						
2871	32.4	24	10.1	37	17.0	12.8	**	D	20	2	21	*
2872	33.1	18	10.0	37	17.0	13.4		D	20	1	29	*
2872	34.5	21	9.9	37	17.0	14.2		D	20	3	71	*
2873	70.0	184	9.9	37	17.0	15.2		D	31	1	31	*
2873	25.9	16	9.7	38	17.0	15.4		D	21	1	37	
2874	51.5	267	9.7	39	17.0	15.2		B	10	8	52	
2874	56.3	265	9.6	38	17.0	15.1		D	10	2	38	
2874	NO CORR		9.5	38	17.0	14.9						
2875	NO CORR		9.4	36	17.0	14.5						
2875	NO CORR		9.4	35	17.0	14.4						
2876	NO CORR		9.6	36	17.0	14.1						
2877	NO CORR		9.7	38	17.0	14.0						
2877	NO CORR		9.7	38	17.0	13.8						
2878	55.8	340	9.7	39	16.6	13.6	**	D	10	2	16	
2878	54.0	343	9.7	39	16.3	13.5		D	10	3	25	
2878	56.6	345	9.7	40	16.0	13.6		D	10	2	17	
2879	NO CORR		9.8	40	15.8	13.3						
2880	NO CORR		9.9	40	15.9	13.2						
2880	NO CORR		9.9	39	16.2	13.7						
2881	NO CORR		9.9	40	16.1	14.5						
2881	NO CORR		9.9	40	16.1	15.2						
2881	69.3	162	9.8	40	16.1	15.8		D	20	3	30	
2882	69.9	166	9.8	40	15.5	15.9		D	21	1	22	
2882	30.5	163	9.7	41	14.8	15.8		B	10	4	37	
2883	36.7	152	9.7	41	14.8	15.8		D	10	3	52	
2885	NO CORR		9.7	40	14.1	15.4						
2885	NO CORR		9.6	40	13.9	15.8						
2885	NO CORR		9.6	41	13.7	16.1						
2886	NO CORR		9.5	41	13.9	16.6						
2887	NO CORR		9.4	43	15.1	16.8						
2888	NO CORR		9.3	43	15.0	16.9						
2888	NO CORR		9.4	43	14.9	17.1						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E.	PART	MAX	SPD CDR
2889	NO CORR		9.5	42	14.8	17.1						
2890	NO CORR		9.4	42	13.8	17.1						
2890	NO CORR		9.5	42	13.6	17.1						
2891	41.3	119	9.8	43	13.4	17.1	D	10	3	39	*	*
2892	43.0	118	9.8	43	13.6	17.1	D	10	3	51	*	*
2893	38.1	146	10.0	44	13.7	17.1	D	10	1	33		*
2893	36.0	149	10.0	44	13.6	17.1	D	10	3	55		*
2893	NO CORR		10.1	43	13.4	17.1						
2894	37.8	149	10.1	43	13.4	17.1	D	10	2	47		*
2894	NO CORR		10.1	43	13.5	17.1						
2894	NO CORR		10.2	43	13.6	17.1						
2895	35.8	337	10.3	44	13.7	17.1	D	20	3	37		*
2895	NO CORR		10.3	44	13.5	17.1						
2898	NO CORR		10.4	42	12.7	17.1						
2899	NO CORR		10.4	43	12.6	17.0						
2899	19.2	47	10.4	43	12.6	17.0	B	10	7	55		*
2899	18.6	48	10.4	43	12.7	17.0	D	10	2	55		*
2900	16.0	36	10.4	43	12.7	17.0	B	10	4	47		*
2901	17.6	67	10.4	42	12.5	17.0	D	10	1	30		*
2901	NO CORR		10.4	42	12.3	16.9						
2902	NO CORR		10.4	42	12.4	16.9						
2902	NO CORR		10.4	43	12.6	17.0						
2902	NO CORR		10.4	42	12.7	17.1						
2903	NO CORR		10.5	42	12.7	17.1						
2904	31.9	13	10.5	41	12.6	17.0	D	10	3	31	*	*
2904	NO CORR		10.6	41	12.4	17.1						
2905	NO CORR		10.5	40	12.2	17.1						
2906	NO CORR		10.5	40	12.8	17.1						
2907	17.5	221	10.5	40	12.6	17.1	D	10	1	33	*	*
2907	16.5	218	10.5	40	12.4	17.1	D	10	3	33	*	*
2909	NO CORR		10.6	40	11.9	17.1						
2909	NO CORR		10.7	41	11.9	17.1						
2909	NO CORR		10.7	41	12.0	17.1						
2910	NO CORR		10.6	40	12.1	17.1						
2910	NO CORR		10.5	40	12.2	17.1						
2913	NO CORR		10.7	41	13.2	17.1						
2914	NO CORR		10.7	41	13.3	17.1						
2914	NO CORR		10.8	42	13.3	17.1						
2916	NO CORR		10.7	39	13.7	17.1						
2916	31.3	350	10.8	40	13.8	17.1	D	11	1	9	*	*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1=3	DIAM 2=4	LD GI	Q	C.E	PART	MAX	SPD COR	
2916	24.2	359	10.8	40	13.7	17.1		D	10	3	66		
2917	42.1	44	10.8	41	13.9	17.1		D	20	3	49		
2918	NO CORR		10.7	42	14.1	17.1							
2920	NO CORR		10.4	41	14.1	17.1							
2923	35.8	293	10.4	42	13.5	17.0		D	51	1	27		
2924	26.8	235	10.3	42	13.6	16.9		D	11	2	62	*	
2924	33.3	241	10.3	42	13.8	16.8		D	10	3	72	*	
2924	32.4	242	10.3	43	14.0	16.8		D	10	3	69	*	
2924	22.9	236	10.3	43	14.2	16.9		D	30	1	44	*	
2925	20.3	260	10.4	43	14.1	16.9		D	20	1	65		
2925	20.4	260	10.4	43	13.8	16.7		D	20	1	63		
2926	34.2	260	10.4	42	13.6	16.5		D	11	1	56		
2926	25.9	263	10.3	40	13.8	16.4		D	21	1	46		
2927	NO CORR		10.3	40	15.0	16.7							
2927	NO CORR		10.3	40	15.9	16.9							
2928	NO CORR		10.3	42	16.2	17.1							
2928	NO CORR		10.2	41	15.8	17.0							
2928	NO CORR		10.2	41	15.7	16.9							
2928	68.7	294	10.2	41	15.5	16.7		D	10	3	20		
2929	68.6	292	10.2	42	15.2	16.6		D	10	3	40		
2930	NO CORR		10.2	40	15.1	17.0							
2931	NO CORR		9.9	41	15.1	16.2							
2931	NO CORR		9.9	41	15.3	15.7							
2932	46.6	276	9.9	41	15.6	16.9		D	10	3	55	*	
2932	NO CORR		10.0	41	15.8	14.9							
2932	NO CORR		10.0	42	15.3	14.8							
2935	NO CORR		9.8	43	15.5	14.1							
2937	NO CORR		9.6	41	16.2	14.2							
2938	NO CORR		9.5	41	16.3	14.7							
2938	NO CORR		9.5	41	16.3	15.0							
2938	NO CORR		9.5	42	16.5	15.5							
2939	NO CORR		9.5	42	16.6	15.5							
2939	NO CORR		9.5	41	16.8	15.7							
2940	49.7	319	9.2	39	16.4	15.8		D	11	1	16	*	
2940	53.5	320	9.2	39	16.3	15.8		D	10	1	33	*	
2941	54.3	319	9.2	41	16.1	15.8		D	10	1	32	*	
2941	52.7	317	9.2	43	16.2	15.8		D	10	1	31	*	
2941	NO CORR		9.2	43	16.1	15.8							
2942	NO CORR		9.3	43	16.3	15.8							
2943	NO CORR		9.2	43	16.6	16.4							

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD COR	
2946	NO CORR		9.3	42	15.6	15.6							
2948	NO CORR		9.5	43	15.9	15.0							
2948	NO CORR		9.6	43	15.9	14.8							
2949	NO CORR		9.8	42	15.7	14.8							
2949	NO CORR		10.0	41	15.8	15.2							
2950	NO CORR		9.5	43	15.5	15.0							
2951	NO CORR		9.2	43	14.8	14.2							
2951	NO CORR		9.2	43	14.8	14.2							
2952	NO CORR		9.1	43	14.8	14.3							
2954	35.2	187	9.0	43	14.7	16.0	D	10	3	63	*	*	
2954	NO CORR		9.0	44	14.6	15.9							
2955	NO CORR		8.9	43	14.5	15.8							
2955	NO CORR		8.9	43	14.4	15.7							
2955	NO CORR		8.9	43	14.3	15.6							
2957	NO CORR		8.7	41	14.6	15.8							
2957	NO CORR		8.7	42	14.8	15.8							
2958	NO CORR		8.8	43	14.9	15.9							
2958	NO CORR		8.8	43	15.0	15.9							
2958	NO CORR		8.8	43	15.0	15.9							
2959	NO CORR		8.8	44	15.0	15.8							
2959	NO CORR		8.8	45	15.1	15.8							
2960	NO CORR		8.8	47	14.9	15.9							
2960	29.9	96	8.8	46	14.9	16.0	D	10	1	32			
2960	31.5	100	8.8	46	14.5	16.0	D	10	5	54			
2960	27.6	103	8.8	46	14.1	15.7	D	10	3	56			
2961	NO CORR		8.8	44	13.6	15.4							
2961	32.1	99	8.8	44	13.0	15.1	D	10	1	11			
2962	NO CORR		8.8	44	12.8	15.1							
2962	NO CORR		8.8	44	13.0	15.1							
2963	NO CORR		8.8	43	14.0	15.8							
2965	NO CORR		8.4	43	14.4	15.5							
2966	NO CORR		8.4	43	14.6	15.5							
2967	NO CORR		8.4	43	14.6	15.3							
2967	35.4	8	8.4	43	14.6	15.3	D	10	3	64	*	*	
2967	43.6	5	8.4	44	14.6	15.3	D	10	3	53	*	*	
2968	NO CORR		8.4	44	14.6	15.2							
2969	NO CORR		8.4	46	14.6	15.2							
2969	13.4	57	8.4	47	14.7	15.2	D	11	1	34			
2969	9.9	84	8.4	47	14.7	15.1	D	10	3	34			
2970	10.2	70	8.4	47	14.9	15.0	D	10	1	34			

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GT	Q	C.E	PART	MAX	SPD COR
2971	NO CORR		8.2	45	15.3	14.5						
2973	NO CORR		8.0	45	16.2	14.2						
2974	NO CORR		8.0	45	16.2	14.2						
2974	NO CORR		8.0	45	16.2	14.2						
2974	NO CORR		8.0	45	16.2	14.2						
2975	NO CORR		8.0	45	16.1	14.2						
2975	NO CORR		8.0	45	16.1	14.3						
2976	NO CORR		8.0	45	16.1	14.3						
2976	NO CORR		8.0	45	16.1	14.2						
2977	NO CORR		8.0	45	16.1	14.3						
2977	NO CORR		8.1	46	16.0	14.4						
2978	NO CORR		8.3	47	15.9	14.5						
2978	NO CORR		8.4	47	15.9	14.5						
2978	NO CORR		8.3	47	15.9	14.6						
2979	NO CORR		8.1	45	15.6	14.2						
2980	NO CORR		8.1	45	15.6	13.9						
2980	NO CORR		8.0	45	15.6	13.7						
2981	NO CORR		8.0	43	15.9	13.6						
2981	59.2	314	8.0	41	16.0	13.9		D	10	3	85	*
2981	NO CORR		8.0	40	16.3	14.6						
2981	NO CORR		8.0	40	16.5	15.2						
2982	NO CORR		8.0	40	16.6	15.8						
2983	NO CORR		8.0	40	16.5	16.2						
2983	NO CORR		7.9	39	16.5	16.3						
2984	NO CORR		7.8	40	16.4	16.5						
2984	NO CORR		7.6	40	16.4	16.9						
2985	NO CORR		7.6	40	16.3	16.7						
2985	NO CORR		7.6	40	16.3	16.5						
2986	NO CORR		7.8	40	16.4	16.0						
2986	NO CORR		8.0	38	16.6	15.3						
2987	19.7	278	8.0	38	16.6	15.0		D	10	3	88	*
2987	NO CORR		8.0	38	16.6	14.7						
2987	NO CORR		8.0	38	16.6	14.5						
2988	NO CORR		8.1	39	16.4	14.4						
2992	NO CORR		7.6	41	16.4	16.2						
2992	NO CORR		7.3	40	16.5	16.3						
2993	NO CORR		7.2	39	16.6	16.0						
2996	31.4	350	7.3	39	16.5	15.8		B	10	5	77	
2997	NO CORR		7.3	39	16.3	15.6						
2997	NO CORR		7.4	39	16.0	15.3						

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	CLE	PART	MAX	SPD CDR
2997	NO CORR		7.4	40	16.0	15.1						
2998	NO CORR		7.3	40	16.1	15.1						
2998	NO CORR		7.2	40	16.2	15.1						
3000	45.3	204	7.2	37	16.1	15.7	D	21	1	51		
3000	NO CORR		7.2	36	16.4	16.0						
3001	45.3	203	7.2	35	16.5	16.3	D	21	1	31		
3001	51.4	206	7.2	35	16.4	16.6	D	20	3	36		
3001	54.7	203	7.2	35	16.3	16.5	D	20	1	32		
3002	22.0	113	7.2	35	16.1	16.4	D	10	1	51		
3002	18.2	108	7.2	36	16.1	16.3	D	10	3	56		
3002	21.5	352	7.2	36	15.6	16.0	B	10	5	74		
3003	25.2	352	7.2	36	15.3	15.9	B	10	5	63		
3004	NO CORR		7.2	35	14.1	15.6						
3005	NO CORR		7.2	35	13.6	15.6						
3005	NO CORR		7.2	35	13.7	15.6						
3007	NO CORR		7.2	35	13.7	15.2						
3008	41.8	212	7.2	33	13.7	14.7	D	10	3	45	*	*
3008	41.3	216	7.2	32	13.6	14.6	D	10	3	65	*	*
3009	NO CORR		7.2	32	13.5	14.8						
3009	NO CORR		7.2	34	13.6	14.9						
3009	NO CORR		7.2	34	13.6	15.0						
3012	9.9	209	7.2	33	14.1	14.3	D	10	1	56	*	*
3012	9.6	202	7.2	30	14.8	14.3	D	10	3	72	*	*
3013	10.5	224	7.2	29	15.5	14.2	D	10	1	67	*	*
3013	9.1	198	7.2	31	16.0	14.1	D	10	3	71	*	*
3017	NO CORR		7.0	39	13.9	13.4						
3018	NO CORR		7.1	31	13.2	12.3						
3018	NO CORR		7.2	30	13.2	12.4						
3019	NO CORR		7.2	30	13.2	12.4						
3019	NO CORR		7.2	29	13.2	12.3						
3019	NO CORR		7.2	30	13.2	12.3						
3020	NO CORR		7.2	30	13.2	12.3						
3020	NO CORR		7.2	29	13.2	12.3						
3020	NO CORR		7.2	29	13.2	12.3						
3020	NO CORR		7.2	29	13.2	12.3						
3021	NO CORR		7.2	29	13.2	12.3						
3021	NO CORR		7.2	29	13.2	12.3						
3021	55.5	161	7.2	29	13.2	12.3	D	10	3	53	*	*
3022	54.2	153	7.2	30	13.2	12.3	D	10	3	60	*	*
3022	NO CORR		7.1	30	13.2	12.3						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR
3022	NO CORR		7.1	30	13.2	12.3						
3023	NO CORR		7.1	31	13.2	12.2						
3024	NO CORR		6.8	33	13.4	12.8						
3027	NO CORR		6.8	30	14.3	14.5						
3028	NO CORR		6.6	33	14.3	14.4						
3028	NO CORR		6.6	30	14.6	14.6						
3030	NO CORR		6.6	31	13.5	13.2						
3031	40.1	357	6.7	28	13.8	13.1		D	10	2	60	* *
3031	42.5	360	6.8	28	14.1	13.3		B	10	4	68	* *
3032	18.4	167	6.7	27	14.5	13.4		B	20	5	43	* *
3033	4.7	232	6.7	26	13.6	12.7		B	10	5	30	* *
3033	17.6	330	6.7	25	13.2	12.5		D	30	1	33	* *
3034	4.2	244	6.7	27	12.8	12.2		D	10	1	26	* *
3034	13.3	251	6.8	28	12.8	12.2		D	20	3	42	* *
3034	NO CORR		6.8	27	12.8	12.2						
3035	NO CORR		6.8	27	12.8	12.2						
3035	NO CORR		6.8	27	12.8	12.3						
3036	NO CORR		6.8	27	12.8	12.3						
3036	NO CORR		6.8	27	12.8	12.3						
3036	NO CORR		6.8	27	12.8	12.3						
3037	48.0	113	6.8	27	12.9	12.3		D	10	3	80	*
3037	NO CORR		6.8	28	12.9	12.3						
3038	53.4	107	6.6	27	13.0	12.3		D	11	1	14	* *
3040	NO CORR		6.4	28	13.0	12.3						
3040	NO CORR		6.5	28	13.0	12.3						
3040	NO CORR		6.5	28	13.0	12.3						
3041	NO CORR		6.5	28	12.9	12.3						
3041	NO CORR		6.5	28	12.9	12.2						
3043	NO CORR		6.5	28	13.0	12.2						
3043	NO CORR		6.5	29	13.0	12.2						
3044	NO CORR		6.6	28	13.0	12.4						
3044	53.2	261	6.6	28	13.1	12.2		D	10	3	53	* *
3045	NO CORR		6.5	28	13.1	12.2						
3045	NO CORR		6.5	28	13.1	12.3						
3045	58.3	358	6.4	28	13.0	12.5		D	10	3	86	* *
3046	NO CORR		6.5	28	13.0	12.5						
3047	NO CORR		6.6	22	13.0	12.6						
3047	NO CORR		6.5	22	12.7	12.6						
3048	NO CORR		6.4	22	12.5	12.7						
3048	36.0	326	6.4	27	12.1	12.8		D	20	3	58	* *

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD CDR	
3049	NO CORR.		6.4	26	12.1	12.7							
3049	NO CORR.		6.4	26	12.1	12.7							
3050	NO CORR.		6.4	26	12.1	12.7							
3050	NO CORR.		6.4	26	12.1	12.7							
3050	23.9	91	6.4	26	12.1	12.7		D	10	3	52	*	*
3051	31.5	91	6.4	26	12.1	12.7		D	11	1	57	*	*
3051	NO CORR		6.4	27	12.1	12.7							
3055	6.4	181	6.4	23	12.3	12.8		D	10	3	27	*	*
3055	NO CORR		6.4	24	12.2	12.8							
3056	NO CORR.		6.4	25	12.2	12.8							
3056	NO CORR		6.4	25	12.2	12.9							
3057	6.6	180	6.4	25	12.2	12.9		D	10	3	34	*	*
3057	7.6	179	6.4	26	12.2	13.0		B	10	8	27	*	*
3057	8.0	178	6.4	27	12.2	13.0		D	10	2	56	*	*
3058	5.7	202	6.4	27	12.3	13.1		D	10	3	50	*	*
3058	NO CORR.		6.4	27	12.3	13.1							
3058	NO CORR.		6.4	27	12.3	13.1							
3059	NO CORR.		6.4	27	12.3	13.1							
3059	59.2	277	6.4	27	12.3	13.1		D	20	3	38	*	*
3059	57.2	119	6.5	27	12.3	13.1		D	30	3	54	*	*
3059	42.1	35	6.5	26	12.3	13.1		B	40	5	24	*	*
3060	41.3	40	6.5	26	12.3	13.1		D	40	2	28	*	*
3061	NO CORR.		6.5	28	12.3	12.8							
3062	NO CORR.		6.4	28	12.3	12.7							
3062	NO CORR.		6.3	29	12.3	12.6							
3063	NO CORR.		6.4	28	12.3	12.6							
3064	NO CORR.		6.4	27	12.3	12.6							
3065	NO CORR.		6.4	27	12.4	12.6							
3065	NO CORR.		6.4	27	12.4	12.6							
3066	NO CORR.		6.4	27	12.4	12.6							
3066	NO CORR.		6.4	30	12.4	12.6							
3066	13.8	147	6.4	29	12.4	12.6		A	10	8	73		
3067	14.0	146	6.4	29	12.4	12.6		A	10	5	63		
3067	13.7	146	6.4	28	12.4	12.6	**	A	10	8	70		
3067	14.2	149	6.4	28	12.4	12.6	**	A	10	8	75		
3068	NO CORR		6.5	28	12.4	12.6							
3071	NO CORR		6.4	28	12.3	12.3							
3071	NO CORR.		6.4	27	12.3	12.3							
3071	NO CORR.		6.4	27	12.3	12.2							
3072	NO CORR.		6.4	30	12.3	12.2							

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CDR
3072	NO CORR		6.4	31	12.3	12.1						
3074	NO CORR		6.4	29	12.3	12.1						
3076	NO CORR		6.4	27	12.3	11.9						
3076	NO CORR		6.4	28	12.3	11.9						
3077	NO CORR		6.4	28	12.3	11.8						
3078	NO CORR		6.4	28	12.3	11.8						
3078	NO CORR		6.4	29	12.3	11.8						
3078	NO CORR		6.4	29	12.3	11.9						
3079	NO CORR		6.4	28	12.3	11.9						
3079	NO CORR		6.4	29	12.3	12.0						
3079	NO CORR		6.4	28	12.3	12.0						
3080	43.6	354	6.4	28	12.3	12.1		D	10	3	41	*
3080	NO CORR		6.4	29	12.3	12.1						
3081	NO CORR		6.4	30	12.3	12.1						
3084	NO CORR		6.4	30	12.4	12.2						
3087	NO CORR		6.4	29	12.3	12.3						
3089	6.4	177	6.4	29	12.4	12.1	**	A	10	8	71	*
3089	6.5	177	6.4	29	12.4	12.2		A	10	8	83	*
3090	6.5	178	6.4	29	12.4	12.2		A	10	8	82	*
3090	6.5	177	6.4	29	12.5	12.2		A	10	8	62	*
3091	NO CORR		6.4	33	12.4	12.1						
3092	17.3	182	6.4	28	12.2	12.1		D	10	1	50	*
3092	14.1	216	6.4	28	12.2	12.1		D	21	1	46	*
3093	27.7	183	6.4	28	12.2	12.1		D	11	1	31	*
3093	12.2	180	6.4	29	12.2	12.1		D	11	3	67	*
3093	17.6	167	6.4	29	12.2	12.1		B	10	5	37	
3094	17.7	167	6.4	29	12.2	12.0		B	10	5	46	
3094	18.3	175	6.4	30	12.2	11.9		B	10	5	36	
3094	8.7	183	6.4	29	12.2	11.9		D	20	3	32	*
3095	5.9	188	6.4	29	12.2	11.9		D	20	1	55	*
3095	9.4	173	6.4	30	12.2	11.9		D	11	1	52	*
3095	8.5	186	6.4	29	12.2	12.0	**	A	10	8	47	*
3095	8.3	186	6.4	28	12.3	12.1	**	A	10	8	43	*
3096	8.3	185	6.4	28	12.3	12.2		A	10	8	61	*
3096	7.9	188	6.4	28	12.3	12.4	**	C	10	2	50	*
3097	NO CORR		6.4	28	12.3	12.4						
3098	NO CORR		6.4	28	12.3	12.6						
3100	NO CORR		6.4	29	12.3	13.6						
3101	NO CORR		6.4	31	12.3	13.8						
3104	NO CORR		6.4	29	12.0	12.1						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.F	PART	MAX	SPD COR
3105	NO CORR		6.4	28	12.0	12.1						
3105	NO CORR		6.4	28	12.0	12.1						
3106	NO CORR		6.4	28	12.0	12.1						
3106	NO CORR		6.4	28	12.0	12.1						
3107	NO CORR		6.4	30	12.0	12.1						
3109	NO CORR		6.4	29	12.0	12.1						
3109	31.8	220	6.4	29	12.0	12.2		D	11	1	30	*
3109	31.3	221	6.4	30	12.0	12.3	**	D	11	2	0	*
3109	30.4	223	6.4	32	12.0	12.3		D	11	1	0	*
3110	31.4	212	6.4	32	12.1	12.4		D	10	3	56	
3110	NO CORR		6.4	32	12.1	12.3						
3111	NO CORR		6.4	33	12.1	12.3						
3111	NO CORR		6.4	34	12.1	12.4						
3112	NO CORR		6.4	32	12.2	12.7						
3113	NO CORR		6.4	31	12.2	12.7						
3113	NO CORR		6.3	30	12.2	12.6						
3113	NO CORR		6.3	30	12.2	12.5						
3114	NO CORR		6.2	30	12.2	12.7						
3115	12.0	241	6.0	32	12.2	12.6		D	10	1	28	*
3115	9.7	210	6.0	32	12.1	12.5	**	B	10	8	49	*
3116	9.6	211	5.9	31	12.1	12.7		B	10	4	41	*
3116	11.5	206	6.0	30	12.2	13.2		D	10	2	28	*
3116	NO CORR		6.1	28	12.9	14.6						
3117	NO CORR		6.1	27	13.3	14.8						
3117	NO CORR		6.2	28	13.5	14.9						
3118	NO CORR		6.4	29	13.4	14.5						
3119	NO CORR		6.4	32	13.3	14.3						
3119	NO CORR		6.4	34	13.2	14.1						
3120	NO CORR		6.4	34	12.7	13.7						
3120	NO CORR		6.4	32	12.5	13.1						
3120	28.6	93	6.4	31	12.4	12.6		C	10	1	47	*
3121	7.7	179	6.4	30	12.3	12.4		D	20	2	63	*
3121	27.8	93	6.4	29	12.2	12.2		A	10	5	41	*
3121	27.4	86	6.4	28	12.2	12.1		A	10	8	45	*
3122	2.3	83	6.4	29	12.3	12.1		D	21	1	20	*
3122	NO CORR		6.4	29	12.3	12.1						
3123	31.6	11	6.4	27	12.3	12.1		D	11	1	12	*
3123	NO CORR		6.4	27	12.3	12.1						
3123	NO CORR		6.4	28	12.3	12.1						
3124	40.1	13	6.4	30	12.2	12.1		D	10	3	9	*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD	Q	C.E	PART	MAX	SPD COR	
3125	NO CORR		6.4	29	12.2	12.1							
3125	NO CORR		6.4	29	12.2	12.1							
3127	NO CORR		6.4	29	12.2	12.1							
3127	NO CORR		6.4	29	12.3	12.1							
3128	NO CORR		6.4	30	12.3	12.1							
3129	NO CORR		6.4	32	12.3	12.1							
3129	42.2	332	6.4	31	12.2	12.0		D	20	3	55		
3129	40.8	329	6.4	31	12.2	12.0		B	20	4	58		
3130	38.9	331	6.4	31	12.2	12.1		D	20	1	48		
3130	12.8	101	6.3	30	12.1	12.3		B	10	5	87	*	*
3130	12.8	104	6.3	29	12.1	12.8		B	10	5	90	*	*
3131	12.8	106	6.3	28	12.1	13.3		B	10	5	87	*	*
3131	9.8	127	6.3	28	12.1	13.9		D	10	3	76	*	*
3131	NO CORR		6.3	28	12.2	14.2							
3132	48.7	174	6.1	28	13.1	14.6		B	20	4	44		
3133	48.5	174	6.1	28	13.7	14.9		D	20	3	70		
3133	NO CORR		6.1	29	14.2	15.2							
3133	34.4	80	6.2	29	14.3	15.3		B	10	5	34		
3134	37.7	77	6.3	30	13.9	15.4		D	10	1	31	*	*
3134	45.5	202	6.2	32	13.4	15.4		D	20	1	47		
3135	46.4	200	6.2	32	13.3	15.3		D	20	1	58		
3135	43.7	200	6.2	34	13.0	15.1		D	20	3	53		
3135	43.6	198	6.2	34	12.8	14.9		D	20	1	20		
3136	NO CORR		6.3	34	12.7	14.4							
3137	39.0	344	6.2	32	12.8	13.8		D	10	3	47	*	*
3137	40.0	345	6.1	32	12.7	13.4		D	10	3	58	*	*
3137	40.4	342	6.0	30	12.6	12.8		D	10	2	63	*	*
3138	NO CORR		6.1	29	12.4	12.1							
3138	NO CORR		6.1	28	12.4	12.1							
3139	NO CORR		6.2	28	12.4	12.1							
3139	NO CORR		6.2	28	12.4	12.1							
3140	NO CORR		6.1	28	12.4	12.1							
3141	46.6	238	6.2	29	12.4	12.1		D	10	3	44	*	*
3142	NO CORR		6.3	27	12.5	12.1							
3143	NO CORR		6.3	28	12.5	12.1							
3143	50.4	211	6.3	31	12.5	12.1		D	20	3	25	*	*
3143	41.0	236	6.3	30	12.5	12.1	**	B	10	4	0	*	*
3147	NO CORR		6.3	25	10.8	11.9							
3148	NO CORR		6.4	26	10.9	11.8							
3149	NO CORR		6.4	27	11.1	11.8							

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD CUR
3150	7.7	220	6.4	26	10.6	11.1		D	10	3	86	*
3150	7.9	221	6.4	27	10.4	10.8		D	10	3	54	*
3151	NO CORR		6.4	26	10.5	11.0						
3151	NO CORR		6.4	27	10.5	11.0						
3151	NO CORR		6.4	27	10.6	11.1						
3153	20.4	23	6.1	27	11.0	11.1		D	10	2	41	*
3153	21.1	21	6.0	26	11.5	11.3		D	10	3	54	*
3153	20.6	10	5.9	27	11.9	11.4		D	10	3	63	*
3154	9.2	178	6.0	28	12.2	11.7		D	21	1	37	*
3154	NO CORR		6.0	28	12.3	11.8						
3155	NO CORR		6.0	28	12.3	11.8						
3155	NO CORR		6.0	28	12.3	11.8						
3155	NO CORR		6.0	28	12.3	11.7						
3156	NO CORR		6.0	28	12.3	11.7						
3156	NO CORR		6.0	27	12.3	11.7						
3156	NO CORR		6.0	27	12.2	11.7						
3157	NO CORR		6.0	27	12.2	11.7						
3157	NO CORR		6.0	28	12.2	11.7						
3159	17.1	22	5.7	28	12.0	12.0		D	10	3	43	*
3160	18.1	12	5.8	29	11.9	12.0		D	10	1	71	*
3160	NO CORR		5.7	29	11.9	12.0						
3161	NO CORR		5.7	28	11.9	12.0						
3162	4.6	158	5.7	30	11.8	11.8	**	C	10	2	73	
3163	4.7	158	5.7	29	11.8	11.7	**	C	10	2	79	
3163	4.2	161	5.7	30	11.7	11.5	**	C	10	2	75	
3163	3.4	182	5.7	30	11.6	11.3		A	10	8	61	
3164	30.4	294	5.7	28	11.5	11.4		D	10	1	27	*
3164	NO CORR		5.8	28	11.5	11.4						
3165	NO CORR		5.9	28	11.5	11.4						
3165	35.2	291	6.0	28	11.5	11.4		D	11	1	12	*
3166	NO CORR		5.8	22	11.7	11.5						
3167	28.6	293	5.6	25	12.2	11.6		D	10	3	51	*
3167	38.3	348	5.6	25	12.2	11.6	**	D	10	2	10	*
3168	NO CORR		5.6	25	12.2	11.6						
3168	35.9	348	5.6	25	12.2	11.6		D	10	2	35	
3169	NO CORR		5.6	25	12.2	11.6						
3170	NO CORR		5.6	25	12.2	11.6						
3170	NO CORR		5.7	25	12.2	11.6						
3173	14.5	50	5.8	26	12.2	11.7		B	10	5	27	*
3174	15.2	46	5.7	24	12.3	11.8		B	10	5	27	*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD CDR	
3175	NO CORR		5.7	26	12.2	11.8							
3175	NO CORR		5.7	26	12.1	11.7							
3176	NO CORR		5.8	26	12.0	11.4							
3176	NO CORR		5.9	25	12.0	11.4							
3176	NO CORR		5.9	25	12.0	11.4							
3178	NO CORR		5.8	25	11.9	11.6							
3179	NO CORR		5.7	25	11.9	11.7							
3180	NO CORR		5.7	25	11.9	11.8							
3182	27.9	195	5.8	25	11.9	11.8	D	10	2	33	*	*	
3182	27.9	196	5.8	26	11.9	11.9	D	10	2	31	*	*	
3183	23.2	261	5.8	26	11.9	11.9	D	20	1	44	*	*	
3183	52.1	121	5.8	27	11.9	11.9	D	10	1	12	*	*	
3184	23.3	249	5.7	27	11.9	11.8	D	20	1	17		*	
3184	23.4	249	5.8	27	11.8	11.8	D	20	1	10		*	
3184	25.6	247	5.7	26	11.8	11.8	D	20	1	31		*	
3184	23.9	245	5.8	26	11.7	11.9	D	21	1	25		*	
3185	NO CORR		5.9	26	11.7	11.9							
3185	41.9	125	5.9	26	11.8	11.9	D	11	1	26	*	*	
3185	48.4	121	5.9	26	11.7	12.0	D	10	3	61	*	*	
3186	NO CORR		5.8	26	11.8	12.0							
3187	NO CORR		5.9	26	12.0	11.8							
3187	48.7	299	6.0	25	12.0	11.9	D	20	3	47	*	*	
3188	53.5	303	5.9	26	12.0	11.9	D	20	1	19	*	*	
3188	10.1	210	5.9	25	12.0	11.9	D	10	2	52	*	*	
3188	9.0	209	5.9	26	12.0	11.9	B	10	5	60		*	
3189	13.9	222	5.8	26	12.0	11.9	A	10	5	50	*	*	
3189	15.9	225	5.8	25	12.0	11.9	C	10	2	36		*	
3189	16.2	220	5.7	25	12.0	11.9	C	10	3	55		*	
3190	10.4	209	5.7	24	12.0	12.0	A	10	8	63		*	
3190	12.3	210	5.7	24	12.0	12.1	A	10	5	63		*	
3190	12.5	205	5.7	24	11.9	12.1	A	10	5	62		*	
3191	12.5	201	5.7	25	11.9	12.2	A	10	5	64		*	
3191	7.6	209	5.8	26	11.9	12.2	C	10	3	58		*	
3191	15.6	181	5.8	26	11.9	12.1	C	11	2	23	*	*	
3191	15.2	203	5.7	26	11.9	12.1	C	10	2	32	*	*	
3192	8.2	205	5.8	26	11.9	12.1	C	10	2	37	*	*	
3192	12.3	202	5.8	26	11.9	12.0	C	10	3	46		*	
3192	NO CORR		5.8	26	11.8	11.9							
3193	15.5	206	5.9	27	11.9	11.6	A	10	5	81		*	
3194	15.8	205	5.9	26	11.9	11.6	A	10	8	83		*	

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR
3194	24.1	205	5.9	26	11.9	11.5		A	10	8	85	* *
3194	18.0	206	6.0	26	12.0	11.6		C	10	3	63	*
3195	NO CORR		6.0	26	11.9	11.6						*
3196	NO CORR		6.0	27	11.9	11.6						*
3198	43.4	284	5.6	28	11.9	11.8		B	10	5	19	* *
3198	39.3	287	5.6	28	11.9	11.8		D	10	1	16	* *
3198	42.4	284	5.6	28	11.9	11.8		D	10	1	15	* *
3199	NO CORR		5.6	28	11.9	11.8						*
3199	53.6	112	5.6	28	11.9	11.8		D	21	1	9	* *
3199	NO CORR		5.6	29	11.9	11.8						*
3200	49.2	111	5.6	29	11.9	11.8		D	20	3	12	* *
3200	NO CORR		5.6	29	11.9	11.8						*
3200	NO CORR		5.6	29	11.9	11.8						*
3202	NO CORR		5.6	29	11.9	11.8						*
3203	19.2	212	5.6	28	11.9	12.0	**	D	10	2	16	*
3203	NO CORR		5.6	28	11.9	12.1						*
3204	16.0	206	5.6	28	11.8	12.2		D	10	3	40	* *
3205	61.6	180	5.6	28	11.8	12.2		D	20	1	24	* *
3205	38.8	159	5.6	29	11.8	12.1		D	11	1	29	* *
3206	62.3	181	5.6	27	11.9	12.1		D	20	3	38	* *
3206	47.2	165	5.6	27	11.9	12.2	**	B	10	8	24	* *
3206	46.9	164	5.6	28	12.0	12.2	**	B	10	8	25	* *
3207	47.0	161	5.6	28	12.0	12.3		D	10	3	56	* *
3207	NO CORR		5.6	27	12.0	12.3						*
3208	5.0	212	5.6	27	12.0	12.2		D	10	3	9	* *
3208	5.1	214	5.6	28	11.9	12.1		D	10	3	53	* *
3209	7.8	219	5.6	28	11.9	12.1		D	10	3	57	* *
3209	42.0	207	5.6	28	11.9	12.1		D	21	2	1	* *
3209	11.0	198	5.6	28	11.9	12.1		D	11	1	11	* *
3209	43.2	207	5.6	28	11.8	12.1		D	20	3	66	* *
3210	41.4	209	5.6	29	11.8	12.1		D	20	1	63	* *
3210	30.7	200	5.6	28	11.8	12.1		D	11	1	49	* *
3210	20.8	108	5.6	26	11.8	12.1		D	31	1	31	* *
3211	57.8	216	5.6	25	11.6	11.8		D	20	1	24	* *
3211	NO CORR		5.6	25	11.3	11.3						*
3211	59.6	212	5.6	25	11.0	10.9		D	20	3	45	* *
3212	NO CORR		5.6	26	10.6	10.5						*
3212	NO CORR		5.6	26	10.7	10.5						*
3212	41.9	211	5.6	26	10.7	10.5		D	10	2	5	* *
3212	41.0	204	5.6	26	10.8	10.5		B	10	4	54	* *

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO	Q	C.E	PART	MAX	SPD COR
3213	40.9	207	5.6	27	10.8	10.6		B	10	5	53	
3213	42.2	208	5.6	26	10.9	10.7		D	10	3	61	
3214	43.6	211	5.6	26	11.0	10.8		D	10	1	43	
3215	46.2	213	5.6	25	11.0	10.8		D	10	1	62	
3217	5.9	217	5.6	25	11.0	10.9		D	10	3	34	
3217	5.7	201	5.6	25	11.0	10.9		B	10	4	37	
3218	6.2	215	5.6	25	11.0	10.9		D	10	3	40	
3218	4.1	300	5.6	25	11.0	11.0		D	11	1	17	
3219	NO CORR		5.6	25	11.0	11.0						
3220	NO CORR		5.6	25	11.0	11.0						
3221	8.7	206	5.6	25	11.0	11.0	**	B	10	8	67	
3221	13.3	206	5.6	26	10.9	11.0	**	B	10	8	67	
3221	13.3	205	5.6	26	10.8	11.0	**	B	10	8	67	
3222	13.4	204	5.6	26	10.7	11.0	**	B	10	8	67	
3222	6.1	209	5.6	27	10.7	11.0		B	10	5	74	
3223	6.2	209	5.6	26	10.8	10.9		B	10	5	64	
3223	6.3	209	5.6	26	10.9	10.9		D	10	3	28	
3223	6.4	209	5.6	25	10.9	10.8	**	D	10	2	32	
3225	NO CORR		5.6	26	10.9	10.9						
3225	31.1	185	5.6	26	10.9	11.0		D	10	2	13	
3226	33.6	191	5.6	26	10.9	11.0		D	10	3	43	
3226	NO CORR		5.6	26	11.0	11.0						
3226	40.4	183	5.6	26	11.1	10.9		D	11	1	42	
3227	40.0	180	5.6	25	11.2	10.8		D	10	1	23	
3227	26.7	188	5.6	27	11.2	10.7		D	11	1	20	
3228	35.4	180	5.6	26	11.2	10.7		D	10	3	54	
3228	12.0	218	5.6	26	11.1	10.7	**	A	10	8	65	
3229	12.0	216	5.6	26	11.1	10.7		A	10	8	51	
3229	12.3	217	5.6	28	11.1	10.8		A	10	8	45	
3229	12.5	211	5.6	27	11.1	10.8		A	10	8	76	
3230	1.8	233	5.6	26	11.1	11.1		D	11	1	30	
3232	6.5	115	5.6	26	11.2	11.1		D	10	3	86	
3232	29.9	235	5.6	26	11.2	11.1		D	10	1	33	
3232	35.7	238	5.5	26	11.2	11.1		D	10	1	29	
3233	35.6	237	5.5	26	11.2	11.1		D	10	1	32	
3233	33.5	236	5.5	25	11.2	11.1		D	10	3	70	
3233	35.9	228	5.6	26	11.2	11.1		D	10	3	55	
3234	19.9	233	5.6	26	11.2	11.1		D	21	1	16	
3235	12.3	210	5.6	26	11.2	11.1		B	20	8	69	
3235	14.3	206	5.6	27	11.2	11.1	**	A	10	8	51	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	CLE	PART	MAX	SPD CDR
3235	14.3	206	5.6	27	11.2	11.1		A	10	8	57	
3236	13.7	205	5.6	27	11.2	11.1		A	10	8	57	
3236	12.4	188	5.6	26	11.2	11.1		A	10	7	68	
3236	20.0	221	5.6	26	11.2	11.1		C	10	1	39	
3237	NO CORR		5.6	26	11.2	11.1						
3237	12.6	205	5.6	26	11.2	11.1		A	10	5	17	
3238	23.3	209	5.6	26	11.2	11.1		A	10	8	81	
3238	14.1	198	5.6	26	11.2	11.1	**	A	10	8	83	
3238	14.2	197	5.6	26	11.2	11.1	**	A	10	8	83	
3239	14.2	196	5.6	26	11.1	11.1	**	A	10	8	78	
3239	14.1	196	5.6	26	11.0	11.0	**	A	10	8	78	
3239	15.4	199	5.6	26	10.9	11.0		C	10	3	69	
3240	13.6	199	5.6	26	10.9	10.9		C	10	3	69	
3240	12.3	209	5.6	26	10.9	10.9		C	10	2	20	
3240	12.9	206	5.6	26	10.9	10.8		A	10	5	78	
3241	12.8	214	5.6	26	11.0	10.8		C	10	2	65	
3241	12.9	207	5.6	26	11.0	10.9		A	10	8	64	
3241	13.5	206	5.6	26	11.1	10.9		A	10	8	56	
3241	13.5	205	5.6	25	11.1	10.9		A	10	8	53	
3242	11.7	192	5.6	25	10.9	10.9	**	A	10	6	55	
3242	17.7	198	5.6	25	10.9	10.8	**	B	10	8	40	
3242	13.1	207	5.6	25	10.9	10.6	**	B	10	8	45	
3243	13.9	205	5.6	25	11.1	10.6	**	B	10	8	37	
3243	12.1	201	5.6	25	11.3	10.6		B	10	5	52	
3243	25.1	248	5.6	26	11.5	10.8		B	20	5	46	
3244	26.2	246	5.6	26	11.5	10.9		D	20	3	52	
3244	16.2	160	5.6	24	11.6	11.1		D	11	1	84	* *
3246	42.5	273	5.6	25	12.0	11.9		D	11	1	51	* *
3246	NO CORR		5.6	25	12.0	11.9						
3247	13.8	214	5.6	27	12.0	11.9		B	20	8	82	
3247	47.1	274	5.6	28	11.8	11.9		B	10	5	89	
3248	47.8	268	5.6	28	11.6	11.9		B	10	5	88	
3248	16.2	206	5.6	28	11.2	11.9		B	10	5	72	
3249	16.6	198	5.6	28	11.3	11.9		D	10	1	23	* *
3249	22.8	339	5.6	28	11.4	11.9		D	20	2	66	* *
3249	8.3	207	5.6	28	11.5	11.8		D	11	2	24	* *
3250	8.4	205	5.6	28	11.6	11.8		D	11	1	58	* *
3250	8.5	201	5.6	29	11.7	11.8		D	11	1	89	* *
3251	11.5	216	5.6	29	11.9	11.9	**	A	10	8	87	
3251	11.5	215	5.6	29	11.9	11.8	**	A	10	8	85	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR	
3252	11.5	215	5.6	30	11.9	11.8	**	A	10	8	86		
3252	11.5	214	5.6	31	11.9	11.6	**	A	10	8	86		
3252	18.3	215	5.6	31	11.9	11.4		A	10	4	52		
3252	13.0	211	5.6	30	11.9	11.3	**	A	10	8	36		
3253	13.9	208	5.6	30	11.9	11.3		A	10	8	49		
3253	10.5	206	5.6	29	11.8	11.2	**	A	10	8	72	*	
3253	10.4	204	5.6	29	11.6	11.3	**	A	10	8	74	*	
3254	10.4	202	5.6	29	11.4	11.3	**	A	10	8	75	*	
3254	10.5	201	5.7	29	11.2	11.3	**	A	10	8	74	*	
3254	NO CORR		5.7	29	11.1	11.4							
3256	32.0	196	5.7	28	11.5	11.2		D	10	3	79	*	
3256	32.1	198	5.7	28	11.6	11.2		D	10	3	81	*	
3257	31.7	202	5.6	28	11.8	11.3		D	10	3	77	*	
3257	35.7	212	5.6	28	11.8	11.4		D	11	1	29		
3258	12.1	202	5.6	28	11.8	10.9		A	10	5	31		
3258	12.1	201	5.6	28	11.8	10.6		A	10	5	32		
3258	12.4	195	5.6	28	11.8	10.4		A	10	8	76		
3259	10.5	197	5.6	29	11.7	10.4		A	10	8	55		
3259	11.0	202	5.6	28	11.8	10.9	**	A	10	8	25	*	
3259	11.8	193	5.6	28	11.8	11.3		C	10	3	60		
3259	11.0	200	5.6	28	11.9	11.6	**	A	10	8	24		
3260	NO CORR		5.6	28	11.9	11.7							
3260	10.6	209	5.6	28	11.8	11.6	**	A	10	8	92		
3260	11.2	210	5.6	28	11.7	11.4	**	A	10	8	86		
3261	11.3	209	5.6	28	11.6	10.9	**	A	10	8	87		
3261	11.3	209	5.6	28	11.5	10.3	**	A	10	8	83		

Schlumberger

COLUMBIA GAS DEV CANADA YUKON DEC 14,1979 SUMMARY

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	QUAL
TOP							
1057.0	11.4	104.	8.9	283.	12.2	12.7	A
BOTTOM							
3261.0	11.3	209.	5.6	28.	11.5	10.3	A

Schlumberger

0.00 0.00 0.00 0.00 0.00 0.00 0.00

Schlumberger

07-JAN-80 13:23:32 RUNNING TIME 0 H 15 MIN 17 SEC

Schlumberger

ISTRES	3.00	0.00	0.00	0.00	0.00	0.00	0.00
SMIN	0.00	0.00	1.00	0.00	0.00	0.00	0.00
	0.00	0.00	0.00	0.00	0.00	0.00	0.00
XECUTE	3375.00	0.00	0.00	0.00	0.00	0.00	0.00

Schlumberger

ISTRES	3.00	0.00	0.00	0.00	0.00	0.00	0.00
MIN	0.00	0.00	1.00	0.00	0.00	0.00	0.00
	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Schlumberger

SCHLUMBERGER

HIGH RESOLUTION DIPMETER

ARRAY LISTING

COLUMBIA GAS DEV OF CANADA LTD.

COLUMBIA ET AL KOTAneelee Y-44

WILDCAT 60,07,35.917N,124,07,46.45W.

YUKON FEB 15,1980

RUN NO. ONE JOB NO. 03554

CLUSTER RESULTS ONLY

1.2 M. - CORR. - 0.3 M. STEP

45 DEG. X1 SEARCH ANGLE

COLUMBIA GAS DEV OF CANA YUKON FEB 15,1980 PAGE 1-FILE 2

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD	W	C.D	PART	MAX	SPD COR
3291	11.9	202	6.7	31	7.3	8.0	**	A	10	8	66	
3292	11.7	205	6.7	30	7.4	8.0		A	10	4	61	
3292	11.4	208	6.7	31	7.3	8.0		A	10	5	32	
3292	11.8	204	6.7	29	7.4	8.0		A	10	5	51	
3292	11.7	202	6.7	29	7.4	8.0		A	10	5	63	
3293	11.6	202	6.7	29	7.3	8.0		A	10	5	59	
3293	11.8	204	6.7	29	7.4	8.0		A	10	8	67	
3293	11.9	209	6.6	30	7.4	8.0		A	10	8	67	
3294	12.9	215	6.6	30	7.4	8.0		A	10	5	60	
3295	12.6	210	6.7	30	7.5	8.0	**	A	10	8	75	
3294	12.4	216	6.6	31	7.5	8.0	**	A	10	8	80	
3295	12.0	219	6.7	30	7.5	8.0	**	A	10	8	78	
3296	12.7	223	6.6	31	7.5	8.0	**	A	10	8	78	
3295	12.5	222	6.6	30	7.5	8.0	**	A	10	6	74	
3296	13.1	222	6.6	30	7.5	8.0	**	A	10	8	71	
3296	13.6	222	6.6	30	7.5	8.0		C	10	3	67	
3296	13.7	223	6.6	30	7.5	8.0		A	10	8	62	
3296	14.4	225	6.6	31	7.5	8.0		A	10	8	72	
3297	NO COUR		6.6	31	7.5	8.0						
3297	13.4	221	6.6	31	7.5	8.0		A	10	5	28	
3297	12.3	214	6.6	31	7.5	8.0	**	A	10	8	49	
3298	12.4	211	6.6	30	7.5	8.0		A	10	8	72	
3298	12.3	214	6.6	31	7.5	8.0	**	A	10	8	78	
3299	12.5	214	6.6	30	7.5	8.0	**	A	10	8	79	
3299	12.4	215	6.6	30	7.5	8.0	**	A	10	9	77	
3299	12.3	216	6.5	30	7.5	8.1	**	A	10	8	76	
3299	12.8	213	6.6	28	7.5	8.1	**	A	10	6	68	
3299	13.1	213	6.6	29	7.5	8.1		A	10	9	70	
3300	12.7	213	6.6	28	7.5	8.2	**	A	10	8	65	
3300	13.0	215	6.6	28	7.5	8.1		A	10	8	68	
3300	13.0	218	6.6	28	7.5	8.1	**	A	10	8	60	
3301	13.4	219	6.6	26	7.5	8.1	**	A	10	8	65	
3301	13.8	219	6.6	26	7.5	8.1		A	10	5	74	
3301	25.4	20	6.6	22	7.5	8.1		D	10	3	80	
3302	13.6	212	6.6	18	7.5	8.1	**	A	10	8	77	
3302	13.2	206	6.6	13	7.5	8.1	**	A	10	8	67	
3302	13.3	203	6.6	11	7.5	8.1	**	A	10	8	71	
3303	12.5	203	6.6	12	7.5	8.1		A	10	8	73	
3303	11.3	207	6.6	15	7.5	8.1		A	10	8	62	
3304	11.9	207	6.6	19	7.5	8.0	**	A	10	8	70	

Schlumberger

COLUMBIA GAS DEV OF CANA YUKON FEB 15,1980 PAGE 2-FILE 2

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	ED GI	Q	C.I	PART	MAX	SPD COR	*
3303	12.4	208	6.6	21	7.5	8.0	**	A	10	8	72		
3304	12.8	208	6.6	20	7.5	8.0	**	A	10	8	80		
3304	13.0	209	6.6	21	7.5	8.0	**	A	10	8	76		
3304	12.9	209	6.6	20	7.5	8.0		C	10	2	25		
3305	13.3	210	6.6	20	7.5	8.1	**	A	10	8	72		
3305	13.4	211	6.6	21	7.5	8.1	**	A	10	8	76		
3305	12.6	210	6.5	19	7.5	8.1		A	10	5	70		
3306	12.3	209	6.6	19	7.5	8.1		A	10	5	80		
3306	13.3	210	6.6	18	7.5	8.0	**	A	10	8	77		
3306	13.4	210	6.6	17	7.5	8.0	**	A	10	8	74		
3307	13.5	210	6.7	18	7.5	8.0	**	A	10	8	76		
3307	13.9	208	6.7	16	7.5	8.0	**	A	10	8	80		
3307	13.4	207	6.7	17	7.5	8.0	**	A	10	8	76		
3307	13.0	209	6.7	17	7.5	8.0		A	10	5	78		
3308	12.7	210	6.6	18	7.5	8.0	**	A	10	8	76		
3308	12.9	211	6.7	19	7.5	8.0		A	10	5	54		
3308	9.4	205	6.7	18	7.5	8.0		A	10	8	73		
3309	9.6	207	6.7	20	7.5	8.0		A	10	8	66		
3309	13.9	210	6.7	19	7.5	8.0	**	C	10	2	63	*	*
3309	17.1	203	6.7	19	7.6	8.0		A	10	5	51		
3310	14.0	208	6.7	19	7.6	8.0		C	10	3	42		
3310	13.9	208	6.7	19	7.6	8.0		C	10	3	47	*	*
3310	NO CURV		6.7	20	7.6	8.0							
3311	13.1	208	6.6	21	7.7	8.0		C	10	3	73		
3311	13.1	209	6.6	22	7.7	8.0		A	10	8	81		
3311	13.1	209	6.6	22	7.7	8.0	**	A	10	8	69	*	*
3312	13.3	214	6.6	24	7.6	8.0	**	A	10	8	73		
3312	13.4	213	6.6	24	7.6	8.0		A	10	5	81		
3312	NO CURV		6.6	25	7.6	8.0							
3313	13.6	210	6.7	26	7.6	8.1		A	10	5	65		
3313	13.4	213	6.7	26	7.6	8.1		A	10	8	76		
3313	13.8	218	6.6	27	7.6	8.0	**	A	10	8	72		
3314	13.6	218	6.6	28	7.6	8.0	**	A	10	8	73		
3314	13.2	216	6.7	28	7.6	8.0	**	A	10	8	85		
3314	13.3	215	6.7	29	7.6	8.1	**	A	10	8	82		
3314	13.2	219	6.7	28	7.6	8.1	**	A	10	8	79		
3315	13.5	214	6.7	28	7.6	8.1	**	A	10	8	75		
3315	13.5	214	6.7	29	7.6	8.1	**	A	10	8	79		
3315	13.2	210	6.7	18	7.6	8.1	**	A	10	8	77		
3316	13.4	211	6.7	19	7.6	8.0		A	10	8	82		

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GT	Q	C.E	PART	MAX	SPD CUR
3316	13.4	210	6.7	20	7.5	8.0	**	A	10	8	66	
3316	14.2	213	6.8	20	7.5	8.0	**	A	10	8	83	
3317	14.1	210	6.7	31	7.5	8.0	**	A	10	8	80	
3317	13.7	213	6.7	30	7.5	8.0	**	A	10	8	77	
3317	13.4	213	6.7	29	7.5	8.0	**	A	10	8	72	
3317	11.6	213	6.7	29	7.5	8.1	**	A	10	8	70	
3318	12.9	211	6.7	29	7.5	8.1	**	A	10	8	74	
3318	13.1	215	6.7	31	7.5	8.0		A	10	5	75	
3318	12.7	213	6.7	30	7.5	8.1		C	10	4	27	
3319	13.0	214	6.7	31	7.6	8.1		A	10	4	23	
3319	13.0	213	6.7	30	7.6	8.1		A	10	8	88	
3319	13.8	210	6.7	28	7.6	8.1		A	10	8	85	
3320	13.6	211	6.7	30	7.6	8.1		A	10	8	85	
3320	13.5	210	6.7	30	7.6	8.1	**	A	10	8	71	
3320	13.5	211	6.7	30	7.6	8.1	**	A	10	8	72	
3321	13.2	213	6.7	30	7.6	8.1	**	A	10	8	82	
3321	13.1	212	6.8	29	7.6	8.1	**	A	10	8	78	
3321	13.2	214	6.8	31	7.6	8.1	**	A	10	8	79	
3321	13.6	213	6.8	30	7.7	8.1	**	A	10	8	76	
3322	13.6	213	6.8	30	7.7	8.0	**	A	10	8	81	
3322	13.3	213	6.8	30	7.7	8.0	**	A	10	8	83	
3322	13.2	213	6.9	29	7.7	8.1	**	A	10	8	87	
3323	13.3	215	6.8	31	7.7	8.1	**	A	10	8	87	
3323	13.2	210	6.8	31	7.7	8.2	**	A	10	8	70	
3323	13.4	215	6.8	31	7.8	8.2	**	A	10	8	67	
3324	13.2	210	6.8	32	7.9	8.2	**	A	10	8	64	
3324	15.4	208	6.8	30	7.9	8.2	**	A	10	8	58	
3324	15.2	209	6.7	31	7.9	8.2		A	10	7	73	
3324	15.2	210	6.7	31	7.9	8.2		A	10	7	73	
3325	15.4	210	6.7	31	7.9	8.2		A	10	7	69	
3325	13.6	210	6.8	32	7.9	8.2		A	10	8	77	
3325	13.6	215	6.8	31	7.9	8.2	**	A	10	8	70	
3326	13.6	213	6.8	31	7.9	8.2		C	10	2	37	
3326	14.0	217	6.8	32	7.9	8.3		A	10	8	66	
3326	14.9	214	6.8	31	7.9	8.3	**	A	10	8	70	
3327	15.2	216	6.7	32	8.0	8.4	**	A	10	8	71	
3327	15.2	216	6.7	31	8.0	8.5	**	A	10	8	73	
3327	14.8	211	6.7	31	8.1	8.6	**	A	10	8	74	
3328	15.0	209	6.7	31	8.2	8.7		A	10	5	75	
3328	14.2	223	6.7	29	8.3	8.8		C	10	3	21	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.I.	PART	MAX	SPD CUR	*
3324	14.8	216	6.8	29	8.4	8.8		A	10	5	37		*
3326	15.4	216	6.8	28	8.4	8.8		A	10	8	76		*
3329	15.0	212	6.8	27	8.4	8.9	**	A	10	9	69		*
3329	15.2	212	6.8	27	8.5	8.8	**	A	10	8	77		*
3329	14.8	209	6.8	27	8.5	8.8		A	10	8	74		*
3330	14.7	209	6.8	28	8.6	8.8		A	10	8	67		*
3330	14.9	206	6.8	26	8.7	8.8		A	10	8	73		*
3330	14.5	203	6.8	25	8.7	8.8		A	10	8	64		*
3331	14.2	200	6.8	25	8.8	8.7	**	A	10	8	75		*
3331	13.8	200	6.8	25	8.8	8.7	**	A	10	8	69		*
3331	14.2	211	6.8	29	8.7	8.7		A	10	8	74		*
3331	14.7	212	6.8	30	8.7	8.7		A	10	5	73		*
3332	14.7	211	6.8	33	8.6	8.7		C	10	3	51		*
3332	15.1	211	6.8	35	8.5	8.7	**	A	10	8	47		*
3332	32.2	213	6.8	16	8.5	8.7	**	B	30	6	54		*
3333	NO CORR		6.8	38	8.5	8.8							*
3333	49.4	131	6.8	37	8.6	8.8		D	20	3	54		*
3333	46.0	133	6.8	36	8.6	8.9	**	B	20	8	57		*
3334	15.1	224	6.9	36	8.7	8.9		C	10	2	56		*
3334	14.9	226	6.9	36	8.8	8.9		A	10	8	60		*
3335	9.4	219	6.8	34	9.1	9.0		D	10	1	32	*	*
3335	9.3	221	6.9	33	9.2	9.1	**	B	10	8	27	*	*
3335	9.4	220	6.8	33	9.4	9.3	**	B	10	8	23	*	*
3336	10.2	219	6.9	36	9.5	9.3		B	10	5	32	*	*
3336	53.3	266	6.8	36	9.8	9.4		D	21	1	19	*	*
3336	15.1	226	6.9	37	9.8	9.5		B	10	5	37		*
3337	16.1	224	6.9	37	9.7	9.6		D	10	2	49		*
3337	16.4	219	6.9	36	9.4	9.7	**	D	10	2	40		*
3337	16.7	216	6.9	38	8.9	9.7		C	11	1	46		*
3338	NO CORR		6.9	38	8.6	9.7							*
3339	NO CORR		6.9	38	8.3	9.7							*
3339	NO CORR		6.9	40	8.2	9.7							*
3339	NO CORR		7.0	40	8.2	9.6							*
3339	NO CORR		6.9	41	8.2	9.6							*
3340	13.7	218	6.9	42	8.2	9.6		A	10	8	55		*
3340	12.5	212	6.9	40	8.2	9.5	**	A	10	8	85		*
3340	12.3	213	7.2	36	8.3	9.7	**	A	10	8	83		*
3341	13.1	215	7.2	36	8.3	9.6	**	A	10	8	85		*
3341	13.0	217	7.2	37	8.2	9.6	**	A	10	8	80		*
3341	13.6	219	7.2	37	8.2	9.5	**	A	10	8	67		*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO	Q	C.E	PART	MAX	SPD CDR	
3342	13.1	219	7.2	36	8.3	9.5	**	A	10	5	68		*
3342	12.8	207	7.2	35	8.4	9.6		C	10	3	58		*
3342	14.4	208	7.2	35	8.5	9.6		A	10	5	75		*
3342	13.7	219	7.3	34	8.6	9.7	**	A	10	8	85		*
3343	13.7	219	7.3	34	8.6	9.7	**	A	10	8	83		*
3343	13.5	219	7.3	34	8.6	9.7	**	A	10	8	72		*
3343	13.7	221	7.3	35	8.6	9.9	**	A	10	8	73		*
3344	16.0	224	7.2	34	8.5	9.8		A	10	8	89		*
3344	16.4	223	7.3	34	8.5	9.8		A	10	8	91		*
3344	16.7	222	7.3	33	8.5	9.8		A	10	8	92		*
3345	16.2	220	7.3	32	8.5	9.8		A	10	5	94		*
3345	15.8	221	7.3	32	8.5	9.8		A	10	5	59	*	*
3345	15.7	223	7.3	33	8.5	9.8		A	10	5	68		*
3346	14.3	225	7.3	31	8.5	9.8		A	10	8	86		*
3346	14.6	225	7.3	34	8.5	9.7		A	10	8	89		*
3346	14.2	224	7.2	33	8.4	9.8	**	A	10	8	73		*
3346	14.2	226	7.2	34	8.5	9.8	**	A	10	8	77		*
3347	NO CORR		7.2	34	8.4	9.9							*
3348	13.0	251	7.3	33	8.2	9.9		D	11	1	34		*
3349	15.5	224	7.3	34	8.2	9.9		D	10	3	93		*
3349	14.4	220	7.3	35	8.2	9.8		D	10	3	92		*
3351	11.0	229	7.5	36	8.1	9.8		D	10	2	62		*
3351	15.0	226	7.5	37	8.1	9.8		C	10	3	85		*
3351	14.4	226	7.5	36	8.2	9.8		C	10	3	84		*
3352	14.3	225	7.5	37	8.2	9.8		A	10	5	88		*
3352	14.2	226	7.5	37	8.2	9.7		A	10	8	91		*
3352	14.2	225	7.5	36	8.2	9.7		A	10	8	90		*
3353	14.3	227	7.5	37	8.2	9.7		A	10	8	93		*
3353	14.4	228	7.5	37	8.2	9.7		A	10	8	91		*
3353	15.0	228	7.5	37	8.2	9.7		C	10	3	80		*
3353	10.8	225	7.5	38	8.2	9.8		D	10	2	32		*
3354	12.7	221	7.5	39	8.2	9.8		D	10	1	39		*
3354	15.1	234	7.4	39	8.2	9.8	**	A	10	8	85		*
3354	14.9	232	7.4	38	8.2	9.8	**	A	10	8	87		*
3355	14.9	233	7.5	38	8.2	9.8	**	A	10	8	87		*
3355	14.8	233	7.4	38	8.3	9.8	**	A	10	8	84		*
3355	12.4	220	7.4	38	8.3	9.8		B	10	5	46		*
3356	12.9	224	7.4	38	8.3	9.9		B	10	8	82		*
3356	12.9	223	7.4	37	8.3	10.0		B	10	8	82		*
3356	7.4	228	7.4	37	8.3	10.0		D	10	1	38		*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	GI	Q	C.E	PART	MAX	SPD COR	
3357	16.1	213	7.4	37	8.3	9.9		D	10	2	30		
3357	NO CORR		7.4	37	8.1	9.4							
3358	20.5	210	7.4	37	8.0	9.3		D	11	2	10		
3358	9.6	211	7.5	37	7.9	9.3		B	10	4	21		
3359	8.8	187	7.5	38	7.8	9.2		D	10	1	86	*	
3359	17.9	196	7.5	38	7.8	9.2	**	A	10	8	92		
3359	17.2	197	7.5	38	7.8	9.2	**	A	10	8	91		
3359	17.2	198	7.5	38	7.8	9.2	**	A	10	8	90		
3360	17.5	196	7.5	39	7.7	9.2	**	A	10	8	92		
3360	11.1	218	7.5	38	7.8	9.2		D	10	1	52	*	
3360	15.2	214	7.5	37	7.9	9.2		D	11	1	82		
3360	15.3	214	7.5	37	7.7	9.3		D	11	1	29		
3361	35.7	11	7.5	36	7.7	9.3	**	B	20	9	1		
3361	NO CORR		7.5	37	7.7	9.3							
3361	5.6	215	7.5	36	7.7	9.3		D	10	3	30		
3362	7.0	213	7.5	37	7.7	9.3		D	10	3	37		
3362	5.9	251	7.5	37	7.7	9.3		D	10	3	13		
3362	4.4	271	7.5	37	7.7	9.3		D	10	1	34		
3363	38.2	12	7.4	37	7.7	9.3		D	20	1	11		
3364	NO CORR		7.4	35	7.7	9.4							
3364	8.4	219	7.4	35	7.7	9.4		D	10	3	52		
3365	7.8	214	7.4	35	7.7	9.4		D	10	3	44		
3365	14.6	206	7.4	35	7.6	9.4		B	10	5	52		
3365	14.3	207	7.4	36	7.7	9.4		D	10	3	41		
3366	16.3	206	7.5	37	7.6	9.4		D	10	3	53		
3366	17.8	202	7.5	37	7.6	9.4		D	10	3	53		
3366	17.3	205	7.5	37	7.6	9.4		D	10	1	61		
3367	18.1	206	7.5	37	7.6	9.4		D	10	1	67		
3367	16.9	207	7.5	37	7.6	9.4		D	10	1	71		
3367	17.7	207	7.5	37	7.6	9.4		D	10	1	82		
3367	8.5	218	7.4	37	7.6	9.4		C	10	3	76		
3368	8.7	219	7.4	36	7.6	9.4		C	10	3	75		
3368	8.1	217	7.4	36	7.6	9.4		C	10	3	61		
3368	7.6	218	7.4	36	7.6	9.4		C	10	3	47		
3369	15.0	206	7.4	36	7.6	9.4		C	10	1	21		
3369	13.9	205	7.4	36	7.6	9.4		A	10	8	73		
3369	13.8	205	7.4	36	7.6	9.3		A	10	8	73		
3370	13.9	206	7.4	37	7.6	9.3		A	10	8	74		
3370	13.9	207	7.4	36	7.6	9.3		A	10	8	77		
3371	NO CORR		7.4	37	7.6	9.3							

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	DU GI	Q	C.E	PART	MAX	SPD COR	
3372	13.4	220	7.3	36	7.6	9.3		D	10	3	82	*	
3372	18.3	205	7.3	37	7.6	9.3		D	10	2	63		
3372	NO CURR		7.3	37	7.5	9.2							
3373	NO CURR		7.3	36	7.6	9.3							
3374	10.1	206	7.3	36	7.5	9.3		D	10	3	52		
3374	11.0	212	7.3	36	7.6	9.3		D	10	2	46		
3374	14.7	216	7.3	36	7.6	9.3		D	10	3	68	*	
3375	13.5	200	7.4	36	7.6	9.3		D	10	2	67	*	
3375	11.3	210	7.4	36	7.6	9.3		C	10	3	68	*	
3375	10.2	218	7.4	37	7.6	9.2		C	10	3	77	*	
3375	11.6	219	7.5	36	7.6	9.2		C	10	3	55		
3376	12.2	216	7.5	37	7.6	9.2		C	10	3	34		
3376	10.5	221	7.4	37	7.5	9.2		A	10	5	86		
3376	11.0	203	7.4	37	7.5	9.2	**	A	10	8	83		
3377	11.0	203	7.4	37	7.5	9.1	**	A	10	8	80		
3377	10.9	203	7.4	37	7.6	9.2	**	A	10	6	76		
3377	10.5	202	7.4	37	7.5	9.1	**	A	10	8	80		
3378	9.5	217	7.4	37	7.6	9.2		C	10	3	68		
3378	9.0	216	7.4	36	7.5	9.2		C	10	3	73	*	
3378	9.3	216	7.3	35	7.6	9.2		C	10	3	76	*	
3378	9.3	217	7.3	36	7.5	9.2		C	10	3	47	*	
3379	8.8	217	7.2	35	7.5	9.2		D	10	1	43	*	
3379	5.1	238	7.2	36	7.5	9.2		D	10	1	42		
3380	14.6	204	7.3	35	7.5	9.2		D	10	3	63		
3380	13.1	209	7.3	35	7.5	9.2		D	10	2	56		
3380	16.3	206	7.3	35	7.5	9.1		D	10	1	65		
3381	10.0	214	7.3	34	7.5	9.1		D	10	3	50		
3381	13.8	213	7.3	34	7.6	9.1		D	10	3	31		
3381	12.9	205	7.3	34	7.6	9.1		D	10	3	28		
3382	NO CURR		7.3	35	7.6	9.0							
3382	9.8	211	7.2	36	7.5	9.0		D	10	1	41		
3382	46.9	241	7.2	36	7.5	8.9		D	30	3	39		
3383	10.4	212	7.3	36	7.5	8.9		D	10	3	33		
3383	7.8	220	7.2	35	7.5	8.9		D	10	1	35		
3383	9.1	209	7.2	36	7.6	9.0		D	10	3	14		
3384	10.7	212	7.2	36	7.5	9.0		D	10	1	9		
3384	7.4	220	7.2	37	7.5	8.9		D	10	3	34		
3384	NO CURR		7.3	37	7.5	8.9							
3385	8.5	223	7.3	36	7.5	8.9		D	10	1	28		
3385	9.7	224	7.3	36	7.6	8.9		D	10	1	30		

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	QU	Q	C.E	PART MAX	SPD COR
3385	13.9	210	7.3	36	7.5	8.9		D	10	3 93	
3385	11.7	213	7.3	36	7.5	8.9	**	A	10	8 68	
3386	11.6	214	7.2	37	7.5	8.9	**	A	10	8 87	
3386	11.6	213	7.3	36	7.5	8.8	**	A	10	8 87	
3386	11.6	213	7.3	36	7.5	8.8	**	A	10	8 86	
3387	9.9	220	7.3	35	7.5	8.8		A	10	6 53	
3387	10.3	218	7.3	35	7.5	8.8		A	10	5 44	
3387	10.6	216	7.2	35	7.5	8.8		A	10	5 58	
3388	11.1	219	7.3	33	7.5	8.8		C	10	1 55	
3389	11.0	212	7.2	33	7.5	8.8		A	10	4 70	
3389	11.9	215	7.2	33	7.5	8.7		A	10	5 59	
3389	11.4	209	7.2	32	7.5	8.7		A	10	8 64	
3390	10.1	210	7.3	33	7.5	8.7		A	10	7 64	
3390	8.5	206	7.3	32	7.5	8.7		A	10	5 66	
3390	7.0	202	7.3	32	7.5	8.7		A	10	5 62	
3391	9.1	219	7.3	32	7.5	8.7		A	10	8 50	
3391	8.7	207	7.3	32	7.5	8.7		A	10	8 52	
3391	9.4	206	7.3	31	7.5	8.7		A	10	8 46	
3392	9.9	208	7.3	30	7.5	8.7		A	10	4 42	
3392	9.8	206	7.3	30	7.5	8.7		A	10	4 41	
3392	9.7	207	7.3	30	7.5	8.7		A	10	4 43	
3392	11.6	212	7.3	31	7.5	8.7	**	A	10	8 72	
3393	11.6	211	7.3	31	7.5	8.7	**	A	10	8 79	
3393	11.5	211	7.3	31	7.5	8.7		A	10	5 98	
3393	11.4	212	7.3	32	7.5	8.7		A	10	5 98	
3394	9.2	208	7.2	33	7.5	8.7		C	10	3 94	
3394	9.6	210	7.2	34	7.5	8.6		C	10	3 95	
3394	10.5	210	7.2	34	7.5	8.6		A	10	5 97	
3395	11.1	210	7.3	34	7.5	8.6		C	10	3 97	
3395	11.6	210	7.3	34	7.4	8.6		C	10	3 90	
3395	10.0	211	7.3	34	7.4	8.6		C	10	3 82	
3396	9.6	212	7.3	33	7.4	8.5		C	10	3 86	
3396	6.9	213	7.2	32	7.5	8.6		C	10	3 95	
3396	9.2	208	7.2	31	7.5	8.6		C	10	3 96	
3396	9.0	203	7.3	29	7.5	8.6		A	10	5 90	
3397	10.3	207	7.3	28	7.5	8.6		C	10	3 77	
3397	9.4	209	7.3	27	7.5	8.6		C	10	1 75	
3398	NO CURR		7.3	29	7.5	8.6					
3398	10.4	209	7.3	29	7.5	8.6		A	10	8 67	
3398	11.6	209	7.3	30	7.5	8.6		C	10	3 79	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	PLAN 1-3	PLAN 2-4	QU	G	C.F	AMP	MAX	SPD CUR
3399	12.1	210	7.3	30	7.5	8.5		A	10	8	88	
3399	10.4	207	7.3	31	7.5	8.5		A	10	8	92	
3399	10.2	207	7.4	31	7.5	8.5		A	10	8	92	
3399	10.1	207	7.1	30	7.5	8.4		A	10	8	94	
3400	10.2	208	7.3	30	7.5	8.5		A	10	8	94	
3400	10.9	208	7.4	29	7.5	8.5	**	A	10	8	78	
3400	11.0	207	7.4	28	7.4	8.5	**	A	10	6	70	
3401	11.4	207	7.3	27	7.4	8.6		C	10	3	89	
3401	11.1	205	7.3	25	7.4	8.6		C	10	3	89	
3401	11.0	203	7.3	23	7.4	8.6		C	10	3	82	
3402	10.6	201	7.4	21	7.5	8.6		C	10	3	73	
3402	10.5	199	7.4	19	7.5	8.6		C	10	3	78	
3402	10.4	197	7.4	16	7.5	8.6		C	10	3	82	
3403	10.3	194	7.4	14	7.6	8.7		A	10	5	93	
3403	10.3	191	7.3	11	7.5	8.7		A	10	8	95	
3403	11.7	190	7.3	9	7.5	8.6		A	10	5	88	
3403	11.2	193	7.3	10	7.5	8.6		A	10	8	70	
3404	11.0	195	7.3	11	7.4	8.6		A	10	5	34	
3404	11.4	197	7.3	13	7.4	8.5		C	10	3	41	
3404	11.0	194	7.3	13	7.4	8.4		C	10	3	41	
3405	12.0	201	7.2	12	7.4	8.4	**	A	10	8	98	
3405	12.0	197	7.2	10	7.5	8.3	**	A	10	8	98	
3405	12.1	195	7.2	10	7.5	8.3	**	A	10	8	98	
3406	12.1	194	7.2	10	7.5	8.2	**	A	10	8	99	
3406	10.8	196	7.2	12	7.5	8.2		A	10	8	75	
3406	10.6	199	7.3	14	7.6	8.2		A	10	8	79	
3407	10.6	197	7.3	14	7.6	8.2		A	10	8	75	
3407	10.2	201	7.3	15	7.6	8.1		A	10	8	66	
3407	12.1	195	7.2	17	7.6	8.1		C	10	3	69	
3407	12.6	206	7.3	16	7.6	8.1		D	10	3	53	
3408	11.7	221	7.3	17	7.6	8.0		D	10	1	27	
3408	12.6	214	7.3	18	7.5	8.0		C	10	3	45	
3408	12.1	208	7.4	18	7.6	8.0		C	10	3	68	
3409	10.2	202	7.3	18	7.6	8.0		C	10	1	6	
3409	11.6	202	7.3	19	7.6	8.0		C	10	3	70	
3409	11.3	201	7.3	19	7.7	8.0		C	10	3	64	
3410	11.8	205	7.3	18	7.7	8.0		A	10	5	46	
3410	13.2	205	7.3	17	7.6	8.0		C	10	2	47	
3410	12.7	203	7.3	18	7.7	8.0		C	10	3	60	
3410	13.1	202	7.3	18	7.7	8.0		A	10	5	57	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD	Q	C.S	PART	MAX CDR	SPD
3411	12.0	203	7.3	16	7.7	8.0		C	10	3	61	
3411	12.1	204	7.3	17	7.7	8.0		C	10	3	77	
3411	12.2	195	7.3	18	7.6	8.0		C	10	1	60	
3412	12.3	196	7.3	19	7.6	8.0		C	10	1	58	
3412	11.8	204	7.3	20	7.6	8.1		C	10	3	69	
3412	11.2	209	7.3	21	7.5	8.1		C	10	3	68	
3413	12.2	212	7.3	22	7.5	8.1		C	10	3	73	
3413	13.0	212	7.3	22	7.5	8.2		C	10	3	81	
3413	13.7	212	7.4	23	7.5	8.2	**	A	10	8	74	
3414	9.8	204	7.4	23	7.5	8.2		A	10	8	82	
3414	14.2	203	7.3	24	7.5	8.3		A	10	8	75	
3414	13.7	196	7.4	24	7.5	8.3		A	10	8	72	
3414	12.5	193	7.4	25	7.5	8.3		A	10	8	67	
3415	10.1	191	7.4	25	7.5	8.3		A	10	8	75	
3415	9.5	192	7.4	25	7.5	8.3	**	A	10	8	72	
3415	9.6	189	7.3	24	7.5	8.3	**	A	10	8	79	
3416	10.5	184	7.3	22	7.4	8.2	**	A	10	8	95	
3416	10.4	181	7.3	20	7.4	8.2	**	A	10	8	90	
3416	10.1	178	7.2	18	7.3	8.2	**	A	10	8	92	
3417	10.1	177	7.2	19	7.3	8.2		A	10	5	88	
3417	9.8	176	7.3	20	7.3	8.2		A	10	5	77	
3417	10.3	173	7.3	20	7.3	8.2	**	A	10	8	63	
3417	11.0	171	7.3	22	7.4	8.1	**	A	10	8	67	
3418	11.6	165	7.4	22	7.4	8.0	**	A	10	8	70	
3418	11.9	162	7.3	23	7.4	8.0	**	A	10	8	76	
3419	12.3	160	7.3	25	7.5	8.1	**	A	10	8	79	
3419	11.8	165	7.3	27	7.5	8.0	**	A	10	8	64	
3419	11.2	174	7.3	27	7.5	8.1		A	10	8	61	
3419	10.6	181	7.4	29	7.5	8.1		A	10	8	70	
3420	10.2	183	7.4	30	7.5	8.0		A	10	8	69	
3420	9.4	186	7.4	30	7.5	8.1	**	A	10	8	82	
3420	9.6	190	7.4	30	7.5	8.1	**	A	10	8	81	
3421	10.2	189	7.5	30	7.5	8.1	**	A	10	8	83	
3421	10.6	187	7.5	28	7.6	8.1	**	A	10	8	76	
3421	10.5	185	7.4	27	7.5	8.0	**	A	10	8	74	
3421	10.4	186	7.4	27	7.5	8.0	**	A	10	8	85	
3422	10.3	185	7.4	25	7.5	8.0	**	A	10	8	91	
3422	10.1	185	7.4	24	7.5	8.1	**	A	10	8	90	
3422	10.2	186	7.4	24	7.4	8.0	**	A	10	8	92	
3423	10.2	188	7.5	24	7.4	8.1	**	A	10	8	84	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PAD	MAX CDR	SPD
3423	10.1	196	7.5	23	7.4	8.1	**	A	10	8	83	
3423	9.5	196	7.5	23	7.4	8.1	**	A	10	8	79	
3424	9.6	196	7.5	23	7.4	8.1	**	A	10	8	81	
3424	9.4	195	7.5	23	7.4	8.2	**	A	10	8	79	
3424	9.8	196	7.5	23	7.4	8.2	**	A	10	8	74	
3424	10.1	195	7.5	23	7.4	8.2		A	10	9	77	
3425	10.0	196	7.5	23	7.5	8.2	**	A	10	8	71	
3425	10.7	194	7.5	23	7.5	8.2	**	A	10	8	81	
3425	10.2	191	7.5	21	7.6	8.2	**	A	10	8	80	
3426	9.3	188	7.5	19	7.5	8.2		A	10	8	84	
3426	9.0	192	7.5	16	7.5	8.2		C	10	3	81	
3426	8.9	187	7.5	14	7.4	8.2		A	10	8	83	
3427	9.2	187	7.5	13	7.4	8.2	**	A	10	8	87	
3427	9.7	190	7.4	14	7.4	8.2	**	A	10	8	93	
3427	10.2	192	7.4	15	7.4	8.2	**	A	10	8	94	
3428	10.0	192	7.4	16	7.4	8.2	**	A	10	8	95	
3428	10.3	193	7.4	16	7.4	8.2	**	A	10	8	92	
3428	10.2	195	7.4	17	7.4	8.2	**	A	10	8	90	
3428	10.3	196	7.4	18	7.5	8.2	**	A	10	8	94	
3429	10.1	198	7.3	20	7.5	8.2	**	A	10	8	92	
3429	10.4	199	7.4	22	7.5	8.2	**	A	10	8	90	
3429	10.3	200	7.4	22	7.5	8.1	**	A	10	8	85	
3430	10.4	200	7.4	22	7.6	8.1	**	A	10	8	85	
3430	10.3	200	7.4	24	7.5	8.1	**	A	10	8	86	
3430	10.5	200	7.4	25	7.5	8.1	**	A	10	8	91	
3431	10.5	199	7.4	26	7.5	8.1	**	A	10	8	86	
3431	10.3	200	7.4	26	7.6	8.1	**	A	10	8	87	
3431	10.4	205	7.4	25	7.6	8.1	**	A	10	8	92	
3431	10.5	202	7.5	24	7.6	8.1	**	A	10	8	90	
3432	10.6	200	7.5	24	7.6	8.1	**	A	10	8	91	
3432	10.6	198	7.5	24	7.6	8.1	**	A	10	8	94	
3432	10.9	200	7.5	24	7.7	8.1	**	A	10	8	80	
3433	10.5	199	7.5	24	7.6	8.1	**	A	10	8	94	
3433	10.5	197	7.5	23	7.6	8.1	**	A	10	8	92	
3434	11.0	199	7.5	24	7.5	8.1	**	A	10	8	94	
3434	11.0	199	7.5	26	7.5	8.1	**	A	10	8	95	
3434	11.3	198	7.4	24	7.5	8.2	**	A	10	8	96	
3434	11.0	200	7.5	26	7.5	8.2	**	A	10	8	95	
3435	10.8	204	7.5	28	7.5	8.2	**	A	10	8	96	
3435	10.7	204	7.4	28	7.5	8.2	**	A	10	8	95	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GJ	Q	S.E	PART	RAA	SPD COR
3435	10.8	204	7.4	29	7.5	8.2	**	A	10	8	93	
3435	10.3	204	7.4	28	7.5	8.2		A	10	8	95	
3436	13.2	196	7.4	28	7.5	8.2	**	A	10	8	95	
3436	12.5	189	7.4	28	7.5	8.3		A	10	8	91	
3436	12.7	188	7.4	28	7.5	8.3		A	10	8	89	
3437	10.2	202	7.4	29	7.5	8.4		A	10	5	85	
3437	10.3	198	7.4	28	7.5	8.4	**	A	10	8	84	
3437	10.2	202	7.4	26	7.5	8.4	**	A	10	8	90	
3438	10.1	199	7.4	24	7.5	8.5	**	A	10	8	89	
3438	10.3	195	7.4	20	7.6	8.5	**	A	10	8	83	
3438	10.7	192	7.4	17	7.6	8.5		A	10	5	98	
3439	11.1	190	7.4	14	7.5	8.5	**	A	10	8	98	
3439	10.9	188	7.4	13	7.5	8.4	**	A	10	8	96	
3439	10.9	186	7.4	12	7.4	8.3	**	A	10	8	95	
3439	10.6	185	7.4	12	7.6	8.3	**	A	10	8	93	
3440	10.6	187	7.4	13	7.4	8.3	**	A	10	8	93	
3440	10.9	188	7.5	15	7.5	8.3	**	A	10	8	95	
3440	10.3	190	7.5	17	7.5	8.4	**	A	10	8	88	
3441	10.9	193	7.5	18	7.5	8.4		A	10	5	69	
3441	10.8	194	7.5	19	7.6	8.3		A	10	5	71	
3441	10.6	193	7.5	18	7.6	8.4		A	10	5	70	
3442	10.0	202	7.5	20	7.7	8.4		A	10	8	75	
3442	9.6	204	7.5	22	7.7	8.3		A	10	8	70	
3442	10.4	202	7.5	23	7.7	8.3		A	10	8	74	
3442	10.5	195	7.5	23	7.8	8.3		C	10	3	69	
3443	10.9	195	7.5	23	7.7	8.2		C	10	3	85	
3443	10.6	196	7.5	23	7.7	8.3		C	10	3	90	
3443	11.0	192	7.5	23	7.8	8.3		A	10	5	89	
3444	10.6	194	7.5	22	7.9	8.3	**	A	10	8	74	
3444	10.6	199	7.5	21	7.8	8.3	**	A	10	8	71	
3444	10.8	197	7.5	20	7.9	8.4		A	10	5	89	
3445	10.6	194	7.5	18	7.8	8.3		C	10	3	89	
3446	11.2	196	7.6	18	7.8	8.3		C	10	3	94	
3445	8.6	199	7.6	19	7.8	8.3		C	10	3	95	
3446	9.3	180	7.6	20	7.7	8.3		A	10	5	89	
3446	10.5	198	7.6	21	7.7	8.3		A	10	5	89	
3446	9.6	197	7.6	23	7.7	8.3		A	10	8	89	
3446	10.2	195	7.6	24	7.6	8.3		A	10	8	88	
3447	9.6	194	7.6	24	7.6	8.3	**	C	10	2	68	
3447	9.7	197	7.6	25	7.6	8.3	**	C	10	2	78	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PAR1	MAX	SPD COR	
3447	9.6	197	7.6	25	7.5	8.4	**	C	10	2	79		*
3448	10.2	199	7.6	26	7.5	8.4	**	A	10	8	70		*
3448	10.7	201	7.6	26	7.5	8.4	**	A	10	8	74		*
3449	10.6	202	7.6	27	7.5	8.4	**	A	10	8	85		*
3449	10.8	199	7.6	27	7.5	8.3	**	A	10	8	96		*
3449	10.5	202	7.6	28	7.5	8.3		A	10	8	94		*
3449	7.9	198	7.6	29	7.5	8.4		A	10	8	68		*
3449	8.1	200	7.6	28	7.4	8.4		A	10	8	78		*
3450	8.4	201	7.6	29	7.4	8.4		A	10	7	82		*
3450	8.3	201	7.6	28	7.4	8.4		A	10	7	81		*
3450	10.1	202	7.6	28	7.5	8.8	**	A	10	8	90		*
3451	10.2	201	7.6	28	7.5	8.5	**	A	10	8	90		*
3451	10.1	200	7.7	27	7.5	8.5	**	A	10	8	87		*
3451	10.2	199	7.6	27	7.5	8.5	**	A	10	8	85		*
3452	10.8	201	7.6	28	7.5	8.5	**	A	10	8	68		*
3452	10.6	201	7.6	28	7.5	8.5	**	A	10	8	65		*
3452	11.0	201	7.6	28	7.5	8.5	**	A	10	8	70		*
3453	10.6	201	7.6	28	7.5	8.6	**	A	10	8	85		*
3453	10.5	200	7.6	27	7.5	8.6	**	A	10	8	89		*
3453	10.4	201	7.6	28	7.5	8.5	**	A	10	8	81		*
3453	10.3	202	7.6	29	7.5	8.5	**	A	10	8	73		*
3454	10.6	203	7.6	29	7.5	8.5		A	10	8	90		*
3454	10.9	205	7.6	30	7.5	8.5	**	A	10	8	82		*
3454	11.3	205	7.7	30	7.5	8.5	**	A	10	8	90		*
3455	11.4	203	7.6	29	7.5	8.6	**	A	10	8	88		*
3455	11.1	200	7.7	29	7.5	8.6	**	A	10	8	80		*
3455	10.7	200	7.7	29	7.5	8.7	**	A	10	8	75		*
3456	10.5	200	7.6	29	7.5	8.7	**	A	10	8	78		*
3456	10.4	200	7.7	30	7.5	8.7	**	A	10	8	75		*
3456	10.2	203	7.7	30	7.5	8.7		A	10	8	86		*
3456	10.4	206	7.7	31	7.5	8.7	**	A	10	8	74		*
3457	10.5	204	7.7	30	7.5	8.7	**	A	10	8	70		*
3457	10.3	202	7.7	29	7.5	8.7		A	10	8	93		*
3457	10.3	203	7.6	29	7.5	8.8	**	A	10	8	70		*
3458	10.4	202	7.6	28	7.5	8.8	**	A	10	8	78		*
3458	10.1	202	7.6	28	7.5	8.8		C	10	3	91		*
3458	9.7	200	7.6	26	7.5	8.8		A	10	8	87		*
3459	10.7	197	7.6	28	7.5	8.8	**	A	10	8	83		*
3459	10.6	197	7.6	28	7.6	8.9	**	A	10	8	85		*
3459	10.6	197	7.6	28	7.6	8.9	**	A	10	8	85		*

Schlumberger

DEPTH	DLV	DIP AZM	DLV	DEV AZM	DIAM 1-3	DIAM 2-4	LIT GI	Q	C.E	PART	MAX	SPD CDR
3460	10.7	196	7.7	27	7.7	9.0	**	A	10	8	87	
3460	11.9	201	7.7	28	7.8	9.0		C	10	3	86	
3460	10.8	202	7.7	27	7.9	9.1		A	10	8	77	
3460	9.8	201	7.6	27	7.9	9.2		D	10	3	76	
3461	11.5	199	7.6	28	7.9	9.2		A	10	8	92	
3461	11.5	200	7.6	29	7.9	9.2		A	10	8	84	
3461	11.9	200	7.7	29	7.9	9.2		A	10	8	84	
3462	10.9	201	7.7	30	7.9	9.1		A	10	8	84	
3462	11.3	204	7.7	30	7.9	9.2		A	10	8	74	
3462	11.7	205	7.7	29	7.9	9.2		C	10	3	62	
3463	11.5	204	7.6	29	7.9	9.2		C	10	3	65	
3463	11.5	203	7.7	28	7.9	9.2		C	10	3	69	
3463	8.9	206	7.7	29	8.0	9.3		A	10	5	67	
3464	9.2	198	7.7	30	8.0	9.3		A	10	8	63	
3464	9.1	200	7.7	30	7.9	9.2		A	10	8	79	
3464	12.3	208	7.7	30	7.8	9.1		A	10	7	73	
3464	10.5	200	7.7	30	7.6	9.0	**	A	10	8	94	
3465	10.0	202	7.7	30	7.5	9.0	**	A	10	8	79	
3465	10.0	200	7.7	29	7.6	9.0	**	A	10	8	80	
3465	9.9	194	7.7	29	7.8	8.9	**	A	10	8	76	
3466	11.5	204	7.7	29	7.6	8.9		A	10	8	75	
3466	10.1	197	7.6	28	7.6	8.9		A	10	8	73	
3466	10.2	193	7.7	27	7.6	8.9		A	10	8	67	
3467	10.8	200	7.7	26	7.6	8.9		A	10	5	55	
3467	11.1	198	7.7	25	7.6	8.9		A	10	5	54	
3467	11.1	198	7.7	25	7.6	8.9		A	10	5	55	
3467	10.2	211	7.7	25	7.6	8.9		A	10	5	62	
3468	10.4	200	7.7	24	7.6	9.0	**	A	10	8	87	
3468	10.8	209	7.7	23	7.6	8.9	**	A	10	8	78	
3468	11.3	204	7.7	22	7.6	8.9	**	A	10	8	97	
3469	11.5	202	7.7	23	7.6	8.9	**	A	10	8	97	
3469	11.4	202	7.6	25	7.7	8.9	**	A	10	8	96	
3469	11.2	200	7.7	26	7.9	8.9	**	A	10	8	96	
3470	9.2	203	7.7	26	8.0	8.9	**	A	10	8	74	
3470	9.5	206	7.7	29	8.1	9.0		A	10	8	89	
3470	9.4	206	7.8	29	8.3	9.0		A	10	8	91	
3471	9.1	207	7.7	30	8.3	9.0		A	10	8	91	
3471	11.7	201	7.7	32	8.5	9.1		D	10	3	51	
3471	14.3	195	7.7	32	8.4	9.1		D	10	3	94	
3472	10.7	205	7.7	32	8.4	9.1		D	10	3	90	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LI GI	Q	C.E	PART	MAX	SPD COR	
3472	10.7	205	7.7	32	8.4	9.1		D	10	3	90		
3472	10.7	204	7.7	32	8.5	9.1		D	10	3	90		
3473	7.5	216	7.7	32	8.6	9.2	**	D	10	2	77		
3473	10.0	190	7.7	32	8.7	9.2		D	10	1	29		
3473	15.2	233	7.7	33	8.7	9.2		D	11	1	21		
3474	11.2	206	7.8	33	8.7	9.1		D	10	1	25		
3474	11.7	207	7.8	32	8.7	9.1	**	D	10	2	25		
3475	NO CORR		7.8	33	8.7	9.1							
3475	11.0	214	7.8	34	8.7	9.0		D	10	1	39		
3475	11.1	215	7.9	35	8.7	9.0		D	10	1	35		
3476	NO CORR		7.9	36	8.7	9.0							
3476	NO CORR		7.9	37	8.7	9.1							
3477	NO CORR		7.9	37	8.7	9.1							
3477	11.4	211	7.9	37	8.6	9.0	**	C	10	2	77		
3477	12.4	211	7.9	37	8.6	8.8		A	10	5	74		
3478	12.4	211	7.9	37	8.4	8.7		A	10	5	60		
3478	12.5	212	8.0	37	8.3	8.5		A	10	5	66		
3478	12.9	210	8.0	37	8.4	8.7		D	10	3	48		
3479	NO CORR		8.0	36	8.5	8.8							
3479	11.7	214	8.0	35	8.6	8.9		D	10	1	68		
3479	27.9	358	8.0	34	8.6	8.9		D	20	1	61		
3480	11.6	210	7.9	34	8.6	8.8		B	10	5	73		
3480	11.5	211	7.9	34	8.5	8.8		D	10	1	53		
3480	11.9	212	7.9	34	8.5	8.7	**	A	10	8	73		
3481	12.0	210	8.0	33	8.4	8.7		A	10	8	81		
3481	12.1	209	8.0	32	8.3	8.7		A	10	8	79		
3481	12.2	208	8.0	32	8.2	8.7	**	A	10	8	68		
3482	12.2	207	8.0	33	8.3	8.7		D	10	1	39		
3482	12.1	209	8.0	35	8.5	8.7		D	10	1	35		
3482	12.0	206	8.1	35	8.6	8.7		D	10	2	56		
3483	30.1	348	8.1	35	8.6	8.8		D	20	3	49		
3483	14.0	330	8.1	36	8.9	8.9	**	C	10	2	13		
3483	14.5	332	8.1	37	8.9	8.9	**	C	10	2	25		
3484	16.0	327	8.1	37	8.9	9.0		C	10	2	30		
3484	17.1	330	8.1	37	8.9	9.0		A	10	5	26		
3485	11.5	212	8.1	38	8.7	8.9		A	10	5	77	+	
3485	12.4	209	8.1	38	8.5	8.7		C	10	2	48		
3485	12.2	210	8.1	38	8.3	8.6		A	10	4	35		
3485	12.6	210	8.1	38	8.3	8.6		A	10	5	66		
3486	12.7	214	8.1	38	8.2	8.4	**	A	10	8	69		

Schlumberger

COLUMBIA GAS DEV OF CANA YUKON FEB 15,1990 PAGE 10-FILE 2

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	GU GT	Q	C.F.	PART	MAX	SPD COR
3480	13.2	217	8.2	38	8.3	8.4		A	10	6	72	
3486	13.3	216	8.3	37	8.2	8.4	**	A	10	8	56	
3487	13.3	215	8.2	36	8.2	8.5		A	10	5	65	
3487	13.5	212	8.2	35	8.2	8.5		A	10	5	59	
3487	NO CORR		8.2	33	8.3	8.6						
3488	37.2	107	8.2	33	8.3	8.6		B	20	4	50	
3488	13.6	205	8.2	33	8.3	8.7		A	10	8	50	
3488	11.9	209	8.2	33	8.5	8.8		D	10	1	37	
3488	12.2	213	8.2	34	8.6	8.8		D	10	1	41	
3489	11.7	199	8.2	33	8.6	8.8		B	10	4	83	
3489	11.5	209	8.2	32	8.6	8.8		B	10	5	72	
3489	NO CORR		8.2	31	8.5	8.8						
3490	9.7	215	8.2	29	8.3	8.8		A	10	8	57	
3490	8.3	212	8.2	29	8.3	8.7		A	10	5	46	
3490	9.8	207	8.2	29	8.3	8.7		C	10	3	54	
3491	7.4	210	8.2	29	8.3	8.7		A	10	8	42	
3491	8.8	197	8.3	29	8.1	8.7		A	10	5	36	
3491	8.9	202	8.3	30	8.5	8.8		C	10	2	39	
3492	9.2	211	8.3	30	8.6	8.8		C	10	1	46	
3492	10.8	204	8.3	30	8.8	8.7		A	10	5	61	
3492	10.3	203	8.3	29	8.8	8.7		A	10	8	DR	
3493	11.1	203	8.4	30	8.7	8.7		B	10	5	51	
3493	03.6	227	8.4	31	8.6	8.7		D	20	3	31	
3493	03.1	220	8.4	33	8.5	8.7		D	20	1	24	
3494	03.7	227	8.4	34	8.4	8.6		D	20	1	18	
3494	NO CORR		8.3	35	8.4	8.6						
3494	NO CORR		8.3	35	8.4	8.7						
3495	7.7	210	8.4	36	8.4	8.7		D	10	3	47	
3496	NO CORR		8.4	36	8.5	8.7						
3496	11.0	217	8.4	36	8.5	8.7		D	10	3	40	
3496	10.7	214	8.4	35	8.6	8.7		D	10	1	42	
3496	11.1	207	8.4	34	8.6	8.7		B	10	5	51	
3496	11.1	205	8.4	34	8.6	8.7		D	10	1	32	
3496	11.1	206	8.4	33	8.6	8.8		D	10	1	38	
3497	11.2	207	8.4	33	8.6	8.8		D	10	1	47	
3498	NO CORR		8.4	38	8.8	8.8						
3498	12.3	211	8.5	38	8.9	8.9		C	10	2	53	
3499	12.2	214	8.4	38	8.9	8.9		C	10	3	52	
3499	13.0	217	8.5	38	8.9	8.9		A	10	4	51	
3500	13.0	216	8.5	38	8.9	9.0		C	10	1	53	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD	Q	C.E	PART	MAX	STD COR
3500	11.1	213	8.5	38	8.9	9.0		A	10	5	45	
3500	11.0	217	8.5	36	9.0	9.0		C	10	3	62	
3501	10.7	217	8.5	37	9.0	9.0		C	10	3	47	
3501	11.0	214	8.6	36	9.0	8.9		C	10	1	31	
3502	11.4	217	8.6	35	8.9	8.9		D	10	1	29	
3503	11.5	216	8.6	36	8.9	8.9		D	10	1	31	
3503	13.7	212	8.6	37	8.9	8.9		D	10	3	33	
3503	9.9	211	8.5	38	8.9	8.9		D	10	1	20	
3503	10.2	210	8.5	37	8.9	9.0		D	10	1	29	
3504	10.8	208	8.6	37	8.9	9.0		D	10	1	44	
3504	9.7	206	8.6	36	8.9	9.0		D	10	1	43	
3506	NO CURV		8.7	36	8.9	9.0						
3509	25.2	42	8.7	30	9.0	8.7		D	10	1	84	
3510	25.1	37	8.7	29	9.0	8.7		D	10	3	49	
3510	24.6	31	8.8	29	9.1	8.7		D	10	3	42	
3510	37.1	321	8.8	29	9.1	8.7		D	20	1	48	
3510	NO CURV		8.8	30	9.0	8.7						
3511	NO CURV		8.7	32	8.9	8.7						
3513	NO CURV		8.7	35	8.7	9.2						
3513	NO CURV		8.7	35	8.5	9.3						
3514	2.6	325	8.8	37	8.1	9.1		D	10	2	74	
3515	3.3	320	8.7	36	8.0	9.1		D	10	2	52	
3515	3.1	317	8.8	36	7.9	9.2		B	10	5	73	
3515	3.4	309	8.8	34	7.9	9.2		B	10	5	71	
3516	19.7	92	8.7	32	8.2	9.8		C	10	3	24	
3517	19.4	87	8.8	30	8.2	9.9		C	10	1	40	
3517	20.0	81	8.8	30	8.3	10.0	**	C	10	2	14	
3517	14.0	78	8.8	30	8.1	10.1		A	10	5	52	
3517	14.4	79	8.8	31	7.9	10.1		A	10	7	69	
3518	14.6	77	8.8	32	7.7	10.3		A	10	7	72	
3518	18.6	76	8.8	33	7.5	10.4		A	10	7	84	
3519	4.5	144	8.8	35	7.5	10.4		D	10	3	92	
3519	5.7	101	8.8	36	7.5	10.3		C	10	3	94	
3519	6.4	196	8.8	37	7.5	10.3		A	10	5	94	
3520	6.5	198	8.8	37	7.5	10.3		A	10	5	94	
3520	5.8	205	8.8	37	7.5	10.3		C	10	3	67	
3521	8.6	217	8.8	35	7.5	10.3		D	20	1	38	
3521	NO CURV		8.8	34	7.5	10.3						
3521	21.1	214	8.8	34	7.5	10.3	**	B	10	6	16	
3522	21.7	319	8.8	35	7.5	10.2		D	10	2	45	

Schlumberger

COLUMBIA GAS DEV OF CANA YUKON FEB 15,1980 PAGE 18-FILE 2

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	DD	D	C.E	PART	MAX	SPD COR
3522	8.0	210	8.6	35	7.5	10.4		D	20	3	40	
3522	17.4	307	8.8	36	7.5	10.2		D	10	1	61	
3523	16.6	304	8.8	35	7.4	10.3		D	10	2	62	
3523	16.2	304	8.9	35	7.4	10.4		D	10	1	63	
3524	16.7	311	8.9	35	7.4	10.4		D	10	1	63	
3524	NO CURR		8.9	36	7.4	10.5						
3524	12.7	191	8.8	35	7.4	10.6		A	10	5	70	
3524	13.0	190	8.8	35	7.4	10.5	**	A	10	8	65	
3525	13.0	190	8.8	34	7.4	10.5	**	A	10	8	65	
3525	12.9	189	8.8	34	7.4	10.6	**	A	10	8	65	
3526	9.8	198	8.8	34	7.4	10.6	**	A	10	8	92	
3526	9.9	198	8.8	34	7.4	10.6	**	A	10	8	91	
3526	9.9	201	8.8	36	7.3	10.6	**	A	10	8	91	
3527	9.8	200	8.8	36	7.3	10.6	**	A	10	8	91	
3527	10.3	197	8.8	36	7.2	10.6		A	10	5	67	
3528	10.3	197	8.8	35	7.2	10.6		A	10	5	20	
3528	10.5	199	8.8	36	7.3	10.7		C	10	2	24	
3528	9.5	195	8.8	36	7.3	10.7	**	A	10	8	71	
3529	8.7	194	8.8	37	7.3	10.7	**	A	10	8	71	
3529	9.2	200	8.8	37	7.4	10.7	**	A	10	8	78	
3529	9.3	201	8.8	36	7.4	10.7	**	A	10	8	78	
3529	9.3	201	8.8	36	7.3	10.7	**	A	10	8	57	
3530	9.4	202	8.8	38	7.4	10.7	**	A	10	8	56	
3530	9.8	203	8.8	39	7.4	10.7		A	10	8	69	
3530	10.7	208	8.8	39	7.4	10.7		C	10	2	37	
3531	10.8	203	8.8	38	7.4	10.7		A	10	8	85	
3531	11.0	201	8.8	38	7.4	10.7		A	10	5	70	
3531	10.3	206	8.8	38	7.4	10.7	**	A	10	8	86	
3531	10.3	205	8.8	37	7.4	10.7	**	A	10	8	87	
3532	9.9	209	8.8	38	7.4	10.7	**	A	10	8	83	
3532	9.8	207	8.8	37	7.5	10.7	**	A	10	8	87	
3532	9.2	205	8.8	37	7.5	10.7	**	A	10	8	82	
3533	9.2	205	8.8	37	7.4	10.7	**	A	10	8	82	
3533	9.1	205	8.7	37	7.4	10.7	**	A	10	8	86	
3533	10.0	198	8.8	37	7.4	10.7	**	A	10	8	57	
3534	9.8	200	8.7	37	7.4	10.6		A	10	5	92	
3534	9.8	201	8.7	37	7.5	10.7	**	A	10	8	89	
3534	10.0	201	8.8	38	7.5	10.6	**	A	10	8	90	
3535	10.0	198	8.7	38	7.5	10.6	**	A	10	8	91	
3535	10.1	198	8.8	38	7.5	10.6	**	A	10	8	91	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	DD GT	D	C.E.	PART	MAX	SPD COR
3535	10.3	193	8.8	38	7.5	10.5	**	A	10	8	89	
3535	10.2	191	8.8	38	7.5	10.6	**	A	10	8	89	
3536	9.9	195	8.8	38	7.5	10.5	**	A	10	8	26	
3536	9.8	194	8.7	37	7.5	10.6		A	10	8	49	
3536	9.8	196	8.7	36	7.5	10.6		A	10	8	69	
3537	10.4	198	8.7	36	7.5	10.6		A	10	8	76	
3537	10.1	197	8.7	36	7.5	10.5		C	10	3	63	
3537	10.1	197	8.7	36	7.5	10.5		C	10	3	60	
3538	10.8	201	8.7	36	7.5	10.4	**	A	10	8	66	
3538	11.1	200	8.7	37	7.5	10.3		C	10	2	44	
3538	11.1	200	8.7	37	7.5	10.3	**	A	10	8	56	
3538	11.1	198	8.7	36	7.5	10.2		A	10	5	57	
3539	10.9	191	8.7	37	7.5	10.2	**	A	10	8	73	
3539	10.5	189	8.7	35	7.5	10.1	**	A	10	8	89	
3539	10.4	191	8.7	36	7.5	10.1	**	A	10	8	86	
3540	10.2	192	8.7	36	7.5	10.1	**	A	10	8	89	
3540	10.3	197	8.6	36	7.5	10.1		A	10	5	61	
3540	11.0	198	8.7	36	7.5	10.1		C	10	1	13	
3541	10.9	194	8.7	36	7.5	10.1		C	10	2	47	
3541	9.5	197	8.6	36	7.5	10.0		D	10	3	31	
3542	10.7	209	8.6	36	7.5	10.0	**	D	10	2	29	
3542	30.5	250	8.6	39	7.5	9.9		D	20	1	35	
3542	9.6	198	8.6	36	7.5	9.9		D	10	3	36	
3542	9.9	190	8.6	36	7.5	9.9		D	10	1	32	
3543	10.5	196	8.6	36	7.5	9.8		D	10	3	56	
3543	11.2	211	8.6	36	7.5	9.8	**	A	10	8	71	
3543	11.1	211	8.5	35	7.5	9.8	**	A	10	8	72	
3543	11.2	209	8.5	35	7.6	9.7	**	A	10	8	72	
3544	10.8	206	8.5	33	7.5	9.8	**	A	10	8	86	
3544	12.0	201	8.5	32	7.6	9.7		C	10	2	53	
3544	13.8	207	8.5	32	7.6	9.8		A	10	5	42	
3545	10.5	198	8.5	33	7.6	9.7		A	10	5	69	
3545	9.8	195	8.5	34	7.6	9.7		A	10	5	75	
3546	8.1	190	8.5	35	7.6	9.7		A	10	5	73	
3546	9.0	191	8.5	35	7.5	9.7		A	10	5	57	
3547	6.6	191	8.5	36	7.5	9.6	**	A	10	8	60	
3547	6.2	191	8.4	35	7.5	9.5	**	A	10	8	90	
3547	6.5	191	8.4	35	7.5	9.5	**	A	10	8	89	
3548	6.8	195	8.4	36	7.5	9.4	**	A	10	8	86	
3548	7.6	204	8.4	35	7.5	9.4		A	10	5	73	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO G1	Q	C.E	PART	MAX	SPD CUR
3548	30.2	85	8.4	35	7.4	9.4	**	A	10	8	27	
3549	8.3	205	8.4	34	7.4	9.2	**	A	10	8	56	
3549	8.1	199	8.4	34	7.3	9.1	**	A	10	8	67	
3549	8.1	198	8.4	34	7.3	9.0	**	A	10	8	67	
3549	8.2	200	8.4	34	7.3	8.8		A	10	8	70	
3550	8.3	200	8.4	34	7.3	8.8	**	A	10	8	70	
3550	8.8	210	8.4	35	7.3	8.7	**	A	10	8	72	
3550	8.6	210	8.4	35	7.3	8.7		A	10	8	82	
3551	8.7	208	8.4	35	7.2	8.7	**	A	10	8	79	
3551	9.0	211	8.4	35	7.2	8.7		A	10	8	81	
3551	9.5	212	8.4	35	7.2	8.7		A	10	8	77	
3552	9.4	212	8.4	35	7.2	8.7		A	10	8	74	
3552	9.4	212	8.4	35	7.2	8.7	**	A	10	8	73	
3552	9.5	211	8.4	36	7.2	8.7	**	A	10	8	76	
3553	9.1	209	8.4	36	7.3	8.7	**	A	10	8	73	
3553	9.6	208	8.4	35	7.3	8.7	**	A	10	8	67	
3553	11.9	197	8.4	36	7.2	8.7		A	10	8	63	
3553	12.8	193	8.3	35	7.2	8.7	**	A	10	8	68	
3554	12.6	200	8.3	36	7.2	8.7	**	A	10	8	72	
3554	12.1	202	8.3	36	7.2	8.7	**	A	10	8	78	
3554	11.3	206	8.3	37	7.2	8.7		A	10	8	71	
3555	11.7	214	8.3	38	7.2	8.7		A	10	8	61	
3555	11.4	214	8.3	38	7.2	8.7		A	10	8	52	
3555	10.4	217	8.4	39	7.2	8.7	**	A	10	8	64	
3556	8.8	219	8.4	39	7.3	8.7	**	A	10	8	78	
3556	8.9	215	8.3	38	7.3	8.7	**	A	10	8	86	
3556	8.8	216	8.3	38	7.3	8.7	**	A	10	8	87	
3556	8.8	216	8.3	37	7.3	8.7	**	A	10	8	87	
3557	9.6	220	8.3	38	7.3	8.7	**	A	10	8	78	
3557	9.8	221	8.3	38	7.3	8.7	**	A	10	8	68	
3557	9.1	220	8.3	38	7.3	8.7		A	10	8	57	
3558	8.4	216	8.3	38	7.3	8.7	**	A	10	8	61	
3558	8.3	215	8.3	38	7.3	8.7		A	10	8	57	
3558	8.2	216	8.3	38	7.4	8.7		A	10	8	75	
3559	8.4	214	8.3	37	7.3	8.7	**	A	10	8	73	
3559	8.5	213	8.3	37	7.3	8.7	**	A	10	8	77	
3559	8.2	213	8.3	36	7.2	8.7	**	A	10	8	72	
3560	8.4	214	8.3	36	7.2	8.7	**	A	10	8	70	
3560	8.5	212	8.3	37	7.2	8.7		A	10	8	60	
3560	8.4	217	8.3	37	7.3	8.7		A	10	8	87	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD COR
3560	7.5	219	8.3	37	7.3	8.7	**	A	10	8	76	
3561	7.6	219	8.3	37	7.3	8.8	**	A	10	8	75	
3561	7.2	221	8.4	37	7.3	8.8	**	A	10	8	77	
3561	5.2	210	8.4	36	7.3	8.8		A	10	7	72	
3562	5.3	205	8.4	36	7.3	8.8	**	A	10	4	54	
3562	5.4	228	8.4	37	7.3	8.8		A	10	5	69	
3562	5.9	228	8.4	36	7.4	8.8		A	10	5	76	
3563	6.6	229	8.3	36	7.4	8.8		A	10	8	81	
3563	6.9	238	8.3	37	7.4	8.8	**	A	10	8	73	
3563	7.1	249	8.4	37	7.5	8.8	**	A	10	8	81	
3563	8.2	270	8.4	36	7.5	8.8	**	A	10	8	70	
3564	11.0	290	8.4	36	7.5	8.8	**	A	10	8	68	
3564	11.7	282	8.4	35	7.5	8.8	**	A	10	8	82	
3564	10.4	280	8.4	35	7.5	8.9	**	A	10	8	77	
3565	9.6	277	8.4	35	7.5	8.9		A	10	5	80	
3565	12.9	199	8.4	36	7.5	9.0	**	A	10	8	93	
3565	14.6	204	8.4	36	7.5	9.0		A	10	5	47	
3566	11.9	205	8.4	37	7.5	9.0		C	10	3	52	
3566	12.1	201	8.4	38	7.5	9.0		C	10	3	60	
3566	12.1	203	8.4	38	7.5	9.0		A	10	8	86	
3567	12.2	205	8.4	38	7.5	9.0		A	10	8	85	
3567	11.6	204	8.4	37	7.5	9.0		A	10	8	87	
3567	11.4	198	8.4	36	7.5	9.0	**	A	10	8	80	
3567	11.2	200	8.4	37	7.5	9.0	**	A	10	8	77	
3568	11.3	194	8.4	37	7.5	9.0	**	A	10	8	75	
3568	11.3	200	8.4	38	7.4	9.0	**	A	10	8	76	
3568	11.3	200	8.4	38	7.4	9.0	**	A	10	8	76	
3569	11.6	200	8.4	39	7.4	8.9	**	A	10	8	83	
3569	11.1	204	8.4	38	7.4	9.0	**	A	10	8	93	
3569	10.8	205	8.4	37	7.5	9.0	**	A	10	8	82	
3570	11.1	203	8.6	37	7.4	9.0	**	A	10	8	89	
3570	11.2	203	8.5	37	7.4	9.0	**	A	10	8	88	
3570	11.4	202	8.5	37	7.4	9.0	**	A	10	8	83	
3570	11.6	202	8.5	37	7.4	9.0	**	A	10	8	83	
3571	11.6	202	8.5	37	7.4	9.0	**	A	10	8	70	
3571	11.0	204	8.5	37	7.4	9.1	**	A	10	8	74	
3571	11.2	204	8.5	37	7.4	9.1	**	A	10	8	78	
3572	10.6	205	8.5	37	7.4	9.1	**	A	10	8	82	
3572	10.1	206	8.6	37	7.4	9.1	**	A	10	8	89	
3572	9.1	199	8.6	36	7.4	9.1		A	10	8	72	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	GU GI	Q	C.E.	PART	MAX	SPD COR	
3573	9.1	196	8.6	36	7.4	9.1		A	10	8	72		*
3573	9.0	197	8.6	36	7.4	9.1		A	10	8	73		*
3573	9.0	196	8.6	36	7.4	9.1		A	10	8	78		*
3574	10.8	202	8.6	36	7.4	9.1	**	A	10	8	85		*
3574	9.3	217	8.6	36	7.4	9.1	**	A	10	8	84		*
3574	9.3	218	8.6	36	7.5	9.1	**	A	10	8	86		*
3574	9.4	216	8.6	35	7.5	9.2	**	A	10	8	84		*
3575	10.3	223	8.7	36	7.5	9.3	**	C	10	2	85		*
3575	9.9	203	8.7	36	7.5	9.4		C	10	1	56		*
3575	9.1	197	8.7	35	7.5	9.4		A	10	5	89		*
3576	10.9	202	8.7	36	7.5	9.4	**	A	10	8	85		*
3576	10.3	200	8.7	36	7.6	9.4		A	10	8	96		*
3576	10.1	201	8.7	36	7.6	9.5	**	A	10	8	93		*
3577	10.7	208	8.7	36	7.5	9.5	**	A	10	8	76		*
3577	10.1	209	8.7	37	7.5	9.5		A	10	8	82		*
3577	10.1	207	8.8	37	7.5	9.5		A	10	8	51		*
3577	10.1	207	8.8	36	7.5	9.5		C	10	2	81		*
3578	8.3	208	8.8	36	7.5	9.5	**	D	10	2	34		*
3579	8.6	202	8.7	35	7.5	9.6		D	10	3	59		*
3579	9.5	200	8.8	35	7.5	9.6		D	10	2	69		*
3579	11.1	196	8.8	35	7.5	9.6		B	10	4	59		*
3580	11.1	206	8.8	36	7.5	9.6		A	10	8	82		*
3580	10.6	204	8.8	36	7.5	9.6	**	A	10	8	81		*
3580	10.4	207	8.8	36	7.5	9.6	**	A	10	8	74		*
3581	10.4	206	8.9	36	7.5	9.6		A	10	8	76		*
3581	10.0	206	8.9	36	7.5	9.7		A	10	8	69		*
3581	10.2	206	8.9	36	7.5	9.7		A	10	5	78		*
3581	10.3	206	8.9	36	7.4	9.7		C	10	3	74		*
3582	10.2	207	8.9	36	7.5	9.7		C	10	3	69		*
3582	9.9	207	8.8	36	7.4	9.7		C	10	3	71		*
3582	22.9	247	8.8	36	7.4	9.8	**	B	20	8	41		*
3583	25.0	251	8.9	36	7.4	9.8		D	20	2	51		*
3583	11.5	209	8.9	36	7.4	9.8		D	10	2	20		*
3583	10.9	206	8.9	37	7.4	9.8		B	10	5	47		*
3583	10.9	206	8.9	36	7.4	9.8		B	10	5	49		*
3584	11.1	202	8.9	38	7.5	9.8		D	10	3	52		*
3584	11.4	209	8.9	38	7.5	9.8		B	10	5	62		*
3585	10.2	215	8.9	38	7.6	9.8		D	10	3	73		*
3585	10.1	211	9.0	38	7.5	9.8		D	10	1	49		*
3585	12.1	208	9.0	37	7.5	9.8		D	10	3	39		*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4		LO GT	Q	C.E	PART	MAX	SPD COR	*
3585	12.1	202	9.0	36	7.5	9.8			D	10	1	59		*
3586	NO CORR		8.9	36	7.5	9.8								*
3586	11.0	208	8.9	37	7.5	9.9			D	10	1	44		*
3588	11.0	203	8.9	36	7.5	9.9			D	10	1	55		*
3587	10.2	207	8.9	36	7.5	9.9			D	10	1	57		*
3587	10.3	206	8.9	36	7.5	9.9			D	10	3	70		*
3587	10.2	206	8.9	36	7.5	9.9			D	10	3	60		*
3588	10.5	209	8.9	37	7.6	10.0			D	10	1	29		*
3588	NO CORR		9.0	37	7.6	10.0								*
3589	17.6	222	9.1	37	7.6	10.1			D	10	3	67		*
3589	17.6	218	9.1	37	7.6	10.1			D	10	3	43		*
3589	18.1	225	9.1	37	7.6	10.1			D	10	3	40		*
3590	18.9	226	9.1	36	7.8	10.2			B	10	1	45		*
3590	13.6	203	9.0	37	7.9	10.3			C	10	3	41		*
3590	10.7	214	9.0	38	8.0	10.4			C	10	3	60		*
3591	11.1	214	9.1	38	8.2	10.4			A	10	5	65		*
3591	10.7	214	9.0	37	8.1	10.3			C	10	2	80		*
3591	11.3	210	9.0	37	7.9	10.2			A	10	5	84		*
3592	12.2	211	9.0	36	7.8	10.1			A	10	8	82		*
3592	11.5	203	9.0	35	7.6	10.1			C	10	2	59		*
3592	8.8	206	9.1	34	7.6	10.0			A	10	5	74		*
3593	10.5	208	9.1	36	7.7	10.0		**	A	10	8	72		*
3593	10.5	207	9.0	35	7.7	10.1		**	A	10	8	85		*
3593	10.4	210	9.0	36	7.7	10.1		**	A	10	8	76		*
3594	10.4	210	9.0	36	7.8	10.2		**	A	10	8	75		*
3594	10.1	213	9.0	36	7.9	10.3			A	10	5	75		*
3595	NO CORR		9.0	35	8.3	10.2								*
3595	10.8	208	9.0	35	8.4	10.3			D	10	3	35		*
3595	10.8	206	9.0	35	8.6	10.3			D	10	1	39		*
3596	11.0	210	9.0	35	8.7	10.3			D	10	3	45		*
3596	10.8	213	9.0	36	8.7	10.4			D	10	2	18		*
3596	9.9	216	9.1	36	8.8	10.3		**	D	10	2	17		*
3597	51.8	250	9.1	37	8.6	10.2			D	20	1	18		*
3597	11.6	216	9.0	39	8.6	10.2			D	10	2	17		*
3597	11.2	211	9.0	39	8.6	10.1			D	10	3	39		*
3598	12.4	215	9.0	41	8.5	10.0		**	D	10	2	31		*
3598	12.4	215	9.0	41	8.4	10.0			B	10	5	50		*
3598	11.7	216	9.0	41	8.4	10.0			B	10	5	58		*
3599	NO CORR		9.0	40	8.3	9.8								*
3599	10.6	213	9.1	40	8.2	9.7			D	10	3	29		*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CUR
3599	10.2	211	9.1	39	8.2	9.5		D	10	3	30	
3600	11.0	212	9.1	40	8.1	9.5		D	10	1	33	
3600	11.2	217	9.1	40	7.9	9.4	**	D	10	2	19	
3600	11.0	218	9.1	42	7.7	9.3		D	10	3	40	
3601	10.9	225	9.1	43	7.6	9.2		D	10	1	19	
3601	10.4	230	9.1	44	7.6	9.1		C	10	3	20	
3601	9.5	222	9.1	45	7.5	9.1		A	10	5	55	
3602	9.3	221	9.1	44	7.5	9.0		A	10	5	62	
3602	9.9	221	9.1	43	7.5	9.1		A	10	8	61	
3602	9.9	218	9.1	41	7.5	9.1		A	10	4	28	
3602	9.9	218	9.1	41	7.5	9.1	**	A	10	8	83	
3603	9.9	217	9.1	40	7.4	9.1	**	A	10	8	42	
3603	10.0	215	9.1	39	7.4	9.1		A	10	8	34	
3603	13.7	228	9.1	39	7.4	9.1		D	10	2	48	
3604	12.1	212	9.1	38	7.3	9.0		B	10	4	53	
3604	11.9	221	9.1	39	7.4	9.0		D	10	1	64	
3604	17.0	242	9.1	38	7.3	9.0		D	11	1	13	
3605	34.3	113	9.2	39	7.3	8.9		B	20	5	28	
3605	11.1	215	9.2	39	7.3	8.9		D	10	2	52	
3605	10.9	215	9.1	38	7.3	8.9	**	B	10	8	56	
3606	13.1	222	9.1	39	7.3	8.9		C	10	2	37	
3606	14.2	234	9.1	38	7.2	8.9		C	10	2	54	
3606	14.0	230	9.1	39	7.2	8.9		C	10	2	33	
3606	12.9	225	9.1	39	7.2	8.9		A	10	5	54	
3607	12.8	229	9.1	40	7.2	9.0		A	10	8	64	
3607	10.9	213	9.2	41	7.2	9.0		C	10	3	49	
3607	12.2	213	9.2	40	7.3	9.0		A	10	8	64	
3608	13.5	215	9.2	40	7.3	9.1		C	10	3	55	
3608	13.6	213	9.2	39	7.4	9.1		C	10	3	37	
3608	11.8	212	9.2	39	7.5	9.1		A	10	5	56	
3609	13.1	216	9.2	38	7.7	9.2		A	10	5	51	
3609	10.3	206	9.2	38	7.9	9.2		A	10	8	71	
3609	9.5	206	9.2	38	7.9	9.1		A	10	8	85	
3610	8.9	185	9.2	37	7.8	9.0	**	A	10	8	86	
3610	8.8	190	9.2	38	7.6	8.9	**	A	10	8	85	
3610	9.6	193	9.3	39	7.4	8.9	**	A	10	8	73	
3610	9.7	196	9.2	39	7.3	9.0	**	A	10	5	72	
3611	10.1	200	9.2	39	7.3	9.0	**	A	10	8	73	
3611	10.6	202	9.3	38	7.4	9.0	**	A	10	8	80	
3611	10.5	209	9.3	38	7.4	9.0	**	A	10	8	74	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CUR
3612	10.6	207	9.3	37	7.4	9.0	**	A	10	8	74	
3612	10.7	209	9.3	37	7.4	9.0	**	A	10	8	71	
3612	10.8	210	9.3	38	7.4	9.0	**	A	10	8	68	
3613	11.2	208	9.3	37	7.5	9.0	**	A	10	8	68	
3613	11.1	205	9.3	36	7.5	9.1	**	A	10	8	71	
3613	11.6	202	9.3	38	7.5	9.0	**	A	10	8	79	
3613	11.7	198	9.3	37	7.5	9.0	**	A	10	8	83	
3614	12.0	197	9.3	38	7.6	9.0	**	A	10	8	83	
3614	12.2	194	9.3	37	7.6	8.9	**	A	10	8	75	
3614	11.1	191	9.3	38	7.6	9.0	**	A	10	8	83	
3615	12.0	191	9.3	38	7.6	9.0	**	A	10	8	91	
3615	11.9	193	9.3	39	7.5	9.0	**	A	10	8	91	
3615	13.0	206	9.3	40	7.5	8.9	**	A	10	8	88	
3616	13.4	203	9.3	38	7.5	8.9	**	A	10	8	89	
3616	13.2	209	9.3	38	7.5	8.9	**	A	10	8	83	
3616	13.3	210	9.3	38	7.5	8.9	**	A	10	8	79	
3617	13.1	208	9.3	38	7.5	8.9	**	A	10	8	84	
3617	12.6	216	9.3	38	7.5	8.9	**	A	10	8	77	
3617	12.5	218	9.3	38	7.5	8.9	**	A	10	8	76	
3617	11.9	217	9.3	37	7.5	8.9	**	A	10	8	75	
3618	11.8	221	9.4	37	7.5	8.9	**	A	10	8	85	
3618	11.2	212	9.3	38	7.5	8.9	**	A	10	8	90	
3618	11.5	211	9.3	39	7.5	8.9	**	A	10	8	89	
3619	12.0	212	9.4	39	7.4	9.0	**	A	10	8	89	
3619	13.8	216	9.4	40	7.4	9.0	**	A	10	8	74	
3619	12.9	210	9.4	40	7.3	9.1		A	10	8	67	
3620	13.1	211	9.4	40	7.3	9.1		A	10	8	69	
3620	13.2	209	9.5	40	7.4	9.1		A	10	8	62	
3620	11.8	207	9.5	40	7.4	9.1		A	10	8	50	
3620	12.2	213	9.5	39	7.4	9.1		A	10	8	79	
3621	12.0	212	9.5	39	7.4	9.0	**	A	10	8	69	
3621	12.0	212	9.5	39	7.3	8.9	**	A	10	8	75	
3621	12.1	210	9.5	38	7.3	8.8	**	A	10	8	80	
3622	12.4	211	9.5	38	7.2	8.8	**	A	10	8	73	
3622	12.4	211	9.5	38	7.2	8.7		A	10	8	69	
3622	12.5	211	9.6	38	7.2	8.7	**	A	10	8	73	
3623	12.8	209	9.6	38	7.2	8.7	**	A	10	8	73	
3623	18.5	194	9.5	38	7.2	8.7		A	10	8	76	
3623	18.9	193	9.5	38	7.2	8.7		A	10	8	75	
3624	19.8	192	9.6	38	7.2	8.7	**	A	10	8	67	

Schlumberger

COLUMBIA GAS DEV OF CANA YUKON FEB 15,1980 PAGE 26-FILE 2

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E.	PART	MAX	SPD CUR
3624	17.2	202	9.6	39	7.2	8.7	**	A	10	8	83	
3624	11.9	223	9.6	39	7.2	8.7	**	A	10	8	92	
3624	13.5	221	9.6	39	7.2	8.7	**	A	10	8	93	
3625	12.4	217	9.6	39	7.2	8.7	**	A	10	8	80	
3625	12.8	216	9.6	39	7.2	8.7	**	A	10	8	75	
3625	12.7	210	9.6	39	7.1	8.7	**	A	10	8	72	
3626	13.2	212	9.6	38	7.1	8.7	**	A	10	8	79	
3626	13.4	213	9.6	39	7.1	8.7	**	A	10	8	86	
3626	13.7	214	9.7	39	7.2	8.7	**	A	10	8	89	
3627	13.7	213	9.6	39	7.2	8.6	**	A	10	8	92	
3627	13.9	209	9.7	40	7.2	8.5	**	A	10	8	87	
3627	13.7	208	9.6	39	7.2	8.5	**	A	10	8	83	
3627	15.5	203	9.7	39	7.2	8.5	**	A	10	8	54	
3628	15.9	201	9.7	38	7.2	8.5	**	A	10	8	88	
3628	15.6	205	9.7	39	7.2	8.5	**	A	10	8	83	
3628	16.0	206	9.8	39	7.2	8.4	**	A	10	8	83	
3629	14.9	212	9.8	39	7.2	8.4		A	10	8	78	
3629	15.0	215	9.8	40	7.2	8.4	**	A	10	8	76	
3629	15.6	216	9.8	41	7.2	8.3	**	A	10	8	77	
3630	15.6	216	9.8	41	7.2	8.3	**	A	10	8	84	
3630	16.3	217	9.9	40	7.2	8.3	**	A	10	8	88	
3630	16.5	214	9.8	40	7.2	8.3	**	A	10	8	89	
3631	17.0	212	9.9	39	7.2	8.3	**	A	10	8	88	
3631	16.1	214	9.9	38	7.3	8.3	**	A	10	8	85	
3631	16.0	212	9.9	37	7.2	8.4	**	A	10	8	89	
3631	14.8	216	9.9	34	7.3	8.4	**	A	10	8	88	
3632	15.0	215	9.9	33	7.3	8.4	**	A	10	8	89	
3632	15.4	211	9.8	29	7.2	8.4	**	A	10	8	89	
3632	15.7	206	9.8	26	7.3	8.4	**	A	10	8	83	
3633	16.1	201	9.8	23	7.3	8.4	**	A	10	8	79	
3633	15.9	196	9.8	19	7.3	8.4	**	A	10	8	69	
3633	15.9	191	9.9	16	7.3	8.3	**	A	10	8	74	
3634	16.8	188	9.9	14	7.3	8.2		C	10	2	59	
3634	17.1	195	9.9	15	7.3	8.2	**	A	10	8	68	
3634	18.1	193	9.9	16	7.3	8.1	**	A	10	8	65	
3634	18.3	191	9.9	19	7.3	8.1	**	A	10	8	68	
3635	17.1	193	9.9	21	7.4	8.0	**	A	10	8	83	
3635	17.2	207	9.9	22	7.4	8.0	**	A	10	6	95	
3635	17.2	208	9.9	24	7.4	7.9	**	A	10	8	90	
3636	17.1	208	9.9	26	7.4	7.9	**	A	10	8	84	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LOG	Q	C.F	PART	MAX	SPD COR
3636	17.3	209	9.9	28	7.4	7.9	**	A	10	8	72	
3636	17.6	209	9.9	28	7.4	8.0	**	A	10	8	63	
3637	18.0	208	10.0	28	7.4	8.0		A	10	8	59	
3637	21.1	209	10.0	29	7.5	8.0		A	10	5	38	
3637	20.7	209	10.0	26	7.5	8.0		A	10	5	53	
3638	17.3	213	10.0	26	7.5	8.0		A	10	8	48	
3638	18.4	211	10.0	24	7.5	8.0	**	A	10	8	49	
3638	18.4	205	10.0	22	7.5	8.0	**	A	10	8	46	
3638	17.9	202	10.0	22	7.4	8.0	**	A	10	8	42	
3639	17.1	197	10.0	22	7.3	8.0		A	10	8	61	
3639	15.7	198	10.0	24	7.3	8.0		A	10	8	63	
3639	15.2	199	10.0	26	7.3	8.0		A	10	8	74	
3640	16.1	207	10.0	29	7.2	8.0		A	10	7	57	
3640	15.3	205	10.0	29	7.3	8.0	**	A	10	8	59	
3640	15.7	198	10.0	31	7.4	8.0		A	10	5	62	
3641	13.9	196	10.0	29	7.4	8.1		A	10	8	53	
3641	13.0	195	10.0	28	7.4	8.1	**	A	10	8	53	
3641	13.1	193	10.0	28	7.4	8.1	**	A	10	8	41	
3642	14.0	190	10.0	27	7.4	8.1		A	10	5	32	
3642	5.5	204	10.0	26	7.4	8.1		A	10	5	37	
3642	19.9	85	9.9	23	7.4	8.1	**	D	20	2	11	
3642	8.0	190	10.0	22	7.4	8.2	**	A	10	8	29	
3643	11.3	191	9.9	21	7.3	8.3		A	10	8	33	
3643	15.5	162	9.9	21	7.2	8.2	**	A	10	8	20	
3643	14.2	165	9.9	23	7.2	8.2		A	10	5	29	
3644	15.4	189	9.9	23	7.2	8.2		A	10	4	41	
3644	14.6	200	9.9	24	7.2	8.2	**	A	10	8	39	
3644	14.8	206	9.9	27	7.3	8.2		A	10	8	51	
3645	14.8	206	10.0	28	7.3	8.2		A	10	5	44	
3645	14.3	209	10.0	30	7.4	8.2		C	10	3	34	
3645	13.6	206	10.0	30	7.4	8.2		A	10	8	41	
3645	8.3	217	9.9	30	7.4	8.2		D	10	2	46	
3646	8.3	241	9.9	31	7.4	8.2		B	10	4	62	
3646	8.6	240	9.9	31	7.5	8.2		B	10	4	68	
3646	3.8	198	9.9	33	7.5	8.2		D	10	1	57	
3647	32.7	324	10.0	33	7.7	8.3		D	10	3	28	
3647	NO CORR		10.0	34	7.7	8.2						
3648	34.0	320	9.9	34	7.6	8.2		D	10	1	23	
3649	NO CORR		10.0	32	7.8	8.1						
3650	NO CORR		10.0	32	7.9	8.1						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	GU G1	D	C.E	PART	MAX	SPD COR	
3650	NO CORR		10.0	33	8.0	8.0							*
3651	NO CORR		10.0	32	8.0	8.0							*
3651	NO CORR		9.9	31	8.0	8.0							*
3651	NO CORR		9.9	32	7.9	8.0							*
3652	25.8	300	9.9	29	7.7	8.0		D	10	3	42		*
3653	66.9	219	9.9	28	7.5	8.1		D	20	3	31		*
3653	29.1	300	9.9	29	7.5	8.1		D	10	1	24		*
3653	NO CORR		9.8	30	7.4	8.1							*
3654	33.0	286	9.8	28	7.4	8.0		D	30	3	36		*
3654	NO CORR		9.9	21	7.2	8.0							*
3655	NO CORR		9.9	19	7.2	8.0							*
3655	NO CORR		9.8	20	7.2	8.0							*
3656	NO CORR		9.8	19	7.2	8.0							*
3657	50.0	181	9.9	22	7.1	8.0		D	10	2	20	*	*
3657	49.9	175	9.9	20	7.1	8.0		B	10	5	12	*	*
3658	NO CORR		9.9	22	7.2	8.0							*
3659	NO CORR		9.9	23	7.3	8.0							*
3660	NO CORR		10.0	24	7.4	7.9							*
3660	NO CORR		10.0	25	7.5	7.9							*
3661	NO CORR		10.0	25	7.4	7.9							*
3661	NO CORR		9.9	23	7.5	8.0							*
3661	NO CORR		9.9	23	7.5	7.9							*
3662	NO CORR		9.9	22	7.5	8.0							*
3662	NO CORR		9.9	23	7.5	8.0							*
3662	NO CORR		9.9	24	7.4	8.0							*
3665	NO CORR		10.0	32	7.5	8.1							*
3667	NO CORR		10.0	32	7.5	8.0							*
3667	NO CORR		10.0	33	7.5	8.0							*
3668	11.4	212	10.0	32	7.5	8.1		D	10	1	33		*
3668	11.4	210	10.0	31	7.5	8.1		D	10	1	29		*
3668	10.2	212	10.0	32	7.5	8.0		D	10	3	34		*
3670	12.3	177	10.0	27	7.5	8.1		D	11	1	39		*
3671	56.3	360	10.0	27	7.4	8.1		D	10	3	36		*
3675	43.4	218	10.3	30	7.6	8.2		B	10	5	29		*
3677	NO CORR		10.2	30	7.6	8.1							*
3677	NO CORR		10.3	27	7.6	8.2							*
3679	NO CORR		10.1	29	7.5	8.2							*
3679	NO CORR		10.2	29	7.5	8.3							*
3680	NO CORR		10.1	27	7.4	8.3							*
3681	NO CORR		10.1	27	7.5	8.3							*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	CO CI	Q	C.E.	PART	MAX	SPD CUR
3681	NO CORR		10.1	26	7.5	8.2						
3681	NO CORR		10.1	28	7.4	8.1						
3682	NO CORR		10.2	32	7.5	8.1						
3682	NO CORR		10.2	33	7.5	8.1						
3683	NO CORR		10.2	35	7.4	8.0						
3686	NO CORR		10.2	28	7.3	8.0						
3688	NO CORR		10.1	26	7.4	8.0						
3688	NO CORR		10.1	26	7.3	8.0						
3687	NO CORR		10.1	26	7.2	8.0						
3689	52.4	160	10.1	31	7.5	8.1		D	10	1	43	
3690	50.3	161	10.1	32	7.5	8.0		D	10	3	55	
3690	49.8	159	10.1	34	7.4	8.1		D	10	3	61	
3691	30.8	89	10.1	37	7.4	8.0		D	10	1	57	
3691	31.0	88	10.1	37	7.4	8.0		D	10	1	48	
3691	30.6	86	10.1	37	7.5	8.0		D	10	1	18	
3691	30.4	85	10.1	38	7.5	8.1		D	10	1	37	
3692	10.0	209	10.1	37	7.5	8.2		B	10	5	47	
3693	41.9	168	10.1	37	7.6	8.3		D	10	3	39	
3694	42.5	160	10.1	35	7.8	8.4		D	11	1	28	
3694	NO CORR		10.1	27	7.7	8.3						
3695	49.1	167	10.1	34	7.6	8.3		D	20	3	45	
3696	48.8	161	10.1	37	7.6	8.3		D	20	1	40	
3697	22.2	149	10.1	37	7.6	8.3		D	11	1	11	
3697	21.7	173	10.1	36	7.6	8.2		D	10	3	37	
3698	21.9	171	10.1	35	7.6	8.2		D	10	1	6	
3698	29.0	171	10.1	35	7.6	8.2		D	11	1	27	
3704	NO CORR		10.1	38	7.6	8.6						
3705	56.5	203	10.1	39	7.8	8.6		D	10	3	61	
3706	56.5	204	10.1	40	7.8	8.6		D	10	3	56	
3706	56.0	205	10.1	41	7.8	8.7		D	10	3	52	
3706	56.3	203	10.1	40	7.6	8.7		D	10	3	47	
3707	66.1	299	10.0	41	7.7	8.7		D	10	3	36	
3707	65.8	300	10.0	41	7.7	8.7		D	10	3	21	
3708	65.4	300	10.0	40	7.7	8.7		D	10	3	26	
3709	30.2	135	10.1	40	7.9	8.6		C	10	2	26	
3709	30.3	135	10.1	40	7.9	8.7		C	10	2	36	
3709	31.1	137	10.1	39	8.0	8.7		A	10	8	65	
3709	31.1	136	10.1	40	8.0	8.7		A	10	8	38	
3710	NO CORR		10.1	39	8.0	8.7						
3710	NO CORR		10.1	40	8.1	8.9						

Schlumberger

DEPTH	DIF	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	GU GI	G	C.I.	PART	MAX	SPD COR
3711	NO CORR		10.1	39	8.1	8.6						
3711	13.3	248	10.1	41	8.2	8.6		A	10	5	65	
3711	14.3	245	10.1	40	8.2	8.6		A	10	5	53	
3712	14.2	245	10.1	40	8.2	8.6		A	10	5	53	
3712	13.5	242	10.2	39	8.2	8.6		A	10	8	36	
3713	45.5	272	10.2	39	8.2	8.6		D	10	3	46	
3713	11.3	256	10.1	39	8.3	8.6	**	D	10	2	15	
3714	11.3	255	10.1	38	8.4	8.6	**	D	10	2	29	
3714	11.9	260	10.1	37	8.4	8.5		D	10	3	40	
3714	11.5	259	10.1	36	8.4	8.5		D	10	3	66	
3715	20.1	7	10.1	37	8.4	8.5		D	10	1	26	
3715	20.2	5	10.1	38	8.3	8.6		D	10	1	32	
3715	20.6	6	10.1	38	8.2	8.6	**	D	10	2	19	
3716	21.7	12	10.1	39	8.2	8.5		D	10	3	28	
3716	NO CORR		10.1	40	8.2	8.5						
3717	50.2	178	10.0	40	8.0	8.6		D	10	3	35	
3717	50.2	177	10.0	38	8.0	8.6		D	10	3	37	
3719	44.8	235	10.0	35	7.9	8.5		D	10	1	43	
3719	44.8	238	10.1	34	7.8	8.5		D	10	1	24	
3719	NO CORR		10.1	33	7.8	8.4						
3720	45.1	238	10.1	34	7.7	8.5		D	10	3	40	
3720	45.7	237	10.2	33	7.7	8.5		D	10	1	3	
3721	49.9	170	10.2	37	7.6	8.4		D	10	3	48	
3721	56.4	175	10.2	38	7.6	8.4		D	10	1	13	
3722	21.6	356	10.1	53	7.9	8.3	**	B	20	0	29	
3723	31.7	37	10.0	34	8.1	8.3		D	10	3	47	
3723	28.4	61	10.0	36	8.0	8.4		D	10	1	2	
3723	24.0	204	10.1	36	7.7	8.4		D	11	1	9	
3724	36.4	167	10.0	36	7.6	8.5		D	11	1	46	
3724	34.7	167	10.0	36	7.6	8.5		D	11	1	46	
3725	19.7	161	10.0	35	7.5	8.4		B	20	5	78	
3725	24.3	167	10.0	35	7.5	8.4		B	10	5	70	
3726	26.3	191	10.0	36	7.5	8.3		B	10	5	65	
3726	26.7	190	10.0	35	7.5	8.4		B	10	5	59	
3726	NO CORR		10.0	36	7.5	8.4						
3727	37.7	346	10.0	36	7.5	8.4		D	20	2	31	
3727	30.5	348	10.0	36	7.5	8.4		D	21	1	45	
3727	30.5	346	10.0	36	7.6	8.4		D	21	1	50	
3727	17.9	347	10.0	35	7.6	8.4		D	20	2	71	
3728	43.1	68	10.1	36	7.6	8.4		D	10	3	40	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD CI	Q	C.E	PAKT	MAX	SPD COR	
3728	42.7	67	10.1	35	7.7	8.6		D	10	1	56		*
3729	42.0	67	10.1	37	7.7	8.4		D	10	1	56		*
3729	NO CORR		10.0	41	8.1	8.4							*
3730	NO CORR		10.0	40	8.3	8.5							*
3730	46.8	71	10.0	40	8.2	8.5		D	20	3	34		*
3731	NO CORR		10.0	38	8.9	8.5							*
3731	46.5	28	10.1	38	8.9	8.5		D	11	1	15	*	*
3731	41.2	29	10.1	35	9.0	8.4		D	10	3	30		*
3731	39.0	28	10.0	33	9.0	8.4		D	10	1	23		*
3731	NO CORR		10.0	36	8.2	8.4							*
3734	58.6	36	10.0	36	8.0	8.4		D	10	2	30		*
3735	57.8	37	10.0	34	7.6	8.4		D	10	1	32		*
3735	57.3	37	10.0	34	7.6	8.4		D	10	1	30		*
3736	9.0	224	10.0	35	7.5	8.4		D	10	1	38		*
3736	13.3	193	10.0	36	7.3	8.4		B	10	5	36		*
3736	9.8	209	10.0	36	7.3	8.4		B	10	5	44		*
3738	9.2	205	10.0	36	7.3	8.4		B	10	8	73		*
3739	10.6	221	10.0	36	7.3	8.5		A	10	8	63		*
3739	10.9	222	10.0	37	7.3	8.5		A	10	8	62		*
3739	11.8	227	10.0	37	7.3	8.5		C	10	3	45		*
3740	11.9	231	10.0	38	7.3	8.5		A	10	8	79		*
3740	NO CORR		10.0	37	7.3	8.4							*
3741	9.4	113	10.0	36	7.3	8.4		D	20	3	69		*
3742	31.9	56	10.0	34	7.1	8.3		D	10	1	56		*
3742	31.2	56	10.0	34	7.5	8.4		D	10	1	54		*
3742	30.5	57	10.0	34	7.6	8.4		D	10	3	54		*
3743	31.8	57	10.0	35	7.6	8.5		D	10	1	59		*
3743	NO CORR		10.0	36	7.6	8.5							*
3743	13.3	116	10.0	37	7.6	8.5		D	20	1	24		*
3744	8.8	129	10.0	39	7.6	8.5		D	20	1	45		*
3744	17.8	124	10.0	38	7.6	8.5		A	10	8	83		*
3744	17.6	125	10.0	39	7.5	8.5		A	10	8	80		*
3745	17.8	124	10.0	38	7.5	8.5		A	10	8	81		*
3745	17.8	124	10.0	37	7.5	8.6		A	10	8	81		*
3745	NO CORR		10.0	36	7.5	8.6							*
3746	5.3	38	10.0	36	7.5	8.5		C	10	2	30		*
3746	5.1	50	10.0	34	7.6	8.5		C	10	4	47		*
3747	5.9	43	10.0	34	7.5	8.6		C	10	1	48		*
3747	5.4	51	10.0	32	7.6	8.6		C	10	3	72		*
3748	15.3	212	10.0	33	7.5	8.6		D	10	2	51		*

Schlumberger

DEPTH	DIF	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LQ GI	Q	C.E	PART	MAX	SPD CTR
3748	13.1	206	10.0	35	7.4	8.6		B	10	4	58	
3748	13.3	210	10.0	37	7.4	8.6		B	10	4	59	
3749	15.6	215	10.0	37	7.4	8.6		D	10	2	61	
3749	NO CORR		10.0	37	7.5	8.6						
3750	39.9	153	10.0	34	7.5	8.7		C	10	3	56	
3750	40.5	155	10.0	35	7.5	8.7		C	10	3	69	
3751	40.2	154	10.0	37	7.6	8.6		C	10	3	54	
3751	39.9	157	10.0	40	7.7	8.6		C	10	3	58	
3752	NO CORR		10.0	44	8.1	8.6						
3754	NO CORR		10.0	37	8.8	8.4						
3755	38.1	167	9.9	36	7.6	8.5		D	20	3	27	
3756	37.6	168	9.9	36	7.5	8.6		D	20	3	5	
3756	38.2	168	9.9	37	7.5	8.6		D	20	1	4	
3756	NO CORR		9.9	37	7.5	8.6						
3757	14.2	222	9.9	37	7.5	8.6		D	10	1	12	
3757	12.8	272	9.9	37	7.5	8.6		B	10	4	55	
3757	13.8	250	9.9	38	7.5	8.6	**	D	10	2	0	
3760	NO CORR		9.9	39	7.2	8.5						
3761	30.4	159	9.9	34	7.2	8.4		D	10	1	18	
3762	30.5	160	9.9	35	7.1	8.4		D	10	1	27	
3762	30.9	161	9.9	38	7.1	8.4		D	10	3	43	
3762	30.6	161	9.9	37	7.1	8.4		D	10	1	43	
3764	NO CORR		9.9	36	7.2	8.4						
3763	NO CORR		9.9	36	7.2	8.4						
3763	NO CORR		9.9	36	7.2	8.4						
3764	62.2	290	9.9	36	7.2	8.4		D	10	3	50	
3764	62.5	289	9.9	35	7.2	8.4		D	10	1	21	
3764	70.3	281	9.9	35	7.2	8.4		D	20	3	30	
3765	NO CORR		9.8	35	7.2	8.5						
3765	10.9	207	9.8	36	7.2	8.5		C	10	3	57	
3766	12.5	203	9.9	37	7.2	8.5	**	A	10	8	51	
3766	12.4	205	9.9	38	7.3	8.5		A	10	8	53	
3766	12.3	204	9.9	37	7.4	8.6	**	A	10	8	35	
3766	15.4	180	9.8	37	7.4	8.6		D	20	3	27	
3767	53.1	128	9.8	38	7.4	8.6		D	11	1	17	
3767	50.5	129	9.8	38	7.5	8.6		D	11	1	39	
3768	58.0	130	9.8	40	7.5	8.5		D	10	3	18	
3768	57.9	127	9.8	40	7.5	8.4		D	10	3	34	
3769	57.8	129	9.9	40	7.5	8.4		D	10	3	18	
3769	NO CORR		9.9	38	7.4	8.4						

Schlumberger

COLUMBIA GAS DEV OF CANA YUKON FEB 15,1980 PAGE 43-FILE 2

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4		GU GI	C.F	PART	MAX	SPD COR	
3770	12.6	180	9.9	36	7.4	8.4		B	20	5	28		
3770	13.4	169	9.9	35	7.3	8.5		D	20	1	32		
3773	NO CURR		9.8	33	7.5	8.3							
3774	14.7	171	9.8	30	7.5	8.4	**	D	10	2	28		
3775	15.0	186	9.7	26	7.3	8.4		D	10	1	37		
3776	14.2	189	9.6	24	7.3	8.4		D	10	1	43		
3777	NO CURR		9.6	25	7.5	8.2							
3777	51.7	212	9.7	28	7.6	8.2		D	10	3	32		
3778	49.6	212	9.7	32	7.6	8.2		D	10	1	40		
3779	46.4	210	9.7	34	7.5	8.3		D	11	1	0		
3779	NO CURR		9.7	35	7.5	8.3							
3780	NO CURR		9.8	38	7.6	8.2							
3780	NO CURR		9.9	40	7.8	8.2							
3781	NO CURR		9.9	41	7.8	8.2							
3781	NO CURR		9.9	40	7.8	8.2							
3781	NO CURR		9.9	40	7.8	8.1							
3782	NO CURR		9.9	43	7.7	8.1							
3783	9.6	211	9.9	45	7.8	8.2		D	10	1	12		
3784	7.5	219	9.9	46	7.9	8.2		B	10	5	20		
3784	8.6	217	9.9	46	8.0	8.2		D	10	3	6		
3784	NO CURR		9.9	46	8.0	8.2							
3784	15.7	244	9.9	46	8.0	8.2		D	11	1	20		
3784	15.6	245	9.9	46	8.1	8.2		D	11	1	14		
3785	48.0	269	9.9	46	8.1	8.2		D	20	1	28		
3785	6.6	218	9.9	46	8.1	8.1		D	10	3	56		
3785	11.1	209	9.8	47	8.1	8.2		C	10	1	40		
3786	10.9	210	9.8	48	8.1	8.1		C	10	3	66		
3786	11.3	207	9.8	47	8.1	8.1		C	10	3	59		
3786	11.0	206	9.8	46	8.1	8.1		C	10	3	53		
3787	48.9	170	9.8	45	7.9	8.2		D	11	1	40		
3787	55.4	168	9.8	44	8.0	8.2		D	10	3	55		
3788	55.4	168	9.8	45	8.0	8.2		D	10	3	43		
3788	55.2	167	9.8	44	8.1	8.2		D	10	3	45		
3788	NO CURR		9.8	44	8.1	8.1							
3789	56.5	152	9.8	47	8.1	8.2		D	11	2	31		
3790	59.4	170	9.8	46	8.1	8.2		D	10	1	27		
3791	NO CURR		9.8	45	8.1	8.1							
3792	NO CURR		9.8	48	8.2	8.1							
3792	NO CURR		9.8	66	8.3	8.1							
3793	47.8	225	9.9	47	8.3	8.1		D	20	1	26		

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	QD	Q	C.E	PART	MAX	SPD COR	
3793	46.9	100	9.8	47	8.3	8.1		D	10	3	24		
3794	47.4	99	9.8	46	8.3	8.1		D	10	1	17		
3794	47.1	100	9.8	46	8.3	8.1		D	10	1	12		
3795	38.3	7	9.7	47	8.3	8.2	**	D	10	2	3	*	
3795	38.6	7	9.7	49	8.3	8.2	**	D	10	2	10	*	
3795	38.5	8	9.7	50	8.3	8.2		D	10	3	40	*	
3796	38.5	9	9.7	51	8.3	8.1	**	D	10	2	47	*	
3796	58.8	304	9.8	48	8.3	8.2		C	10	3	33		
3796	58.7	304	9.8	48	8.3	8.2		C	10	3	47		
3796	58.5	305	9.8	47	8.2	8.2		C	10	3	62		
3798	58.9	307	9.8	48	8.2	8.1		C	10	1	65		
3799	NO CORR		9.7	47	8.3	8.1							
3802	NO CORR		9.6	43	8.1	10.9							
3803	36.5	277	9.6	42	8.0	11.2		D	10	3	16		
3803	61.9	277	9.5	45	8.1	11.0		D	10	1	21		
3804	NO CORR		9.5	43	8.0	11.0							
3805	23.3	241	9.5	38	8.0	10.5		D	11	1	25		
3806	23.5	240	9.5	37	7.9	10.0		D	10	3	34		
3806	NO CORR		9.5	37	7.9	9.6							
3807	15.3	216	9.5	39	8.0	9.5		C	10	2	40		
3807	15.1	220	9.5	43	8.1	9.3		A	10	5	38		
3807	15.1	221	9.5	45	8.0	8.8		A	10	5	68		
3808	14.4	221	9.4	40	8.0	8.5	**	A	10	8	57		
3808	NO CORR		9.4	45	7.8	8.1							
3809	NO CORR		9.4	44	7.8	8.1							
3810	45.9	307	9.4	46	8.0	8.1		D	11	1	21		
3810	43.3	307	9.4	47	8.1	8.1		D	10	1	37		
3811	40.5	304	9.3	47	8.2	8.1		D	10	1	28		
3811	36.1	304	9.3	47	8.2	8.2		D	10	3	56		
3811	37.1	303	9.3	47	8.2	8.2		D	10	3	57		
3812	38.4	303	9.3	47	8.2	8.1		D	10	3	47		
3812	14.4	85	9.3	47	8.2	8.1		C	10	1	14		
3812	14.3	80	9.3	48	8.1	8.0		C	10	3	25		
3813	14.6	79	9.3	48	8.1	8.0		C	10	3	24		
3813	13.7	79	9.3	48	8.1	8.1		C	10	3	24		
3813	NO CORR		9.3	46	8.1	8.1							
3813	NO CORR		9.3	47	8.9	8.0							
3814	12.3	201	9.3	43	8.0	8.1		D	10	3	22		
3814	NO CORR		9.4	36	8.0	8.0							
3815	NO CORR		9.4	41	7.6	8.2							

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LI GI	Q	C.E	PARM	MAX	SPD COR
3815	15.6	179	9.4	44	7.5	8.3		D	11	1	21	
3816	NO CORR		9.4	45	7.5	8.4						
3816	NO CORR		9.3	44	7.5	8.5						
3817	NO CORR		9.4	41	7.4	8.5						
3818	54.4	214	9.4	41	7.6	8.6		D	10	3	38	
3819	55.5	134	9.3	43	7.3	8.6		D	10	3	51	
3819	54.9	133	9.3	44	7.3	8.6		D	10	3	46	
3820	NO CORR		9.2	45	7.4	8.6						
3820	48.5	134	9.2	47	7.3	8.6		D	11	1	21	
3821	56.8	143	9.3	48	7.4	8.6		D	11	1	44	
3821	60.6	146	9.3	47	7.4	8.7		D	20	2	49	
3821	59.0	146	9.3	45	7.4	8.6		D	20	3	61	
3822	55.0	140	9.3	44	7.4	8.7		D	10	1	55	
3822	28.2	13	9.3	44	7.5	8.7		D	20	3	59	
3823	29.9	10	9.3	46	7.5	8.6		D	20	1	32	
3823	42.0	355	9.3	46	7.5	8.6		D	10	1	37	
3823	43.0	350	9.3	47	7.5	8.6		D	10	3	35	
3824	39.9	356	9.3	48	7.5	8.7		D	10	3	30	
3826	NO CORR		9.2	47	7.2	8.3						
3826	NO CORR		9.2	48	7.2	8.3						
3827	NO CORR		9.2	49	7.2	8.3						
3827	NO CORR		9.2	48	7.3	8.3						
3827	NO CORR		9.2	47	7.4	8.3						
3827	NO CORR		9.2	45	7.3	8.4						
3829	NO CORR		9.2	44	7.3	8.4						
3831	NO CORR		9.2	41	7.3	8.3						
3832	NO CORR		9.2	41	7.3	8.3						
3833	23.5	24	9.2	47	7.4	8.3		D	10	3	39	
3833	21.6	21	9.2	44	7.4	8.2		D	10	3	49	
3834	27.8	21	9.2	40	7.4	8.2		D	10	3	62	
3835	NO CORR		9.1	22	7.2	8.1						
3835	NO CORR		9.1	24	7.2	8.1						
3836	NO CORR		9.1	25	7.3	8.1						
3836	NO CORR		9.1	25	7.3	8.1						
3836	22.8	31	9.1	24	7.4	8.1		D	10	3	64	
3837	11.6	264	9.1	23	7.4	8.2		D	20	3	31	
3839	NO CORR		9.2	34	7.6	8.1						
3840	21.2	212	9.2	35	8.0	8.1		D	21	1	33	
3841	21.5	206	9.2	38	8.0	8.1		D	20	4	65	
3841	19.7	197	9.2	40	8.0	8.0		D	20	3	79	

Schlumberger

COLUMBIA GAS DEV OF CANA YUKON FEB 15,1980 PAGE 36 FILE 2

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD	Q	C.I.	PART	MAX	SPD CDR
3841	18.4	201	9.2	41	7.9	8.1		D	20	1	67	
3841	27.9	59	9.2	41	7.8	8.1	**	B	10	4	54	
3842	28.8	64	9.2	41	7.8	8.1	**	D	10	2	73	
3842	28.6	56	9.2	42	7.8	8.1	**	B	10	4	56	
3842	34.1	55	9.2	42	7.8	8.2	**	D	13	2	56	
3843	25.2	194	9.2	42	7.8	8.3		D	21	1	46	
3843	8.5	200	9.2	41	7.8	8.3		D	21	1	47	
3844	NO CORR		9.2	38	7.9	8.3						
3844	16.4	179	9.2	37	8.0	8.2		B	10	3	41	
3845	16.8	176	9.2	35	8.0	8.2		B	10	4	50	
3845	20.4	163	9.2	40	8.0	8.2		D	10	1	66	
3845	14.3	180	9.2	36	8.1	8.3		D	10	2	65	
3846	14.6	181	9.2	37	8.2	8.3		D	10	2	47	
3846	8.3	199	9.2	37	8.2	8.2		B	11	4	58	
3846	7.3	201	9.2	37	8.2	8.2		A	10	6	71	
3847	9.2	211	9.2	37	8.1	8.2		A	10	5	57	
3847	9.0	209	9.2	37	8.1	8.2		C	10	3	57	
3847	10.0	222	9.2	37	8.1	8.2		C	10	1	65	
3848	3.1	19	9.2	36	8.1	8.2		D	11	1	23	
3848	0.5	63	9.2	37	8.0	8.2		D	10	1	64	
3848	3.0	205	9.2	35	8.0	8.2		B	10	3	37	
3849	2.5	206	9.2	35	7.9	8.1		B	10	5	38	
3849	19.0	181	9.2	35	7.9	8.2	**	B	20	8	33	
3849	19.9	184	9.2	39	8.0	8.2		B	20	5	40	
3851	16.3	163	9.1	40	8.0	8.3		D	10	1	33	
3851	31.7	230	9.1	39	8.0	8.4		D	20	3	27	
3852	33.9	238	9.2	39	7.9	8.5		D	21	1	27	
3852	32.0	220	9.1	38	7.9	8.5		D	20	2	24	
3852	18.5	188	9.2	38	7.9	8.5		D	10	1	12	
3852	14.2	180	9.2	39	7.9	8.4		D	10	3	35	
3853	13.3	174	9.1	39	7.9	8.3		D	10	1	48	
3853	12.4	230	9.2	38	8.0	8.2	**	B	10	4	47	
3853	9.4	219	9.2	36	8.0	8.2	**	D	10	2	45	
3854	10.5	214	9.2	36	8.0	8.2		D	10	1	15	
3854	10.9	213	9.2	37	8.0	8.2		D	10	1	17	
3855	13.1	195	9.2	46	7.6	8.8		A	10	5	54	
3856	13.3	199	9.1	46	7.6	8.7		A	10	5	46	
3856	15.3	207	9.2	45	7.6	8.7		A	10	4	51	
3856	18.7	216	9.1	45	7.6	8.7		A	10	5	57	
3856	16.9	213	9.1	45	7.5	8.7		A	10	5	67	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.F	PART	MAX	SPD CON
3857	18.1	209	9.2	45	7.5	8.7		A	10	8	73	
3857	14.6	158	9.2	46	7.5	8.7		C	10	3	54	
3857	14.1	172	9.2	47	7.5	8.7		A	10	5	47	
3858	14.1	172	9.1	47	7.5	8.6		A	10	5	50	
3858	9.2	215	9.1	47	7.6	8.6		C	10	1	34	
3859	13.7	198	9.1	47	7.6	8.6	**	A	10	6	70	
3859	13.6	199	9.1	47	7.7	8.6	**	A	10	6	78	
3859	13.1	200	9.1	47	7.7	8.6	**	A	10	8	74	
3859	13.1	199	9.1	46	7.7	8.6	**	A	10	8	74	
3860	NO CURR		9.0	44	7.7	8.7						
3860	NO CURR		9.0	46	7.6	8.7						
3861	12.0	164	9.1	46	7.6	8.7		B	10	5	28	
3861	12.4	164	9.1	46	7.6	8.7		A	10	6	57	
3861	11.5	164	9.1	46	7.6	8.7		A	10	8	84	
3862	11.4	163	9.0	45	7.7	8.7		A	10	6	79	
3862	4.5	169	9.0	45	7.7	8.7		C	10	1	45	
3862	12.4	153	9.0	46	7.7	8.7		C	10	1	57	
3863	NO CURR		9.1	47	7.6	8.7						
3863	8.5	204	9.1	48	7.6	8.7		C	10	2	31	
3863	9.5	216	9.0	49	7.5	8.7		C	10	2	38	
3864	8.7	215	9.0	50	7.5	8.7		A	10	5	64	
3864	5.9	212	9.0	50	7.5	8.6		A	10	5	76	
3864	6.4	205	9.0	51	7.4	8.6		A	10	5	89	
3865	5.7	205	9.1	50	7.4	8.6		A	10	5	81	
3865	5.6	206	9.1	50	7.5	8.6		A	10	5	77	
3865	24.2	218	9.1	50	7.6	8.5		D	30	1	51	
3866	4.7	196	9.1	50	7.7	8.4		D	11	1	45	
3866	11.6	182	9.1	50	8.0	8.3		D	10	3	51	
3866	11.3	180	9.0	48	8.1	8.3		D	10	1	61	
3866	13.0	215	9.0	47	8.1	8.3	**	A	10	8	85	
3867	13.2	217	9.1	47	7.9	8.3		A	10	6	75	
3867	12.7	218	9.1	47	7.6	8.4	**	A	10	8	82	
3867	12.7	220	9.0	49	7.3	8.3	**	A	10	8	65	
3868	12.4	227	9.1	49	7.5	8.2		A	10	5	54	
3868	15.2	227	9.1	48	7.8	8.2		C	10	1	36	
3869	NO CURR		9.0	45	8.8	8.3						
3869	45.0	186	4.0	43	9.0	8.4	**	D	10	2	32	
3869	45.9	186	8.9	45	8.8	8.5		B	10	4	46	
3870	47.3	180	8.9	46	8.3	8.5	**	D	10	2	22	
3870	47.3	181	8.9	46	7.9	8.6		B	10	5	34	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	GU	Q	C.E	PART	MAX	SPD CON
3870	NO CORR		8.9	90	7.5	8.7						
3871	49.7	269	8.9	49	7.4	8.7		D	10	3	32	
3871	49.6	271	8.9	48	7.4	8.7	**	D	10	2	38	
3872	49.9	270	8.9	47	7.5	8.7	**	D	10	2	0	
3872	10.2	210	8.9	47	7.5	8.8		D	10	3	44	
3872	9.5	218	8.9	46	7.5	8.8	**	D	10	2	4	
3873	9.8	216	8.9	46	7.5	8.8		D	10	3	43	
3873	9.9	217	8.9	46	7.5	8.8		D	10	3	50	
3873	39.2	46	8.9	46	7.9	8.7	**	A	10	4	10	
3874	39.1	44	8.9	46	7.9	8.8	**	A	10	4	7	
3874	39.6	40	8.9	45	7.8	8.8		A	10	5	41	
3874	39.0	41	8.8	44	7.7	8.7		A	10	7	51	
3875	41.7	37	8.8	45	7.7	8.7		D	10	3	32	
3875	32.2	148	8.8	50	7.6	8.7		D	10	1	53	
3876	31.9	151	8.8	51	7.5	8.9		D	10	3	41	
3876	31.9	154	8.9	53	7.5	8.9		D	10	3	40	
3876	34.5	156	8.9	52	7.7	8.9		D	10	3	60	
3876	57.3	158	8.7	50	8.3	8.5		D	10	3	31	
3880	NO CORR		8.7	94	8.5	8.2						
3880	39.8	65	8.7	45	8.4	8.2	**	D	10	2	9	
3881	38.9	62	8.7	46	8.1	8.3		D	10	3	37	
3881	12.1	208	8.6	46	7.4	8.3		A	10	5	47	
3882	12.0	208	8.7	46	7.4	8.4		A	10	5	54	
3882	11.9	209	8.7	47	7.6	8.5		A	10	5	53	
3882	11.2	203	8.7	47	7.4	8.6		A	10	6	48	
3883	28.2	5	8.7	46	7.5	8.6		D	10	3	33	
3883	29.2	4	8.7	47	7.4	8.6		D	10	2	47	
3884	8.4	92	8.7	47	7.6	8.5		D	20	3	55	
3884	32.8	6	8.7	49	7.7	8.5	**	D	10	2	44	
3884	32.2	8	8.7	49	7.8	8.6	**	D	10	2	57	
3884	11.8	35	8.7	48	7.9	8.5		D	21	1	78	
3885	19.9	133	8.7	46	8.3	8.5	**	D	20	2	28	
3885	19.8	144	8.7	45	8.4	8.5		D	20	1	11	
3886	19.3	142	8.7	45	8.4	8.6		D	20	1	38	
3886	18.9	146	8.7	47	8.3	8.6		D	20	1	67	
3886	14.4	165	8.7	46	8.3	8.6		D	21	2	18	
3887	43.5	190	8.7	46	8.2	8.6		D	10	3	50	
3887	42.6	191	8.6	48	8.2	8.5		D	10	3	41	
3888	43.1	192	8.6	48	8.0	8.3		D	10	3	31	
3888	26.0	202	8.5	46	7.8	8.2		D	11	1	29	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	FQ	Q	C.E.	PART	MAX	SPD COR
3884	24.7	190	8.5	48	7.8	8.2		D	10	1	35	
3885	26.4	194	8.5	47	7.7	8.1	**	B	10	6	18	
3886	24.8	189	8.6	46	7.6	8.1		D	10	3	32	
3887	23.9	176	8.6	44	7.6	8.1		D	10	1	31	
3890	7.9	114	8.6	44	7.5	8.0		D	21	1	39	
3890	NO CORR		8.6	44	7.3	8.0						
3891	3.2	79	8.6	44	7.3	8.1		D	20	1	53	
3891	3.1	92	8.6	45	7.3	8.2		D	20	3	59	
3891	18.3	219	8.6	45	7.3	8.2		D	10	3	48	
3891	18.5	218	8.6	46	7.4	8.3		D	10	3	45	
3892	16.8	167	8.6	45	7.5	8.3		D	11	1	44	
3892	42.1	107	8.6	46	7.5	8.4		D	20	1	40	
3892	NO CORR		8.6	47	7.6	8.4						
3893	17.8	222	8.6	48	7.6	8.4		D	10	2	45	
3894	17.3	222	8.6	46	7.8	8.4		B	10	4	50	
3895	16.2	87	8.6	47	8.1	8.5		D	10	3	9	
3895	16.8	82	8.6	47	8.1	8.4		D	10	2	15	
3895	16.5	85	8.7	46	8.0	8.4		D	10	2	12	
3897	NO CORR		8.6	48	8.5	8.5						
3897	41.2	130	8.5	48	8.4	8.5		D	30	3	11	
3898	41.2	130	8.6	48	8.4	8.5		D	30	3	19	
3898	33.0	178	8.5	48	8.4	8.5		D	20	3	32	
3898	NO CORR		8.5	51	8.5	8.3						
3899	NO CORR		8.5	53	8.1	8.3						
3899	NO CORR		8.4	52	7.8	8.3						
3900	54.3	175	8.5	48	7.6	8.2		D	10	3	45	
3901	28.5	212	8.5	47	7.6	8.3		D	10	3	43	
3901	24.8	215	8.5	47	7.6	8.3		D	10	1	55	
3901	30.7	210	8.5	47	7.6	8.3		D	10	1	43	
3902	33.8	208	8.5	46	7.6	8.3		D	10	1	9	
3902	NO CORR		8.6	46	7.5	8.3						
3902	NO CORR		8.6	47	7.5	8.4						
3903	52.8	192	8.6	47	7.5	8.4		D	21	1	45	
3903	38.8	355	8.5	45	7.4	8.2		D	10	1	32	
3904	40.0	351	8.5	44	7.4	8.2		D	10	3	15	
3904	36.5	348	8.6	44	7.4	8.2	**	D	10	4	32	
3904	37.0	340	8.6	44	7.4	8.3		B	10	5	33	
3905	7.4	135	8.6	44	7.5	8.4		D	11	1	28	
3905	13.0	139	8.6	45	7.7	8.5		D	10	3	46	
3906	11.1	132	8.6	47	8.0	8.5	**	D	10	2	1	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DIR AZM	DI AM 1-3	DI AM 2-4	QU GI	W	C.E.	PAT	MAX	SP CUR
3906	NO CORR		8.5	48	8.3	8.5						
3907	NO CORR		8.5	43	8.0	8.5						
3908	23.4	184	8.4	42	7.8	8.4		D	11	3	28	
3909	16.4	190	8.4	51	7.7	8.4		D	10	3	20	
3909	22.1	189	8.4	50	7.9	8.4		D	10	3	43	
3909	22.0	194	8.4	51	7.9	8.4		D	10	3	57	
3910	6.5	210	8.4	48	7.9	8.3		A	10	5	52	
3910	6.2	210	8.4	46	7.7	8.2		A	10	5	50	
3910	6.7	203	8.4	45	7.6	8.2		A	10	5	39	
3911	6.7	205	8.4	45	7.5	8.2		A	10	5	30	
3911	NO CORR		8.4	45	7.5	8.3						
3911	11.0	178	8.4	45	7.6	8.3		D	11	1	36	
3912	11.4	217	8.5	45	7.6	8.4		B	10	8	55	
3913	11.1	218	8.5	46	7.5	8.4		B	10	8	41	
3913	11.2	221	8.5	47	7.5	8.4		B	10	5	13	
3913	15.0	238	8.5	47	7.5	8.4		D	10	1	3	
3914	NO CORR		8.4	47	7.5	8.4						
3915	NO CORR		8.4	47	7.5	8.5						
3915	19.6	192	8.4	46	7.5	8.6		D	11	1	25	
3916	9.7	206	8.4	44	7.5	8.5		C	10	2	25	
3916	NO CORR		8.4	43	7.6	8.6						
3917	NO CORR		8.4	44	7.7	8.7						
3917	12.7	186	8.4	44	7.7	8.7		C	10	1	8	
3918	13.6	189	8.4	43	7.6	8.7		C	10	3	51	
3918	13.4	188	8.4	43	7.6	8.7		C	10	3	15	
3918	12.9	187	8.4	44	7.6	8.7		A	10	8	71	
3919	15.8	123	8.4	44	7.6	8.7		D	10	3	74	
3919	15.5	123	8.5	45	7.5	8.7		D	10	3	60	
3919	15.6	124	8.5	46	7.5	8.7		D	10	3	60	
3920	15.8	123	8.5	45	7.5	8.7		D	10	3	58	
3920	46.3	304	8.5	45	7.6	8.7	**	D	21	2	16	*
3920	16.0	213	8.4	46	7.6	8.7	**	A	10	8	24	
3921	14.0	217	8.3	45	7.5	8.8		A	10	8	67	
3921	14.8	217	8.4	45	7.6	8.6		A	10	8	50	
3921	NO CORR		8.4	45	7.6	8.8						
3922	52.9	313	8.4	46	7.6	8.8		D	20	3	33	
3923	NO CORR		8.4	44	7.5	8.7						
3925	8.5	121	8.4	45	7.8	8.2		D	10	3	55	
3925	11.8	126	8.4	42	7.7	8.2	**	D	10	2	8	
3926	11.5	121	8.4	42	7.8	8.2	**	D	10	2	13	

Schlumberger

DEPTH	DIP	HDP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO	Q	C.C	PART	MAX	SPD CUR
3926	11.2	122	8.4	43	7.9	8.3	**	D	10	2	15	
3926	12.0	203	8.4	46	8.0	8.3	**	D	20	2	16	
3927	9.6	206	8.4	46	8.3	8.3	**	D	20	2	25	
3927	39.0	109	8.4	44	8.7	8.3		D	10	1	39	
3927	37.7	106	8.4	45	9.1	8.3	**	B	10	4	29	
3929	12.1	155	8.3	44	9.2	8.5	**	D	10	2	73	
3928	13.2	153	8.3	46	9.0	8.5		D	10	1	75	
3928	14.4	159	8.3	45	8.7	8.5		D	10	3	83	
3929	14.2	160	8.3	45	8.4	8.5		D	10	3	85	
3929	14.9	157	8.3	46	8.4	8.5	**	D	10	2	78	
3929	3.8	216	8.4	49	8.4	8.4		A	10	5	65	
3930	3.9	219	8.4	51	8.4	8.3		A	10	5	61	
3930	4.1	216	8.4	52	8.6	8.2		A	10	5	58	
3930	4.1	210	8.4	51	8.9	8.1		A	10	5	56	
3930	NO CURR		8.4	47	8.7	8.1						
3931	50.0	231	8.4	44	8.6	8.1		D	10	1	37	
3931	49.0	232	8.4	43	8.3	8.1		D	10	2	45	
3931	49.1	230	8.4	43	8.0	8.1	**	B	10	4	35	
3932	48.1	230	8.4	42	7.8	8.1		D	10	1	35	
3932	49.9	229	8.4	43	7.7	8.2		D	10	3	51	
3933	NO CURR		8.4	45	7.4	8.2						
3934	7.5	198	8.3	44	7.6	8.3	**	D	10	2	21	
3934	7.3	191	8.3	44	7.7	8.2	**	D	10	2	28	
3934	7.6	195	8.3	43	7.8	8.2	**	D	10	2	10	
3935	23.2	94	8.3	43	7.5	8.3	**	D	21	2	14	
3935	8.4	176	8.4	43	7.4	8.3		A	10	5	57	
3936	7.9	178	8.3	44	7.6	8.3	**	A	10	8	70	
3936	7.8	178	8.3	44	7.9	8.2		A	10	8	65	
3936	7.9	179	8.3	44	7.9	8.3		A	10	8	61	
3937	8.4	197	8.3	44	7.4	8.4		A	10	5	67	
3937	13.1	153	8.3	45	7.4	8.3		A	10	5	60	
3937	7.7	199	8.3	45	7.4	8.3		A	10	8	49	
3938	7.7	195	8.3	46	7.3	8.3		A	10	8	50	
3938	8.1	204	8.4	46	7.3	8.2		A	10	8	44	
3938	7.7	203	8.4	45	7.1	8.2		A	10	8	47	
3939	9.0	167	8.3	45	7.3	8.3	**	A	10	8	22	
3939	9.0	171	8.3	45	7.2	8.2	**	A	10	8	14	
3939	13.3	136	8.3	45	7.3	8.2	**	A	10	8	44	
3940	13.5	136	8.3	44	7.3	8.3	**	A	10	6	34	
3940	12.3	138	8.3	44	7.3	8.3		A	10	8	66	

Schlumberger

COLUMBIA GAS DEV OF CANA YUKON FEB 15,1980 PAGE 12-FILE 2

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	CO	G	C.S	PART MAX	RPD COR
3940	11.6	190	8.3	45	7.3	8.4		A	10	5 58	
3941	5.0	175	8.3	45	7.4	8.4		C	10	1 76	*
3941	2.8	201	8.3	44	7.5	8.4	**	A	10	8 79	
3941	4.4	190	8.3	43	7.5	8.4		A	10	8 76	
3942	4.3	191	8.3	43	7.5	8.4		A	10	8 76	
3942	4.6	218	8.3	44	7.5	8.4		A	10	8 75	
3942	5.9	227	8.3	43	7.5	8.3		A	10	8 69	
3943	6.9	229	8.3	46	7.5	8.3	**	A	10	8 70	
3943	6.9	231	8.4	47	7.4	8.3	**	A	10	8 77	
3943	13.8	175	8.3	47	7.4	8.2	**	A	10	8 72	
3944	13.7	174	8.3	46	7.4	8.2	**	A	10	8 70	
3944	15.0	177	8.3	46	7.4	8.2		A	10	8 70	
3944	14.7	172	8.3	44	7.4	8.2	**	A	10	8 68	
3945	19.8	192	8.3	44	7.4	8.2		B	10	5 33	
3945	20.0	190	8.3	43	7.3	8.2		D	10	2 35	
3945	4.2	181	8.3	42	7.3	8.2		D	20	1 35	
3945	3.4	200	8.3	42	7.2	8.2		D	20	1 17	
3946	6.4	197	8.3	43	7.3	8.3		C	10	1 16	
3947	7.6	196	8.3	43	7.5	8.3		A	10	5 64	
3947	7.5	198	8.3	43	7.5	8.3		A	10	5 59	
3947	7.4	196	8.3	42	7.4	8.4		A	10	5 54	
3948	5.2	175	8.3	43	7.3	8.4		A	10	4 47	
3948	8.0	191	8.3	43	7.3	8.4		A	10	8 63	
3948	8.6	195	8.3	45	7.3	8.5		A	10	8 66	
3948	8.7	196	8.3	46	7.3	8.5		A	10	8 63	
3949	10.4	175	8.3	46	7.4	8.5	**	A	10	8 51	
3949	7.7	214	8.3	47	7.4	8.5		A	10	8 56	
3950	7.4	205	8.2	47	7.4	8.6	**	A	10	8 64	
3950	7.5	206	8.2	46	7.4	8.6	**	A	10	8 67	
3950	7.9	200	8.2	47	7.4	8.5	**	A	10	8 53	
3951	7.6	196	8.3	47	7.4	8.5		A	10	8 65	
3951	2.6	152	8.2	46	7.4	8.5		A	10	5 35	
3951	90 CHUNK		8.3	44	7.5	8.4					
3952	5.6	162	8.3	44	7.5	8.5	**	A	10	8 44	
3952	9.2	184	8.3	43	7.5	8.6		A	10	8 79	
3952	9.3	184	8.3	44	7.4	8.6		A	10	8 72	
3952	9.4	184	8.3	44	7.4	8.7		A	10	8 70	
3953	13.7	198	8.3	44	7.3	8.7		C	10	1 50	
3953	40.9	58	8.3	45	7.2	8.7		D	20	3 36	
3954	41.3	55	8.2	44	7.3	8.7		D	20	3 34	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.F	PART	MAX	SPD CUR
3956	NO CORR		8.3	42	7.4	8.7						
3956	NO CORR		8.3	42	7.4	8.7						
3957	NO CORR		8.3	42	7.4	8.7						
3957	NO CORR		8.2	43	7.4	8.7						
3957	NO CORR		8.2	43	7.4	8.7						
3958	NO CORR		8.2	43	7.3	8.7						
3959	42.4	37	8.3	43	7.3	8.8		D	10	1	39	
3959	45.3	37	8.3	43	7.3	8.8		D	10	1	40	
3959	45.7	38	8.3	44	7.3	8.8		D	10	1	38	
3960	61.1	212	8.2	43	7.4	8.8	**	D	10	2	32	
3961	61.3	211	8.2	42	7.4	8.9	**	D	10	2	30	
3961	61.1	212	8.2	43	7.4	8.8		D	10	3	43	
3961	60.1	210	8.2	43	7.4	8.8		D	10	3	42	
3962	NO CORR		8.3	44	7.4	8.8						
3962	5.1	349	8.3	45	7.4	8.8		C	10	3	62	
3963	4.8	315	8.3	45	7.5	8.8		A	10	5	71	
3963	1.9	240	8.3	44	7.4	8.7		A	10	5	53	
3963	2.7	279	8.2	43	7.4	8.7		A	10	8	56	
3964	4.9	205	8.2	43	7.4	8.8		D	10	3	41	
3964	3.1	140	8.2	42	7.4	8.8		A	10	5	77	
3964	3.0	152	8.2	42	7.4	8.7		A	10	8	70	
3965	3.8	157	8.2	40	7.3	8.7		A	10	8	50	
3965	3.7	155	8.2	41	7.4	8.7	**	A	10	6	46	
3965	5.9	168	8.2	41	7.4	8.7		A	10	5	42	
3966	6.7	174	8.2	40	7.4	8.7		C	10	3	68	
3966	12.1	172	8.2	40	7.5	8.7		C	10	2	62	
3966	3.2	210	8.2	39	7.5	8.7		A	10	6	57	
3966	6.6	185	8.2	39	7.5	8.7		A	10	4	54	
3967	3.8	204	8.2	39	7.5	8.7		A	10	4	54	
3967	0.9	214	8.2	39	7.5	8.7	**	A	10	8	38	
3968	5.3	166	8.2	41	7.5	8.7		C	10	1	41	
3968	5.9	176	8.2	41	7.5	8.7	**	A	10	8	15	
3968	6.4	180	8.2	40	7.5	8.8	**	A	10	8	24	
3969	6.0	173	8.2	39	7.4	8.8		C	10	3	21	
3969	6.2	173	8.2	36	7.5	8.8		C	10	3	24	
3969	11.5	77	8.2	32	7.5	8.8		D	10	3	38	
3970	35.0	26	8.2	26	7.6	8.8		D	20	3	51	
3970	37.4	23	8.2	23	7.4	8.7		D	21	1	40	
3970	6.7	158	8.1	22	7.4	8.6		C	10	2	41	
3970	5.8	158	8.1	24	7.4	8.3		C	10	2	37	

Schlumberger

DEPTH	DIR	DIP	DEV	DEV	DIAM	DIAM	LD	Q	C.E	PART	MAX	SPD	
		AZM		AZM	1-3	2-4	GI					CUR	
3971	5.4	159	8.1	27	7.7	8.1		A	10	8	52		
3971	6.6	164	8.1	32	8.0	8.0		A	10	4	62		
3971	9.3	181	8.2	37	8.2	8.0	**	B	10	6	29		
3972	8.6	195	8.2	40	8.3	7.9		D	10	2	43		
3972	6.6	202	8.2	45	8.3	7.9		D	10	1	48		
3972	5.4	199	8.2	45	8.2	7.9		D	10	3	50		
3973	1.0	61	8.2	44	8.1	7.9		D	10	1	50		
3973	1.3	59	8.2	42	8.0	7.9		D	10	1	44		
3973	2.1	69	8.1	38	7.9	7.9		A	10	5	45		
3973	NO CORR		8.1	37	8.0	8.0							
3974	6.4	179	8.1	37	8.0	8.0	**	B	10	8	50		
3974	6.0	181	8.2	38	8.1	8.1		B	10	4	43		
3974	6.7	184	8.2	40	8.2	8.1		D	10	1	76		
3975	6.7	178	8.2	41	8.2	8.1		D	10	2	62		
3975	12.2	121	8.2	42	8.2	8.0		D	10	3	50		
3975	9.0	133	8.2	44	8.2	8.0		D	10	2	60		
3976	9.5	136	8.1	44	8.2	8.0	**	B	10	4	56		
3976	11.1	124	8.1	45	8.2	8.0		D	10	3	57		
3976	56.4	206	8.1	46	8.2	8.1		D	10	3	56		
3977	NO CORR		8.1	48	8.2	8.0							
3977	8.4	176	8.2	48	8.1	8.0	**	A	10	6	31		
3977	6.9	173	8.2	49	8.2	8.1		A	10	6	61		
3978	6.0	172	8.1	48	8.2	8.3		A	10	8	77		
3978	6.2	180	8.1	49	8.1	8.3		A	10	8	75		
3979	16.3	207	8.1	49	8.0	7.9		D	10	3	77		
3979	33.0	192	8.2	49	8.1	7.9		D	20	3	82		
3980	41.4	183	8.2	49	8.1	7.9		D	20	3	85		
3980	43.2	171	8.1	50	8.1	7.9		D	21	1	80		
3980	8.3	193	8.1	50	8.1	8.0		D	10	3	33		
3980	8.8	189	8.0	51	8.1	8.0		D	10	3	34		
3981	8.9	187	8.0	52	8.1	8.0		D	10	1	5		
3982	NO CORR		8.0	48	7.7	9.1							
3983	23.0	156	8.0	45	7.6	9.4		D	10	1	64		
3983	22.8	157	8.0	44	7.6	9.6		D	10	1	63		
3983	NO CORR		8.0	42	7.7	10.1							
3984	NO CORR		8.0	43	7.8	9.9							
3984	23.3	148	8.0	43	7.9	9.5		D	10	1	46		
3984	23.8	144	8.0	45	8.0	9.0		D	10	3	33		
3984	24.0	143	8.0	48	8.1	8.6		D	10	3	33		
3985	39.9	164	8.0	48	8.1	8.6	**	D	20	2	24		

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	GO GI	D	C.E	PART	MAX	SPD CUR
3985	16.9	124	7.9	48	8.1	8.7		D	11	1	26	
3986	5.0	139	7.9	48	8.1	8.7		A	10	8	60	
3986	5.1	136	7.9	47	8.0	8.8		A	10	6	69	
3986	4.8	138	7.9	46	7.9	9.2		A	10	8	70	
3987	4.5	133	7.9	41	7.9	9.5		A	10	6	61	
3987	NO CORR		8.0	40	7.8	9.6						
3987	NO CORR		8.0	42	7.8	9.1						
3988	5.2	182	8.0	42	7.9	8.6		D	10	1	65	
3988	6.3	183	8.0	41	7.8	8.4		B	10	5	57	
3988	32.3	250	8.0	40	7.8	8.4	**	D	20	2	25	
3989	6.4	170	8.0	39	7.8	8.4		D	20	1	34	
3989	44.2	169	8.0	40	7.9	8.4		D	10	1	12	
3989	48.1	156	8.0	40	7.9	8.6		D	10	2	34	
3990	47.1	163	8.0	42	8.0	8.2		B	10	4	51	
3990	NO CORR		8.0	42	7.9	8.2						
3991	48.2	169	8.0	43	7.9	8.2		D	10	1	54	
3991	9.5	166	7.9	42	7.9	8.2		D	20	1	44	
3991	5.0	152	7.8	42	7.9	8.3		D	20	3	53	
3992	8.7	58	7.9	42	8.0	8.1		D	10	1	13	
3992	9.1	67	7.9	42	8.0	8.2		D	10	1	43	
3992	9.1	59	7.9	39	8.0	8.2		D	10	3	29	
3993	NO CORR		7.9	31	8.1	8.1						
3993	NO CORR		7.9	26	8.1	8.1						
3995	45.5	136	8.0	36	7.9	8.1		D	10	3	46	
3995	44.2	135	7.9	39	8.1	8.1		D	10	3	65	
3995	NO CORR		8.0	40	8.5	8.1						
3996	NO CORR		8.0	40	9.1	8.1						
3996	41.9	218	8.1	40	9.4	8.1		D	20	1	38	
3997	86.4	216	8.1	40	9.6	8.1		D	20	3	38	
3999	NO CORR		7.9	37	10.5	8.0						
4000	NO CORR		7.9	13	10.6	8.1						
4000	NO CORR		7.9	31	10.4	8.3						
4000	NO CORR		8.0	30	10.2	8.1						
4001	NO CORR		7.9	36	9.9	8.7						
4002	NO CORR		7.9	40	9.5	8.8						
4002	NO CORR		7.9	40	9.1	8.8						
4003	NO CORR		7.8	45	8.3	8.5						
4003	6.5	288	7.8	44	8.4	8.4		D	10	3	34	
4003	4.8	286	7.8	42	8.9	8.2		D	10	1	41	
4005	NO CORR		7.9	37	10.6	8.2						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM I-3	DIAM 2-4	GU	Q	C.B	PART	MAX	SPD COR	
4005	17.0	273	7.7	36	11.4	8.4		D	10	2	89	*	*
4006	17.0	262	7.7	40	11.7	8.5		D	10	3	91	*	*
4006	17.2	269	7.7	43	11.9	8.6		D	10	2	60		*
4007	14.0	158	7.7	40	10.8	8.6		D	10	2	82		*
4007	NO CORR		7.7	38	10.3	8.5							*
4008	15.6	154	7.8	38	10.5	8.8		D	10	1	41		*
4008	NO CORR		7.7	38	10.9	9.0							*
4009	NO CORR		7.7	38	11.7	9.2							*
4010	15.1	153	7.7	35	11.8	9.3		D	10	1	64		*
4010	59.0	213	7.8	35	11.3	9.2		D	20	3	47		*
4010	16.4	166	7.8	36	10.7	9.1		D	10	1	47		*
4011	16.7	167	7.8	35	10.3	8.8		D	10	1	58		*
4011	17.6	170	7.8	40	10.2	8.7		D	10	3	82		*
4011	20.7	160	7.8	35	10.2	8.7		D	10	3	46		*
4012	20.8	167	7.8	36	10.8	8.4		D	10	1	62		*
4013	NO CORR		7.9	38	10.6	8.5							*
4014	3.0	210	7.7	41	10.1	8.7		B	10	8	86		*
4015	3.4	203	7.7	40	10.0	8.7		B	10	8	53		*
4015	3.3	181	7.7	38	9.5	8.6	**	B	10	8	32		*
4015	2.8	252	7.7	35	8.8	8.8		D	10	3	66		*
4016	12.9	197	7.7	34	8.3	8.6		D	11	1	35		*
4016	8.8	194	7.7	34	7.9	8.6	**	B	10	6	20		*
4016	9.5	183	7.7	34	7.7	8.6	**	B	10	8	12		*
4016	8.8	185	7.7	35	7.8	8.7		D	10	3	51		*
4017	8.6	188	7.7	38	7.8	8.6		D	10	1	52		*
4017	11.4	191	7.7	40	7.8	8.5		D	10	1	52		*
4018	8.4	133	7.7	34	9.2	8.3		D	11	1	36		*
4019	12.0	93	7.7	35	9.3	8.3		D	20	3	13		*
4019	12.5	85	7.7	35	9.2	8.4		D	20	3	48		*
4019	26.8	217	7.7	34	8.8	8.4		A	10	7	54		*
4019	25.6	219	7.7	34	8.7	8.5		A	10	8	49		*
4020	24.6	212	7.7	34	8.6	8.6		A	10	5	44		*
4020	26.5	215	7.7	35	8.6	8.6		A	10	8	55		*
4023	46.9	231	7.7	35	7.8	8.6		D	10	3	83		*
4023	44.0	231	7.7	37	7.6	8.6		D	10	3	86		*
4024	NO CORR		7.6	39	7.8	8.6							*
4025	14.0	336	7.6	36	7.5	8.3		D	10	1	73		*
4026	14.3	333	7.6	37	7.4	8.3		D	10	3	55		*
4026	12.1	332	7.6	36	7.2	8.3		D	10	2	61		*
4026	9.7	326	7.6	36	7.3	8.3		B	10	4	61		*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	EQ GI	Q	C.E	PART	MAX	SPD CUR
4027	8.1	352	7.6	35	7.9	8.2		A	10	5	65	
4027	38.3	340	7.6	35	7.5	8.3		D	10	3	53	
4027	35.8	346	7.6	34	7.5	8.3		D	10	1	59	
4028	35.6	338	7.6	34	7.5	8.3		D	10	3	39	
4028	36.0	344	7.6	33	7.5	8.3		D	10	2	46	
4029	3.1	3	7.6	34	7.6	8.3		B	10	5	46	
4029	7.4	351	7.6	35	7.6	8.4		D	10	1	54	
4029	NO CURR		7.6	35	7.6	8.4						
4029	NO CURR		7.6	35	7.6	8.4						
4030	NO CURR		7.6	34	7.5	8.4						
4030	23.7	97	7.6	34	7.5	8.4		D	20	1	50	
4031	2.0	128	7.6	33	7.5	8.5		A	10	4	46	
4031	2.2	246	7.6	32	7.6	8.5	**	A	10	8	35	
4031	3.8	204	7.6	32	7.6	8.5		A	10	5	74	
4032	1.8	211	7.6	34	7.6	8.6		A	10	8	65	
4032	21.3	81	7.6	35	7.5	8.6	**	D	10	2	82	
4032	24.1	82	7.6	35	7.4	8.6		B	10	5	90	
4033	24.6	90	7.6	37	7.2	8.6	**	D	10	2	76	
4033	16.9	24	7.6	36	7.2	8.7	**	C	10	2	48	
4033	18.6	29	7.6	37	7.2	8.6	**	C	10	2	82	
4034	17.8	23	7.6	37	7.3	8.6	**	A	10	8	90	
4034	16.5	31	7.6	36	7.4	8.6	**	A	10	8	85	
4034	0.4	202	7.6	36	7.6	8.6		B	10	3	32	
4034	36.4	345	7.6	35	8.0	8.6		D	20	1	14	
4035	1.1	71	7.6	35	8.4	8.6		D	10	3	45	
4035	1.7	347	7.6	35	8.7	8.5		B	10	5	52	
4035	1.7	59	7.6	35	8.9	8.5		D	10	1	15	
4036	37.7	337	7.6	33	9.1	8.5		D	21	3	28	
4036	NO CURR		7.6	33	9.3	8.6						
4037	35.8	337	7.6	35	9.4	8.5	**	D	21	2	18	
4038	NO CURR		7.6	38	10.6	8.4						
4039	NO CURR		7.6	37	11.2	8.4						
4038	NO CURR		7.6	37	11.5	8.5						
4039	NO CURR		7.6	38	11.5	8.5						
4039	44.7	142	7.6	38	11.0	8.5		D	10	3	30	
4040	NO CURR		7.6	35	9.6	8.5						
4040	NO CURR		7.6	34	9.1	8.5						
4041	NO CURR		7.6	32	8.8	8.6						
4042	NO CURR		7.6	34	9.7	8.7						
4042	43.2	352	7.6	33	9.6	8.6		D	11	1	11	

Schlumberger

COLUMBIA GAS DEV OF CANA YUKON FEB 15,1980 PAGE AB=FILE 2

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LU GI	Q	C.F	PART	MAX	SPD COR	
4003	33.6	351	7.6	34	9.1	8.9		D	10	3	31		
4043	38.2	346	7.6	35	8.7	8.9		D	10	1	36		
4043	36.9	345	7.6	36	8.1	8.9		D	10	1	37		
4044	NO CORR		7.6	38	7.6	8.8							
4044	NO CORR		7.6	39	7.6	8.7							
4044	4.0	246	7.6	37	7.4	8.7		D	11	1	55		
4045	4.8	244	7.6	36	7.5	8.7		D	11	1	58		
4045	7.7	232	7.6	36	7.5	8.7		D	10	1	60		
4045	11.4	231	7.6	36	7.4	8.8		D	10	3	51		
4046	11.6	229	7.6	36	7.5	8.9	**	D	10	2	46		
4046	11.5	227	7.6	38	7.4	8.9		D	10	3	46		
4047	13.0	337	7.6	40	7.4	8.9		D	10	1	30		
4047	12.6	334	7.6	40	7.4	8.9		D	10	1	41		
4047	10.6	345	7.6	39	7.4	8.9		B	10	5	54		
4048	11.7	340	7.6	38	7.4	9.0	**	D	10	2	53		
4048	NO CORR		7.6	36	7.5	9.0							
4048	58.9	63	7.6	37	7.5	9.0		D	20	1	47		
4049	58.2	64	7.6	37	7.5	9.0		D	20	3	43		
4049	58.1	63	7.6	38	7.7	9.0		D	20	3	54		
4051	NO CORR		7.6	37	7.6	9.1							
4051	NO CORR		7.6	36	7.6	9.1							
4051	NO CORR		7.6	34	7.6	9.0							
4051	NO CORR		7.6	32	7.5	9.1							
4052	41.7	114	7.5	33	7.4	9.1		D	10	3	29		
4052	41.6	112	7.5	33	7.5	9.1		D	10	3	33		
4052	46.0	119	7.5	35	7.5	9.1		D	11	1	54		
4053	2.8	73	7.5	36	7.6	9.1		D	20	2	57		
4053	2.9	69	7.5	36	7.8	9.1		D	20	2	54		
4053	10.8	262	7.6	37	7.9	9.1		D	11	1	49		
4054	10.8	220	7.5	36	8.3	9.1		D	10	3	28		
4054	10.4	217	7.6	36	8.8	9.0		D	10	3	39		
4054	10.9	216	7.6	33	9.2	9.0		D	10	3	38		
4055	50.5	312	7.6	19	10.1	8.8		D	30	1	36		
4055	10.4	57	7.6	19	10.2	8.9		D	21	1	42		
4056	NO CORR		7.6	24	10.1	9.7							
4056	NO CORR		7.6	25	9.8	10.3							
4057	3.0	239	7.5	25	9.4	10.8		C	10	1	40		
4057	4.8	345	7.4	32	8.5	11.3	**	A	10	8	49		
4058	4.4	337	7.4	34	8.5	11.4		A	10	8	55		
4058	3.9	251	7.4	35	8.5	11.3		A	10	8	53	*	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GT	Q	C.E	PART	MAX	SPD COR
4058	4.0	250	7.5	37	8.6	11.2		A	10	5	61	*
4059	4.9	231	7.5	35	8.4	10.9		C	10	3	39	
4059	4.3	216	7.4	33	8.2	10.6		A	10	5	47	
4059	4.4	213	7.5	30	8.4	10.3		A	10	5	35	
4060	5.0	206	7.5	28	8.7	10.3	**	A	10	8	42	
4060	NO CORR		7.5	26	8.7	10.4						
4060	NO CORR		7.5	30	8.7	10.5						
4061	NO CORR		7.5	31	8.5	10.6						
4061	15.1	185	7.5	34	8.2	10.6		C	10	3	7	
4061	NO CORR		7.5	35	8.1	10.5						
4062	39.4	343	7.4	32	8.2	10.9		D	20	1	13	
4062	NO CORR		7.4	31	8.3	11.0						
4063	54.1	296	7.4	32	8.3	11.2	**	D	11	2	26	
4063	50.8	303	7.5	32	8.4	11.4		B	10	4	36	
4064	52.2	302	7.5	33	8.5	11.4		D	10	1	42	
4064	41.6	334	7.5	34	8.5	11.3		D	20	3	18	
4064	NO CORR		7.5	36	8.4	11.1						
4065	3.5	203	7.5	36	8.0	10.9		B	10	4	33	
4065	3.2	227	7.5	30	7.9	10.7		B	10	4	31	
4066	6.9	259	7.5	40	7.7	10.6		B	10	5	34	
4066	8.6	57	7.5	41	7.8	10.5		D	20	3	42	
4066	7.8	60	7.5	42	7.9	10.2		D	20	3	36	
4067	NO CORR		7.5	43	7.8	8.7						
4067	22.1	231	7.5	44	7.7	8.4		D	20	3	36	
4067	22.6	241	7.5	42	7.7	8.3		D	20	3	56	
4068	49.2	236	7.5	38	7.6	8.6	**	D	30	2	10	
4068	45.3	233	7.5	37	7.5	9.2		D	10	3	18	
4069	41.5	229	7.4	34	7.5	9.7		D	31	1	8	
4069	54.6	337	7.4	36	7.5	10.0		D	10	2	8	
4069	53.8	335	7.4	38	7.5	10.4		B	10	5	21	
4069	53.6	349	7.4	40	7.6	10.5		D	10	3	30	
4070	54.7	330	7.4	41	7.6	10.4		D	10	3	27	
4070	NO CORR		7.4	39	7.7	10.4						
4070	46.4	201	7.4	38	7.7	10.3		A	10	8	78	
4071	41.6	192	7.3	36	7.6	9.7		C	10	3	71	
4071	40.9	183	7.3	34	7.6	9.1		C	10	3	71	
4071	40.7	177	7.3	34	7.5	8.5		C	10	1	64	
4075	NO CORR		7.3	20	7.5	8.2						
4075	NO CORR		7.3	21	7.6	8.2						
4075	NO CORR		7.3	24	7.5	8.1						

Schlumberger

COLUMBIA GAS DEV. OF CANA YUKON FEB 15,1980 PAGE 50-FILE 2

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	GO	CL	C.E	PAD	MAX	SPD CUR	
4077	NO CURR		7.4	26	7.7	8.1							
4078	17.2	87	7.4	21	7.6	8.1		D	10	1	46		
4078	15.9	71	7.4	26	7.6	8.1		D	10	3	34		
4079	1.1	9	7.4	26	7.5	8.1		A	10	5	73		
4079	1.9	270	7.4	29	7.5	8.2		A	10	8	63		
4079	3.0	282	7.3	30	7.5	8.2		A	10	8	70		
4080	3.3	260	7.3	31	7.5	8.2	**	A	10	8	34		
4080	NO CURR		7.3	33	7.6	8.3							
4080	NO CURR		7.4	33	7.6	8.3							
4082	45.4	158	7.3	33	7.8	8.3		D	10	3	44		
4083	NO CURR		7.3	33	7.6	8.4							
4084	7.0	192	7.2	26	7.5	8.2		D	20	3	47		
4084	38.2	139	7.2	27	7.6	8.1	**	D	11	2	12		
4085	36.9	133	7.2	30	7.6	8.1		D	10	3	44		
4085	16.5	120	7.3	31	7.6	8.1		D	10	2	10		
4086	50.6	266	7.1	34	7.7	8.1		D	10	3	33		
4087	NO CURR		7.1	34	7.7	8.1							
4088	NO CURR		7.2	38	7.6	8.2							
4089	16.9	28	7.2	29	7.6	8.2	**	A	10	8	14		
4089	16.2	12	7.2	23	7.6	8.2		A	10	8	84		
4090	16.9	356	7.2	21	7.5	8.1		A	10	8	80		
4090	15.8	338	7.3	19	7.4	8.1		C	10	3	35		
4091	NO CURR		7.3	24	7.4	8.0							
4091	NO CURR		7.2	27	7.5	8.1							
4091	NO CURR		7.2	27	7.5	8.1							
4093	NO CURR		7.3	25	7.5	8.2							
4094	10.2	99	7.3	28	7.5	8.2		D	11	1	48		
4094	10.3	81	7.3	28	7.5	8.2		D	10	1	41		
4094	9.5	71	7.4	28	7.6	8.2		D	10	3	35		
4095	NO CURR		7.4	27	7.7	8.3							
4096	NO CURR		7.3	21	7.7	8.3							
4097	51.5	302	7.3	29	7.6	8.2		D	10	1	54		
4098	52.6	298	7.2	32	7.5	8.2		D	10	3	81		
4098	NO CURR		7.2	37	7.6	8.1							
4099	45.6	257	7.3	39	7.7	8.1		D	10	3	36		
4099	42.2	258	7.2	38	7.7	8.1		D	11	1	24		
4100	44.3	313	7.2	37	7.7	8.1		B	20	4	17		
4100	41.9	262	7.2	37	7.7	8.2		D	11	1	50		
4100	NO CURR		7.2	37	7.7	8.2							
4101	26.5	298	7.2	38	7.7	8.2		D	10	3	42		

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GT	Q	C.S	PART	MAX	SPD CDR
4101	26.5	298	7.2	38	7.8	8.2		D	10	3	42	
4101	27.0	295	7.2	38	7.8	8.2		D	10	1	29	
4101	27.2	295	7.2	38	7.8	8.2		D	10	3	20	
4103	NO CORR		7.1	38	7.8	8.2						
4103	22.7	271	7.1	39	7.8	8.2		D	20	1	27	
4103	25.3	264	7.1	38	7.8	8.2		D	20	3	41	
4104	46.6	264	7.2	37	7.8	8.2		D	20	2	30	
4105	46.5	272	7.2	37	7.8	8.2		D	20	1	43	
4105	46.6	349	7.1	36	7.8	8.2		D	10	3	18	
4105	46.7	348	7.1	35	7.8	8.2		D	10	3	7	
4106	NO CORR		7.2	34	7.9	8.3						
4107	45.8	302	7.2	36	8.0	8.4		D	11	1	15	
4107	5.3	231	7.2	36	7.9	8.3		C	10	3	53	
4107	4.9	210	7.2	35	8.0	8.3		A	10	8	65	
4108	5.0	209	7.2	33	8.0	8.3		A	10	8	62	
4108	5.4	227	7.2	32	7.9	8.3		C	10	3	51	
4108	6.7	74	7.1	34	7.9	8.3		D	10	3	32	
4109	3.3	83	7.1	36	7.9	8.3		A	10	5	39	
4109	3.2	44	7.1	39	7.8	8.3	**	C	10	2	25	
4109	3.1	35	7.1	41	7.8	8.3		A	10	8	61	
4110	2.9	21	7.0	44	7.7	8.3		A	10	5	54	
4112	NO CORR		7.1	52	7.5	8.6						
4112	11.0	154	7.1	52	7.5	8.6		D	10	3	73	
4112	17.6	176	7.1	52	7.5	8.6		C	10	1	42	
4113	18.5	173	7.1	52	7.5	8.6		A	10	8	70	
4113	18.4	174	7.1	52	7.5	8.6		A	10	8	74	
4113	18.7	174	7.1	52	7.5	8.6		A	10	8	74	
4114	19.9	173	7.1	52	7.5	8.6	**	C	10	2	32	
4115	NO CORR		7.1	52	7.5	8.6						
4116	49.0	156	7.1	51	7.5	8.7		D	10	3	48	
4116	5.8	232	7.1	51	7.6	8.7		C	10	3	46	
4116	5.9	236	7.1	51	7.6	8.7		A	10	5	46	
4116	6.1	248	7.1	50	7.6	8.7		A	10	8	59	
4117	6.2	250	7.1	51	7.6	8.7		A	10	8	66	
4117	19.2	250	7.1	51	7.5	8.7		B	10	5	46	
4117	20.3	249	7.1	51	7.5	8.7	**	B	10	8	58	
4119	5.0	195	7.1	49	7.6	8.7	**	C	10	2	70	
4119	4.5	201	7.1	48	7.6	8.7	**	A	10	8	69	
4119	5.3	194	7.1	46	7.5	8.7		A	10	8	74	
4120	4.9	199	7.1	48	7.3	8.6		A	10	8	82	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIA1 1-3	DIA2 2-4	QU G1	C.E	PART	MAX	SED CUR
4120	6.6	138	7.2	17	7.2	8.6	D	10	3	80	
4123	NO CURR		7.1	22	7.6	8.6					
4125	NO CURR		7.2	27	7.5	8.0					
4125	NO CURR		7.2	28	7.5	8.0					
4129	26.4	149	7.2	35	7.6	8.2	D	20	2	48	
4129	29.7	141	7.2	33	7.6	8.3	D	20	1	44	
4130	41.6	303	7.2	31	7.6	8.3	D	11	1	50	
4130	49.7	296	7.2	28	7.6	8.2	D	10	3	54	
4130	NO CURR		7.2	20	7.5	8.1					
4131	NO CURR		7.1	20	7.5	8.1					
4131	NO CURR		7.1	21	7.5	8.2					
4132	NO CURR		7.2	30	7.5	8.1					
4133	NO CURR		7.2	37	7.7	8.0					
4134	NO CURR		7.1	36	7.8	8.1					
4134	NO CURR		7.2	32	7.9	8.1					
4136	NO CURR		7.1	47	7.9	8.1					
4137	NO CURR		7.1	45	7.8	8.1					
4138	1.8	17	7.2	52	7.7	8.4	D	10	2	35	
4138	1.5	12	7.1	52	7.8	8.4	D	10	2	30	
4138	1.0	23	7.1	53	8.1	8.3	D	10	1	33	
4139	32.1	101	7.1	52	8.4	8.3	D	30	3	23	
4139	NO CURR		7.0	53	9.2	8.2					
4140	NO CURR		7.1	49	9.6	8.1					
4140	40.7	95	7.1	51	9.3	8.2	D	31	1	13	
4141	43.0	99	7.1	54	8.9	8.2	R	10	5	42	
4141	NO CURR		7.1	53	8.5	8.2					
4142	NO CURR		7.1	48	7.8	8.2					
4142	61.0	273	7.1	50	7.9	8.2	D	20	3	39	
4142	NO CURR		7.1	52	8.0	8.3					
4143	NO CURR		7.1	54	8.1	8.2					
4143	NO CURR		7.0	53	8.3	8.1					
4144	21.2	266	7.0	52	8.7	8.1	A	10	5	74	
4144	21.0	266	7.0	52	8.6	8.1	A	10	5	74	
4144	21.0	268	7.0	53	8.4	8.1	A	10	5	56	
4145	23.7	261	7.0	51	8.0	8.0	C	10	3	51	
4145	36.3	35	7.0	52	7.6	8.1	C	10	3	41	
4145	36.4	34	7.0	50	7.5	8.0	C	10	3	52	
4146	37.6	33	7.0	47	7.5	8.0	A	10	5	47	
4146	38.3	29	7.0	43	7.4	8.0	A	10	5	48	
4146	40.8	171	7.0	36	7.4	8.0	C	10	3	53	

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	G	C.F.	PART	MAX	SPD CUR
4147	4.3	281	7.0	30	7.4	8.1		A	10	7	30	
4147	2.9	309	7.0	25	7.5	8.1		A	10	8	60	
4147	3.6	297	7.0	22	7.5	8.2		A	10	8	61	
4148	4.9	275	7.0	20	7.5	8.2		A	10	8	81	
4148	NO CURR		7.0	21	7.4	8.1						
4149	NO CURR		7.0	20	7.6	8.2						
4150	4.2	220	7.1	28	7.6	8.2		C	10	3	38	
4151	7.8	220	7.1	27	7.6	8.2		A	10	5	50	
4151	9.5	206	7.1	26	7.6	8.1		A	10	8	58	
4151	9.5	204	7.1	26	7.6	8.1		A	10	8	55	
4152	NO CURR		7.1	31	7.6	8.1						
4153	70.2	180	7.1	30	7.5	8.1		D	10	1	25	
4153	69.6	178	7.1	35	7.6	8.1		D	10	3	40	
4154	NO CURR		7.2	42	7.7	8.2						
4155	NO CURR		7.1	42	8.7	8.0						
4155	8.0	255	7.1	42	9.0	8.0		D	10	7	49	
4156	14.3	259	7.1	42	9.3	8.1		D	10	1	18	
4156	10.3	238	7.1	42	9.5	8.1		B	10	4	23	
4156	NO CURR		7.1	42	9.6	8.0						
4157	35.5	26	7.1	39	9.8	8.1		D	20	2	33	
4158	38.6	42	7.1	39	9.7	8.1		D	20	1	31	
4158	9.7	274	7.0	40	9.3	8.1		D	10	1	33	
4158	10.2	274	7.0	40	9.0	8.1		D	10	1	56	
4159	10.2	269	7.0	36	8.7	8.1		D	10	1	45	
4159	11.7	279	7.0	30	8.5	8.1		D	10	1	54	
4160	62.8	76	7.0	24	7.8	8.0		D	10	3	30	
4160	74.4	213	7.0	25	7.5	8.0		D	20	1	33	
4161	24.7	210	7.0	28	7.3	8.0		D	20	1	47	
4161	2.2	241	7.0	30	7.3	8.0		D	10	3	33	
4161	2.1	266	7.0	32	7.3	7.9		D	10	2	42	
4162	NO CURR		7.0	34	7.5	8.0						
4164	NO CURR		6.9	33	7.5	8.0						
4164	NO CURR		6.9	40	7.5	8.0						
4164	NO CURR		6.9	40	7.5	8.0						
4165	9.9	192	7.0	44	7.5	8.0		D	11	1	15	
4165	8.7	135	7.0	45	7.5	8.1		D	10	3	33	
4165	9.5	118	6.9	43	7.5	8.1		D	10	4	37	
4165	6.6	110	6.9	37	7.5	8.2	**	A	10	8	38	
4166	10.1	98	6.9	31	7.5	8.2		A	10	5	60	
4166	9.3	87	6.9	26	7.5	8.2		A	10	5	69	

Schlumberger

DEPTH	DIV	DIV AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	DD GI	Q	C.C	PART	MAX	SPD COR
4156	9.5	87	6.9	22	7.5	8.3	**	A	10	8	52	
4157	9.0	93	6.9	20	7.5	8.2		D	10	2	33	
4157	7.1	95	6.9	20	7.5	8.2		B	10	8	36	
4167	NO CORR		6.9	20	7.4	8.2						
4158	NO CORR		6.9	21	7.5	8.1						
4158	4.7	109	6.9	22	7.5	8.1		D	10	3	34	
4159	3.4	99	6.9	23	7.6	8.1		D	10	3	38	
4159	2.1	61	6.9	25	7.6	8.1		D	10	1	5	
4159	34.4	328	7.0	27	7.5	8.1		D	20	3	35	
4159	35.4	322	7.0	28	7.5	8.1		D	20	1	37	
4170	NO CORR		7.0	28	7.6	8.1						
4171	30.2	5	7.0	32	7.4	8.2		D	10	3	51	
4171	31.0	356	7.0	33	7.5	8.2		D	10	2	36	
4173	12.1	40	7.0	28	7.5	8.2		C	10	3	34	
4173	11.9	23	6.9	24	7.5	8.1		C	10	3	44	
4173	12.3	5	6.9	26	7.4	8.1		C	10	3	51	
4173	13.2	353	6.9	28	7.5	8.0		C	10	1	49	
4174	NO CORR		6.9	32	7.4	8.0						
4175	NO CORR		6.9	37	7.4	8.0						
4176	NO CORR		6.9	39	7.5	8.0						
4176	36.1	101	6.9	42	7.5	8.0	**	B	30	6	28	
4179	23.7	92	6.9	48	7.4	8.1		D	10	1	11	
4179	NO CORR		6.9	50	7.3	8.1						
4179	NO CORR		6.9	50	7.3	8.2						
4180	8.8	305	6.9	49	7.4	8.3		B	20	5	38	
4180	16.5	97	6.9	49	7.4	8.3		B	10	5	33	
4180	15.6	96	6.9	48	7.4	8.5		B	10	5	45	
4181	17.0	90	6.9	47	7.4	8.5		D	10	2	44	
4181	29.6	302	6.9	46	7.3	8.6		D	20	1	20	
4181	43.3	133	6.9	47	7.3	8.7	**	D	10	2	8	
4182	43.5	129	6.8	49	7.4	8.7	**	D	10	2	7	
4182	42.9	129	6.8	52	7.6	8.6	**	D	10	2	3	
4182	18.2	114	6.8	56	7.9	8.6		D	10	1	47	
4183	15.2	302	6.9	55	8.0	8.4		D	10	3	30	
4183	15.7	114	6.9	56	8.2	8.3		D	10	2	43	
4183	NO CORR		6.8	53	8.2	8.2						
4183	NO CORR		6.8	52	8.3	8.1						
4184	9.8	314	6.8	47	8.8	8.1		D	10	1	52	
4184	NO CORR		6.8	46	8.8	8.0						
4187	NO CORR		6.7	39	8.5	8.1						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD CT	Q	C.E	PART	MAX SPD CUR
4188	NO CORR		6.7	54	9.4	8.1					
4189	NO CORR		6.7	53	9.5	8.0					
4190	NO CORR		6.7	48	9.2	8.0					
4190	NO CORR		6.8	44	9.1	8.0					
4190	NO CORR		6.7	43	9.2	8.0					
4190	NO CORR		6.7	45	9.2	8.0					
4191	12.5	303	6.7	51	8.0	8.1		D	10	1	16
4192	13.7	311	6.7	52	7.8	8.0		D	10	1	19
4192	12.6	306	6.7	49	7.8	8.0		D	10	1	16
4193	NO CORR		6.7	46	7.7	8.1					
4193	NO CORR		6.7	47	7.5	8.1					
4194	NO CORR		6.7	49	7.5	8.1					
4194	NO CORR		6.7	50	7.6	8.1					
4194	21.8	206	6.6	44	7.8	8.0	**	C	10	2	79
4195	24.1	207	6.6	43	7.7	8.0		A	10	5	70
4195	23.8	201	6.6	39	7.7	8.0		A	10	5	70
4195	23.5	197	6.6	35	7.7	8.0		A	10	4	70
4196	34.2	50	6.6	28	7.6	8.0		B	20	4	33
4197	18.4	231	6.6	34	7.4	8.0		D	10	1	05
4197	15.8	232	6.7	37	7.3	8.0		D	10	5	40
4197	16.1	231	6.7	40	7.3	8.0		D	10	5	37
4197	17.4	232	6.7	39	7.3	8.0		D	10	2	35
4198	16.3	226	6.8	38	7.3	8.0		D	10	1	7
4198	2.9	111	6.7	36	7.3	8.0		D	11	1	32
4199	9.1	240	6.7	36	7.4	8.0	**	D	10	2	17
4199	11.0	260	6.7	35	7.5	8.0	**	D	10	2	44
4199	4.7	279	6.7	35	7.4	8.0		D	10	5	40
4200	5.7	265	6.7	35	7.3	8.1		B	10	5	44
4200	6.0	226	6.7	35	7.2	8.1	**	D	10	2	27
4200	6.5	226	6.7	33	7.0	8.1		D	10	3	04
4201	56.1	160	6.7	27	6.7	8.1		D	11	1	10
4202	54.3	173	6.7	23	7.1	8.1		D	11	3	11
4202	48.9	173	6.7	20	7.1	8.1		D	10	1	33
4203	46.0	171	6.6	18	7.1	8.0		D	10	3	30
4203	NO CORR		6.7	14	7.2	8.0					
4204	NO CORR		6.6	14	7.3	8.0					
4204	NO CORR		6.6	19	7.4	8.0					
4205	NO CORR		6.6	23	7.5	8.0					
4205	45.3	259	6.6	27	7.6	8.0		D	11	2	28
4205	52.8	261	6.7	23	7.5	8.0		D	11	1	33

Schlumberger

COLUMBIA GAS DEV OF CANA YUKON FEB 15,1980 PAGE 56-FILE 2

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	QU	Q	C.L	FACE	MAX SPD COR
4206	54.6	272	6.6	23	7.5	8.0		B	10	4	48
4206	56.9	267	6.6	26	7.5	8.0		B	10	8	52
4206	55.3	258	6.6	30	7.3	8.0		B	10	8	51
4207	NO CORR		6.6	31	7.2	8.0					
4208	NO CORR		6.7	37	7.0	8.2					
4210	NO CORR		6.6	32	7.4	8.5					
4210	NO CORR		6.6	34	7.3	8.4					
4210	NO CORR		6.5	36	7.3	8.4					
4211	NO CORR		6.5	39	7.2	8.3					
4212	NO CORR		6.6	39	7.5	8.0					
4213	NO CORR		6.7	37	7.5	8.0					
4214	NO CORR		6.7	36	7.5	8.0					
4214	3.7	201	6.7	36	7.5	8.1		D	10	1	25
4215	4.5	232	6.7	36	7.5	8.1		D	10	2	42
4215	5.4	190	6.7	35	7.6	8.1		B	10	5	59
4215	4.9	150	6.7	32	7.6	8.1		D	10	3	65
4215	3.5	119	6.7	27	7.5	8.1		B	10	4	59
4216	2.2	334	6.7	21	7.5	8.1		D	10	1	57
4216	3.7	157	6.6	19	7.4	8.1		D	10	1	26
4217	4.3	202	6.5	22	7.4	8.0		B	10	5	40
4217	4.5	202	6.5	22	7.4	8.0		B	10	5	54
4221	NO CORR		6.6	36	7.3	8.0					
4222	NO CORR		6.6	27	7.4	8.0					
4224	42.4	264	6.5	47	7.5	8.0		D	21	1	56
4224	NO CORR		6.5	47	7.5	8.0					
4225	48.2	192	6.6	49	7.5	8.0		D	10	3	67
4225	47.9	190	6.6	50	7.6	8.0	**	D	10	2	48
4225	47.9	189	6.5	52	7.6	8.0	**	D	10	2	37
4226	7.0	193	6.6	50	7.6	8.0		D	11	1	64
4226	14.0	285	6.6	49	7.6	8.0		D	11	1	67
4226	14.0	281	6.5	49	7.6	8.1		D	11	1	71
4227	14.8	293	6.5	47	7.6	8.1		D	20	1	74
4227	14.3	247	6.5	51	7.6	8.3		D	10	3	45
4228	14.3	248	6.4	54	7.6	8.6		D	10	3	35
4228	14.9	257	6.4	55	7.6	9.0		D	10	3	53
4228	14.2	245	6.4	53	7.6	9.3		D	10	3	63
4229	17.1	242	6.3	54	7.6	9.2		C	10	2	55
4229	13.6	233	6.3	54	7.5	9.1		A	10	8	67
4229	13.5	235	6.3	58	7.4	9.2		A	10	4	52
4230	13.3	237	6.3	61	7.4	9.5		A	10	4	52

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO G1	Q	C.E	PART	MAX	SPD COR
4230	36.5	211	6.3	61	7.4	10.1		D	11	1	23	
4230	NO CORR		6.3	59	7.4	10.2						
4230	40.1	221	6.3	57	7.3	10.0		D	10	3	40	
4231	40.2	222	6.3	56	7.3	9.7		D	10	3	52	
4231	NO CORR		6.3	55	7.3	9.7						
4233	NO CORR		6.3	57	7.2	11.9						
4233	NO CORR		6.3	54	7.3	12.0						
4233	NO CORR		6.3	52	7.5	11.8						
4233	NO CORR		6.3	54	7.5	11.4						
4234	27.5	231	6.4	56	7.5	10.5		A	10	5	60	
4234	26.4	227	6.4	58	7.5	9.9		A	10	8	52	
4234	27.1	225	6.4	56	7.4	9.4		A	10	8	52	
4235	25.0	227	6.3	57	7.4	9.3		A	10	8	06	
4235	NO CORR		6.3	57	7.4	9.5						
4236	13.4	159	6.3	53	7.5	10.5		D	10	1	46	
4237	13.9	169	6.3	56	7.5	10.3		D	10	1	44	
4237	14.2	170	6.3	59	7.5	10.4		D	10	1	49	
4237	16.0	68	6.3	60	7.4	9.9		A	10	5	63	
4237	17.2	73	6.3	61	7.4	9.8	**	A	10	8	52	
4238	16.7	74	6.3	59	7.4	9.9	**	A	10	8	62	
4238	16.7	77	6.2	57	7.4	9.9		A	10	8	75	
4239	NO CORR		6.2	55	7.3	10.3						
4239	NO CORR		6.2	54	7.2	10.6						
4239	33.1	273	6.2	55	7.3	10.5		D	10	1	55	
4240	NO CORR		6.2	58	7.4	10.7						
4240	NO CORR		6.2	57	7.5	10.8						
4240	13.8	220	6.2	58	7.5	10.9		B	10	5	25	
4241	23.6	272	6.2	50	7.5	10.8		D	11	1	62	
4241	9.1	191	6.2	48	7.5	10.7		D	11	2	55	
4242	13.7	209	6.2	48	7.5	9.6		D	10	1	50	
4242	9.6	187	6.2	46	7.5	8.9		D	10	1	83	
4242	7.3	201	6.2	47	7.5	8.2		D	10	2	66	
4243	7.5	201	6.2	46	7.5	8.1		D	10	2	65	
4243	9.7	181	6.2	42	7.5	8.0		D	10	3	37	
4244	11.4	207	6.2	37	7.6	8.0		D	10	5	34	
4244	11.9	209	6.2	40	7.6	8.0		D	10	3	56	
4245	10.6	205	6.2	43	7.5	8.6		D	10	3	53	
4246	13.5	245	6.2	45	7.5	9.0		D	11	1	41	
4246	26.2	243	6.2	45	7.5	8.0		D	20	1	46	
4246	27.7	238	6.2	45	7.6	8.0		D	20	3	53	

Schlumberger

COLUMBIA GAS DEV OF CANA YUKON FEB 15,1980 PAGE SB-FILE 2

DEPTH	DIF	DIP AZM	DEV	DEV AZM	CIAM 1-3	CIAM 2-4	LO GI	Q	C.K	PART	MAX	SPD COR
4247	12.0	176	6.1	51	7.9	8.1		D	11	4	39	
4247	6.5	261	6.1	50	8.3	8.1	**	C	10	2	11	
4247	5.3	279	6.1	45	8.1	8.2	**	A	10	8	11	
4248	5.3	275	6.1	39	7.8	8.1	**	A	10	8	0	
4248	6.6	255	6.1	35	7.5	8.1		A	10	2	38	
4250	NO CORR		6.1	20	7.4	8.1						
4251	51.2	357	6.1	27	7.5	8.0		B	10	5	36	
4251	40.7	204	6.1	29	7.4	8.0		D	20	2	28	
4251	24.1	309	6.1	31	7.4	8.0	**	B	30	3	10	
4251	NO CORR		6.1	31	7.4	8.0						
4252	NO CORR		6.1	31	7.4	8.0						
4252	NO CORR		6.1	32	7.5	8.0						
4253	NO CORR		6.0	35	7.3	8.0						
4253	NO CORR		6.1	39	7.2	8.0						
4254	11.6	198	6.1	46	7.2	8.0		D	10	1	27	
4254	13.3	183	6.1	43	7.0	8.0		D	10	1	39	
4255	13.7	181	6.1	41	7.0	8.0		D	10	1	30	
4255	7.9	164	6.1	39	7.1	8.0		B	10	8	46	
4256	7.0	158	6.1	38	7.2	8.0		B	10	8	39	
4256	5.0	163	6.1	36	7.3	8.0		D	10	2	55	
4256	10.2	176	6.1	37	7.3	8.0		A	10	8	50	
4256	10.3	169	6.1	38	7.3	7.9		A	10	5	48	
4257	9.9	164	6.1	41	7.5	7.9		C	10	2	51	
4257	9.0	167	6.1	44	7.4	7.9		A	10	8	57	
4257	22.9	77	6.1	46	7.4	7.9		D	10	2	58	
4258	22.4	71	6.1	49	7.4	8.0		D	10	1	54	
4258	NO CORR		6.1	47	7.4	8.0						
4259	NO CORR		6.2	40	7.2	8.0						
4260	46.8	183	6.2	44	7.1	8.0		D	11	2	68	
4260	49.2	181	6.2	46	7.0	8.1		D	10	3	62	
4261	48.9	179	6.2	47	7.0	8.1		B	10	5	68	
4261	42.5	176	6.1	48	7.1	8.2		D	11	1	66	
4262	1.0	129	6.1	46	7.1	8.1		B	10	5	61	
4262	1.3	152	6.1	44	7.1	8.1		D	10	3	53	
4262	41.1	275	6.0	41	7.1	8.1		D	20	3	13	
4263	NO CORR		6.0	39	7.1	8.2						
4263	NO CORR		6.0	39	7.1	8.2						
4264	5.5	355	6.0	45	7.3	8.2	**	D	11	2	26	
4265	NO CORR		6.0	47	7.4	8.2						
4265	NO CORR		6.0	47	7.7	8.1						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAZ	SPD COR
4265	NO CORR		6.0	49	8.2	8.1						
4265	NO CORR		6.0	36	8.7	8.1						
4266	NO CORR		6.0	43	9.7	8.1						
4267	NO CORR		6.0	34	9.5	8.1						
4267	NO CORR		6.0	13	9.1	8.1						
4267	NO CORR		6.0	33	8.6	8.2						
4268	NO CORR		6.0	35	8.1	8.9						
4268	NO CORR		6.0	41	7.9	8.9						
4268	NO CORR		6.0	14	7.9	9.4						
4269	NO CORR		6.0	45	8.1	9.4						
4269	NO CORR		6.0	46	8.2	9.2						
4270	43.5	340	6.0	49	7.7	9.2		D	10	3	31	
4271	49.5	341	6.0	49	7.6	9.1		D	11	1	28	
4271	NO CORR		5.9	47	7.4	9.2						
4272	NO CORR		5.9	52	7.3	9.2						
4272	NO CORR		5.9	53	7.3	9.2						
4274	21.5	245	5.9	56	7.1	8.5	**	A	10	8	65	
4274	21.0	243	5.9	55	7.0	8.3		A	10	8	75	
4275	21.6	248	5.9	56	7.0	8.2		A	10	8	69	
4275	16.6	242	6.0	55	7.0	8.1		A	10	6	68	
4275	NO CORR		6.0	54	6.9	8.1						
4276	15.0	206	6.0	50	6.9	8.1		D	10	1	36	
4276	13.7	214	6.0	44	6.9	8.1		D	10	5	57	
4276	14.0	217	5.9	50	7.0	8.2	**	D	10	8	29	
4277	NO CORR		6.0	53	6.9	8.4						
4278	14.0	256	5.9	53	6.9	8.4		A	10	5	30	
4278	14.0	256	5.9	49	6.9	8.3		A	10	5	33	
4279	14.3	259	5.8	47	7.0	8.2		A	10	5	35	
4279	15.4	253	5.8	45	7.0	8.2		A	10	6	61	
4280	NO CORR		5.9	48	7.0	8.1						
4281	19.5	45	5.8	60	7.0	7.9		D	11	3	14	
4282	20.1	31	5.8	51	7.0	7.9	**	D	10	2	70	
4282	20.0	28	5.8	54	7.0	7.9	**	D	10	2	68	
4282	19.5	27	5.8	54	7.1	7.9		D	10	3	82	
4283	28.5	245	5.8	50	7.2	7.9		C	10	3	52	
4283	29.1	242	5.8	46	7.3	7.9		A	10	8	57	
4283	29.8	236	5.8	39	7.4	7.9	**	A	10	8	50	
4284	30.1	225	5.8	34	7.3	7.9	**	A	10	8	49	
4284	NO CORR		5.9	30	7.2	7.9						
4284	NO CORR		5.8	28	7.1	8.0						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO	G	C.E	PART	MAX	GPD CIR
4285	39.5	340	5.9	29	7.0	8.0		D	10	2	26	
4285	43.3	338	5.3	30	7.0	8.0		D	10	3	33	
4286	20.0	230	5.9	33	7.0	8.0		A	10	5	63	
4287	21.0	236	5.8	35	7.1	8.0	**	A	10	8	25	
4287	19.0	232	5.8	34	7.1	8.2		A	10	5	37	
4287	18.9	218	5.8	43	7.2	8.5		C	11	1	60	
4288	NO CORR		5.8	45	7.2	8.3						
4290	13.3	357	5.7	40	7.0	8.0		C	10	3	55	
4290	11.2	359	5.7	39	7.0	8.0	**	A	10	8	50	
4291	12.6	353	5.6	39	7.1	8.0	**	A	10	8	42	
4291	13.1	343	5.6	36	7.1	8.0	**	A	10	8	21	
4291	12.9	338	5.6	39	7.1	8.0		A	10	5	22	
4292	34.2	263	5.6	40	7.1	8.0		D	11	1	53	
4292	34.7	255	5.6	41	7.1	7.9		D	10	1	53	
4292	36.3	249	5.5	38	7.1	7.9	**	B	10	6	57	
4293	35.2	241	5.4	37	7.1	7.9		D	10	1	69	
4294	27.5	24	5.2	39	6.9	7.9		D	10	3	52	
4294	30.1	13	5.2	41	6.9	7.9		B	10	4	61	
4294	28.1	9	5.2	45	6.9	7.9		D	10	3	61	
4295	29.4	11	5.2	49	6.9	7.9		B	10	4	73	
4295	44.7	62	5.2	52	7.0	8.0		D	10	3	70	
4295	46.9	60	5.2	52	6.9	8.1		D	10	1	64	
4296	44.8	66	5.2	51	7.0	8.1	**	D	10	2	62	
4296	43.0	69	5.2	49	6.9	8.1		D	10	1	70	
4296	6.1	312	5.2	49	6.9	8.2		A	10	5	64	
4297	6.6	300	5.2	48	7.0	8.2		A	10	8	75	
4297	7.8	295	5.2	48	6.9	8.2		A	10	8	72	
4297	11.8	242	5.2	47	7.0	8.2		D	10	3	58	
4297	12.1	239	5.2	49	6.9	8.1		D	10	3	55	
4298	11.6	232	5.2	50	6.9	8.1	**	D	10	2	45	
4298	11.8	228	5.2	50	6.9	8.1	**	D	10	2	26	
4299	NO CORR		5.2	49	7.0	8.0						
4299	NO CORR		5.2	48	7.2	8.0						
4300	NO CORR		5.1	40	7.5	7.9						
4300	NO CORR		5.1	37	7.6	7.9						
4301	45.1	279	5.1	39	7.2	7.9		A	10	8	55	
4301	45.6	276	5.1	40	7.1	7.9	**	A	10	8	63	
4302	46.9	274	5.1	42	7.1	7.9	**	A	10	8	63	
4302	46.3	270	5.1	42	7.0	8.0	**	A	10	8	62	
4303	NO CORR		5.1	42	7.0	8.0						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO GI	Q	C.E	PART	MAX	SPD COR	
4304	13.4	58	5.0	41	7.9	8.0		B	10	5	29		*
4304	15.7	92	5.0	41	7.0	8.0		D	10	2	24		*
4304	15.6	47	5.1	39	7.0	8.0		D	10	2	15		*
4304	25.9	176	5.1	41	7.0	8.1		D	20	2	39		*
4304	44.8	184	5.1	43	7.1	8.2		D	21	1	38		*
4305	20.1	68	5.1	43	7.1	8.2	**	A	10	8	73		*
4305	20.6	67	5.1	43	7.1	8.1	**	A	10	8	53		*
4305	19.0	62	5.1	41	7.1	8.1	**	A	10	8	36		*
4306	17.4	56	5.1	39	7.1	8.0	**	A	10	8	14		*
4306	29.5	231	5.2	37	7.1	8.1	**	D	10	2	25		*
4306	28.7	222	5.1	35	7.1	8.2		D	10	3	57		*
4307	28.2	215	5.1	35	7.1	8.2		D	10	1	46		*
4307	33.1	267	5.1	35	7.1	8.2		D	10	1	62		*
4307	34.6	257	5.1	36	7.2	8.1		A	10	8	44		*
4308	34.6	251	5.1	40	7.2	8.0		A	10	7	43		*
4308	34.8	250	5.1	43	7.2	8.0		A	10	5	45		*
4308	31.5	244	5.1	41	7.2	7.9	**	A	10	8	67		*
4309	NO CORR		5.1	42	7.2	7.9							*
4309	17.4	351	5.1	40	7.2	7.9	**	D	10	2	82		*
4309	17.4	341	5.1	38	7.2	7.9	**	D	10	2	55		*
4310	17.5	332	5.1	36	7.2	7.9	**	D	10	2	54		*
4310	19.4	349	5.1	35	7.2	7.9	**	D	10	2	52		*
4310	10.2	133	5.0	35	7.2	7.9		A	10	8	74		*
4311	9.7	125	5.0	37	7.1	7.9		A	10	8	76		*
4311	8.8	117	4.9	41	7.1	7.9	**	A	10	8	72		*
4311	7.9	107	4.9	42	7.0	7.9	**	A	10	8	77		*
4311	5.0	83	4.8	44	7.0	7.9	**	C	10	2	75		*
4312	16.0	41	4.8	43	6.9	7.9	**	A	10	8	62		*
4312	16.0	43	4.8	45	6.9	7.9	**	A	10	8	70		*
4313	15.1	26	4.9	42	6.9	8.0	**	A	10	8	63		*
4313	15.5	16	4.8	41	6.9	8.0	**	A	10	8	61		*
4314	6.9	286	4.8	45	6.8	7.9		A	10	5	44		*
4315	6.5	280	4.8	44	6.8	7.9		A	10	5	43		*
4315	7.2	276	4.8	44	6.8	7.9		A	10	5	44		*
4315	7.5	263	4.8	43	6.9	7.9		A	10	8	74		*
4315	NO CORR		4.8	42	7.0	7.9							*
4316	NO CORR		4.9	40	7.0	7.9							*
4316	41.9	345	4.9	40	7.1	7.9		D	20	1	7	*	*
4316	38.2	342	4.9	44	7.2	7.9		B	20	4	65	*	*
4317	27.5	185	4.9	37	7.2	7.9		D	10	2	7	*	*

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO	G	C.E	PART	MAX	SPD COR	
4317	NO CORR		4.9	28	7.2	8.0							*
4317	NO CORR		4.8	26	7.2	8.0							*
4316	NO CORR		4.8	28	7.3	8.1							*
4315	NO CORR		4.9	34	7.4	8.1							*
4315	25.0	166	4.9	42	7.5	8.1		B	10	7	50	*	*
4319	4.3	227	4.9	44	7.7	8.0		A	10	8	92	*	*
4314	5.2	223	4.9	45	7.7	8.0	#1	A	10	8	96	*	*
4319	5.2	224	4.9	44	7.7	8.0	**	A	10	8	92	*	*
4319	5.4	228	5.0	46	7.7	8.0	**	A	10	8	93	*	*
4320	7.0	233	5.0	44	7.7	8.0		A	10	6	93	*	*
4322	NO CORR		5.3	40	7.6	8.5							*
4321	NO CORR		5.4	41	7.5	8.0							*
4325	NO CORR		5.3	43	7.6	8.0							*
4326	NO CORR		5.4	45	7.6	8.1							*
4329	NO CORR		5.4	43	7.6	8.3							*
4330	6.3	16	5.4	40	7.7	8.2		A	10	8	66		*
4330	7.5	360	5.4	41	7.6	8.2	**	A	10	8	22		*
4330	8.4	347	5.3	43	7.6	8.2		A	10	4	44		*
4331	9.6	336	5.4	46	7.6	8.2	**	A	10	8	38		*
4332	NO CORR		5.5	47	7.4	8.2							*
4333	NO CORR		5.4	44	7.5	8.2							*
4333	NO CORR		5.4	45	7.6	8.2							*
4336	NO CORR		5.5	58	7.9	8.0							*
4335	NO CORR		5.4	56	7.9	8.0							*
4336	NO CORR		5.4	54	8.1	8.0							*
4336	27.8	177	5.4	53	8.1	8.0		D	10	3	36		*
4336	4.4	254	5.5	45	7.9	8.0		A	10	5	47		*
4336	3.9	258	5.5	43	7.8	8.0		A	10	5	52		*
4336	5.4	259	5.4	43	7.7	8.0		A	10	5	60		*
4339	7.1	257	5.4	44	7.6	8.0		A	10	6	65		*
4340	10.6	215	5.4	57	7.5	8.1	**	A	10	8	34		*
4340	10.2	212	5.4	59	7.4	8.1		A	10	8	32		*
4339	8.4	203	5.5	59	7.4	8.2		A	10	5	67		*
4340	9.8	202	5.5	56	7.5	8.3		A	10	8	79		*
4341	NO CORR		5.5	54	7.4	8.3							*
4341	NO CORR		5.5	54	7.5	8.4							*
4341	NO CORR		5.5	54	7.5	8.4							*
4342	NO CORR		5.5	56	7.5	8.4							*
4344	12.9	241	5.5	63	8.0	8.3		B	10	4	51		*
4344	15.1	227	5.5	60	7.9	8.3		B	10	5	45		*

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	GO G1	Q	C.C	PART MAX	SPD COR
4345	15.5	222	5.5	55	7.6	8.3		B	10	5 39	
4345	4.4	11	5.5	52	7.7	8.3		C	10	3 70	
4345	1.9	337	5.5	49	7.7	8.3		A	10	4 71	
4346	2.7	327	5.4	48	7.7	8.3		A	10	4 64	
4346	3.7	313	5.4	49	7.7	8.3		A	10	4 17	
4347	NO CORR		5.4	56	7.5	8.1					
4347	NO CORR		5.4	61	7.4	8.1					
4347	NO CORR		5.4	61	7.4	8.2					
4347	NO CORR		5.4	61	7.4	8.3					
4348	NO CORR		5.4	62	7.4	9.0					
4350	NO CORR		5.5	67	7.4	9.9					
4350	36.3	212	5.5	69	7.3	9.9		C	10	3 45	
4351	36.3	214	5.5	70	7.3	10.0		C	10	3 32	
4351	36.0	217	5.5	70	7.4	10.0		C	10	3 39	
4351	36.3	218	5.6	68	7.4	9.9		C	10	3 42	
4353	26.9	66	5.4	65	7.1	10.6		D	10	3 43	
4353	27.2	63	5.4	70	7.2	10.6		B	10	5 50	
4354	31.9	62	5.4	72	7.2	10.5		D	10	1 34	
4354	NO CORR		5.5	72	7.3	10.1					
4355	NO CORR		5.5	69	7.3	9.9					
4356	26.0	66	5.6	65	7.4	9.6		D	10	2 38	
4356	31.3	67	5.6	66	7.4	9.6		D	10	1 41	
4357	43.1	209	5.6	65	7.4	9.3		B	10	5 43	
4357	43.0	205	5.6	60	7.4	9.1	**	D	10	2 33	
4357	38.3	245	5.6	55	7.4	8.8		B	20	2 67	
4358	38.1	237	5.6	54	7.5	8.6		D	21	2 27	
4358	17.1	66	5.6	54	7.6	8.3		D	10	1 72	
4358	17.1	78	5.6	55	7.6	8.2		D	10	3 48	
4358	17.7	68	5.5	58	7.6	8.1		B	10	5 37	
4359	36.3	239	5.6	59	7.6	8.0		D	21	2 26	
4359	36.5	241	5.6	58	7.6	8.1		D	20	1 36	
4359	41.6	240	5.6	60	7.6	8.1		D	20	3 57	
4360	41.0	238	5.6	62	7.7	8.0		D	20	2 62	
4361	NO CORR		5.6	67	8.1	8.0					
4361	NO CORR		5.6	67	8.1	8.0					
4361	NO CORR		5.7	67	8.3	8.1					
4361	NO CORR		5.7	67	8.4	8.1					
4362	NO CORR		5.7	67	8.6	8.1					
4362	NO CORR		5.7	64	8.6	8.1					
4363	NO CORR		5.8	55	8.9	8.1					

Schlumberger

COLUMBIA GAS DEV OF CANA YUKON FEB 15,1980 PAGE 64-FILE 2

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LO	Q	C.F	PART	MAX	SD COR	
4364	40.7	240	5.8	54	7.7	8.2	**	A	10	8	58		
4365	40.8	236	5.8	54	7.6	8.2	**	A	10	8	59		
4365	41.3	232	5.8	54	7.5	8.2	**	A	10	8	55		
4365	39.0	231	5.8	52	7.5	8.2	**	A	10	8	53		
4365	28.1	223	5.8	56	7.5	8.3	**	B	10	4	53		
4366	49.3	221	5.8	63	7.5	8.3	**	B	10	4	63		
4366	42.0	225	5.8	67	7.6	8.4		D	11	3	36		
4367	43.8	229	5.8	73	7.5	8.4		D	11	3	24		
4369	NO CORR		5.9	65	7.5	8.2							
4372	42.2	225	5.9	67	7.5	8.4		D	10	1	40		
4372	NO CORR		5.9	64	7.6	8.3							
4372	41.0	222	5.9	62	7.6	8.3		D	10	3	40		
4372	37.2	216	5.9	61	7.5	8.3		D	10	2	45		
4373	38.8	226	5.9	62	7.5	8.2		D	10	1	38		
4373	NO CORR		5.9	61	7.6	8.2							
4374	NO CORR		5.8	59	7.7	8.2							
4374	NO CORR		5.8	56	7.7	8.3							
4375	NO CORR		5.8	59	7.5	8.2							
4376	NO CORR		5.7	58	7.5	8.3							
4376	40.7	103	5.7	59	7.6	8.2		B	10	4	60		
4376	NO CORR		5.7	59	7.6	8.2							
4376	24.2	152	5.7	60	7.5	8.2		D	20	1	52		
4377	34.9	109	5.6	62	7.5	8.0		D	11	2	32		
4377	NO CORR		5.9	59	7.4	8.0							
4378	NO CORR		5.9	59	7.3	8.1							
4378	NO CORR		5.9	60	7.3	8.1							
4378	NO CORR		5.8	60	7.4	8.1							
4379	56.4	60	5.8	59	7.5	8.1		D	10	3	49		
4380	57.7	57	5.8	61	7.5	8.1		D	10	1	74		
4380	37.8	148	5.9	61	7.6	8.1		D	20	2	72		
4380	35.2	151	5.8	62	7.6	8.1		D	20	3	33		
4381	33.7	295	5.8	62	7.6	8.1		D	10	2	57		
4381	13.4	296	5.8	61	7.5	8.1		B	10	4	60		
4382	33.5	298	5.8	60	7.4	8.1		D	10	3	50		
4382	31.5	296	5.8	60	7.4	8.1	**	D	10	2	35		
4382	38.2	144	5.8	62	7.4	8.1		D	21	1	39		
4383	13.7	219	5.8	64	7.6	8.1		B	30	5	39		
4383	15.4	214	5.9	66	7.3	8.2		D	30	2	45		
4386	NO CORR		5.8	67	7.7	8.4							
4386	56.1	243	5.8	68	7.7	8.3		D	20	3	40		

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	QU GI	Q	C.E	PART	MAX	SPD CUR
4387	NO CURR		5.8	72	7.9	8.3						
4388	NO CURR		5.8	71	8.2	8.3						
4388	NO CURR		5.9	72	8.2	8.3						
4389	26.4	311	5.9	75	8.3	8.3		B	10	4	39	
4389	26.6	307	5.9	75	8.7	8.2		D	10	2	46	
4390	NO CURR		5.9	76	9.5	8.3						
4392	NO CURR		6.4	76	10.2	8.4						
4393	NO CURR		5.7	75	10.4	8.4						
4394	NO CURR		5.6	77	10.3	8.3						
4395	NO CURR		5.5	80	10.1	8.0						
4396	NO CURR		5.6	80	10.1	8.0						
4396	41.6	58	5.5	82	9.9	8.0		D	11	1	63	
4397	30.7	52	5.5	84	9.8	8.0		D	10	3	41	
4397	29.0	46	5.5	84	9.7	8.0		D	10	2	51	
4397	33.0	40	5.5	86	9.7	8.1		D	10	1	38	
4397	38.6	36	5.5	88	9.9	8.1		D	10	2	33	
4398	18.9	58	5.5	84	10.0	8.1		D	20	1	41	
4398	NO CURR		5.5	81	10.1	8.2						
4399	NO CURR		5.4	78	10.1	8.2						
4399	NO CURR		5.4	77	10.0	8.2						
4400	NO CURR		5.4	69	9.3	8.1						
4400	NO CURR		5.3	64	8.6	8.2						
4400	NO CURR		5.3	61	7.6	8.2						
4401	NO CURR		5.2	63	7.3	8.2						
4401	NO CURR		5.2	62	7.3	8.1						
4401	43.3	334	5.2	62	7.2	8.1		C	10	3	40	
4402	43.0	328	5.2	62	7.2	8.1		C	10	3	46	
4402	43.6	321	5.2	62	7.2	8.1		C	10	3	39	
4402	42.4	316	5.3	64	7.2	8.1		C	10	1	47	
4403	18.3	339	5.3	66	7.2	8.0	**	A	10	4	59	
4403	18.3	336	5.3	68	7.1	8.0	**	A	10	4	52	
4403	17.6	328	5.3	70	7.0	8.0	**	A	10	4	38	
4404	20.5	343	5.3	72	7.0	8.0	**	A	10	3	29	
4404	37.8	10	5.3	72	7.1	8.0		D	20	3	34	
4404	38.8	4	5.3	73	7.1	8.0		C	10	3	26	
4404	38.6	356	5.3	74	7.3	8.0		C	10	3	30	
4405	38.0	350	5.4	74	7.3	8.0		C	10	3	30	
4405	NO CURR		5.3	73	7.4	8.0						
4410	NO CURR		5.3	71	7.2	8.0						
4410	NO CURR		5.3	72	7.1	8.0						

Schlumberger

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E	PART	MAX	SPD CDR	
4411	NO CORR		5.3	72	7.0	8.0							
4411	15.1	356	5.2	70	7.0	8.0		D	20	3	52		
4411	16.9	352	5.2	68	7.1	8.0		D	20	2	57		
4412	11.0	338	5.2	67	7.1	8.0		D	21	3	40		
4412	7.5	292	5.2	70	7.1	8.0		D	11	1	9		
4412	7.2	266	5.1	71	7.2	8.0		D	10	1	37		
4413	10.2	265	5.1	74	7.2	8.0		D	10	3	73		
4413	NO CORR		5.1	77	7.1	8.0							
4413	NO CORR		5.0	76	7.2	8.2							
4414	8.5	332	4.8	87	7.0	8.8		D	30	1	83		
4415	19.7	263	4.6	84	6.6	8.7		D	11	1	74		
4415	16.1	280	4.6	80	6.6	8.7		D	10	2	88	*	
4416	16.0	294	4.5	77	6.7	8.6		D	10	4	68	*	
4416	NO CORR		4.4	75	6.8	8.4							
4417	NO CORR		4.4	79	6.7	7.9							

COLUMBIA GAS DEV OF CANA YUKON FEB 15,1980 PAGE 1=EDGE 1

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	LD GI	Q	C.E.	PART	MAX	SPD COR	
3340	13.1	217	6.9	42	8.1	9.5	**	A	10	6	91		
3341	13.2	221	6.9	43	8.1	9.4	**	A	10	8	89		
3341	12.8	221	6.9	42	8.1	9.3	**	A	10	8	88		
3341	12.8	226	6.9	44	8.2	9.1	**	A	10	6	84		
3342	12.7	224	6.9	42	8.2	9.3	**	A	10	8	78		
3342	12.2	223	6.9	42	8.2	9.4	**	A	10	8	74		
3342	13.3	223	6.9	41	8.3	9.6		A	10	8	73		
3342	13.6	222	7.0	40	8.3	9.4		A	10	8	78		
3343	13.5	224	7.0	41	8.4	9.5	**	A	10	8	74		
3343	14.0	225	7.0	40	8.4	9.5	**	A	10	8	78		
3343	15.4	227	7.0	41	8.4	9.5	**	A	10	8	70		
3344	15.3	226	7.0	40	8.4	9.5	**	A	10	8	77		
3344	15.0	227	7.0	40	8.4	9.6	**	A	10	8	64		
3344	17.1	226	7.0	41	8.3	9.6	**	A	10	7	60		
3345	16.9	225	7.0	39	8.3	9.6		C	10	3	66	*	*
3345	10.1	223	7.0	39	8.2	9.3		C	10	3	63	*	*
3346	10.1	224	7.0	41	8.2	9.6		C	10	3	64	*	*
3346	10.4	227	7.0	43	8.2	9.6	**	A	10	8	70	*	*
3346	10.3	226	7.0	41	8.2	9.7		A	10	8	63	*	*
3346	13.8	229	7.0	43	8.2	9.7		D	10	2	33		*
3347	25.0	125	7.0	42	8.2	9.7		D	20	3	36		*
3347	15.2	222	7.0	42	8.2	9.7		D	10	2	32		*
3348	15.5	227	7.0	41	8.2	9.8		D	10	5	32		*

Schlumberger

COLUMBIA GAS DEV OF CANA YUKON FEB 15,1980 SUMMARY

DEPTH	DIP	DIP AZM	DEV	DEV AZM	DIAM 1-3	DIAM 2-4	QUAL	
TOP								
3291.0	11.9	202.	6.7	31.	7.3	8.0	A	
BOTTOM								
4416.0	16.0	294.	4.5	77.	6.7	8.6	B	
TOP								
3340.0	14.1	217.	6.9	42.	8.1	9.5	A	
BOTTOM								
3348.0	15.5	227.	7.0	41.	8.2	9.8	B	

Schlumberger

0.00 0.00 0.00 0.00 0.00 0.00 0.00

Schlumberger



Schlumberger

Schlumberger

LSTRES	3.00	0.00	0.00	0.00	0.00	0.00	0.00
MLW	0.00	0.00	1.00	0.00	0.00	0.00	0.00
	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXCUTE	3554.00	0.00	0.00	0.00	0.00	0.00	0.00

Schlumberger

[illegible]	1.00	0.00	0.00	0.00	0.00	0.00	0.00
[illegible]	0.00	0.00	1.00	0.00	0.00	0.00	0.00
	0.00	0.00	0.00	0.00	0.00	0.00	0.00