

PC-MINE VERSION 1.10
SERIAL NO : 20320
22/ 1/1985

CURRAGH RESOURCES
FARO DEPOSIT - F8805 MODEL

SOFTWARE BY GEMCOM SERVICES INC
MODULE 4.11
PAGE 1

MINING RESERVE EVALUATION

DESCRIPTION : REMAINING RESERVES - DEC 31 1988 TO CLOUTIER'S REVISED PIT

TOTAL FOR ALL BENCHES

TOP ELEVATION : 4270.00 [ft]
BOTTOM ELEVATION : 3090.00 [ft]

TOP SURFACE GRID RECORD : 28 F88-12 December 31 1988 CUT SURFACE
BOTTOM SURFACE GRID RECORD : 40 Cloutier's Revised Ultimate Pit Merged to Dec 88 Cut Surface

INCREMENTAL RESULTS

CUT-OFF GRADES		ROCK-TYPE CODE	VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TDNS x1000]	A V E R A G E G R A D E S			ECONOMIC FACTOR [Cdn \$ x1000]		
FROM [%Pb+Zn]	TO [%Pb+Zn]					[%Pb]	[%Zn]	[Ag g/t]		[Au g/t]	
5.000	50.000	20	31.82	.085	2.71	5.561	2.440	3.120	41.785	.250	.00
5.000	50.000	21	23271.73	.093	2165.23	7.142	2.293	4.849	28.254	.159	.00
5.000	50.000	22	496.74	.088	43.61	6.846	2.406	4.440	40.606	.137	.00
5.000	50.000	23	922.77	.094	86.61	7.030	2.134	4.896	25.255	.140	.00
5.000	50.000	32	2393.55	.088	211.45	7.442	3.245	4.198	50.063	.081	.00
5.000	50.000	33	1385.04	.099	137.42	7.080	3.028	4.052	44.470	.219	.00
5.000	50.000	40	509.12	.108	54.93	5.632	1.939	3.693	20.254	.149	.00
5.000	50.000	50	58093.20	.125	7274.37	9.430	3.651	5.779	35.338	.109	.00
5.000	50.000	60	10161.99	.123	1248.46	10.071	4.195	5.876	54.577	.185	.00
5.000	50.000	70	2541.16	.121	308.07	8.939	3.767	5.172	56.050	.067	.00
4.000	5.000	20	4.42	.085	.38	4.778	2.153	2.624	41.641	.184	.00
4.000	5.000	21	11085.65	.088	980.82	4.509	1.451	3.058	24.525	.139	.00
4.000	5.000	22	123.74	.082	10.21	4.655	1.910	2.746	34.698	.084	.00
4.000	5.000	23	533.87	.098	52.09	4.478	1.426	3.051	20.006	.051	.00
4.000	5.000	32	6.19	.091	.56	4.274	1.821	2.453	29.500	.000	.00
4.000	5.000	33	123.74	.100	12.34	4.544	1.669	2.874	25.892	.154	.00
4.000	5.000	40	2958.36	.116	343.69	4.391	1.839	2.552	21.632	.192	.00
4.000	5.000	50	804.33	.117	94.11	4.627	2.001	2.626	21.828	.129	.00
4.000	5.000	70	17.68	.103	1.82	4.482	1.504	2.978	22.000	.115	.00
.010	4.000	20	53.92	.078	4.18	2.373	1.289	1.085	27.199	.064	.00
.010	4.000	21	9356.78	.089	828.63	3.332	1.087	2.245	20.120	.110	.00
.010	4.000	22	795.49	.082	64.91	2.866	1.121	1.745	21.463	.119	.00
.010	4.000	23	1890.62	.094	177.48	1.841	.610	1.231	15.143	.078	.00
.010	4.000	32	17.68	.094	1.66	3.579	1.150	2.429	23.800	.000	.00
.010	4.000	33	318.20	.097	30.87	2.842	.986	1.856	23.355	.134	.00
.010	4.000	40	37421.84	.114	4272.12	2.501	.953	1.549	14.295	.105	.00
.010	4.000	50	144.96	.104	15.01	3.164	1.526	1.638	25.845	.210	.00
.010	4.000	60	53.03	.107	5.69	2.047	1.094	.953	24.515	.252	.00
.010	4.000	70	35.36	.103	3.66	3.722	1.162	2.560	26.794	.198	.00
.000	.010	20	30.94	.089	2.76	.000	.000	.000	.000	.000	.00

.000	.010	20	30.94	.089	2.76	.000	.000	.000	.000	.000	.00
.000	.010	21	1568.01	.089	-139.71	.000	.000	.000	.000	.000	.00
.000	.010	22	17.68	.089	1.58	.000	.000	.000	.000	.000	.00
.000	.010	23	747.76	.089	66.63	.000	.000	.000	.000	.000	.00
.000	.010	31	36.24	.086	3.13	.000	.000	.000	.000	.000	.00
.000	.010	32	699.15	.086	60.34	.000	.000	.000	.000	.000	.00
.000	.010	33	1549.45	.097	149.99	.000	.000	.000	.000	.000	.00
.000	.010	40	675.29	.116	78.33	.000	.000	.000	.000	.000	.00
.000	.010	50	294.33	.124	36.64	.000	.000	.000	.000	.000	.00
.000	.010	60	35.36	.125	4.42	.000	.000	.000	.000	.000	.00
.000	.010	70	1036.79	.117	121.20	.000	.000	.000	.000	.000	.00
.000	9999.000	100	113570.10	.076	8619.96	.000	.000	.000	.000	.000	.00
.000	9999.000	110	5947.65	.076	451.43	.000	.000	.000	.000	.000	.00
.000	9999.000	120	31887.82	.076	2420.29	.000	.000	.000	.000	.000	.00
.000	9999.000	130	256.33	.076	19.46	.000	.000	.000	.000	.000	.00
.000	9999.000	150	2964.54	.076	225.01	.000	.000	.000	.000	.000	.00
.000	9999.000	160	2621.60	.076	198.98	.000	.000	.000	.000	.000	.00
.000	9999.000	170	80199.95	.076	6087.16	.000	.000	.000	.000	.000	.00
.000	9999.000	180	19167.87	.076	1454.84	.000	.000	.000	.000	.000	.00
.000	9999.000	190	6885.45	.076	522.61	.000	.000	.000	.000	.000	.00

TOTAL			435745.20	.090	39097.52	3.172	1.202	1.970	13.919	.058	.00
-------	--	--	-----------	------	----------	-------	-------	-------	--------	------	-----

MINING RESERVE EVALUATION

DESCRIPTION : REMAINING RESERVES - DEC 31 1988 TO CLOUTIER'S REVISED PIT

TOTAL FOR ALL BENCHES

TOP ELEVATION : 4270.00 [ft]
 BOTTOM ELEVATION : 3090.00 [ft]

TOP SURFACE GRID RECORD : 28 F88-12 December 31 1988 CUT SURFACE
 BOTTOM SURFACE GRID RECORD : 40 Cloutier's Revised Ultimate Pit Merged to Dec 88 Cut Surface

CUMULATIVE RESULTS

CUT-OFF GRADES FROM	TO	ROCK-TYPE CODE	VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TONS x1000]	A V E R A G E G R A D E S					ECONOMIC FACTOR
						[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]	[Au g/t]	
5.000	50.000	20	31.82	.085	2.71	5.561	2.440	3.120	41.785	.250	.00
5.000	50.000	21	23303.55	.093	2167.94	7.141	2.294	4.847	28.271	.159	.00
5.000	50.000	22	23800.29	.093	2211.55	7.135	2.296	4.839	28.514	.159	.00
5.000	50.000	23	24723.06	.093	2298.15	7.131	2.290	4.841	28.391	.158	.00
5.000	50.000	30	24723.06	.093	2298.15	7.131	2.290	4.841	28.391	.158	.00
5.000	50.000	31	24723.06	.093	2298.15	7.131	2.290	4.841	28.391	.158	.00
5.000	50.000	32	27116.62	.093	2509.61	7.157	2.370	4.787	30.217	.152	.00
5.000	50.000	33	28501.66	.093	2647.03	7.153	2.404	4.749	30.957	.155	.00
5.000	50.000	40	29010.78	.093	2701.96	7.122	2.395	4.727	30.739	.155	.00
5.000	50.000	50	87103.98	.115	9976.33	8.805	3.311	5.494	34.093	.122	.00
5.000	50.000	60	97265.98	.115	11224.79	8.946	3.409	5.537	36.371	.129	.00
5.000	50.000	70	99807.13	.116	11532.87	8.946	3.419	5.527	36.897	.127	.00
5.000	50.000	80	99807.13	.116	11532.87	8.946	3.419	5.527	36.897	.127	.00
4.000	5.000	20	99811.55	.116	11533.24	8.946	3.419	5.527	36.897	.127	.00
4.000	5.000	21	110897.20	.113	12514.06	8.598	3.264	5.333	35.927	.128	.00
4.000	5.000	22	111020.90	.113	12524.26	8.595	3.263	5.331	35.926	.128	.00
4.000	5.000	23	111554.80	.113	12576.35	8.578	3.256	5.322	35.860	.128	.00
4.000	5.000	30	111554.80	.113	12576.35	8.578	3.256	5.322	35.860	.128	.00
4.000	5.000	31	111554.80	.113	12576.35	8.578	3.256	5.322	35.860	.128	.00
4.000	5.000	32	111561.00	.113	12576.92	8.577	3.256	5.322	35.860	.128	.00
4.000	5.000	33	111684.70	.113	12589.25	8.573	3.254	5.319	35.850	.128	.00
4.000	5.000	40	114643.10	.113	12932.95	8.462	3.216	5.246	35.472	.130	.00
4.000	5.000	50	115447.40	.113	13027.06	8.435	3.208	5.227	35.374	.130	.00
4.000	5.000	60	115447.40	.113	13027.06	8.435	3.208	5.227	35.374	.130	.00
4.000	5.000	70	115465.10	.113	13028.88	8.434	3.207	5.227	35.372	.130	.00
4.000	5.000	80	115465.10	.113	13028.88	8.434	3.207	5.227	35.372	.130	.00
.010	4.000	20	115519.00	.113	13033.07	8.432	3.207	5.225	35.369	.129	.00
.010	4.000	21	124875.80	.111	13861.70	8.127	3.080	5.047	34.458	.128	.00
.010	4.000	22	125671.30	.111	13926.60	8.103	3.071	5.032	34.397	.128	.00
.010	4.000	23	127561.90	.111	14104.08	8.024	3.040	4.984	34.155	.128	.00
.010	4.000	30	127561.90	.111	14104.08	8.024	3.040	4.984	34.155	.128	.00
.010	4.000	31	127561.90	.111	14104.08	8.024	3.040	4.984	34.155	.128	.00

.010	4.000	31	127561.90	.111	14104.08	8.024	3.040	4.984	34.155	.128	.00
.010	4.000	32	127579.60	.111	14105.74	8.023	3.040	4.984	34.154	.128	.00
.010	4.000	33	127897.80	.111	14136.61	8.012	3.035	4.977	34.130	.128	.00
.010	4.000	40	165319.60	.111	18408.73	6.733	2.552	4.181	29.527	.122	.00
.010	4.000	50	165464.60	.111	18423.73	6.730	2.551	4.179	29.524	.122	.00
.010	4.000	60	165517.60	.111	18429.42	6.729	2.551	4.178	29.522	.122	.00
.010	4.000	70	165553.00	.111	18433.08	6.728	2.550	4.178	29.522	.122	.00
.010	4.000	80	165553.00	.111	18433.08	6.728	2.550	4.178	29.522	.122	.00
.000	.010	20	165583.90	.111	18435.84	6.727	2.550	4.177	29.517	.122	.00
.000	.010	21	167151.90	.111	18575.55	6.677	2.531	4.146	29.295	.122	.00
.000	.010	22	167169.60	.111	18577.12	6.676	2.531	4.145	29.293	.121	.00
.000	.010	23	167917.40	.111	18643.75	6.652	2.522	4.131	29.188	.121	.00
.000	.010	30	167917.40	.111	18643.75	6.652	2.522	4.131	29.188	.121	.00
.000	.010	31	167953.60	.111	18646.88	6.651	2.521	4.130	29.183	.121	.00
.000	.010	32	168652.80	.111	18707.21	6.630	2.513	4.117	29.089	.121	.00
.000	.010	33	170202.20	.111	18857.20	6.577	2.493	4.084	28.858	.120	.00
.000	.010	40	170877.50	.111	18935.53	6.550	2.483	4.067	28.739	.119	.00
.000	.010	50	171171.80	.111	18972.18	6.537	2.478	4.059	28.683	.119	.00
.000	.010	60	171207.20	.111	18976.60	6.536	2.477	4.058	28.676	.119	.00
.000	.010	70	172244.00	.111	19097.80	6.494	2.462	4.032	28.494	.118	.00
.000	.010	80	172244.00	.111	19097.80	6.494	2.462	4.032	28.494	.118	.00
.000	9999.000	100	285814.10	.097	27717.76	4.474	1.696	2.778	19.633	.081	.00
.000	9999.000	110	291761.70	.097	28169.18	4.403	1.669	2.734	19.318	.080	.00
.000	9999.000	120	323649.50	.095	30589.47	4.054	1.537	2.518	17.790	.074	.00
.000	9999.000	130	323905.80	.094	30608.92	4.052	1.536	2.516	17.778	.074	.00
.000	9999.000	150	326870.40	.094	30833.93	4.022	1.525	2.498	17.649	.073	.00
.000	9999.000	160	329492.00	.094	31032.91	3.996	1.515	2.482	17.536	.073	.00
.000	9999.000	170	409691.90	.091	37120.07	3.341	1.266	2.075	14.660	.061	.00
.000	9999.000	180	428859.80	.090	38574.92	3.215	1.219	1.996	14.107	.059	.00
.000	9999.000	190	435745.20	.090	39097.52	3.172	1.202	1.970	13.919	.058	.00
.000	9999.000	300	435745.20	.090	39097.52	3.172	1.202	1.970	13.919	.058	.00
.000	9999.000	400	435745.20	.090	39097.52	3.172	1.202	1.970	13.919	.058	.00
.000	9999.000	500	435745.20	.090	39097.52	3.172	1.202	1.970	13.919	.058	.00
.000	9999.000	***	435745.20	.090	39097.52	3.172	1.202	1.970	13.919	.058	.00

TOTAL 435745.20 .090 39097.52 3.172 1.202 1.970 13.919 .058 .00

MINING RESERVE EVALUATION

DESCRIPTION : MINED RESERVES - DEC 31 1987 TO DEC 31 1988

TOTAL FOR ALL BENCHES

TOP ELEVATION : 4270.00 [ft]
 BOTTOM ELEVATION : 3090.00 [ft]

TOP SURFACE GRID RECORD : 25 F87-12 December 31 1987 CUT SURFACE
 BOTTOM SURFACE GRID RECORD : 28 F88-12 December 31 1988 CUT SURFACE

INCREMENTAL RESULTS

CUT-OFF GRADES		ROCK-TYPE CODE	VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TONS x1000]	A V E R A G E G R A D E S			ECONOMIC FACTOR [Cdn \$ x1000]		
FROM [%Pb+Zn]	TO [%Pb+Zn]					[%Pb+Zn]	[%Pb]	[%Zn]		[Ag g/t]	[Au g/t]
5.000	50.000	20	24.75	.085	2.11	6.553	2.712	3.841	59.782	.000	.00
5.000	50.000	21	1444.26	.089	128.82	6.600	2.470	4.131	63.625	.144	.00
5.000	50.000	22	1076.57	.088	94.86	6.861	2.370	4.490	44.611	.075	.00
5.000	50.000	23	102.53	.086	8.82	5.972	2.422	3.550	54.806	.217	.00
5.000	50.000	32	2146.07	.090	194.15	7.065	2.748	4.317	47.240	.082	.00
5.000	50.000	33	1143.74	.095	109.02	8.801	2.872	5.929	29.842	.223	.00
5.000	50.000	50	13017.83	.120	1557.47	10.807	4.591	6.216	53.192	.059	.00
5.000	50.000	60	13876.06	.120	1670.23	10.084	4.569	5.516	61.152	.142	.00
5.000	50.000	70	3738.82	.107	400.93	10.946	4.563	6.383	64.879	.097	.00
5.000	50.000	80	158.21	.098	15.57	6.321	3.153	3.168	54.645	.328	.00
4.000	5.000	20	1.77	.078	.14	4.405	1.357	3.048	20.700	.086	.00
4.000	5.000	21	1432.77	.086	123.21	4.486	1.557	2.930	27.950	.053	.00
4.000	5.000	22	88.39	.088	7.79	4.787	1.839	2.948	32.497	.000	.00
4.000	5.000	23	190.92	.088	16.79	4.390	1.634	2.756	27.735	.064	.00
4.000	5.000	32	539.17	.092	49.54	4.423	1.582	2.841	31.453	.016	.00
4.000	5.000	33	88.39	.086	7.60	4.506	1.531	2.975	30.727	.166	.00
4.000	5.000	40	124.63	.130	16.16	4.334	2.291	2.042	27.709	.069	.00
4.000	5.000	50	220.97	.126	27.75	4.655	2.132	2.522	26.566	.044	.00
4.000	5.000	60	106.07	.113	11.96	4.544	2.051	2.493	28.102	.211	.00
.010	4.000	20	2.65	.075	.20	1.563	.547	1.016	12.179	.061	.00
.010	4.000	21	1386.81	.083	115.72	3.478	1.291	2.187	23.208	.077	.00
.010	4.000	23	1125.18	.086	96.62	2.981	.971	2.010	14.046	.004	.00
.010	4.000	33	427.80	.091	39.04	1.665	.662	1.003	14.828	.150	.00
.010	4.000	40	4938.25	.120	591.80	2.196	1.128	1.068	18.280	.066	.00
.010	4.000	50	14.14	.125	1.77	3.946	1.997	1.949	29.900	.000	.00
.010	4.000	60	35.36	.111	3.93	3.692	1.859	1.834	30.705	.257	.00
.000	.010	20	30.94	.089	2.76	.000	.000	.000	.000	.000	.00
.000	.010	21	436.64	.089	38.90	.000	.000	.000	.000	.000	.00
.000	.010	22	212.13	.089	18.90	.000	.000	.000	.000	.000	.00
.000	.010	23	251.02	.089	22.37	.000	.000	.000	.000	.000	.00

MINING RESERVE EVALUATION

DESCRIPTION : MINED RESERVES - DEC 31 1987 TO DEC 31 1988

TOTAL FOR ALL BENCHES

TOP ELEVATION : 4270.00 [ft]
 BOTTOM ELEVATION : 3090.00 [ft]

TOP SURFACE GRID RECORD : 25 F87-12 December 31 1987 CUT SURFACE
 BOTTOM SURFACE GRID RECORD : 28 F88-12 December 31 1988 CUT SURFACE

INCREMENTAL RESULTS

CUT-OFF GRADES FROM [%Pb+Zn] TO [%Pb+Zn]	ROCK-TYPE CODE	VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TONS x1000]	AVERAGE GRADES			ECONOMIC FACTOR			
					[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]	[Au g/t]	[Cdn \$ x1000]	
5.000	50.000	20	24.75	.085	2.11	6.553	2.712	3.841	59.782	.000	.00
5.000	50.000	21	1444.26	.089	128.82	6.600	2.470	4.131	63.625	.144	.00
5.000	50.000	22	1076.57	.088	94.86	6.861	2.370	4.490	44.611	.075	.00
5.000	50.000	23	102.53	.086	8.82	5.972	2.422	3.550	54.806	.217	.00
5.000	50.000	32	2146.07	.090	194.15	7.065	2.748	4.317	47.240	.082	.00
5.000	50.000	33	1143.74	.095	109.02	8.801	2.872	5.929	29.842	.223	.00
5.000	50.000	50	13017.83	.120	1557.47	10.807	4.591	6.216	53.192	.059	.00
5.000	50.000	60	13876.06	.120	1670.23	10.084	4.569	5.516	61.152	.142	.00
5.000	50.000	70	3738.82	.107	400.93	10.946	4.563	6.383	64.879	.097	.00
5.000	50.000	80	158.21	.098	15.57	6.321	3.153	3.168	54.645	.328	.00
4.000	5.000	20	1.77	.078	.14	4.405	1.357	3.048	20.700	.086	.00
4.000	5.000	21	1432.77	.086	123.21	4.486	1.557	2.930	27.950	.053	.00
4.000	5.000	22	88.39	.088	7.79	4.787	1.839	2.948	32.497	.000	.00
4.000	5.000	23	190.92	.088	16.79	4.390	1.634	2.756	27.735	.064	.00
4.000	5.000	32	539.17	.092	49.54	4.423	1.582	2.841	31.453	.016	.00
4.000	5.000	33	88.39	.086	7.60	4.506	1.531	2.975	30.727	.166	.00
4.000	5.000	40	124.63	.130	16.16	4.334	2.291	2.042	27.709	.069	.00
4.000	5.000	50	220.97	.126	27.75	4.655	2.132	2.522	26.566	.044	.00
4.000	5.000	60	106.07	.113	11.96	4.544	2.051	2.493	28.102	.211	.00
.010	4.000	20	2.65	.075	.20	1.563	.547	1.016	12.179	.061	.00
.010	4.000	21	1386.81	.083	115.72	3.478	1.291	2.187	23.208	.077	.00
.010	4.000	23	1125.18	.086	96.62	2.981	.971	2.010	14.046	.004	.00
.010	4.000	33	427.80	.091	39.04	1.665	.662	1.003	14.828	.150	.00
.010	4.000	40	4938.25	.120	591.80	2.196	1.128	1.068	18.280	.066	.00
.010	4.000	50	14.14	.125	1.77	3.946	1.997	1.949	29.900	.000	.00
.010	4.000	60	35.36	.111	3.93	3.692	1.859	1.834	30.705	.257	.00
.000	.010	20	30.94	.089	2.76	.000	.000	.000	.000	.000	.00
.000	.010	21	436.64	.089	38.90	.000	.000	.000	.000	.000	.00
.000	.010	22	212.13	.089	18.90	.000	.000	.000	.000	.000	.00
.000	.010	23	251.02	.089	22.37	.000	.000	.000	.000	.000	.00
.000	.010	32	271.35	.086	23.42	.000	.000	.000	.000	.000	.00
.000	.010	33	282.84	.097	27.38	.000	.000	.000	.000	.000	.00
.000	.010	40	71.59	.116	8.30	.000	.000	.000	.000	.000	.00

.000	.010	33	282.84	.097	27.38	.000	.000	.000	.000	.000	.00
.000	.010	40	71.59	.116	8.30	.000	.000	.000	.000	.000	.00
.000	.010	50	430.45	.124	53.59	.000	.000	.000	.000	.000	.00
.000	.010	60	45.08	.125	5.64	.000	.000	.000	.000	.000	.00
.000	.010	70	211.25	.117	24.69	.000	.000	.000	.000	.000	.00
.000	.010	80	106.07	.099	10.53	.000	.000	.000	.000	.000	.00
.000	9999.000	100	109161.30	.076	8285.33	.000	.000	.000	.000	.000	.00
.000	9999.000	110	3052.93	.076	231.72	.000	.000	.000	.000	.000	.00
.000	9999.000	120	8610.78	.076	653.56	.000	.000	.000	.000	.000	.00
.000	9999.000	130	2010.83	.076	152.62	.000	.000	.000	.000	.000	.00
.000	9999.000	150	6216.34	.076	471.82	.000	.000	.000	.000	.000	.00
.000	9999.000	160	22451.51	.076	1704.07	.000	.000	.000	.000	.000	.00
.000	9999.000	170	28879.11	.076	2191.92	.000	.000	.000	.000	.000	.00
.000	9999.000	180	6217.23	.076	471.89	.000	.000	.000	.000	.000	.00
.000	9999.000	190	68.94	.076	5.23	.000	.000	.000	.000	.000	.00

TOTAL			236470.40	.083	19696.66	2.300	.988	1.312	13.221	.026	.00
-------	--	--	-----------	------	----------	-------	------	-------	--------	------	-----

MINING RESERVE EVALUATION

DESCRIPTION : MINED RESERVES - DEC 31 1987 TO DEC 31 1988

TOTAL FOR ALL BENCHES

TOP ELEVATION : 4270.00 [ft]
 BOTTOM ELEVATION : 3090.00 [ft]

TOP SURFACE GRID RECORD : 25 F87-12 December 31 1987 CUT SURFACE
 BOTTOM SURFACE GRID RECORD : 28 F88-12 December 31 1988 CUT SURFACE

CUMULATIVE RESULTS

CUT-OFF GRADES FROM [%Pb+Zn]	TO [%Pb+Zn]	ROCK-TYPE CODE	VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TONS x1000]	A V E R A G E G R A D E S				ECONOMIC FACTOR [Cdn \$ x1000]	
						[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t] [Au g/t]		
5.000	50.000	20	24.75	.085	2.11	6.553	2.712	3.841	59.782	.000	.00
5.000	50.000	21	1469.01	.089	130.92	6.600	2.474	4.126	63.563	.141	.00
5.000	50.000	22	2545.58	.089	225.79	6.709	2.430	4.279	55.600	.113	.00
5.000	50.000	23	2648.11	.089	234.61	6.682	2.430	4.252	55.570	.117	.00
5.000	50.000	30	2648.11	.089	234.61	6.682	2.430	4.252	55.570	.117	.00
5.000	50.000	31	2648.11	.089	234.61	6.682	2.430	4.252	55.570	.117	.00
5.000	50.000	32	4794.18	.089	428.76	6.855	2.574	4.281	51.798	.101	.00
5.000	50.000	33	5937.92	.091	537.78	7.250	2.634	4.615	47.347	.126	.00
5.000	50.000	40	5937.92	.091	537.78	7.250	2.634	4.615	47.347	.126	.00
5.000	50.000	50	18955.75	.111	2095.25	9.894	4.089	5.805	51.692	.076	.00
5.000	50.000	60	32831.81	.115	3765.48	9.978	4.302	5.677	55.888	.105	.00
5.000	50.000	70	36570.64	.114	4166.42	10.072	4.327	5.745	56.753	.104	.00
5.000	50.000	80	36728.85	.114	4181.98	10.058	4.323	5.735	56.745	.105	.00
4.000	5.000	20	36730.62	.114	4182.12	10.057	4.322	5.735	56.744	.105	.00
4.000	5.000	21	38163.39	.113	4305.33	9.898	4.243	5.655	55.920	.104	.00
4.000	5.000	22	38251.78	.113	4313.12	9.889	4.239	5.650	55.878	.103	.00
4.000	5.000	23	38442.70	.113	4329.91	9.867	4.229	5.639	55.769	.103	.00
4.000	5.000	30	38442.70	.113	4329.91	9.867	4.229	5.639	55.769	.103	.00
4.000	5.000	31	38442.70	.113	4329.91	9.867	4.229	5.639	55.769	.103	.00
4.000	5.000	32	38981.87	.112	4379.45	9.806	4.199	5.607	55.494	.102	.00
4.000	5.000	33	39070.26	.112	4387.05	9.797	4.194	5.602	55.451	.102	.00
4.000	5.000	40	39194.88	.112	4403.21	9.777	4.187	5.589	55.349	.102	.00
4.000	5.000	50	39415.86	.112	4430.96	9.745	4.174	5.570	55.169	.102	.00
4.000	5.000	60	39521.92	.112	4442.93	9.730	4.169	5.562	55.096	.102	.00
4.000	5.000	70	39521.92	.112	4442.93	9.730	4.169	5.562	55.096	.102	.00
4.000	5.000	80	39521.92	.112	4442.93	9.730	4.169	5.562	55.096	.102	.00
.010	4.000	20	39524.57	.112	4443.12	9.730	4.169	5.562	55.094	.102	.00
.010	4.000	21	40911.38	.111	4558.84	9.571	4.096	5.476	54.284	.102	.00
.010	4.000	22	40911.38	.111	4558.84	9.571	4.096	5.476	54.284	.102	.00
.010	4.000	23	42036.57	.111	4655.46	9.435	4.031	5.404	53.449	.100	.00
.010	4.000	30	42036.57	.111	4655.46	9.435	4.031	5.404	53.449	.100	.00
.010	4.000	31	42036.57	.111	4655.46	9.435	4.031	5.404	53.449	.100	.00

