

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 1 FARO PIT SURFACE AT START-UP OF MINING
 BOTTOM SURFACE GRID RECORD : 18 FARO - December 1987 Year End Pit Surface (BSLSECT)

BENCH TOTALS FOR STOCKPILE FROM 4.0000 [%Pb+Zn] TO 5.0000 [%Pb+Zn]

BENCH	CREST [ft]	TOE [ft]	VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TONS x1000]	A V E R A G E G R A D E S					ECONOMIC FACTOR [Cdn \$ x1000]
						[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]	[Au g/t]	
1	4270.00	4230.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
2	4230.00	4190.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
3	4190.00	4150.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
4	4150.00	4110.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
5	4110.00	4070.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
6	4070.00	4030.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
7	4030.00	3990.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
8	3990.00	3950.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
9	3950.00	3910.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
10	3910.00	3890.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
11	3890.00	3870.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
12	3870.00	3850.00	52.50	.088	4.64	4.375	1.289	3.096	2.169	.328	-6.08
13	3850.00	3830.00	50.00	.082	4.10	4.340	1.860	2.480	3.100	.160	-5.69
14	3830.00	3810.00	200.00	.083	16.55	4.169	1.348	2.822	2.809	.296	-22.20
15	3810.00	3790.00	192.50	.084	16.12	4.550	1.418	3.135	2.947	.304	-1.31
16	3790.00	3770.00	200.00	.083	16.55	4.381	1.065	3.316	2.273	.293	-3.61
17	3770.00	3750.00	390.00	.080	31.24	4.545	1.571	2.976	3.432	.308	15.73
18	3750.00	3730.00	290.00	.082	23.72	4.539	1.696	2.848	3.022	.328	-10.67
19	3730.00	3710.00	482.50	.099	47.71	4.678	2.195	2.483	3.215	.382	-38.21
20	3710.00	3690.00	347.50	.096	33.51	4.386	1.859	2.528	2.451	.055	-44.73
21	3690.00	3670.00	212.50	.089	18.88	4.335	1.647	2.688	2.568	.146	-25.26
22	3670.00	3650.00	325.00	.094	30.48	4.633	1.951	2.682	3.308	.097	11.85
23	3650.00	3630.00	732.50	.098	71.47	4.476	1.444	3.034	1.790	.251	-86.61
24	3630.00	3610.00	150.00	.099	14.80	4.351	1.549	2.805	2.157	.311	-20.63
25	3610.00	3590.00	200.00	.108	21.60	4.528	1.838	2.693	2.080	.230	-30.11
26	3590.00	3570.00	255.00	.105	26.70	4.456	1.665	2.794	2.375	.062	-11.02
27	3570.00	3550.00	17.50	.092	1.61	4.090	1.366	2.724	1.315	.015	-2.13
28	3550.00	3530.00	520.00	.104	54.16	4.636	1.707	2.930	2.301	.060	-29.42
29	3530.00	3510.00	320.00	.090	28.79	4.563	1.559	3.006	2.262	.077	-24.92
30	3510.00	3490.00	810.00	.095	77.09	4.536	1.916	2.622	3.344	.146	18.43
31	3490.00	3470.00	720.00	.099	70.95	4.467	1.927	2.542	3.266	.220	11.82
32	3470.00	3450.00	467.50	.088	41.35	4.673	2.320	2.352	4.804	.259	95.68
33	3450.00	3430.00	202.50	.106	21.40	4.473	1.849	2.625	2.389	.144	-20.75
34	3430.00	3410.00	52.50	.083	4.33	4.278	1.966	2.313	3.232	.411	-5.69
35	3410.00	3390.00	.00	.000	.00	.000	.000	.000	.000	.000	.00

34	3430.00	3410.00	.00	.000	4.33	4.278	1.788	2.313	3.232	.411	-3.87
35	3410.00	3390.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
36	3390.00	3370.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
37	3370.00	3350.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
38	3350.00	3330.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
39	3330.00	3310.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
40	3310.00	3290.00	.00	.000	.00	.000	.000	.000	.000	.000	.00

TOTAL FOR ALL BENCHES	7190.00	.094	677.76	4.515	1.773	2.744	2.850	.20
TOTAL FOR ALL BENCHES	-235.52							

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 1 FARO PIT SURFACE AT START-UP OF MINING
 BOTTOM SURFACE GRID RECORD : 18 FARO - December 1987 Year End Pit Surface (BSLSECT)

BENCH TOTALS FOR ORE ABOVE 5.0000 [%Pb+Zn]

BENCH	CREST		TOE		VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TONS x1000]	A V E R A G E G R A D E S				ECONOMIC FACTOR [Cdn \$ x1000]	
	[ft]	[ft]				[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]		[Au g/t]
1	4270.00		4230.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
2	4230.00		4190.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
3	4190.00		4150.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
4	4150.00		4110.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
5	4110.00		4070.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
6	4070.00		4030.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
7	4030.00		3990.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
8	3990.00		3950.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
9	3950.00		3910.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
10	3910.00		3890.00		295.00	.097	28.56	8.725	3.711	5.014	5.418	.068	469.20
11	3890.00		3870.00		147.50	.097	14.32	7.229	2.930	4.299	4.317	.041	130.62
12	3870.00		3850.00		435.00	.112	48.58	11.576	4.215	7.361	5.138	.063	1103.79
13	3850.00		3830.00		690.00	.101	69.52	10.456	3.921	6.535	5.007	.189	1393.79
14	3830.00		3810.00		882.50	.101	89.36	9.900	3.803	6.096	5.175	.205	1707.89
15	3810.00		3790.00		1100.00	.103	113.70	11.742	4.407	7.337	5.475	.219	3021.95
16	3790.00		3770.00		1900.00	.097	184.90	9.030	3.420	5.610	4.898	.214	3072.55
17	3770.00		3750.00		2317.50	.096	223.29	8.137	3.182	4.955	4.550	.267	2762.14
18	3750.00		3730.00		2155.00	.106	229.05	8.373	3.190	5.184	4.041	.181	2790.29
19	3730.00		3710.00		2795.00	.099	275.55	7.286	2.859	4.428	3.888	.133	2396.96
20	3710.00		3690.00		1840.00	.097	177.79	7.358	2.713	4.645	3.708	.128	1736.45
21	3690.00		3670.00		1122.50	.094	105.92	7.442	2.635	4.807	3.416	.167	1065.02
22	3670.00		3650.00		852.50	.096	82.22	7.995	3.477	4.519	4.320	.081	1008.20
23	3650.00		3630.00		1050.00	.101	105.55	8.110	3.396	4.713	4.115	.102	1323.70
24	3630.00		3610.00		1975.00	.102	201.60	7.920	2.818	5.102	2.738	.184	2180.51
25	3610.00		3590.00		1790.00	.099	177.89	6.818	2.194	4.625	2.167	.171	1145.95
26	3590.00		3570.00		1160.00	.101	117.72	8.022	2.998	5.024	3.960	.006	1461.91
27	3570.00		3550.00		2700.00	.103	278.05	8.783	3.441	5.342	4.899	.046	4496.54
28	3550.00		3530.00		4165.00	.104	432.12	9.231	3.744	5.487	4.669	.075	7458.25
29	3530.00		3510.00		6142.50	.105	647.68	9.110	3.776	5.334	4.742	.087	10748.42
30	3510.00		3490.00		4470.00	.105	471.48	9.590	4.013	5.577	5.028	.137	8777.79
31	3490.00		3470.00		3732.50	.103	386.21	7.859	3.288	4.571	3.970	.072	4347.53
32	3470.00		3450.00		2722.50	.101	274.41	7.724	3.100	4.624	4.317	.126	3167.97
33	3450.00		3430.00		1755.00	.107	188.41	9.533	3.702	5.832	4.679	.297	3492.34
34	3430.00		3410.00		37.50	.113	4.22	7.963	3.058	4.905	2.828	.068	42.91
35	3410.00		3390.00		.00	.000	.00	.000	.000	.000	.000	.000	.00

34	3430.00	3410.00	.00	.000	.00	.000	.000	.000	.000	.000	.000	.00
35	3410.00	3390.00	.00	.000	.00	.000	.000	.000	.000	.000	.000	.00
36	3390.00	3370.00	.00	.000	.00	.000	.000	.000	.000	.000	.000	.00
37	3370.00	3350.00	.00	.000	.00	.000	.000	.000	.000	.000	.000	.00
38	3350.00	3330.00	.00	.000	.00	.000	.000	.000	.000	.000	.000	.00
39	3330.00	3310.00	.00	.000	.00	.000	.000	.000	.000	.000	.000	.00
40	3310.00	3290.00	.00	.000	.00	.000	.000	.000	.000	.000	.000	.00

TOTAL FOR ALL BENCHES	48232.50	.102	4928.12	8.619	3.407	5.213	4.356					.13
TOTAL FOR ALL BENCHES	71302.68											

Output

PC-MINE VERSION 1.10
 SERIAL NO : 20320
 19/ 2/1989

Curragh Resources
 Faro Deposit (FI Model Data)

SOFTWARE BY GEMCOM SERVICES INC
 MODULE 4.12
 PAGE 4

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS FITS

TOP SURFACE GRID RECORD : 1 FARO PIT SURFACE AT START-UP OF MINING
 BOTTOM SURFACE GRID RECORD : 18 FARO - December 1987 Year End Pit Surface (BSLSECT)

BENCH TOTALS FOR ALL MATERIAL

BENCH	CREST	TOE	VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TONS x1000]	AVERAGE GRADES					ECONOMIC FACTOR [Cdn \$ x1000]
	[ft]	[ft]				[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]	[Au g/t]	
1	4270.00	4230.00	17.50	.076	1.33	.000	.000	.000	.000	.000	
2	4230.00	4190.00	5.00	.076	.38	.000	.000	.000	.000	.000	-1.70
3	4190.00	4150.00	5.00	.076	.38	.000	.000	.000	.000	.000	-.49
4	4150.00	4110.00	517.50	.076	39.33	.000	.000	.000	.000	.000	-.49
5	4110.00	4070.00	327.50	.076	24.89	.000	.000	.000	.000	.000	-50.35
6	4070.00	4030.00	900.00	.076	68.40	.000	.000	.000	.000	.000	-31.87
7	4030.00	3990.00	3780.00	.076	287.28	.000	.000	.000	.000	.000	-87.57
8	3990.00	3950.00	19402.50	.076	1474.59	.000	.000	.000	.000	.000	-367.79
9	3950.00	3910.00	16070.00	.076	1221.32	.000	.000	.000	.000	.000	-1887.86
10	3910.00	3890.00	21275.00	.076	1622.51	.179	.075	.104	.118	.004	-1578.17
11	3890.00	3870.00	25605.00	.076	1948.54	.084	.034	.050	.059	.004	-2349.05
12	3870.00	3850.00	50547.50	.076	3859.68	.175	.063	.111	.086	.003	-3782.54
13	3850.00	3830.00	50300.00	.076	3840.88	.221	.083	.138	.114	.007	-3441.03
14	3830.00	3810.00	46717.50	.077	3574.65	.278	.105	.173	.151	.007	-2760.21
15	3810.00	3790.00	44097.50	.077	3383.00	.416	.155	.262	.198	.009	-1148.56
16	3790.00	3770.00	40967.50	.077	3156.28	.562	.207	.354	.300	.015	-718.21
17	3770.00	3750.00	39395.00	.077	3043.06	.649	.251	.397	.372	.023	-795.96
18	3750.00	3730.00	37045.00	.078	2883.34	.751	.285	.465	.383	.024	-593.51
19	3730.00	3710.00	34825.00	.078	2720.11	.828	.331	.498	.456	.021	-711.90
20	3710.00	3690.00	31770.00	.078	2472.11	.672	.251	.421	.362	.015	-1211.14
21	3690.00	3670.00	30242.50	.078	2347.12	.532	.189	.343	.281	.015	-1817.30
22	3670.00	3650.00	28312.50	.078	2194.90	.505	.210	.295	.288	.010	-1654.01
23	3650.00	3630.00	27522.50	.078	2146.50	.633	.246	.387	.303	.018	-1287.36
24	3630.00	3610.00	18810.00	.079	1490.88	1.145	.406	.740	.423	.029	537.94
25	3610.00	3590.00	19165.00	.079	1523.06	1.021	.352	.669	.427	.028	-574.56
26	3590.00	3570.00	14635.00	.081	1186.76	1.221	.433	.788	.571	.010	104.05
27	3570.00	3550.00	12510.00	.084	1053.64	2.533	.960	1.573	1.356	.018	3494.11
28	3550.00	3530.00	10592.50	.090	950.36	4.601	1.837	2.765	2.299	.040	6830.45
29	3530.00	3510.00	8610.00	.098	842.14	7.217	2.974	4.244	3.750	.071	10510.24
30	3510.00	3490.00	6867.50	.101	695.87	7.628	3.197	4.432	4.187	.128	8597.46
31	3490.00	3470.00	5622.50	.100	559.73	6.568	2.739	3.830	3.678	.131	4326.39
32	3470.00	3450.00	4127.50	.094	388.26	6.163	2.501	3.662	3.786	.146	3217.13
33	3450.00	3430.00	3055.00	.096	294.26	6.526	2.539	3.988	3.237	.207	3362.82
34	3430.00	3410.00	517.50	.080	41.32	1.590	.669	.921	.864	.084	-4.92
35	3410.00	3390.00	.00	.000	.00	.000	.000	.000	.000	.000	

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 1 FARO PIT SURFACE AT START-UP OF MINING
 BOTTOM SURFACE GRID RECORD : 19 FARO December 31 1988 Month End Pit Surface

BENCH TOTALS FOR WASTE FROM .0000 [%Pb+Zn] TO 4.0000 [%Pb+Zn]

BENCH	CREST		TOE		VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TONS x1000]	A V E R A G E G R A D E S				ECONOMIC FACTOR [Cdn \$ x1000]
	[ft]	[ft]				[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]	
1	4270.00	4230.00	46010.00	.076	3496.76	.000	.000	.000	.000	.000	-4476.77	
2	4230.00	4190.00	61900.00	.076	4704.40	.000	.000	.000	.000	.000	-6022.87	
3	4190.00	4150.00	63272.50	.076	4808.71	.000	.000	.000	.000	.000	-6156.41	
4	4150.00	4110.00	55040.00	.076	4183.04	.000	.000	.000	.000	.000	-5355.40	
5	4110.00	4070.00	57062.50	.076	4336.75	.000	.000	.000	.000	.000	-5552.18	
6	4070.00	4030.00	44715.00	.076	3398.34	.000	.000	.000	.000	.000	-4350.77	
7	4030.00	3990.00	32500.00	.076	2470.00	.000	.000	.000	.000	.000	-3162.25	
8	3990.00	3950.00	34737.50	.076	2640.05	.000	.000	.000	.000	.000	-3379.96	
9	3950.00	3910.00	24702.50	.076	1877.39	.000	.000	.000	.000	.000	-2403.55	
10	3910.00	3890.00	27912.50	.076	2120.82	.019	.008	.012	.017	.002	-2722.60	
11	3890.00	3870.00	33165.00	.076	2519.97	.025	.010	.015	.022	.003	-3230.40	
12	3870.00	3850.00	59992.50	.076	4561.33	.020	.008	.013	.016	.001	-5847.68	
13	3850.00	3830.00	59285.00	.076	4506.36	.023	.008	.015	.017	.003	-5776.35	
14	3830.00	3810.00	55262.50	.076	4200.41	.010	.003	.006	.007	.001	-5383.61	
15	3810.00	3790.00	53355.00	.076	4054.98	.000	.000	.000	.000	.000	-5196.78	
16	3790.00	3770.00	48262.50	.076	3669.02	.014	.003	.011	.006	.001	-4702.67	
17	3770.00	3750.00	45007.50	.076	3420.85	.004	.002	.003	.003	.000	-4384.19	
18	3750.00	3730.00	35610.00	.076	2707.16	.051	.019	.032	.039	.007	-3471.24	
19	3730.00	3710.00	31795.00	.076	2415.74	.009	.003	.006	.006	.001	-3094.75	
20	3710.00	3690.00	29865.00	.076	2282.86	.092	.034	.058	.069	.006	-2931.32	
21	3690.00	3670.00	29195.00	.077	2244.45	.172	.060	.112	.112	.007	-2885.52	
22	3670.00	3650.00	27622.50	.077	2119.69	.153	.056	.097	.086	.006	-2721.51	
23	3650.00	3630.00	26527.50	.077	2029.37	.091	.033	.058	.043	.005	-2599.63	
24	3630.00	3610.00	25722.50	.076	1961.54	.025	.007	.017	.025	.001	-2502.09	
25	3610.00	3590.00	27510.00	.077	2112.81	.131	.057	.074	.125	.004	-2701.56	
26	3590.00	3570.00	25895.00	.078	2008.04	.221	.071	.149	.106	.005	-2585.44	
27	3570.00	3550.00	21100.00	.078	1639.41	.191	.054	.137	.075	.006	-2110.91	
28	3550.00	3530.00	13830.00	.079	1090.57	.390	.158	.233	.257	.009	-1411.83	
29	3530.00	3510.00	8360.00	.082	682.74	1.128	.494	.634	.823	.049	-893.19	
30	3510.00	3490.00	5912.50	.088	517.35	2.247	.955	1.292	1.541	.103	-690.71	
31	3490.00	3470.00	2995.00	.088	262.16	2.866	1.087	1.779	2.083	.147	-245.75	
32	3470.00	3450.00	2445.00	.080	196.56	1.685	.640	1.046	1.338	.059	-210.50	
33	3450.00	3430.00	1270.00	.077	97.28	.390	.132	.259	.420	.039	-113.52	
34	3430.00	3410.00	572.50	.076	43.79	.307	.137	.170	.219	.029	-56.27	
35	3410.00	3390.00	50.00	.076	3.91	.593	.180	.417	.074	.001	-0.54	

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 1 FARO PIT SURFACE AT START-UP OF MINING
 BOTTOM SURFACE GRID RECORD : 19 FARO December 31 1988 Month End Pit Surface

BENCH TOTALS FOR STOCKPILE FROM 4.0000 [%Pb+Zn] TO 5.0000 [%Pb+Zn]

BENCH	CREST		TOE		VOLUME [bcf x10000]	DENSITY [tn/bcf]	TONNAGE [TONS x10000]	A V E R A G E G R A D E S				ECONOMIC FACTOR [Cdn \$ x1000]	
	[ft]	[ft]				[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]		[Au g/t]
1	4270.00		4230.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
2	4230.00		4190.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
3	4190.00		4150.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
4	4150.00		4110.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
5	4110.00		4070.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
6	4070.00		4030.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
7	4030.00		3990.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
8	3990.00		3950.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
9	3950.00		3910.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
10	3910.00		3890.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
11	3890.00		3870.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
12	3870.00		3850.00		52.50	.088	4.64	4.375	1.289	3.096	2.169	.328	-6.08
13	3850.00		3830.00		50.00	.082	4.10	4.340	1.860	2.480	3.100	.160	-5.69
14	3830.00		3810.00		200.00	.083	16.55	4.169	1.348	2.822	2.809	.296	-22.20
15	3810.00		3790.00		212.50	.083	17.70	4.535	1.432	3.106	3.001	.311	-3.40
16	3790.00		3770.00		200.00	.083	16.55	4.381	1.065	3.316	2.273	.293	-3.61
17	3770.00		3750.00		390.00	.080	31.24	4.545	1.571	2.976	3.432	.308	15.73
18	3750.00		3730.00		305.00	.082	24.89	4.542	1.695	2.852	3.046	.327	-10.35
19	3730.00		3710.00		452.50	.099	44.63	4.675	2.185	2.490	3.222	.376	-33.29
20	3710.00		3690.00		350.00	.096	33.75	4.386	1.861	2.527	2.452	.054	-45.04
21	3690.00		3670.00		215.00	.089	19.06	4.332	1.645	2.688	2.571	.146	-25.50
22	3670.00		3650.00		327.50	.094	30.70	4.627	1.954	2.673	3.310	.098	11.22
23	3650.00		3630.00		740.00	.097	72.15	4.476	1.441	3.036	1.786	.250	-87.50
24	3630.00		3610.00		150.00	.099	14.80	4.351	1.549	2.805	2.157	.311	-20.63
25	3610.00		3590.00		200.00	.108	21.60	4.528	1.838	2.693	2.080	.230	-30.11
26	3590.00		3570.00		350.00	.101	35.20	4.424	1.818	2.607	2.888	.054	-6.93
27	3570.00		3550.00		150.00	.089	13.29	4.283	1.854	2.429	2.737	.056	-10.78
28	3550.00		3530.00		1000.00	.099	99.16	4.568	1.801	2.768	2.653	.069	-52.41
29	3530.00		3510.00		1982.50	.089	177.28	4.459	1.706	2.755	2.571	.083	-152.99
30	3510.00		3490.00		1885.00	.088	166.51	4.491	1.767	2.725	2.945	.112	-55.94
31	3490.00		3470.00		1257.50	.095	119.75	4.523	1.919	2.606	3.259	.156	18.39
32	3470.00		3450.00		1905.00	.092	174.93	4.688	2.306	2.383	4.248	.101	220.35
33	3450.00		3430.00		227.50	.106	24.06	4.497	1.892	2.606	2.485	.149	-24.36
34	3430.00		3410.00		262.50	.108	28.40	4.676	1.981	2.694	2.489	.134	-39.12
35	3410.00		3390.00		35.00	.077	2.70	4.098	1.092	3.006	2.817	.000	-2.44

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 1 FARO PIT SURFACE AT START-UP OF MINING
 BOTTOM SURFACE GRID RECORD : 19 FARO December 31 1988 Month End Pit Surface
 BENCH TOTALS FOR ORE ABOVE 5.0000 [%Pb+Zn]

BENCH	CREST	TOE	VOLUME		DENSITY	TONNAGE		AVERAGE GRADES				ECONOMIC FACTOR
	[ft]	[ft]	[bcf]	x1000]	[tn/bcf]	[TONS x1000]	[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]	[Au g/t]	[Cdn \$ x1000]
1	4270.00	4230.00	.00		.000	.00	.000	.000	.000	.000	.000	.00
2	4230.00	4190.00	.00		.000	.00	.000	.000	.000	.000	.000	.00
3	4190.00	4150.00	.00		.000	.00	.000	.000	.000	.000	.000	.00
4	4150.00	4110.00	.00		.000	.00	.000	.000	.000	.000	.000	.00
5	4110.00	4070.00	.00		.000	.00	.000	.000	.000	.000	.000	.00
6	4070.00	4030.00	.00		.000	.00	.000	.000	.000	.000	.000	.00
7	4030.00	3990.00	.00		.000	.00	.000	.000	.000	.000	.000	.00
8	3990.00	3950.00	.00		.000	.00	.000	.000	.000	.000	.000	.00
9	3950.00	3910.00	.00		.000	.00	.000	.000	.000	.000	.000	.00
10	3910.00	3890.00	295.00		.097	28.56	8.725	3.711	5.014	5.418	.068	469.20
11	3890.00	3870.00	150.00		.097	14.55	7.214	2.927	4.287	4.322	.041	132.33
12	3870.00	3850.00	460.00		.110	50.73	11.453	4.188	7.265	5.188	.068	1139.39
13	3850.00	3830.00	740.00		.101	74.46	10.390	3.911	6.479	5.040	.185	1481.10
14	3830.00	3810.00	910.00		.101	91.89	9.831	3.778	6.053	5.166	.204	1735.68
15	3810.00	3790.00	1100.00		.103	113.70	11.742	4.407	7.337	5.475	.219	3021.95
16	3790.00	3770.00	1900.00		.097	184.90	9.030	3.420	5.610	4.898	.214	3072.55
17	3770.00	3750.00	2317.50		.096	223.29	8.141	3.183	4.958	4.551	.267	2766.13
18	3750.00	3730.00	2210.00		.106	235.36	8.314	3.168	5.146	4.011	.180	2802.83
19	3730.00	3710.00	2880.00		.099	283.78	7.331	2.865	4.466	3.895	.131	2532.25
20	3710.00	3690.00	1807.50		.096	174.37	7.353	2.712	4.642	3.710	.129	1712.45
21	3690.00	3670.00	1190.00		.095	112.91	7.374	2.614	4.760	3.373	.168	1101.29
22	3670.00	3650.00	852.50		.096	82.18	7.995	3.477	4.518	4.326	.081	1008.40
23	3650.00	3630.00	1050.00		.101	105.55	8.110	3.396	4.713	4.115	.102	1323.70
24	3630.00	3610.00	1987.50		.102	202.82	7.909	2.812	5.098	2.729	.184	2185.11
25	3610.00	3590.00	1895.00		.100	188.60	6.830	2.259	4.571	2.346	.159	1256.17
26	3590.00	3570.00	2737.50		.102	278.07	8.454	3.372	5.082	4.323	.069	3865.99
27	3570.00	3550.00	5042.50		.102	513.87	8.750	3.717	5.033	5.338	.065	8448.92
28	3550.00	3530.00	7380.00		.101	748.84	9.189	3.915	5.274	5.470	.085	13484.58
29	3530.00	3510.00	9242.50		.102	942.16	9.104	3.805	5.299	5.187	.087	16233.50
30	3510.00	3490.00	9700.00		.101	983.03	9.587	4.024	5.564	5.452	.088	18996.16
31	3490.00	3470.00	11242.50		.102	1146.47	8.990	3.759	5.232	4.979	.057	18909.25
32	3470.00	3450.00	8517.50		.102	865.61	8.678	3.565	5.114	5.006	.060	13399.26
33	3450.00	3430.00	2147.50		.107	230.18	9.325	3.652	5.674	4.592	.266	4060.61
34	3430.00	3410.00	1132.50		.116	130.87	6.734	2.727	4.007	2.698	.083	731.47
35	3410.00	3390.00	552.50		.111	61.40	7.289	2.933	4.355	2.477	.048	452.10

PC-MINE VERSION 1.10
 SERIAL NO : 20320
 19/ 2/1989

Curragh Resources
 Faro Deposit (FI Model Data)

SOFTWARE BY GEMCOM SERVICES INC
 MODULE 4.12
 PAGE 8

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 1 FARO PIT SURFACE AT START-UP OF MINING
 BOTTOM SURFACE GRID RECORD : 19 FARO December 31 1988 Month End Pit Surface

BENCH TOTALS FOR ALL MATERIAL

BENCH	CREST		TOE		VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TONS x1000]	A V E R A G E G R A D E S					ECONOMIC FACTOR [Cdn \$ x1000]
	[ft]	[ft]				[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]	[Au g/t]	
1	4270.00		4230.00		46010.00	.076	3496.76	.000	.000	.000	.000	.000	-4476.77
2	4230.00		4190.00		61900.00	.076	4704.40	.000	.000	.000	.000	.000	-6022.87
3	4190.00		4150.00		63272.50	.076	4808.71	.000	.000	.000	.000	.000	-6156.41
4	4150.00		4110.00		55040.00	.076	4183.04	.000	.000	.000	.000	.000	-5355.40
5	4110.00		4070.00		57062.50	.076	4336.75	.000	.000	.000	.000	.000	-5552.18
6	4070.00		4030.00		44715.00	.076	3398.34	.000	.000	.000	.000	.000	-4350.77
7	4030.00		3990.00		32500.00	.076	2470.00	.000	.000	.000	.000	.000	-3162.25
8	3990.00		3950.00		34737.50	.076	2640.05	.000	.000	.000	.000	.000	-3379.96
9	3950.00		3910.00		24702.50	.076	1877.39	.000	.000	.000	.000	.000	-2403.55
10	3910.00		3890.00		28207.50	.076	2149.38	.135	.057	.078	.089	.003	-2253.39
11	3890.00		3870.00		33315.00	.076	2534.51	.066	.027	.040	.047	.003	-3098.07
12	3870.00		3850.00		60505.00	.076	4616.69	.150	.055	.096	.075	.002	-4714.37
13	3850.00		3830.00		60075.00	.076	4584.92	.195	.073	.122	.102	.006	-4300.94
14	3830.00		3810.00		56372.50	.076	4308.85	.235	.089	.146	.128	.006	-3670.12
15	3810.00		3790.00		54667.50	.077	4186.38	.338	.126	.212	.161	.007	-2178.23
16	3790.00		3770.00		50362.50	.077	3870.47	.463	.171	.293	.250	.012	-1633.73
17	3770.00		3750.00		47715.00	.077	3675.38	.537	.208	.329	.308	.019	-1602.33
18	3750.00		3730.00		38125.00	.078	2967.41	.744	.283	.461	.380	.024	-678.76
19	3730.00		3710.00		35127.50	.078	2744.16	.842	.334	.508	.461	.020	-595.80
20	3710.00		3690.00		32022.50	.078	2490.99	.658	.246	.413	.356	.015	-1263.91
21	3690.00		3670.00		30600.00	.078	2376.42	.547	.194	.353	.287	.016	-1809.73
22	3670.00		3650.00		28802.50	.078	2232.57	.503	.208	.295	.287	.010	-1701.90
23	3650.00		3630.00		28317.50	.078	2207.07	.618	.239	.378	.295	.018	-1363.44
24	3630.00		3610.00		27860.00	.078	2179.15	.788	.279	.509	.291	.020	-337.62
25	3610.00		3590.00		29605.00	.078	2323.01	.716	.252	.464	.323	.018	-1475.50
26	3590.00		3570.00		28982.50	.080	2321.30	1.271	.493	.777	.653	.013	1273.62
27	3570.00		3550.00		26292.50	.082	2166.57	2.246	.934	1.313	1.340	.021	6327.23
28	3550.00		3530.00		22210.00	.087	1938.56	4.003	1.693	2.310	2.393	.041	12020.34
29	3530.00		3510.00		19585.00	.092	1802.19	5.626	2.345	3.281	3.276	.072	15187.32
30	3510.00		3490.00		17497.50	.095	1666.90	6.800	2.846	3.954	3.987	.095	18249.51
31	3490.00		3470.00		15495.00	.099	1528.38	7.590	3.156	4.434	4.347	.080	18681.89
32	3470.00		3450.00		12867.50	.096	1237.11	7.003	2.922	4.081	4.316	.066	13409.12
33	3450.00		3430.00		3645.00	.096	351.52	6.522	2.557	3.965	3.294	.195	3922.72
34	3430.00		3410.00		1967.50	.103	263.07	5.060	2.064	2.996	2.134	.079	636.08
35	3410.00		3390.00		637.50	.107	67.91	6.786	2.706	4.081	2.579	.050	447.17

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 1 FARO PIT SURFACE AT START-UP OF MINING
 BOTTOM SURFACE GRID RECORD : 21 Cloutier's Revised Ultimate Pit Merged to Dec 88 Month End

BENCH TOTALS FOR WASTE FROM .0000 [%Pb+Zn] TO 4.0000 [%Pb+Zn]

BENCH	CREST		VOLUME	DENSITY	TONNAGE	AVERAGE GRADES					ECONOMIC FACTOR
	[ft] [ft] [bcf x1000]	[tn/bcf]	[TONS x1000]	[%Pb+Zn]	[%Pb]	
1	4270.00	4230.00	46010.00	.076	3496.76	.000	.000	.000	.000	.000	-4476.77
2	4230.00	4190.00	61905.00	.076	4704.78	.000	.000	.000	.000	.000	-6023.36
3	4190.00	4150.00	63280.00	.076	4809.28	.000	.000	.000	.000	.000	-6157.14
4	4150.00	4110.00	55295.00	.076	4202.42	.000	.000	.000	.000	.000	-5380.21
5	4110.00	4070.00	57160.00	.076	4344.16	.000	.000	.000	.000	.000	-5561.67
6	4070.00	4030.00	45272.50	.076	3440.71	.000	.000	.000	.000	.000	-4405.01
7	4030.00	3990.00	32792.50	.076	2492.23	.000	.000	.000	.000	.000	-3190.71
8	3990.00	3950.00	36440.00	.076	2769.44	.000	.000	.000	.000	.000	-3545.61
9	3950.00	3910.00	34575.00	.076	2627.70	.000	.000	.000	.000	.000	-3364.15
10	3910.00	3890.00	35740.00	.076	2715.71	.015	.006	.009	.014	.002	-3484.99
11	3890.00	3870.00	42627.50	.076	3239.05	.021	.008	.013	.018	.002	-4152.04
12	3870.00	3850.00	68967.55	.076	5243.08	.027	.011	.016	.023	.002	-6721.95
13	3850.00	3830.00	68295.01	.076	5190.93	.025	.009	.016	.019	.003	-6653.99
14	3830.00	3810.00	64937.50	.076	4936.25	.012	.004	.008	.009	.001	-6326.91
15	3810.00	3790.00	63620.00	.076	4835.02	.004	.002	.002	.003	.001	-6196.77
16	3790.00	3770.00	59212.50	.076	4501.42	.017	.004	.013	.011	.001	-5769.76
17	3770.00	3750.00	57395.00	.076	4362.75	.010	.004	.007	.007	.000	-5591.97
18	3750.00	3730.00	55210.00	.076	4198.41	.038	.015	.023	.030	.005	-5383.02
19	3730.00	3710.00	52802.50	.076	4014.70	.013	.005	.008	.011	.002	-5145.19
20	3710.00	3690.00	50355.00	.077	3855.68	.106	.042	.064	.076	.006	-4952.33
21	3690.00	3670.00	49282.50	.077	3776.24	.133	.046	.087	.092	.006	-4851.41
22	3670.00	3650.00	47095.00	.077	3612.27	.169	.059	.110	.104	.006	-4633.21
23	3650.00	3630.00	45395.00	.077	3490.19	.155	.056	.099	.095	.008	-4475.93
24	3630.00	3610.00	41652.50	.077	3222.48	.210	.083	.127	.154	.015	-4134.21
25	3610.00	3590.00	41705.00	.078	3249.67	.325	.130	.195	.248	.017	-4180.52
26	3590.00	3570.00	39897.50	.080	3174.73	.564	.213	.351	.359	.026	-4122.12
27	3570.00	3550.00	32490.00	.079	2578.33	.516	.183	.333	.348	.025	-3332.11
28	3550.00	3530.00	22895.00	.080	1838.27	.660	.236	.425	.372	.026	-2393.36
29	3530.00	3510.00	16807.50	.084	1403.76	1.227	.464	.763	.778	.040	-1846.23
30	3510.00	3490.00	11485.00	.090	1038.21	2.213	.826	1.388	1.251	.075	-1392.49
31	3490.00	3470.00	8372.50	.088	739.20	2.209	.815	1.394	1.327	.099	-883.62
32	3470.00	3450.00	6375.00	.086	550.03	2.127	.771	1.356	1.197	.084	-684.58
33	3450.00	3430.00	6847.50	.084	577.01	1.636	.565	1.071	.992	.038	-714.59
34	3430.00	3410.00	3825.00	.087	333.32	1.741	.639	1.102	1.054	.030	-445.18
35	3410.00	3390.00	3477.50	.084	292.50	2.066	.714	1.353	1.345	.059	-305.14
36	3390.00	3370.00	2647.50	.077	207.17	2.577	.714	1.353	1.345	.059	-207.17

34	3430.00	3410.00	3823.50	.087	333.32	1.741	.837	1.102	1.054	.030	-445.18
35	3410.00	3390.00	3477.50	.084	292.50	2.066	.714	1.353	1.345	.059	-385.64
36	3390.00	3370.00	2647.50	.077	203.17	2.460	.779	1.682	1.804	.021	-265.77
37	3370.00	3350.00	2072.50	.076	158.21	1.116	.367	.749	1.420	.005	-191.56
38	3350.00	3330.00	1327.50	.074	97.69	2.455	.945	1.510	3.552	.000	-127.61
39	3330.00	3310.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
40	3310.00	3290.00	.00	.000	.00	.000	.000	.000	.000	.000	.00

TOTAL FOR ALL BENCHES			1435543.00	.077	110315.70	.170	.063	.108	.111		.01
TOTAL FOR ALL BENCHES			-141543.70								

Oxford

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 1 FARO PIT SURFACE AT START-UP OF MINING
 BOTTOM SURFACE GRID RECORD : 21 Cloutier's Revised Ultimate Pit Merged to Dec 88 Month End

BENCH TOTALS FOR STOCKPILE FROM 4.0000 [%Pb+Zn] TO 5.0000 [%Pb+Zn]

BENCH	CREST		TOE		VOLUME		DENSITY	TONNAGE		AVERAGE GRADES				ECONOMIC FACTOR
	[ft]	[ft]	[bcf	x1000]	[tn/bcf]	[TONS x1000]	[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]	[Au g/t]	[Cdn \$ x1000]
1	4270.00		4230.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
2	4230.00		4190.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
3	4190.00		4150.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
4	4150.00		4110.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
5	4110.00		4070.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
6	4070.00		4030.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
7	4030.00		3990.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
8	3990.00		3950.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
9	3950.00		3910.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
10	3910.00		3890.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
11	3890.00		3870.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
12	3870.00		3850.00		150.00		.080	12.00	4.319	1.767	2.556	3.265	.292	-15.79
13	3850.00		3830.00		50.00		.082	4.10	4.340	1.860	2.480	3.100	.160	-5.69
14	3830.00		3810.00		200.00		.083	16.55	4.169	1.348	2.822	2.809	.296	-22.20
15	3810.00		3790.00		550.00		.082	45.05	4.457	1.617	2.841	3.243	.253	-17.02
16	3790.00		3770.00		200.00		.083	16.55	4.381	1.065	3.316	2.273	.293	-3.61
17	3770.00		3750.00		400.00		.080	32.00	4.537	1.565	2.974	3.436	.311	14.73
18	3750.00		3730.00		450.00		.087	39.30	4.483	1.781	2.705	3.028	.384	-22.78
19	3730.00		3710.00		730.00		.101	73.48	4.662	2.236	2.426	3.375	.457	-41.44
20	3710.00		3690.00		550.00		.099	54.60	4.351	1.839	2.514	2.631	.124	-65.94
21	3690.00		3670.00		725.00		.097	70.38	4.469	1.775	2.695	2.425	.152	-93.21
22	3670.00		3650.00		980.00		.097	94.89	4.602	1.891	2.711	2.830	.167	-45.93
23	3650.00		3630.00		1850.00		.098	181.00	4.504	1.657	2.847	2.284	.207	-202.58
24	3630.00		3610.00		1045.00		.091	94.76	4.448	1.489	2.960	2.010	.131	-95.62
25	3610.00		3590.00		1655.00		.093	154.38	4.469	1.781	2.689	2.909	.163	-78.53
26	3590.00		3570.00		1377.50		.097	133.90	4.384	1.732	2.654	2.557	.120	-110.63
27	3570.00		3550.00		2257.50		.096	215.99	4.541	1.711	2.832	2.346	.097	-186.17
28	3550.00		3530.00		2450.00		.101	247.05	4.558	1.790	2.769	2.502	.112	-236.05
29	3530.00		3510.00		4050.00		.092	374.05	4.509	1.801	2.709	2.661	.105	-244.10
30	3510.00		3490.00		3000.00		.091	273.45	4.488	1.772	2.717	2.808	.119	-149.20
31	3490.00		3470.00		2250.00		.094	211.00	4.514	1.800	2.715	2.724	.151	-72.67
32	3470.00		3450.00		2650.00		.093	245.88	4.633	2.174	2.459	3.799	.106	178.60
33	3450.00		3430.00		2090.00		.093	194.97	4.507	1.696	2.813	2.703	.077	-105.75
34	3430.00		3410.00		1897.50		.094	178.61	4.476	1.525	2.952	2.259	.093	-227.08
35	3410.00		3390.00		1475.00		.097	144.01	4.711	1.750	2.857	2.551	.087	-111.17

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 1 FARO PIT SURFACE AT START-UP OF MINING
 BOTTOM SURFACE GRID RECORD : 21 Cloutier's Revised Ultimate Pit Merged to Dec 88 Month End

BENCH TOTALS FOR ORE ABOVE 5.0000 [%Pb+Zn]

BENCH	CREST		TOE		VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TONS x1000]	AVERAGE GRADES				ECONOMIC FACTOR [Cdn \$ x1000]	
	[ft]	[ft]				[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]		[Au g/t]
1	4270.00		4230.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
2	4230.00		4190.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
3	4190.00		4150.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
4	4150.00		4110.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
5	4110.00		4070.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
6	4070.00		4030.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
7	4030.00		3990.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
8	3990.00		3950.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
9	3950.00		3910.00		.00	.000	.00	.000	.000	.000	.000	.000	.00
10	3910.00		3890.00		295.00	.097	28.56	8.725	3.711	5.014	5.418	.068	469.20
11	3890.00		3870.00		150.00	.097	14.55	7.214	2.927	4.287	4.322	.041	132.33
12	3870.00		3850.00		550.00	.105	58.00	10.866	4.030	6.836	5.201	.088	1203.61
13	3850.00		3830.00		800.00	.100	80.15	10.277	3.892	6.385	5.096	.184	1574.40
14	3830.00		3810.00		1050.00	.099	104.00	9.487	3.681	5.806	5.177	.200	1859.21
15	3810.00		3790.00		1250.00	.101	126.45	11.237	4.273	6.965	5.511	.220	3157.67
16	3790.00		3770.00		1900.00	.097	184.90	9.030	3.420	5.610	4.898	.214	3072.55
17	3770.00		3750.00		2427.50	.097	234.46	8.135	3.185	4.951	4.582	.279	2915.23
18	3750.00		3730.00		2955.00	.108	319.93	7.710	2.971	4.739	3.748	.173	2981.66
19	3730.00		3710.00		4220.00	.099	416.06	7.149	2.752	4.397	3.962	.140	3513.55
20	3710.00		3690.00		3822.50	.097	370.88	7.137	2.664	4.474	3.858	.116	3266.31
21	3690.00		3670.00		2800.00	.098	274.49	6.920	2.537	4.384	3.266	.200	2207.74
22	3670.00		3650.00		3102.50	.100	310.87	7.631	3.139	4.492	3.549	.175	3167.47
23	3650.00		3630.00		4300.00	.101	434.80	7.325	2.923	4.402	3.366	.194	3858.23
24	3630.00		3610.00		6200.00	.101	627.25	8.201	3.036	5.166	3.318	.175	7630.65
25	3610.00		3590.00		7645.00	.100	762.07	8.030	3.041	4.990	3.605	.161	8990.73
26	3590.00		3570.00		7842.50	.097	762.42	8.166	3.127	5.040	3.950	.103	9669.08
27	3570.00		3550.00		11050.00	.100	1107.55	8.393	3.449	4.944	4.438	.093	15402.75
28	3550.00		3530.00		14900.00	.101	1502.22	8.337	3.393	4.944	4.556	.108	20660.18
29	3530.00		3510.00		17047.50	.102	1745.69	8.865	3.564	5.302	4.540	.094	26861.18
30	3510.00		3490.00		17515.00	.103	1799.20	8.837	3.580	5.257	4.597	.091	27707.10
31	3490.00		3470.00		19470.00	.102	1980.99	8.909	3.573	5.337	4.404	.074	30750.30
32	3470.00		3450.00		15807.50	.103	1634.73	8.802	3.485	5.317	4.313	.073	24481.90
33	3450.00		3430.00		11540.00	.108	1243.73	8.453	3.271	5.183	3.728	.128	16506.46
34	3430.00		3410.00		10002.50	.110	1097.23	7.865	3.033	4.833	3.140	.067	11361.25
35	3410.00		3390.00		7910.00	.105	831.48	7.450	2.837	4.613	2.995	.049	7290.85

34	3430.00	3410.00	10002.00	.110	1077.23	7.883	3.033	4.833	3.140	.087	11381.25
35	3410.00	3390.00	7910.00	.105	831.48	7.450	2.837	4.613	2.995	.049	7290.85
36	3390.00	3370.00	5595.00	.103	574.34	8.172	2.984	5.189	2.871	.061	6373.27
37	3370.00	3350.00	4637.50	.092	424.91	8.861	3.108	5.753	3.446	.101	6061.64
38	3350.00	3330.00	1700.00	.089	151.95	9.849	3.389	6.461	3.197	.024	2514.89
39	3330.00	3310.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
40	3310.00	3290.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
<hr/>											
TOTAL FOR ALL BENCHES			188485.00	.102	19203.88	8.402	3.296	5.107	4.042		.11
TOTAL FOR ALL BENCHES			255641.40								

3,586

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 1 FARO PIT SURFACE AT START-UP OF MINING
 BOTTOM SURFACE GRID RECORD : 21 Cloutier's Revised Ultimate Pit Merged to Dec 88 Month End

BENCH TOTALS FOR ALL MATERIAL

BENCH	CREST		TOE		VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TONS x1000]	AVERAGE GRADES				ECONOMIC FACTOR [Cdn \$ x1000]
	[ft]	[ft]				[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]	
1	4270.00	4230.00	46010.00	.076	3496.76	.000	.000	.000	.000	.000	-4476.77	
2	4230.00	4190.00	61905.00	.076	4704.78	.000	.000	.000	.000	.000	-6023.36	
3	4190.00	4150.00	63280.00	.076	4809.28	.000	.000	.000	.000	.000	-6157.14	
4	4150.00	4110.00	55295.00	.076	4202.42	.000	.000	.000	.000	.000	-5380.21	
5	4110.00	4070.00	57160.00	.076	4344.16	.000	.000	.000	.000	.000	-5561.67	
6	4070.00	4030.00	45272.50	.076	3440.71	.000	.000	.000	.000	.000	-4405.01	
7	4030.00	3990.00	32792.50	.076	2492.23	.000	.000	.000	.000	.000	-3190.71	
8	3990.00	3950.00	36440.00	.076	2769.44	.000	.000	.000	.000	.000	-3545.61	
9	3950.00	3910.00	34575.00	.076	2627.70	.000	.000	.000	.000	.000	-3364.15	
10	3910.00	3890.00	36035.00	.076	2744.27	.106	.044	.061	.070	.002	-3015.79	
11	3890.00	3870.00	42777.50	.076	3253.60	.053	.021	.032	.038	.003	-4019.71	
12	3870.00	3850.00	69667.54	.076	5313.08	.155	.059	.097	.086	.004	-5534.13	
13	3850.00	3830.00	69144.99	.076	5275.18	.184	.069	.115	.099	.006	-5085.28	
14	3830.00	3810.00	66187.50	.076	5056.80	.221	.084	.136	.125	.006	-4489.90	
15	3810.00	3790.00	65420.00	.077	5006.52	.327	.124	.203	.171	.008	-3056.12	
16	3790.00	3770.00	61312.50	.077	4702.87	.387	.142	.244	.211	.010	-2700.82	
17	3770.00	3750.00	60222.50	.077	4629.21	.453	.175	.278	.262	.017	-2662.01	
18	3750.00	3730.00	58615.00	.078	4557.64	.615	.238	.377	.317	.020	-2424.14	
19	3730.00	3710.00	57752.50	.078	4504.24	.748	.295	.453	.431	.022	-1673.08	
20	3710.00	3690.00	54727.50	.078	4281.16	.769	.292	.477	.436	.017	-1751.95	
21	3690.00	3670.00	52807.50	.078	4121.10	.659	.241	.418	.343	.022	-2736.89	
22	3670.00	3650.00	51177.50	.079	4018.03	.851	.340	.511	.435	.023	-1511.68	
23	3650.00	3630.00	51545.00	.080	4105.99	1.106	.430	.675	.538	.036	-820.28	
24	3630.00	3610.00	48897.50	.081	3944.49	1.582	.586	.996	.701	.043	3400.82	
25	3610.00	3590.00	51005.00	.082	4166.12	1.888	.724	1.165	.961	.048	4731.69	
26	3590.00	3570.00	49117.50	.083	4071.04	2.113	.809	1.305	1.104	.044	5436.34	
27	3570.00	3550.00	45797.50	.085	3901.87	2.975	1.195	1.780	1.619	.048	11884.48	
28	3550.00	3530.00	40245.00	.089	3587.54	4.143	1.665	2.479	2.271	.066	18030.77	
29	3530.00	3510.00	37905.00	.093	3523.50	5.360	2.142	3.219	2.842	.074	24770.85	
30	3510.00	3490.00	32000.00	.097	3110.87	6.244	2.502	3.742	3.323	.088	26165.41	
31	3490.00	3470.00	30092.50	.097	2931.20	6.903	2.750	4.154	3.507	.086	29794.01	
32	3470.00	3450.00	24832.50	.098	2430.64	6.870	2.739	4.132	3.556	.079	23975.92	
33	3450.00	3430.00	20477.50	.098	2015.71	6.120	2.344	3.777	2.846	.097	15686.12	
34	3430.00	3410.00	15725.00	.102	1609.17	6.220	2.370	3.651	2.610	.062	10688.99	
35	3410.00	3390.00	12822.50	.097	1249.10	5.078	2.104	3.104	2.514	.051	7300.50	

34	3430.00	3410.00	427.00	.077	32.77	.414	.187	.224	.272	.000	.000	.00
35	3410.00	3390.00	.00	.000	.00	.000	.000	.000	.000	.000	.000	.00
36	3390.00	3370.00	.00	.000	.00	.000	.000	.000	.000	.000	.000	.00
37	3370.00	3350.00	.00	.000	.00	.000	.000	.000	.000	.000	.000	.00
38	3350.00	3330.00	.00	.000	.00	.000	.000	.000	.000	.000	.000	.00
39	3330.00	3310.00	.00	.000	.00	.000	.000	.000	.000	.000	.000	.00
40	3310.00	3290.00	.00	.000	.00	.000	.000	.000	.000	.000	.000	.00

TOTAL FOR ALL BENCHES	598737.40	.076	45731.00	.078	.028	.050	.050					.00
TOTAL FOR ALL BENCHES	-58506.72											

Output

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 1 FARO PIT SURFACE AT START-UP OF MINING
 BOTTOM SURFACE GRID RECORD : 18 FARO - December 1987 Year End Pit Surface (BSLSECT)

BENCH TOTALS FOR ORE ABOVE 5.0000 [%Pb+Zn]

BENCH	CREST		TOE		VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TONS x1000]	AVERAGE GRADES				ECONOMIC FACTOR [Cdn \$ x1000]	
	[ft]	[ft]				[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]		[Au g/t]
1	4270.00		4230.00		.00	.000	.00	.000	.000	.000	.000	.00	
2	4230.00		4190.00		.00	.000	.00	.000	.000	.000	.000	.00	
3	4190.00		4150.00		.00	.000	.00	.000	.000	.000	.000	.00	
4	4150.00		4110.00		.00	.000	.00	.000	.000	.000	.000	.00	
5	4110.00		4070.00		.00	.000	.00	.000	.000	.000	.000	.00	
6	4070.00		4030.00		.00	.000	.00	.000	.000	.000	.000	.00	
7	4030.00		3990.00		.00	.000	.00	.000	.000	.000	.000	.00	
8	3990.00		3950.00		.00	.000	.00	.000	.000	.000	.000	.00	
9	3950.00		3910.00		.00	.000	.00	.000	.000	.000	.000	.00	
10	3910.00		3890.00		295.00	.097	28.56	8.725	3.711	5.014	5.418	.068	469.20
11	3890.00		3870.00		147.50	.097	14.32	7.229	2.930	4.299	4.317	.041	130.62
12	3870.00		3850.00		435.00	.112	48.58	11.576	4.215	7.361	5.138	.063	1103.79
13	3850.00		3830.00		690.00	.101	69.52	10.456	3.921	6.535	5.007	.189	1393.79
14	3830.00		3810.00		682.50	.101	89.36	9.900	3.803	6.096	5.175	.205	1707.89
15	3810.00		3790.00		1100.00	.103	113.70	11.742	4.407	7.337	5.475	.219	3021.95
16	3790.00		3770.00		1900.00	.097	184.90	9.030	3.420	5.610	4.898	.214	3072.55
17	3770.00		3750.00		2317.50	.096	223.29	8.137	3.182	4.955	4.550	.267	2762.14
18	3750.00		3730.00		2155.00	.106	229.05	8.373	3.190	5.184	4.041	.181	2790.29
19	3730.00		3710.00		2795.00	.099	275.55	7.286	2.859	4.428	3.888	.133	2396.96
20	3710.00		3690.00		1840.00	.097	177.79	7.358	2.713	4.645	3.708	.128	1736.45
21	3690.00		3670.00		1122.50	.094	105.92	7.442	2.635	4.807	3.416	.167	1065.02
22	3670.00		3650.00		852.50	.096	82.22	7.995	3.477	4.519	4.320	.081	1008.20
23	3650.00		3630.00		1050.00	.101	105.55	8.110	3.396	4.713	4.115	.102	1323.70
24	3630.00		3610.00		1975.00	.102	201.60	7.920	2.818	5.102	2.738	.184	2180.51
25	3610.00		3590.00		1790.00	.099	177.89	6.818	2.194	4.625	2.167	.171	1145.95
26	3590.00		3570.00		1160.00	.101	117.72	8.022	2.998	5.024	3.960	.006	1461.91
27	3570.00		3550.00		2700.00	.103	278.05	8.783	3.441	5.342	4.899	.046	4496.54
28	3550.00		3530.00		4165.00	.104	432.12	9.231	3.744	5.487	4.669	.075	7458.25
29	3530.00		3510.00		6142.50	.105	647.68	9.110	3.776	5.334	4.742	.087	10748.42
30	3510.00		3490.00		4470.00	.105	471.48	9.590	4.013	5.577	5.028	.137	8777.79
31	3490.00		3470.00		3732.50	.103	386.21	7.859	3.288	4.571	3.970	.072	4347.53
32	3470.00		3450.00		2722.50	.101	274.41	7.724	3.100	4.624	4.317	.126	3167.97
33	3450.00		3430.00		1755.00	.107	188.41	9.533	3.702	5.832	4.679	.297	3492.34
34	3430.00		3410.00		37.50	.113	4.22	7.843	3.058	4.805	3.070	.040	47.01

34	3430.00	3410.00	517.50	.080	41.32	1.390	.657	.721	.854	.084	-4.92
35	3410.00	3390.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
36	3390.00	3370.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
37	3370.00	3350.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
38	3350.00	3330.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
39	3330.00	3310.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
40	3310.00	3290.00	.00	.000	.00	.000	.000	.000	.000	.000	.00

TOTAL FOR ALL BENCHES	654160.00		.078	51336.89	.957	.375	.582	.501			.02
TOTAL FOR ALL BENCHES	12560.45										

Output

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 18 FARO - December 1987 Year End Pit Surface (BSLSECT)
 BOTTOM SURFACE GRID RECORD : 19 FARO December 31 1988 Month End Pit Surface

BENCH TOTALS FOR WASTE FROM .0000 [%Pb+Zn] TO 4.0000 [%Pb+Zn]

BENCH	CREST		VOLUME	DENSITY	TONNAGE	AVERAGE GRADES					ECONOMIC FACTOR
	[ft] [ft				[bcf x1000]	[tn/bcf]	[TONS x1000]	[%Pb+Zn]	[%Pb]	
1	4270.00	4230.00	46010.00	.076	3496.76	.000	.000	.000	.000	.000	-4476.77
2	4230.00	4190.00	61895.00	.076	4704.02	.000	.000	.000	.000	.000	-6022.39
3	4190.00	4150.00	63267.50	.076	4808.33	.000	.000	.000	.000	.000	-6155.93
4	4150.00	4110.00	54597.50	.076	4149.41	.000	.000	.000	.000	.000	-5312.35
5	4110.00	4070.00	56757.50	.076	4313.57	.000	.000	.000	.000	.000	-5522.51
6	4070.00	4030.00	43840.00	.076	3331.84	.000	.000	.000	.000	.000	-4265.63
7	4030.00	3990.00	29100.00	.076	2211.60	.000	.000	.000	.000	.000	-2831.43
8	3990.00	3950.00	16250.00	.076	1235.00	.000	.000	.000	.000	.000	-1581.13
9	3950.00	3910.00	9390.00	.076	713.64	.000	.000	.000	.000	.000	-913.65
10	3910.00	3890.00	7447.50	.076	566.01	.000	.000	.000	.000	.000	-725.39
11	3890.00	3870.00	8042.50	.076	611.21	.005	.002	.003	.004	.001	-783.35
12	3870.00	3850.00	10062.50	.076	764.75	.000	.000	.000	.000	.000	-980.09
13	3850.00	3830.00	10197.50	.076	775.01	.000	.000	.000	.000	.000	-993.24
14	3830.00	3810.00	9710.00	.076	737.97	.002	.001	.001	.002	.000	-945.78
15	3810.00	3790.00	10752.50	.076	817.19	.000	.000	.000	.000	.000	-1047.29
16	3790.00	3770.00	9657.50	.076	734.14	.028	.009	.019	.026	.002	-941.09
17	3770.00	3750.00	8845.00	.076	672.22	.000	.000	.000	.000	.000	-861.50
18	3750.00	3730.00	1225.00	.076	93.10	.014	.005	.009	.009	.002	-119.32
19	3730.00	3710.00	432.50	.076	32.87	.000	.000	.000	.000	.000	-42.13
20	3710.00	3690.00	407.50	.077	31.55	.151	.071	.079	.125	.022	-40.64
21	3690.00	3670.00	392.50	.077	30.10	.220	.072	.147	.101	.001	-38.69
22	3670.00	3650.00	502.50	.077	38.63	.386	.103	.284	.173	.013	-48.91
23	3650.00	3630.00	832.50	.076	63.29	.040	.011	.028	.013	.000	-78.96
24	3630.00	3610.00	9052.50	.076	688.19	.003	.001	.002	.002	.000	-881.61
25	3610.00	3590.00	10355.00	.076	790.75	.041	.018	.023	.056	.002	-1012.96
26	3590.00	3570.00	12730.00	.076	969.87	.059	.027	.032	.066	.001	-1243.96
27	3570.00	3550.00	11335.00	.077	867.52	.108	.042	.066	.068	.005	-1113.29
28	3550.00	3530.00	7970.00	.079	630.40	.472	.220	.252	.380	.012	-818.53
29	3530.00	3510.00	6260.00	.083	520.69	1.391	.622	.769	1.037	.062	-684.56
30	3510.00	3490.00	4340.00	.086	371.30	1.956	.834	1.122	1.380	.108	-493.57
31	3490.00	3470.00	1825.00	.087	159.59	2.676	.993	1.683	1.582	.051	-212.79
32	3470.00	3450.00	1515.00	.082	124.63	2.014	.812	1.201	1.413	.002	-164.70
33	3450.00	3430.00	210.00	.077	16.07	1.027	.350	.677	1.574	.144	-9.06
34	3430.00	3410.00	160.00	.076	12.18	.652	.019	.034	.034	.002	-15.61
35	3410.00	3390.00	50.00	.076	3.91	.507	.100	.117	.077	.001	-3.71

34	3430.00	3410.00	180.00	.076	12.18	.032	.017	.034	.034	.002	-13.81
35	3410.00	3390.00	50.00	.076	3.81	.593	.180	.413	.834	.121	-2.54
36	3390.00	3370.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
37	3370.00	3350.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
38	3350.00	3330.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
39	3330.00	3310.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
40	3310.00	3290.00	.00	.000	.00	.000	.000	.000	.000	.000	.00

TOTAL FOR ALL BENCHES	525417.60			.076	40087.18	.067	.028	.039	.049		.00
TOTAL FOR ALL BENCHES	-51381.33										

0-5000

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 18 FARO - December 1987 Year End Pit Surface (BSLSECT)
 BOTTOM SURFACE GRID RECORD : 19 FARO December 31 1988 Month End Pit Surface

BENCH TOTALS FOR STOCKPILE FROM 4.0000 [%Pb+Zn] TO 5.0000 [%Pb+Zn]

BENCH	CREST		TOE		VOLUME		DENSITY	TONNAGE		AVERAGE GRADES				ECONOMIC FACTOR
	[ft]	[ft]	[bcf	x1000]	[tn/bcf]	[TONS x1000]	[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]	[Au g/t]	[Cdn \$ x1000]
1	4270.00		4230.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
2	4230.00		4190.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
3	4190.00		4150.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
4	4150.00		4110.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
5	4110.00		4070.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
6	4070.00		4030.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
7	4030.00		3990.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
8	3990.00		3950.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
9	3950.00		3910.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
10	3910.00		3890.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
11	3890.00		3870.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
12	3870.00		3850.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
13	3850.00		3830.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
14	3830.00		3810.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
15	3810.00		3790.00		20.00		.079	1.58	4.385	1.577	2.808	3.550	.382	-2.09
16	3790.00		3770.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
17	3770.00		3750.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
18	3750.00		3730.00		15.00		.078	1.17	4.607	1.673	2.933	3.533	.303	.32
19	3730.00		3710.00		7.50		.096	.72	4.709	2.021	2.688	3.494	.328	.14
20	3710.00		3690.00		2.50		.095	.24	4.430	2.100	2.330	2.600	.000	-.31
21	3690.00		3670.00		2.50		.074	.19	4.050	1.380	2.670	2.900	.200	-.25
22	3670.00		3650.00		5.00		.090	.45	4.396	1.857	2.538	2.822	.230	-.61
23	3650.00		3630.00		7.50		.090	.68	4.417	1.153	3.267	1.400	.063	-.89
24	3630.00		3610.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
25	3610.00		3590.00		.00		.000	.00	.000	.000	.000	.000	.000	.00
26	3590.00		3570.00		95.00		.090	8.50	4.320	2.300	2.020	4.500	.030	4.09
27	3570.00		3550.00		135.00		.088	11.93	4.310	1.908	2.403	2.901	.063	-8.98
28	3550.00		3530.00		480.00		.094	45.00	4.487	1.914	2.573	3.075	.080	-22.99
29	3530.00		3510.00		1667.50		.089	148.92	4.439	1.734	2.707	2.629	.084	-128.63
30	3510.00		3490.00		1075.00		.083	89.42	4.452	1.639	2.813	2.600	.082	-74.37
31	3490.00		3470.00		547.50		.091	49.96	4.599	1.909	2.692	3.233	.062	4.97
32	3470.00		3450.00		1447.50		.093	134.47	4.692	2.299	2.393	4.074	.053	125.71
33	3450.00		3430.00		57.50		.094	5.41	4.619	1.909	2.710	3.381	.094	-1.61
34	3430.00		3410.00		217.50		.113	24.68	4.731	1.964	2.768	2.361	.085	-34.23
35	3410.00		3390.00		35.00		.077	2.70	4.098	1.092	3.006	2.817	.000	-2.44

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 18 FARO - December 1987 Year End Pit Surface (BSLSECT)
 BOTTOM SURFACE GRID RECORD : 19 FARO December 31 1988 Month End Pit Surface

BENCH TOTALS FOR ORE ABOVE 5.0000 [%Pb+Zn]

BENCH	CREST	TOE	VOLUME		DENSITY	TONNAGE		AVERAGE GRADES				ECONOMIC
	[ft]	[ft]	[bcf	x1000]	[tn/bcf]	[TONS x1000]	[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]	[Au g/t]	[Cdn \$ x1000]
1	4270.00	4230.00	.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
2	4230.00	4190.00	.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
3	4190.00	4150.00	.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
4	4150.00	4110.00	.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
5	4110.00	4070.00	.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
6	4070.00	4030.00	.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
7	4030.00	3990.00	.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
8	3990.00	3950.00	.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
9	3950.00	3910.00	.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
10	3910.00	3890.00	.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
11	3890.00	3870.00	2.50	.090	.090	.22	6.230	2.690	3.540	4.600	.020	1.71
12	3870.00	3850.00	27.50	.085	.085	2.34	8.376	3.478	4.898	6.162	.195	36.11
13	3850.00	3830.00	50.00	.099	.099	4.94	9.460	3.765	5.694	5.500	.119	87.30
14	3830.00	3810.00	27.50	.092	.092	2.53	7.401	2.898	4.503	4.863	.164	27.80
15	3810.00	3790.00	.00	.000	.000	.00	.000	.000	.000	.000	.000	.00
16	3790.00	3770.00	.00	.000	.000	.00	.000	.000	.000	.000	.000	.00
17	3770.00	3750.00	2.50	.098	.098	.25	10.520	4.020	6.500	6.500	.550	6.17
18	3750.00	3730.00	57.50	.114	.114	6.55	6.205	2.396	3.808	2.965	.153	14.50
19	3730.00	3710.00	115.00	.097	.097	11.15	8.393	3.003	5.391	4.200	.098	161.34
20	3710.00	3690.00	17.50	.101	.101	1.76	7.371	2.938	4.432	4.241	.133	18.49
21	3690.00	3670.00	77.50	.103	.103	7.97	6.385	2.280	4.105	2.743	.169	42.90
22	3670.00	3650.00	5.00	.082	.082	.41	5.825	2.047	3.778	2.929	.176	1.58
23	3650.00	3630.00	.00	.000	.000	.00	.000	.000	.000	.000	.000	.00
24	3630.00	3610.00	12.50	.097	.097	1.22	6.238	1.844	4.394	1.319	.058	4.59
25	3610.00	3590.00	122.50	.101	.101	12.39	7.455	3.313	4.142	4.765	.003	139.04
26	3590.00	3570.00	1587.50	.102	.102	161.28	8.758	3.638	5.121	4.569	.115	2408.27
27	3570.00	3550.00	2342.50	.101	.101	235.82	8.711	4.043	4.668	5.855	.088	3952.38
28	3550.00	3530.00	3215.00	.099	.099	316.72	9.133	4.149	4.984	6.563	.098	6026.32
29	3530.00	3510.00	3102.50	.095	.095	294.70	9.092	3.869	5.222	6.162	.087	5487.46
30	3510.00	3490.00	5230.00	.098	.098	511.55	9.585	4.033	5.552	5.842	.042	10218.37
31	3490.00	3470.00	7515.00	.101	.101	760.83	9.563	3.998	5.566	5.490	.049	14565.58
32	3470.00	3450.00	5800.00	.102	.102	591.67	9.123	3.781	5.343	5.325	.030	10241.81
33	3450.00	3430.00	405.00	.107	.107	43.17	8.309	3.387	4.921	4.144	.131	571.01
34	3430.00	3410.00	1102.50	.116	.116	127.39	6.714	2.720	3.993	2.697	.083	702.84
35	3410.00	3390.00	552.50	.111	.111	61.40	7.289	2.933	4.355	2.677	.048	452.10

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 18 FARO - December 1987 Year End Pit Surface (BSLSECT)
 BOTTOM SURFACE GRID RECORD : 19 FARO December 31 1988 Month End Pit Surface

BENCH TOTALS FOR ALL MATERIAL

BENCH	CREST		TDE		VOLUME		DENSITY	TONNAGE		AVERAGE GRADES				ECONOMIC FACTOR
	[ft]	[ft]	[bcf	x1000]	[tn/bcf]	[TONS x1000]	[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]	[Au g/t]	[Cdn \$ x1000]
1	4270.00	4230.00	46010.00	.076	3496.76	.000	.000	.000	.000	.000	.000	.000	.000	-4476.77
2	4230.00	4190.00	61895.00	.076	4704.02	.000	.000	.000	.000	.000	.000	.000	.000	-6022.39
3	4190.00	4150.00	63267.50	.076	4808.33	.000	.000	.000	.000	.000	.000	.000	.000	-6155.93
4	4150.00	4110.00	54597.50	.076	4149.41	.000	.000	.000	.000	.000	.000	.000	.000	-5312.35
5	4110.00	4070.00	56757.50	.076	4313.57	.000	.000	.000	.000	.000	.000	.000	.000	-5522.51
6	4070.00	4030.00	43840.00	.076	3331.84	.000	.000	.000	.000	.000	.000	.000	.000	-4265.63
7	4030.00	3990.00	29100.00	.076	2211.60	.000	.000	.000	.000	.000	.000	.000	.000	-2831.43
8	3990.00	3950.00	16250.00	.076	1235.00	.000	.000	.000	.000	.000	.000	.000	.000	-1581.13
9	3950.00	3910.00	9390.00	.076	713.64	.000	.000	.000	.000	.000	.000	.000	.000	-913.65
10	3910.00	3890.00	7447.50	.076	566.01	.000	.000	.000	.000	.000	.000	.000	.000	-725.39
11	3890.00	3870.00	8045.00	.076	611.43	.007	.003	.004	.006	.001	.001	.001	.001	-781.64
12	3870.00	3850.00	10090.00	.076	767.09	.025	.011	.015	.019	.001	.001	.001	.001	-943.98
13	3850.00	3830.00	10247.50	.076	779.95	.060	.024	.036	.035	.001	.001	.001	.001	-905.93
14	3830.00	3810.00	9737.50	.076	740.50	.027	.011	.017	.018	.001	.001	.001	.001	-917.99
15	3810.00	3790.00	10772.50	.076	818.77	.008	.003	.005	.007	.001	.001	.001	.001	-1049.39
16	3790.00	3770.00	9657.50	.076	734.14	.028	.009	.019	.026	.002	.002	.002	.002	-941.09
17	3770.00	3750.00	8847.50	.076	672.47	.004	.001	.002	.002	.000	.000	.000	.000	-855.33
18	3750.00	3730.00	1297.50	.078	100.82	.470	.179	.290	.242	.015	.015	.015	.015	-104.50
19	3730.00	3710.00	555.00	.081	44.73	2.167	.781	1.386	1.102	.030	.030	.030	.030	119.35
20	3710.00	3690.00	427.50	.078	33.54	.560	.236	.324	.359	.028	.028	.028	.028	-22.45
21	3690.00	3670.00	472.50	.081	38.26	1.523	.539	.984	.665	.037	.037	.037	.037	3.96
22	3670.00	3650.00	512.50	.077	39.49	.488	.143	.345	.232	.017	.017	.017	.017	-47.94
23	3650.00	3630.00	840.00	.076	63.96	.086	.023	.063	.028	.001	.001	.001	.001	-79.85
24	3630.00	3610.00	9065.00	.076	689.41	.014	.004	.010	.004	.000	.000	.000	.000	-877.02
25	3610.00	3590.00	10477.50	.077	803.13	.155	.068	.087	.128	.002	.002	.002	.002	-873.92
26	3590.00	3570.00	14412.50	.079	1139.65	1.322	.555	.767	.736	.017	.017	.017	.017	1168.40
27	3570.00	3550.00	13812.50	.081	1115.26	1.972	.908	1.064	1.322	.023	.023	.023	.023	2830.11
28	3550.00	3530.00	11665.00	.085	992.11	3.419	1.551	1.868	2.476	.042	.042	.042	.042	5184.81
29	3530.00	3510.00	11030.00	.087	964.30	4.215	1.786	2.429	2.849	.073	.073	.073	.073	4674.27
30	3510.00	3490.00	10645.00	.091	972.27	6.199	2.591	3.608	3.840	.071	.071	.071	.071	9650.43
31	3490.00	3470.00	9887.50	.098	970.38	8.175	3.396	4.779	4.731	.050	.050	.050	.050	14357.75
32	3470.00	3450.00	8762.50	.097	850.78	7.381	3.112	4.270	4.554	.029	.029	.029	.029	10202.82
33	3450.00	3430.00	672.50	.096	64.64	6.190	2.509	3.681	3.442	.131	.131	.131	.131	560.34
34	3430.00	3410.00	1480.00	.111	164.25	5.922	2.406	3.516	2.449	.077	.077	.077	.077	653.00
35	3410.00	3390.00	637.50	.107	67.91	6.786	2.706	4.081	2.579	.050	.050	.050	.050	447.12

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 19 FARO December 31 1988 Month End Pit Surface
 BOTTOM SURFACE GRID RECORD : 21 Cloutier's Revised Ultimate Pit Merged to Dec 88 Month End

BENCH TOTALS FOR WASTE FROM .0000 [%Pb+Zn] TO 4.0000 [%Pb+Zn]

BENCH	CREST		TOE	VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TONS x1000]	AVERAGE GRADES				ECONOMIC FACTOR [Cdn \$ x1000]	
	[ft]					[ft]	[%Pb+Zn]	[%Pb]		[%Zn]
1	4270.00		4230.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
2	4230.00		4190.00	5.00	.076	.38	.000	.000	.000	.000	.000	-.49
3	4190.00		4150.00	7.50	.076	.57	.000	.000	.000	.000	.000	-.73
4	4150.00		4110.00	255.00	.076	19.38	.000	.000	.000	.000	.000	-24.81
5	4110.00		4070.00	97.50	.076	7.41	.000	.000	.000	.000	.000	-9.49
6	4070.00		4030.00	557.50	.076	42.37	.000	.000	.000	.000	.000	-54.24
7	4030.00		3990.00	292.50	.076	22.23	.000	.000	.000	.000	.000	-28.46
8	3990.00		3950.00	1702.50	.076	129.39	.000	.000	.000	.000	.000	-165.65
9	3950.00		3910.00	9872.50	.076	750.31	.000	.000	.000	.000	.000	-960.59
10	3910.00		3890.00	7827.50	.076	594.89	.000	.000	.000	.000	.000	-762.40
11	3890.00		3870.00	9462.50	.076	719.09	.006	.002	.004	.005	.001	-921.64
12	3870.00		3850.00	8975.00	.076	681.75	.074	.033	.041	.069	.007	-874.28
13	3850.00		3830.00	9010.00	.076	684.57	.038	.014	.024	.031	.004	-877.64
14	3830.00		3810.00	9675.00	.076	735.84	.027	.009	.018	.020	.001	-943.30
15	3810.00		3790.00	10265.00	.076	780.04	.022	.010	.013	.019	.004	-999.99
16	3790.00		3770.00	10950.00	.076	832.40	.030	.010	.020	.030	.002	-1067.09
17	3770.00		3750.00	12387.50	.076	941.90	.031	.011	.020	.023	.001	-1207.78
18	3750.00		3730.00	19600.00	.076	1491.25	.016	.008	.007	.014	.002	-1911.78
19	3730.00		3710.00	21007.50	.076	1598.96	.018	.007	.011	.019	.003	-2050.43
20	3710.00		3690.00	20490.00	.077	1572.81	.126	.054	.072	.086	.007	-2021.01
21	3690.00		3670.00	20087.50	.076	1531.80	.075	.025	.050	.063	.006	-1965.89
22	3670.00		3650.00	19472.50	.077	1492.58	.192	.063	.130	.128	.007	-1911.70
23	3650.00		3630.00	18867.50	.077	1460.82	.243	.089	.154	.166	.011	-1876.30
24	3630.00		3610.00	15930.00	.079	1260.95	.498	.201	.297	.354	.037	-1632.11
25	3610.00		3590.00	14195.00	.080	1136.85	.687	.267	.421	.479	.040	-1478.96
26	3590.00		3570.00	14002.50	.083	1166.69	1.155	.458	.697	.794	.063	-1536.68
27	3570.00		3550.00	11390.00	.082	938.91	1.083	.409	.674	.824	.057	-1221.20
28	3550.00		3530.00	9065.00	.082	747.70	1.054	.349	.705	.541	.050	-981.53
29	3530.00		3510.00	8447.50	.085	721.02	1.321	.436	.886	.736	.031	-953.04
30	3510.00		3490.00	5572.50	.093	520.86	2.180	.698	1.483	.964	.046	-701.78
31	3490.00		3470.00	5377.50	.089	477.04	1.848	.666	1.182	.911	.072	-637.87
32	3470.00		3450.00	3930.00	.090	353.46	2.373	.844	1.529	1.119	.097	-474.08
33	3450.00		3430.00	5577.50	.086	479.73	1.889	.653	1.236	1.108	.038	-601.07
34	3430.00		3410.00	3252.50	.089	289.52	1.958	.716	1.242	1.180	.030	-388.92
35	3410.00		3390.00	3427.50	.084	288.69	2.086	.721	1.365	1.352	.058	-383.10
36	3390.00		3370.00	2447.50	.077	207.17	2.110	.730	1.377	1.377	.058	-383.10

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 19 FARO December 31 1988 Month End Pit Surface
 BOTTOM SURFACE GRID RECORD : 21 Cloutier's Revised Ultimate Pit Merged to Dec 88 Month End

BENCH TOTALS FOR STOCKPILE FROM 4.0000 [%Pb+Zn] TO 5.0000 [%Pb+Zn]

BENCH	CREST [ft]	TOE [ft]	VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TONS x1000]	AVERAGE GRADES					ECONOMIC FACTOR [Cdn \$ x1000]
						[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]	[Au g/t]	
1	4270.00	4230.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
2	4230.00	4190.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
3	4190.00	4150.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
4	4150.00	4110.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
5	4110.00	4070.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
6	4070.00	4030.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
7	4030.00	3990.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
8	3990.00	3950.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
9	3950.00	3910.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
10	3910.00	3890.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
11	3890.00	3870.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
12	3870.00	3850.00	97.50	.076	7.36	4.283	2.068	2.215	3.955	.269	-9.71
13	3850.00	3830.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
14	3830.00	3810.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
15	3810.00	3790.00	337.50	.081	27.35	4.407	1.737	2.670	3.400	.216	-13.62
16	3790.00	3770.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
17	3770.00	3750.00	10.00	.076	.76	4.240	1.350	2.890	3.600	.410	-1.00
18	3750.00	3730.00	145.00	.099	14.41	4.380	1.930	2.450	2.996	.482	-12.43
19	3730.00	3710.00	277.50	.104	28.85	4.642	2.314	2.328	3.613	.581	-8.15
20	3710.00	3690.00	200.00	.104	20.85	4.294	1.805	2.492	2.920	.236	-20.90
21	3690.00	3670.00	510.00	.101	51.31	4.520	1.823	2.698	2.371	.154	-67.71
22	3670.00	3650.00	652.50	.098	64.18	4.590	1.861	2.729	2.601	.199	-57.15
23	3650.00	3630.00	1110.00	.098	108.85	4.523	1.801	2.722	2.613	.178	-115.08
24	3630.00	3610.00	895.00	.089	79.96	4.466	1.478	2.988	1.983	.097	-74.99
25	3610.00	3590.00	1455.00	.091	132.78	4.459	1.772	2.688	3.044	.152	-48.42
26	3590.00	3570.00	1027.50	.096	98.69	4.370	1.701	2.671	2.439	.144	-103.69
27	3570.00	3550.00	2107.50	.096	202.70	4.558	1.702	2.858	2.320	.100	-175.39
28	3550.00	3530.00	1450.00	.102	147.89	4.551	1.783	2.770	2.401	.140	-183.64
29	3530.00	3510.00	2067.50	.095	196.77	4.554	1.887	2.668	2.743	.126	-91.11
30	3510.00	3490.00	1115.00	.096	106.94	4.484	1.780	2.704	2.596	.130	-93.26
31	3490.00	3470.00	992.50	.092	91.25	4.501	1.642	2.859	2.022	.143	-91.06
32	3470.00	3450.00	745.00	.095	70.95	4.496	1.850	2.646	2.692	.117	-41.75
33	3450.00	3430.00	1862.50	.092	170.91	4.509	1.668	2.842	2.733	.067	-81.39
34	3430.00	3410.00	1635.00	.092	150.21	4.438	1.439	3.000	2.216	.086	-187.96
35	3410.00	3390.00	1400.00	.087	121.51	4.350	1.399	2.952	2.545	.099	-104.24
36	3390.00	3370.00	950.00	.087	70.00	4.413	1.443	3.013	2.305	.040	-44.47

PC-MINE VERSION 1.10
 SERIAL NO : 20320
 19/ 2/1989

Curragh Resources
 Faro Deposit (FI Model Data)

SOFTWARE BY GEMCOM SERVICES INC
 MODULE 4.12
 PAGE 11

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 19 FARO December 31 1988 Month End Pit Surface
 BOTTOM SURFACE GRID RECORD : 21 Cloutier's Revised Ultimate Pit Merged to Dec 88 Month End

BENCH TOTALS FOR ORE ABOVE 5.0000 [%Pb+Zn]

BENCH	CREST [ft]	TOE [ft]	VOLUME [bcf x1000]	DENSITY [tn/bcf]	TONNAGE [TONS x1000]	AVERAGE GRADES				ECONOMIC FACTOR [Cdn \$ x1000]	
						[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]		[Au g/t]
1	4270.00	4230.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
2	4230.00	4190.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
3	4190.00	4150.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
4	4150.00	4110.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
5	4110.00	4070.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
6	4070.00	4030.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
7	4030.00	3990.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
8	3990.00	3950.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
9	3950.00	3910.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
10	3910.00	3890.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
11	3890.00	3870.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
12	3870.00	3850.00	90.00	.081	7.27	6.772	2.930	3.842	5.294	.221	64.22
13	3850.00	3830.00	60.00	.095	5.69	8.802	3.645	5.156	5.833	.170	93.30
14	3830.00	3810.00	140.00	.086	12.10	6.877	2.945	3.932	5.262	.170	123.53
15	3810.00	3790.00	150.00	.085	12.75	6.733	3.082	3.651	5.831	.222	135.72
16	3790.00	3770.00	.00	.000	.00	.000	.000	.000	.000	.000	.00
17	3770.00	3750.00	110.00	.101	11.16	8.023	3.226	4.796	5.205	.522	149.10
18	3750.00	3730.00	745.00	.114	84.57	6.029	2.423	3.605	3.016	.152	178.83
19	3730.00	3710.00	1340.00	.099	132.28	6.758	2.510	4.248	4.106	.158	981.30
20	3710.00	3690.00	2015.00	.098	196.51	6.945	2.621	4.325	3.988	.104	1553.87
21	3690.00	3670.00	1610.00	.100	161.58	6.603	2.483	4.122	3.191	.223	1106.44
22	3670.00	3650.00	2250.00	.102	228.70	7.500	3.017	4.483	3.269	.209	2159.07
23	3650.00	3630.00	3250.00	.101	329.25	7.073	2.771	4.302	3.126	.224	2534.53
24	3630.00	3610.00	4212.50	.101	424.43	8.341	3.143	5.199	3.599	.171	5445.54
25	3610.00	3590.00	5750.00	.100	573.47	8.425	3.298	5.127	4.020	.161	7734.56
26	3590.00	3570.00	5105.00	.095	484.36	8.001	2.986	5.016	3.737	.123	5803.08
27	3570.00	3550.00	6007.50	.099	593.68	8.084	3.217	4.868	3.659	.116	6953.83
28	3550.00	3530.00	7520.00	.100	753.38	7.490	2.874	4.617	3.648	.131	7175.61
29	3530.00	3510.00	7805.00	.103	803.53	8.585	3.280	5.306	3.781	.102	10627.69
30	3510.00	3490.00	7815.00	.104	816.17	7.932	3.045	4.888	3.568	.096	8710.93
31	3490.00	3470.00	8227.50	.101	834.53	8.798	3.317	5.481	3.615	.099	11841.05
32	3470.00	3450.00	7290.00	.106	769.12	8.941	3.396	5.546	3.533	.088	11082.64
33	3450.00	3430.00	9392.50	.108	1013.55	8.255	3.184	5.072	3.531	.097	12445.85
34	3430.00	3410.00	8870.00	.109	966.36	8.019	3.075	4.944	3.200	.065	10629.78
35	3410.00	3390.00	7357.50	.105	770.08	7.462	2.829	4.634	3.020	.049	4930.75
36	3390.00	3370.00	5505.00	.107	585.00	7.000	2.500	4.200	2.800	.030	3500.00

MINING RESERVE EVALUATION

DESCRIPTION : MINING RESERVES BETWEEN VARIOUS PITS

TOP SURFACE GRID RECORD : 19 FARO December 31 1988 Month End Pit Surface
 BOTTOM SURFACE GRID RECORD : 21 Cloutier's Revised Ultimate Pit Merged to Dec 88 Month End

BENCH TOTALS FOR ALL MATERIAL

BENCH	CREST		TOE		VOLUME		DENSITY	TONNAGE		AVERAGE GRADES					ECONOMIC FACTOR
	[ft]	[ft]	[bcf	x1000]	[tn/bcf]	[TONS x1000]	[%Pb+Zn]	[%Pb]	[%Zn]	[Ag g/t]	[Au g/t]	[Cdn \$ x1000]	
1	4270.00		4230.00		.00		.000	.00	.000	.000	.000	.000	.000	.00	
2	4230.00		4190.00		5.00		.076	.38	.000	.000	.000	.000	.000	-.49	
3	4190.00		4150.00		7.50		.076	.57	.000	.000	.000	.000	.000	-.73	
4	4150.00		4110.00		255.00		.076	19.38	.000	.000	.000	.000	.000	-24.81	
5	4110.00		4070.00		97.50		.076	7.41	.000	.000	.000	.000	.000	-9.49	
6	4070.00		4030.00		557.50		.076	42.37	.000	.000	.000	.000	.000	-54.24	
7	4030.00		3990.00		292.50		.076	22.23	.000	.000	.000	.000	.000	-28.46	
8	3990.00		3950.00		1702.50		.076	129.39	.000	.000	.000	.000	.000	-165.65	
9	3950.00		3910.00		9872.50		.076	750.31	.000	.000	.000	.000	.000	-960.59	
10	3910.00		3890.00		7827.50		.076	594.89	.000	.000	.000	.000	.000	-762.40	
11	3890.00		3870.00		9462.50		.076	719.09	.006	.002	.004	.005	.001	-921.64	
12	3870.00		3850.00		9162.50		.076	696.39	.189	.085	.104	.164	.012	-819.77	
13	3850.00		3830.00		9070.00		.076	690.26	.110	.044	.066	.079	.005	-784.33	
14	3830.00		3810.00		9815.00		.076	747.95	.138	.057	.082	.104	.004	-819.78	
15	3810.00		3790.00		10752.50		.076	820.14	.273	.115	.158	.222	.014	-877.89	
16	3790.00		3770.00		10950.00		.076	832.40	.030	.010	.020	.030	.002	-1067.09	
17	3770.00		3750.00		12507.50		.076	953.83	.128	.049	.078	.086	.008	-1059.68	
18	3750.00		3730.00		20490.00		.078	1590.23	.375	.154	.221	.201	.014	-1745.38	
19	3730.00		3710.00		22625.00		.078	1760.08	.600	.233	.367	.385	.024	-1077.28	
20	3710.00		3690.00		22705.00		.079	1790.17	.923	.356	.567	.547	.021	-488.04	
21	3690.00		3670.00		22207.50		.079	1744.69	.811	.305	.505	.420	.030	-927.15	
22	3670.00		3650.00		22375.00		.080	1785.46	1.286	.506	.781	.619	.040	190.22	
23	3650.00		3630.00		23227.50		.082	1898.92	1.672	.652	1.021	.820	.057	543.16	
24	3630.00		3610.00		21037.50		.084	1765.34	2.563	.966	1.598	1.208	.072	3738.43	
25	3610.00		3590.00		21400.00		.086	1843.10	3.366	1.318	2.048	1.765	.086	6207.19	
26	3590.00		3570.00		20135.00		.087	1749.74	3.232	1.228	2.004	1.702	.084	4162.71	
27	3570.00		3550.00		19505.00		.089	1735.30	3.884	1.521	2.364	1.969	.082	5557.24	
28	3550.00		3530.00		18035.00		.091	1648.97	4.308	1.631	2.677	2.127	.095	6010.44	
29	3530.00		3510.00		18320.00		.094	1721.31	5.082	1.929	3.153	2.387	.075	9583.53	
30	3510.00		3490.00		14502.50		.100	1443.97	5.602	2.105	3.498	2.556	.081	7915.89	
31	3490.00		3470.00		14597.50		.096	1402.81	6.155	2.307	3.849	2.592	.093	11112.12	
32	3470.00		3450.00		11965.00		.100	1193.54	6.732	2.548	4.184	2.768	.092	10566.80	
33	3450.00		3430.00		16832.50		.099	1664.19	6.035	2.299	3.737	2.751	.077	11763.39	
34	3430.00		3410.00		13757.50		.102	1406.10	6.388	2.414	3.974	2.679	.060	10052.90	
35	3410.00		3390.00		10105.00		.097	1100.00	5.927	2.144	3.441	2.543	.056	6351.41	

PC-MINE VERSION 1.10
SERIAL NO : 20320
20/ 2/1989

Curragh Resources
Faro Deposit (FI Model Data)

SOFTWARE BY GEMCOM SERVICES INC
MODULE 3.12
PAGE 1

IN-SITU ORE RESERVE EVALUATION

DESCRIPTION : GEOLOGICAL RESERVES UNDER VARIOUS PITS OUTSIDE OF UNDERGROUND

SURFACE GRID RECORD : 1 FARO PIT SURFACE AT START-UP OF MINING