


Zone 2 - Tonnage and Grade

000718

- ① 3,424,003 Tons \approx 5% combined lead zinc
- ② tonnages are measured within half bench contour.
- ③ weighted average grades are 3.5% Pb & 5.2% Zn
- ④ grades for a tonnage block come from the PDH that defines that block.
- ⑤ 366,282 Tons (or 11% of total tonnage) required geological judgement to apply reasonable grades.
- ⑥ there will be approximately 20% ~~dit~~ external dilution during mining (this amounts to 684,800 Tons of the 3,424,003 total tons)
- ⑦ the average grade for the dilution material is 0.8% Pb and 1.7% Zn
- ⑧ incorporating this dilution gives a tonnage and grade of
3,424,003 Tons @ 3.0% Pb and 4.5% Zn.



- ⑨ internal dilution is accounted for in the average grades.
- ⑩ grade distribution has a mean of 5.2 Zn and a S.D. of 1.2

a.w. Nov. 24/73

ANVIL MINING CORPORATION

ORE RESERVES ZONE 2

SUMMARY OF BENCHES

Bench _____

Page _____ of _____

aw

DH

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	W A S T E			Comb Total Yards
			Grade				Tons Yards (A.U. x C*)	Pb Area Units	Zn Yards (x 2407.4)	
			Pb	Zn	Comb					
3980		30622	26	59	85					
						J=0				
3910		77378	30	51	81					
						J=0				
3890		195744	38	50	88					
						J=14839				
3870		240264	38	50	88					
						J=11306				
3850		401263	33	46	79					
						J=24025				
3830		368876	31	51	82					
						J=8009				
3810		553081	37	52	89					
						J=48523				
3790		531173	33	53	86					
						J=148634				
3770		585115	31	51	82					
						J=12720				
3750		344145	34	51	85					
						J=52763				
3730		89275	39	56	95					
						J=38396				
3710		7067	35	36	71					
						J=7067				

Total a*
Total b*

Total (a+b) 3,424,003 34 51 85 J= 3929,003 3.5 5.2 8.7
 Cum Totala
 Cum Totalb
 Total (a+b) J=366,282 or 1190

Page
Bench

1009708

ANVIL MINING CORPORATION

ORE RESERVES ZONE 2

3910 Bench

Page 1 of 1

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	Yards (A.U.xC*)	W A S T E		Total Yards
			Pb	Zn	Comb			Area Units	Yards (x7407.4)	
✓ 67-22	0.88	10364	2.0	4.0				3.4	4.6	2.0 4.0
✓ 67-26	0.04	4715	1.1	5.9	11.0	29' D		5.2	6.4	5.1 5.9
✓ 67-33	2.86	33566	2.0	4.5		13' 67-33 U ✓ 7' 73-4 D X		3.7	5.9	2.2 5.7
✓ 73-4	0.08	9424	4.4	6.5	10.9	35' D		3.7	5.9	4.4 6.5
✓ 73-20	2.72	32035	4.3	6.1	10.4			5.2	6.4	4.3 6.7

Page	Total a*									
	Total b*									
Bench	Total (a+b)	77378	30	151				77378	4.3 5.9	3.1 5.9
	Cum Total a									
	Cum Total b									
	Total (a+b)									

J=0

76318

*K = 23555.55, c = 7407.4, a is ore in red blocks, b in orange blocks.

ANVIL MINING CORPORATION

ORE RESERVES ZONE 2

3890 Bench

Page 1 of 1

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	Yards (A.U.xC*)	W A S T E		Total Yards	
			Grade					Area Units	Yards (x7407.4)		
			Pb	Zn	Comb						
✓ 6722	304	35804	1.7	38	5.5	20' UP		2.5	4.0	1.7	3.8
✓ 6726	436	51351	5.1	59	11.0	11' DW		4.7	5.8	5.1	5.7
✓ 6733	096	11306	3.7	53	9.0	73-4 10' DX		3.9	6.0	2.2	5.7
✓ 73-A	240	28267	4.4	65	10.9	15' DW		4.9	6.9	4.4	6.5
✓ 73-18	110	12955	2.9	30	5.9	9' D ?		4.1	4.9	5.23	3.5
✓ 73-19	380	44755	3.8	4.3	8.1	2' U #15		3.5	5.1	3.8	4.3
✓ 73-20	080	9422	4.3	6.7	11.0	30' UP		4.5	5.7	4.3	6.7
✓ 7321	016	1884	4.4	6.5	16.9	73-4 15' D		4.9	6.4	4.4	6.5

Total a*					
Total b*					

Total (a+b)	195744	38	50		
-------------	--------	----	----	--	--

Cum Totala					
Cum Totalb					

Total(a+b)					
------------	--	--	--	--	--

195744 4.0 53 3.7 5.1
 J=14839 or 89%
 194567

*K = 23555.55. c = 7407.4. a is ore in red blocks. b in orange blocks.

ANVIL MINING CORPORATION

ORE RESERVES ZONE 2

3870 Bench

Page 1 of 1

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	Yards (A.U.xC*)	W A S T E		Total Yards						
			Grade					Area Units	Yards (x7407.4)							
			Pb	Zn	Comb											
✓ 67-13	228	268534.1	6.7	10.8	9' DW			3.9	8.0	4.1	6.6					
✓ 67-18	132	155465.5	1.1	6.6	8' DW			5.5	1.1	5.5	1.1					
✓ 67-22	160	188441.7	3.8	5.5	22' UP			3.8	5.5	1.7	3.8					
✓ 67-26	472	555914.5	5.7	10.2				4.2	5.8	4.5	5.7					
✓ 73-4	564	664273.9	6.0	9.9				4.3	6.0	3.9	6.0					
✓ 73-6	012	14134.5	5.7	10.2	67-26			4.8	6.9	4.1	6.6					
✓ 73-18	188	221422.4	3.7	6.1	10' UP; 1' ADW			3.5	3.8	4.7	4.5					
✓ 73-19	152	179022.7	5.1	7.8	24' DW 67-13			4.3	5.7	3.8	4.3					
✓ 73-21	036	42403.9	6.0	9.9	73-4			4.3	6.0	3.9	6.0					
✓ 73-25	096	113065.5	1.1	6.6	67-18 8' DW?			3.8	1.2	J 3.8	1.2					
Total a*																
Total b*																
Total (a+b)											24026438	510	2402643.9	5.1	4.0	5.0
Cum Totala																
Cum Totalb																
Total(a+b)																

J=11306 or 5%

237908

*K = 23555.55. c = 7407.4. a is ore in red blocks. b in orange blocks.

ANVIL MINING CORPORATION

ORE RESERVES ZONE 2

3850 Bench

Page 1 of 1

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	Yards (A.U.xC*)	W A S T E		Total Yards
			Pb	Zn	Comb			Area Units	Yards (x7407.4)	
67-13	6.19	72904	4.1	6.3	10.4	6' UP		4.1	6.3	
67-16	1.64	19375	3.2	5.9	9.1	29' DW		4.0	5.9	
67-18	2.40	28267	3.8	1.2	5.0			5.5	1.1	
67-26	3.08	36275	4.4	5.0	9.4	14' UP		4.9	5.0	
67-28	2.20	25911	3.8	6.7	10.5	6' DW *10'		2.5	5.3	
73-4	5.24	61715	2.0	3.7	5.7			2.0	3.7	
73-5	0.16	1884	2.0	3.7	5.7	67-28 11' DW		2.5	5.3	
73-6	1.88	22142	4.0	4.0	8.0	73-6 21' DW		4.8	5.1	
73-7	4.48	52764	3.1	5.7	8.8	5' UP		3.1	5.7	
73-18	3.28	38631	2.2	3.2	5.4	19' DW ✓		2.6	4.1	
73-19	0.04	471	3.1	5.2	8.3	67-13		4.4	5.0	
73-21	0.40	4711	2.0	3.7	5.7	73-4		2.0	3.7	
73-25	1.44	16959	3.8	1.2	5.0	67-18		3.3	3.0	
67-22	0.72	8479	2.2	3.2	5.4	73-18 9' DW		1.7	3.8	
67-20	0.92	10835	2.4	6.3	8.7	2' DW		2.4	6.3	

J
J
J

Total a*									
Total b*									
Total (a+b)	40	126333	4.6					40	126333
Cum Totala									
Cum Totalb									
Total(a+b)									

J=24025 or 6%
391959

1.32

*K = 23555.55. c = 7407.4. a is ore in red blocks. b in orange blocks.

ANVIL MINING CORPORATION

ORE RESERVES ZONE 2

3830 Bench

Page 1 of 1

Drill Hole	Area Units	O R E					Remarks	W A S T E			
		Tons (A.U. x K*)		Grade				Yards (A.U.xC*)	Area Units	Yards (x7407.4)	Total Yards
		Pb	Zn	Comb							
67-13	088	10364	52	75	12.7	16' UP *10'			4.1	6.4	
67-16	532	62656	32	60	9.2	9' DW			4.0	6.0	
67-17	028	32982	7	50	7.7	36' DW			2.7	5.0	
67-21	268	31564	41	62	10.3	11' DW			4.1	6.2	
67-26	056	65954	4	50	9.4	34' UP			4.4	5.0	
67-28	412	48524	16	41	57				1.6	3.8	
73-4	312	36747	21	41	62	15' UP			2.1	4.1	
73-5	004	4711	6	41	57	67-28			1.6	3.8	
73-6	46A	56062	48	50	9.8	12' DW			4.8	5.0	
73-7	480	54648	31	57	8.8	25' UP			3.1	5.7	
73-8	00A	47114	11	62	10.3	67-21 11' DW			4.1	6.2	
73-9	040	47112	5	57	8.2	25' DW			5.1	6.8	
78-18	428	50409	23	37	6.0	6' UP			2.6	4.1	
78-21	020	23562	1	41	6.2	73-4 15' UP			2.1	4.1	

J.
J
J
J

Total a*										
Total b*										
Total (a+b)	3688	7631	51				3688	7631	3.3	5.1
Cum Totala										
Cum Totalb										
Total(a+b)										

J=8009 or 29.
370 761

*K = 23555.55, c = 7407.4, a is ore in red blocks, b in orange blocks.

ANVIL MINING CORPORATION

ORE RESERVES ZONE 2

3810 Bench

Page 1 of 1

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	Yards (A.U.xC*)	W A S T E		Total Yards
			Grade					Area Units	Yards (x7407.4)	
			Pb	Zn	Comb					
VA 67-13	0.16	1884	32	42	7.4	73-1		4.0	4.4	J
✓ 67-16	4.24	4993	33	58	9.1	6' UP		3.3	5.8	
✓ 67-17	2.20	2591	27	50	7.7	16' DW		4.3	6.6	
✓ 67-18	4.64	5464	34	36	7.0	3' DW		3.4	3.6	
✓ 67-21	4.40	5082	39	51	9.0		4.4	3.9	5.1	
✓ 67-27	4.84	5700	54	56	9.0	4' UP		5.4	5.6	
✓ 67-28	3.08	3627	21	38	5.9	55	3.5	2.1	3.8	
✓ 67-31	1.24	1460	24	6.5	8.9	6.5-58		2.4	6.5	
✓ 73-6	4.96	5841	32	42	7.4			4.0	4.4	
✓ 73-7	1.68	1978	39	51	9.0	67-21		3.1	5.7	
✓ 73-8	0.16	1884	39	51	9.0	67-21		3.9	5.1	J
✓ 73-9	3.24	3816	56	7.2	12.7	10' DW		4.2	6.3	
✓ 73-10	3.04	3580	31	56		67-16	3.04	3.6	5.0	J
✓ 73-11	0.20	2355	37	38	7.5	26' DW		2.7	4.5	
✓ 73-12	0.76	8951	54	56	11.0	67-27 4' UP		5.4	5.6	J
✓ 73-18	0.88	1036	26	41	6.7	20' UP *15'		2.6	4.1	
✓ 73-24	4.48	5276	47	7.2	11.9		4.4	4.7	7.2	
✓ 73-26	2.76	3250	24	48	7.2	8' UP		2.4	4.8	

Total a*											
Total b*											
Total (a+b)	5530	8137	52	89			5530	8137	3.8	5.3	9.1
Cum Totala											
Cum Totalb											
Total (a+b)											

J=48523 or 970

*K = 23555.55. c = 7407.4. a is ore in red blocks. b in orange blocks.

ANVIL MINING CORPORATION

ORE RESERVES ZONE 2

3790 Bench

Page 1 of 1

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	Yards (A.U.xC*)	W A S T E		Total Yards
			Grade					Area Units	Yards (x7407.4)	
			Pb	Zn	Comb					
✓ 67-16	0.48	5653	33	5.8	9.1	26' UP		3.3	5.8	
✓ 67-17	3.24	38159	32	5.5	8.7			4.3	6.6	
✓ 67-21	5.48	64542	2A	5.6	8.0			2.9	5.6	
✓ 67-25	4.46	48995	35	6.3	8.8	6' DW *15		3.5	6.3	J
✓ 67-27	5.44	64071	33	4.1	7.4	1' DW		3.7	4.6	
✓ 67-28	1.40	16489	26	4.3	6.9	9' UP *10		2.3	4.2	C.
✓ 67-29	4.44	52293	23	4.0	6.3	*10'		3.6	5.4	J
✓ 67-31	3.68	43342	32	7.0	10.2	*10'		2.1	5.0	
✓ 73-6	0.96	11307	40	4.4	8.4	23' UP		4.0	4.4	
✓ 73-8	0.06	706	2A	5.6	8.0	67-21		2.4	5.6	J.
✓ 73-8	7.48	88097	42	4.7	8.9			4.2	4.7	
✓ 73-10	3.16	37218	4A	6.4	10.8			3.5	5.4	J.
✓ 73-11	0.96	11307	23	3.8	6.1	6' DW.		2.7	4.8	
✓ 73-12	0.12	14133	30	4.0	7.0	33' DW		3.0	4.0	#
✓ 73-16	1.20	14133	39	6.8	10.7	25' DW		4.5	6.8	
✓ 73-17	0.92	10835	43	6.7	11.0	36' DW		4.3	6.6	
✓ 73-23	0.80	9422	32	7.0	10.2	67-31 10'		2.1	5.0	J
✓ 73-24	1.12	13191	4A	7.4	11.8	18' UP		2.2	5.8	#

Pure	Total a*								
	Total b*								
Bench	Total (a+b)	531173	33	5.3	8.6	531173	3.4	5.3	
	Cum Totala								
	Cum Totalb								
	Total(a+b)		5.3						

J = 148634 or 28%

*K = 23555 55 a = 23574 a is ore in red blocks b is waste in orange blocks

ANVIL MINING CORPORATION

ORE RESERVES ZONE 2

3770 Bench

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	W A S T E			Total Yards	
			Grade				Yards (A.U.xC*)	Area Units	Yards (x7407.4)		
			Pb	Zn	Comb						
✓ 67-15	1.20	14133	4.5	6.2	10.7	18 * 3' DW			9.5	6.2	✓
✓ 15	0.52	6124	4.5	6.2	10.7				4.5	6.2	✓
✓ 17	3.36	39573	3.0	5.0	8.0				3.7	6.0	✓
✓ 21	4.08	48053	1.3	3.4	4.7	ended here			2.3	5.1	✓
✓ 25	5.32	62656	3.5	6.3	9.8	15*			3.7	6.0	✓
✓ 27	3.76	44284	3.7	4.6	8.3	9' UP			3.7	4.6	✓
✓ 28	0.20	2356	2.1	3.8	5.9	39' UP			2.3	4.2	✓
✓ 29	0.20	2356	2.3	4.0	6.3	11' UP * 10'			2.3	4.0	✓ J
✓ 31	5.60	65955	2.2	5.3	7.5	5' DW			2.2	5.3	✓
✓ 73-8	1.76	20729	3.0	5.0	8.0	67-17			4.3	6.6	J
✓ 9	5.52	65013	4.4	4.8	9.2	9' UP			4.4	4.8	✓
✓ 11	4.52	53235	2.7	4.8	7.5	4' UP * 15'	up 20'		2.7	4.5	✓
✓ 12	2.96	34862	2.0	3.9	5.9	13' DW			3.1	3.9	✓
✓ 13	0.56	6595	2.2	2.9	5.1	2' UP			3.5	4.2	J
✓ 16	3.52	41458	3.9	6.8	10.7	5' DW			4.5	6.8	✓
✓ 17	3.04	35804	4.3	6.7	11.0	16' DW			4.3	6.7	✓
✓ 22	0.12	1413	2.2	5.3	7.5	67-31 5' DW			2.2	5.3	J
✓ 23	0.20	2356	2.2	5.3	7.5	67-31 5' DW			2.2	5.3	J
✓ 24	3.24	38160	2.8	5.0	7.8	2' DW			3.3	5.8	✓

Total a*											
Total b*											
Total (a+b)	585115	3.1	5.1					585115	3.9	5.9	8.8
Cum Totala											
Cum Totalb											
Total(a+b)											

J=12720 or 290
585115

*K = 23555.55, c = 7407.4, a is ore in red blocks, b in orange blocks.

ANVIL MINING CORPORATION

ORE RESERVES ZONE 2

3750 Bench

Page 1 of 1

Drill Hole	Area Units	O R E					Remarks	W A S T E			Total Yards	
		Tons (A.U. x K*)	Grade			Yards (A.U.xC*)		Area Units	Yards (x7407.4)			
			Pb	Zn	Comb							
67-15	0.60	70.6745	6.2	10.7		15' up *18'			4.5	6.2	✓	
67-17	1.24	146.0426	4.8	6.8		29 *10 up 29'			3.7	6.0	C	
67-21	0.12	14.1322	5.1	7.3		up 34'			2.2	5.1	✓	
67-25	1.96	23.08435	6.3	8.8		up 9' *15			4.0	5.1	J	
67-27	0.06	7.0737	4.6	8.3		up 9'			3.7	4.6	✓	
67-31	2.80	32.97826	5.9	8.5		up 5'			2.6	5.9	✓	
73-8	1.32	15.54727	5.6	8.3		67-17 *10+3	67-17 up 14'		2.3	4.8	J	
73-11	0.40	4.71127	4.8	7.5		24 up *15	up 31'		2.7	4.5	C	
73-12	6.56	77.26237	4.1	7.8					3.7	4.1	✓	
73-13	4.06	48.99524	3.2	5.6		up 10'	dup 7'		2.4	3.5	6.10	
73-15	0.16	1.88437	4.1	7.8		73-12			3.7	4.1	J	
73-16	5.68	66.89845	6.1	10.6					4.5	6.1	✓	
73-17	3.12	36.74746	6.4	10.4		*21 *15			4.0	5.9	C	
73-22	1.04	12.24826	5.9	8.5		up 5'			2.6	5.9	J	

Total a*

Total b*

Total (a+b)

344.14534 5.1 8.5

344.145

344.145 3.5 5.1

8.6

J = 52.763 or 15%

Cum Total a

Cum Total b

Total (a+b)

Page

Bench

