

FARD UNDERGROUND

HEARING	HT	MONTH: OCT. 1991			MONTH: NOV. 1991			MONTH: DEC. 1991			QTR: 4 TH 1991			DAYS: 81								
		ADV	TUNNES	ZPb	ZZn	Ag	ADV	TUNNES	ZPb	ZZn	Ag	ADV	TUNNES	ZPb	ZZn	Ag						
SA 250	16	16	0	4.62	6.15	69	80	2253	4.62	6.15	69	0	4.62	6.15	69	80	2253	4.62	6.15	69		
SA 400	16	16	0	4.99	7.00	77		0	4.99	7.00	77	100	2816	4.99	7.00	77	100	2816	4.99	7.00	77	
SF 050	16	16	0	3.59	6.80	51		0	3.59	6.80	51	40	1126	3.59	6.80	51	40	1126	3.59	6.80	51	
SF 200	16	16	40	1126	3.59	6.80	51		0	3.59	6.80	51		0		40	1126	3.59	6.80	51		
SF 300	12.5	16	100	2200	3.59	6.80	51	20	440	3.59	6.80	51		0		120	2640	3.59	6.80	51		
SF 400	12.5	16	0	5.02	7.79	66	100	2200	5.02	7.79	66	80	1760	5.02	7.79	66	180	3960	5.02	7.79	66	
SH 500	14	16	80	1971	4.18	6.28	70		0	4.18	6.28	70		0		80	1971	4.18	6.28	70		
SH 1000	14	16	100	2464	5.02	7.79	66		0	5.02	7.79	66		0		100	2464	5.02	7.79	66		
SH 1010	14	16	40	986	4.18	6.28	70	20	493	4.18	6.28	70		0		60	1478	4.18	6.28	70		
SH 1030	14	16	0	4.18	6.28	70	120	2957	4.18	6.28	70		0		120	2957	4.18	6.28	70			
SI 150	16	16	0	5.43	6.16	53	70	1971	5.43	6.16	53		0		70	1971	5.43	6.16	53			
SL 300	14	16	70	1725	5.43	6.16	53		0				0		70	1725	5.43	6.16	53			
SOUTH N	16	16	90	2534	4.81	6.99	65	50	1408	4.81	6.99	65		0		140	3942	4.81	6.99	65		
SN 350	14	16	50	1232	4.81	6.99	65		0				0		50	1232	4.81	6.99	65			
SN 500	14	16	60	1478	4.81	6.99	65		0				0		60	1478	4.81	6.99	65			
SN 700	14	16	80	1971	4.81	6.99	65		0	4.81	6.99	65		0	4.81	6.99	65	80	1971	4.81	6.99	65
SN 750	14	16	40	986	4.81	6.99	65	100	2464	4.81	6.99	65	100	2464	4.81	6.99	65	240	5914	4.81	6.99	65
SN 840	16	16	100	2816	4.81	6.99	65		0	4.81	6.99	65		0		100	2816	4.81	6.99	65		
SN 900	14	16	0	4.81	6.99	65		0	4.81	6.99	65		0	4.81	6.99	65	0	0	0	0		
SN 1000	16	16	0	4.81	6.99	65	40	1126	4.81	6.99	65		0		40	1126	4.81	6.99	65			
SN 1100	14	16	40	986	4.81	6.99	65	100	2464	4.81	6.99	65	100	2464	4.81	6.99	65	240	5914	4.81	6.99	65
SN 1200	16	16	40	1126	4.81	6.99	65		0	4.81	6.99	65		0	4.81	6.99	65	40	1126	4.81	6.99	65
SN 1300	14	16	0	4.81	6.99	65	50	1232	4.81	6.99	65	100	2464	4.81	6.99	65	150	3696	4.81	6.99	65	
SN 1400	16	16	0	4.81	6.99	65	60	1690	4.81	6.99	65		0		60	1690	4.81	6.99	65			
SN 1440	16	16	0	4.81	6.99	65	60	1690	4.81	6.99	65	70	1971	4.81	6.99	65	130	3661	4.81	6.99	65	
SG RSE-1	8	8	160	1126	5.43	6.16	53		0	5.43	6.16	53		0	5.43	6.16	53	160	1126	5.43	6.16	53
SG RSE-2	8	8	0	5.43	6.16	53		0	5.43	6.16	53	80	563	5.43	6.16	53	80	563	5.43	6.16	53	
SUBT. DEV. ORE			1090	24728	4.66	6.86	62	870	22387	4.75	6.80	65	670	15629	4.80	7.04	66	2630	62744	4.727	6.88	64
% DEVELOPMENT ORE				36.4					34.1					35.7					35.4			
SF 200	15	14	40	924					0					0		40	924					
SF 400	15	14	20	462			20	462						0		40	924					
SL 300	15	14	50	1155				0						0		50	1155					
SH 1000	15	14	0	0			20	462						0		20	462					
SN 1400	15	14	0	0			40	924			50	1155			90	2079						
SUBT. DEV. MST			110	2541			80	1848			50	1155			240	5544						
SA 300 BRT	20	16	160	5632	4.62	6.15	69	50	1760	4.62	6.15	69		0		210	7392	4.62	6.15	69		
SA 400 RMS	16	30	0	4.99	7.00	77	30	1584	4.99	7.00	77	80	4224	4.99	7.00	77	110	5808	4.99	7.00	77	
SOUTH A BR	12	16	0	4.99	7.00	77		0	4.99	7.00	77	40	845	3.95	6.26	61	40	845	3.95	6.26	61	
SA 200 RMS	16	30	50	2640	4.62	6.15	69		0	4.62	6.15	69		0		50	2640	4.62	6.15	69		
SOUTH B RM	16	30	0	4.78	5.24	66	40	2112	4.99	7.00	77	120	6336	4.78	5.24	66	160	8448	4.833	5.68	68.8	
SOUTH F RM	16	30	0	0			25	1320	4.36	6.21	91		0		25	1320	4.36	6.21	91			
SF 100 RMS	14	30	0	0				0	4.36	6.21	91	100	4620	4.36	6.21	91	100	4620	4.36	6.21	91	
SF 300 RMS	14	30	0	0			120	5544	4.36	6.21	91		0		120	5544	4.36	6.21	91			
SG 300 RMS	16	30	0	4.36	7.89	50	60	3168	4.36	7.89	50		0	4.36	7.89	50	60	3168	4.36	7.89	50	
SF 400 RMS	14	30	0	0				0	5.02	7.79	66	80	3696	5.02	7.79	66	80	3696	5.02	7.79	66	
SH 500 RMS	14	30	40	1848	4.18	6.28	70	30	1386	4.18	6.28	70		0		70	3234	4.18	6.28	70		
SH 800 RMS	14	30	70	3234	5.02	7.79	66		0	5.02	7.79	66		0		70	3234	5.02	7.79	66		

4TH Q/91
001391

oil
25x91x81x510 +
1618x57

40x7x16
+ 17x15x16
+ 54x16x16
= 2462

SF 100 RMS

4TH Q/91

FARO UNDERGROUND

HEADING HT W MONTH:OCT. 1991 DAYS: 31 MONTH:NOV. 1991 DAYS: 30 MONTH:DEC. 1991 DAYS: 20 QTR: 4 TH 1991 DAYS: 81
 ADV TONNES %Pb %Zn Ag ADV TONNES %Pb %Zn Ag ADV TONNES %Pb %Zn Ag ADV TONNES %Pb %Zn Ag

AV.	SH 1000 RM	14	30	40	1848	5.02	7.79	66	160	7392	5.02	7.79	66	0	200	9240	5.02	7.79	66				
	SOUTH I BE	15	16	80	2112	4.50	7.32	56		0				0	80	2112	4.5	7.32	56				
	SOUTH I RM	16	30	60	3168	4.50	7.32	56		0				0	60	3168	4.5	7.32	56				
	SOUTH J BE	15	16	80	2112	4.50	7.32	56		0				0	80	2112	4.5	7.32	56				
	SL 200 RMS	16	30	50	2640	4.50	7.32	56		0				0	50	2640	4.5	7.32	56				
	SL 300 RMS	14	30	30	1386	4.50	7.32	56	30	1386	4.50	7.32	56	0	60	2772	4.5	7.32	56				
	SOUTH N RM	16	30		0	4.81	6.99	65		0	4.81	6.99	65	0	0	0	0	0	0				
	SOUTH N BE	16	16		0	4.81	6.99	65		0	4.81	6.99	65	77	2168	4.81	6.99	65	77	2168	4.81	6.99	65
	SN 050 RMS	14	30	30	1386	4.81	6.99	65		0	4.81	6.99	65	110	2323	4.81	6.99	65	110	2323	4.81	6.99	65
	SN 200 BRT	12	16		0	4.81	6.99	65		0	4.81	6.99	65	0	0	0	0	0	0				
	SN 200 RMS	16	30		0	4.81	6.99	65		0	4.81	6.99	65	0	0	0	0	0	0				
	SN 300 RMS	14	30	30	1386	4.81	6.99	65	30	1386	4.81	6.99	65	0	4.81	6.99	65	60	2772	4.81	6.99	65	
	SN 350 RMS	14	30		0	4.81	6.99	65	100	4620	4.81	6.99	65	0	4.81	6.99	65	100	4620	4.81	6.99	65	
	SN 370 RMS	14	30	100	4620	4.81	6.99	65	30	1386	4.81	6.99	65	0	4.81	6.99	65	130	6006	4.81	6.99	65	
	SN 500 RMS	14	30	60	2772	4.81	6.99	65		0	4.81	6.99	65	0	4.81	6.99	65	60	2772	4.81	6.99	65	
	SN 600 RMS	16	30	40	2112	4.81	6.99	65		0	4.81	6.99	65	0	4.81	6.99	65	40	2112	4.81	6.99	65	
	SN 700 RMS	14	30		0	4.81	6.99	65		0	4.81	6.99	65	0	4.81	6.99	65	0	0	0	0		
	SN 750 RMS	14	30		0	4.81	6.99	65		0	4.81	6.99	65	50	2310	4.81	6.99	65	50	2310	4.81	6.99	65
	SN 800 RMS	16	30		0	4.81	6.99	65		0	4.81	6.99	65	0	4.81	6.99	65	0	0	0	0		
	SN 840 SL	16	10		0	4.81	6.99	65	100	1760	4.81	6.99	65	0	4.81	6.99	65	100	1760	4.81	6.99	65	
	SN 1000 RM	16	30		0	4.81	6.99	65	60	3168	4.81	6.99	65	0	4.81	6.99	65	60	3168	4.81	6.99	65	
	SN 1100 RM	14	30		0	4.81	6.99	65		0	4.81	6.99	65	0	4.81	6.99	65	0	0	0	0		
	SN 1200 RM	16	30	80	4224	4.81	6.99	65		0	4.81	6.99	65	0	4.81	6.99	65	80	4224	4.81	6.99	65	
	SN 1300 RM	14	30		0	4.81	6.99	65		0	4.81	6.99	65	0	4.81	6.99	65	0	0	0	0		
	SN 1400 RM	16	30		0	4.81	6.99	65	40	2112	4.81	6.99	65	0	4.81	6.99	65	40	2112	4.81	6.99	65	
	SOUTH C RM	16	30		0	4.50	7.32	56		0	4.50	7.32	56	0	0	0	0	0	0				
	SOUTH C BE19.5	16			0					0	4.50	7.32	56	0	0	0	0	0	0				
	SOUTH C BE 9.5	16			0					0				0	4.50	7.32	56	0	0	0	0		
	SOUTH D RM	16	30		0	4.50	7.32	56	60	3168	4.50	7.32	56	30	1584	4.50	7.32	56	90	4752	4.5	7.32	56
	SOUTH D BE19.5	16			0					0	4.50	7.32	56	0	0	0	0	0	0				
	SOUTH A BR21.5	16			0	5.51	7.21	80		0	5.51	7.21	80	0	0	0	0	0	0				
	SOUTH B BE 10	16			0					0	5.51	7.21	80	0	0	0	0	0	0				
	SOUTH C BR18.5	16			0					0				0	4.50	6.15	56	0	0	0	0		
		16	30		0					0				0	0	0	0	0	0				
		14	30		0					0				0	0	0	0	0	0				
					0					0				0	0	0	0	0	0				

SH1000 - AVAILABLE - RECALCULATE
SIBE - 2 PORTIONS - LOWER

SL200??
RECALCULATE

SN BENCH?

RECALC.

RECALC.

SH500 ROOMS

AV.

SUBT PROD. ORE 1000 43120 4.689 6.98 64 965 43252 4.70 7.05 69 687 28106 4.74 6.57 71 2652 114478 4.70 6.91 67
 %PRODUCTION ORE 63.6 65.9 64.3 64.6

TOTAL ORE 2090 67848 4.68 6.94 63 1835 65639 4.71 6.96 67 1357 43735 4.76 6.74 69 5282 177222 4.71 6.9 66

TONNE/DAY 2189 2188 2187 2188

% GRADE COMBINED 11.62 11.68 11.50 11.61

HA
100

110
81

7.5

100 x 30
40 x 15

12 x 20
50 x 20

17-Sep-91

CURRAGH RESOURCES INC

1ST Q 1992

FARG UNDERGROUND

1ST QUARTER 1992 MINE PLAN

HEADING	HT	MONTH: JAN. 1992				MONTH: FEB. 1992				MONTH: MAR 1992				1 ST QTR 1992								
		ADV	TONNES	ZPb	ZZn	Ag	ADV	TONNES	ZPb	ZZn	Ag	ADV	TONNES	ZPb	ZZn	Ag	ADV	TONNES	ZPb	ZZn	Ag	
SN 700	14	18	70	1940	4.81	6.99	65		0	4.81	6.99	65		0	4.61	6.70	62	70	1940	4.81	6.99	65
SN 900	14	18	150	4158	4.81	6.99	65	140	3881	4.81	6.99	65	110	3049	4.61	6.70	62	400	11088	4.76	6.91	64
SN 1100	14	18	60	1663	4.81	6.99	65		0	4.81	6.99	65		0	4.61	6.70	62	60	1663	4.81	6.99	65
SN 1300	14	18	40	1109	4.81	6.99	65	20	554	4.81	6.99	65		0	4.61	6.70	62	60	1663	4.81	6.99	65
				0					0					0				0	0	0.00	0	0
SUBT. DEV. ORE			320	8870	4.81	6.99	65	160	4435	4.81	6.99	65	110	3049	4.61	6.70	62	590	16355	4.77	6.94	64
% DEVELOPMENT ORE				17.6					11.5					8.8					13.3			
	15	14	64	1478				53	1224				52	1201				169	3904			
				0					0					0				0	0			
SUBT. DEV. WST			64	1478				53	1224				52	1201				169	3904			
✓ SOUTH A BRT	21.5	16	130	4919	4.62	6.15	69	31	1188	4.62	6.15	69		0				161	6107	4.62	6.15	69
✓ SOUTH A RM	16	25	25	1100	4.62	6.15	69		0					0				25	1100	4.62	6.15	69
✓ SOUTH B BEN	10	16	120	2112	5.51	7.21	80		0					0				120	2112	5.51	7.21	80
N/A SOUTH B RMS	16	30		0	4.78	5.24	66	40	2112	4.78	5.24	66		0				40	2112	4.78	5.24	66
✓ SOUTH J RMS	16	16	60	1690	4.78	5.24	66		0					0				60	1690	4.78	5.24	66
✓ SOUTH N RMS	16	30	140	7392	4.81	6.99	65		0					0				140	7392	4.81	6.99	65
* SN 700 RMS	14	30	100	4620	4.81	6.99	65	40	1848	4.81	6.99	65	60	2772	4.61	6.70	62	200	9240	4.75	6.9	64
SN 750 RMS	14	30	60	2772	4.81	6.99	65	20	924	4.81	6.99	65		0				80	3696	4.81	6.99	65
SN 800 RMS	16	30	60	3168	4.81	6.99	65		0	4.81	6.99	65		0				60	3168	4.81	6.99	65
SN 900 RMS	14	30		0	4.81	6.99	65	120	5544	4.81	6.99	65	140	6468	4.61	6.70	62	260	12012	4.70	6.83	63
SN 1100 RMS	14	30		0	4.81	6.99	65	40	1848	4.81	6.99	65	140	6468	4.61	6.70	62	180	8316	4.65	6.76	63
SN 1300 RMS	14	30	40	1848	4.81	6.99	65	40	1848	4.81	6.99	65		0	4.61	6.70	62	80	3696	4.81	6.99	65
✓ SOUTH C RMS	16	30	50	2640	4.50	7.32	56	45	2376	4.50	7.32	56		0				95	5016	4.50	7.32	56
✓ SOUTH D RMS	16	30		0	4.50	7.32	56	60	3168	4.50	7.32	56	105	5544	4.50	7.32	56	165	8712	4.50	7.32	56
✓ SOUTH C BEN	19.5	16	220	7550	4.50	7.32	56		0	4.50	7.32	56		0				220	7550	4.50	7.32	56
✓ SOUTH C BEN	18.5	16		0	4.50	7.32	56		0	4.50	7.32	56	200	6512	4.50	7.32	56	200	6542	4.50	7.32	56
✓ SOUTH C BRT	9.5	16		0	4.50	7.32	56		0	4.50	7.32	56	225	3762	4.50	7.32	56	225	3762	4.50	7.32	56
✓ SOUTH D BEN	19.5	16		0	4.50	7.32	56	230	7894	4.50	7.32	56		0				230	7894	4.50	7.32	56
✓ SJ 200 RECV	16	15	40	1056	4.62	7.03	66	40	1056	4.62	7.03	66		0				80	2112	4.62	7.03	66
✓ SJ 400 RECV	16	15	20	528	4.62	7.03	66	40	1056	4.62	7.03	66		0				60	1584	4.62	7.03	66
✓ SJ 500 RECV	16	15		0	4.62	7.03	66	60	1584	4.62	7.03	66		0				60	1584	4.62	7.03	66
✓ SJ 300 RECV	16	15		0	4.62	7.03	66	60	1584	4.62	7.03	66		0				60	1584	4.62	7.03	66
				0					0					0				0	0	0.00	0	0
SUBT PROD. ORE			1065	41395	4.73	6.89	64	866.4	34029	4.43	6.99	62	870	31526	4.55	7.01	59	2801	106951	4.65	6.96	62
% PRODUCTION ORE				82.4					88.5					91.2					86.7			
TOTAL ORE			1385	50266	4.75	6.91	64	1026	38465	4.48	6.99	62	980	34575	4.56	6.98	59	3391	123305	4.67	6.95	62
ORE TONNE/DAY				1795					1326					1115					1401			
% GRADE COMBINED				11.65					11.47					11.54					11.62			
TOTAL BREAK			1449	51744				1079	39689				1032	35776				3560	127209			
TONNE/DAY				1848					1369					1154					1446			

SN RMS - REDUCE