

August 15, 1989


Curragh Resources Inc.
 Box 1000
 Faro, Yukon
 Y0B 1K0

ASSAY CERTIFICATE

Work Order #29053

File#29053A

Sample	g/t Au	g/t Ag	%Cu	%Pb	%Zn	%Fe	SG
42806	.17	10	0.053	0.82	1.25	6.29	2.65
42807	.09	8	0.039	0.41	0.95	6.63	2.62
42808	.28	24	0.031	0.75	1.86	11.02	2.78
42809	.19	32	0.069	1.52	4.05	11.55	2.72
42810	.14	24	0.095	2.43	5.33	13.08	2.79
42811	.14	29	0.018	2.55	5.94	11.04	2.91
42812	.29	20	0.037	1.80	3.15	7.14	3.10
42813	.27	10	0.037	1.08	2.72	5.44	2.56
42814	.27	17	0.036	1.35	2.40	5.51	2.58
42815	.27	22	0.059	1.18	1.89	6.20	2.64
42816	.27	21	0.054	0.75	2.22	3.68	2.36
42817	.43	27	0.054	0.63	1.65	5.07	2.51
42818	.16	1	0.010	0.08	0.33	0.35	2.58
42819	.17	11	0.004	0.03	0.08	2.50	2.67
42820	.09	15	0.011	0.26	0.51	1.29	2.57
42821	.02	20	0.028	0.18	0.68	2.90	2.44
42822	.13	18	0.053	0.13	0.57	4.51	2.52
42823	.05	22	0.004	<0.01	0.21	0.67	2.49
42824	.05	22	0.060	0.14	0.78	4.28	INS
42825	.05	54	0.282	4.71	8.16	28.86	INS



August 15, 1989


Curragh Resources Inc.
 Box 1000
 Faro, Yukon
 Y0B 1K0

ASSAY CERTIFICATE

Work Order #29053

File #29053B

Sample	g/t Au	g/t Ag	%Cu	%Pb	%Zn	%Fe	SG
42826	0.05	67	0.257	5.01	8.68	31.45	4.17
42827	<0.01	55	0.030	7.33	9.28	25.15	4.05
42828	0.01	70	0.247	7.13	11.50	29.91	4.12
42829	0.06	55	0.221	4.78	8.49	31.13	3.84
42830	<0.01	59	0.238	4.95	8.32	35.29	4.02
42831	<0.01	33	0.036	4.37	7.94	30.13	4.56
42832	0.01	27	0.020	4.45	6.89	29.96	4.58
42833	0.04	30	0.045	1.14	3.66	8.36	2.33
42834	0.11	33	0.041	1.17	2.84	6.25	2.62
42835	0.05	17	0.047	0.90	1.70	4.79	2.39
42836	<0.01	4	0.053	0.09	0.12	6.57	2.67
42837	<0.01	1	0.081	0.27	0.49	6.06	2.44
42838	0.21	7	0.112	0.37	0.64	6.45	2.53
42839	0.13	45	0.055	2.54	4.27	18.56	3.39
42840	0.01	32	0.123	1.22	3.00	4.76	2.65
42841	0.02	45	0.204	1.56	3.40	6.56	2.77
42842	<0.01	60	0.137	4.34	8.09	26.29	4.22
42843	0.11	101	0.472	4.90	9.02	11.27	3.13
42844	0.01	82	0.078	4.22	8.51	35.29	2.78
42845	0.13	35	0.074	1.35	2.69	6.26	4.22



August 15, 1989


Curragh Resources Inc.
 Box 1000
 Faro, Yukon
 Y0B 1K0

ASSAY CERTIFICATE

Work Order #29053

File #29053C

Sample	g/t Au	g/t Ag	%Cu	%Pb	%Zn	%Fe	SG
42846	0.12	14	0.027	0.88	1.96	2.69	2.48
42847	0.39	24	0.031	1.44	2.98	2.11	2.48
42848	0.25	20	0.023	0.79	2.08	1.57	2.38
42849	0.39	28	0.033	1.25	2.85	1.87	2.47
24850	0.03	2	0.053	0.33	0.47	6.32	2.63
24851	0.18	47	0.307	2.50	6.12	18.60	3.38
24852	0.06	55	0.097	4.31	7.86	25.05	4.13
24853	0.08	54	0.176	4.04	7.61	25.54	4.01
24854	0.10	55	0.222	4.18	8.11	28.14	4.39
42856	0.31	41	0.258	2.27	1.99	17.52	3.37
42857	0.28	141	0.531	5.72	9.20	26.74	4.09
42858	0.33	166	0.574	6.09	9.84	27.33	3.78
42859	0.24	123	0.500	5.05	7.51	27.85	4.30
42860	0.20	49	0.135	1.62	3.68	8.18	2.90
42861	0.14	36	0.133	1.01	2.68	5.60	2.55
48262	0.13	36	0.073	1.29	3.20	5.28	2.80
42863	0.13	35	0.119	1.25	3.80	5.67	2.79
42864	0.24	67	0.622	2.11	5.87	16.22	3.34
42865	0.17	25	0.050	0.77	1.46	2.53	INS



August 15, 1989


Curragh Resources Inc.
 Box 1000
 Faro, Yukon
 Y0B 1K0

ASSAY CERTIFICATE

Work Order # 29053

File #29053D

Sample	g/t Au	g/t Ag	%Cu	%Pb	%Zn	%Fe	SG
42866	0.20	9	0.037	0.89	1.88	3.97	2.61
42867	0.44	25	0.027	1.35	3.10	1.98	2.54
42868	0.11	18	0.025	0.62	1.36	2.59	2.49
42869	0.07	22	0.039	0.90	2.72	4.80	2.67
42870	0.06	38	0.062	4.25	6.48	24.37	4.13
42871	0.07	31	0.100	1.92	3.53	8.93	2.90
42872	0.05	15	0.028	1.07	2.51	2.04	2.45
42873	0.07	17	0.028	1.22	1.44	1.77	2.39
42874	0.23	23	0.060	1.40	2.21	2.99	2.69
42875	0.25	16	0.024	1.29	3.17	1.53	2.49
42876	0.41	27	0.047	1.42	3.27	2.12	2.56
42877	0.25	17	0.031	1.12	2.17	1.80	2.55
42878	0.24	6	0.028	0.70	1.82	2.00	2.64
42879	0.16	5	0.018	0.85	2.06	2.05	2.54
42880	1.57	26	0.163	1.35	2.65	2.16	2.63
42881	0.10	77	0.262	4.59	7.09	24.01	3.94
42882	0.07	28	0.267	2.95	4.61	23.66	3.93
42883	0.11	33	0.193	4.45	6.95	26.46	4.44
42884	0.09	28	0.575	3.99	7.60	28.48	4.35
42885	0.02	14	0.188	1.70	3.26	5.57	2.78



August 15, 1989


Curragh Resources Inc.
 Box 1000
 Faro, Yukon
 Y0B 1K0

ASSAY CERTIFICATE

Work Order # 29053

File #29053E

Sample	g/t Au	g/t Ag	%Cu	%Pb	%Zn	%Fe	SG
42886	0.21	29	0.055	2.77	4.26	3.65	2.41
42887	0.28	6	0.141	0.36	0.26	15.03	2.51
42888	0.16	21	0.208	0.38	0.51	10.52	2.43
42889	0.16	17	0.154	0.42	0.84	10.81	2.47
42890	0.16	18	0.108	0.64	1.17	11.78	2.72
42891	0.03	18	0.083	0.80	1.69	9.04	2.64
42892	0.05	5	0.046	0.34	0.67	6.75	2.55
42893	0.06	50	0.077	5.84	8.56	26.27	4.07
42894	0.06	59	0.055	5.80	9.73	27.37	4.41
42895	0.10	90	0.409	5.86	8.63	31.16	4.01
42896	0.14	66	0.088	5.38	7.25	27.60	4.21
42897	0.19	20	0.113	0.96	4.46	6.46	2.69
42898	0.22	23	0.050	1.71	2.32	6.05	2.50
42899	0.38	17	0.042	1.15	2.16	6.57	2.47
42900	0.21	23	0.046	1.24	2.07	4.46	2.34



[Handwritten signature]