

1973 BLASTHOLE ASSAY CHECK 002092 (3910 BENCH)

DRILL HOLE	TONNAGE	% Pb	% Zn	Pb/Zn RATIO	DRILL HOLE	TONNAGE	% Pb	% Zn
70-03	81,502	2.0	3.0	.67	66-39	32,978	5.9	6.2
		3.1	5.2	.60			3.0	3.5
		2.4	3.8	.63			3.8	4.3
		2.5	5.3	.47			4.6	5.7
		3.2	5.0	.64			2.2	3.5
		3.4	5.2	.65			2.6	5.5
		2.9	5.3	.55			1.4	2.2
		3.2	5.7	.56			4.8	6.7
		3.3	8.4	.39			3.4	4.7
		1.9	4.1	.46			4.4	5.7
		1.2	2.2	.55			4.0	5.8
		3.2	5.7	.56			3.4	4.5
		1.3	2.5	.52			4.5	6.0
		3.1	5.3	.58			5.8	6.5
4.3	6.8	.63						
INCOMPLETE ASSAYS								
70-02	1,884	NO ASSAY					3.1	6.1
70-08	14,133	1.8	5.2	.35			3.1	7.2
		2.1	5.7	.37			2.6	6.3
		2.1	4.5	.47			2.9	6.8
		0.7	1.3	.54			2.1	4.7
		2.5	5.4	.46			3.1	7.6
66-14	80,089	—	—	—			3.8	7.8
		—	—	—			2.3	5.3
		5.6	6.5	.86			2.4	4.5
		3.1	5.2	.60			3.7	7.8
		—	—	—			3.2	1.5
		—	—	—			3.4	1.6
		2.8	4.0	.70			2.9	1.4
		3.8	6.0	.63			3.0	7.1
		4.0	5.3	.75			2.5	5.5
		4.2	5.9	.71			2.9	6.8
		4.5	7.2	.63			2.3	5.5
70-04	2,827	1.8	3.6	.50			2.0	4.7
		3.6	6.4	.56			5.4	6.4
		4.2	5.7	.74			6.4	6.6
		3.8	6.0	.63				
		1.3	3.7	.35				
		4.4	5.9	.75				
		—	—	—				

1973 BLASTHOLE ASSAY CHECK (3910 BENCH)

DRILL HOLE	TONNAGE	% Pb ^{Pb/Zn RATIO}	% Zn ^{Pb/Zn RATIO}	DRILL HOLE	TONNAGE	% Pb ^{Pb/Zn RATIO}	% Zn ^{Pb/Zn RATIO}
70-11	92,338	5.1	5.3 .96			2.4	3.5 .69
		6.0	6.6 .90			1.9	4.0 .47
		5.0	6.0 .83			2.3	3.1 .74
		4.4	5.8 .76			3.3	5.1 .65
		5.8	6.0 .97			2.7	5.4 .50
		3.7	5.1 .73				
		4.1	6.1 .67	66-09	35,805	2.4	5.0 .48
		4.4	5.2 .85			1.6	3.4 .47
		5.3	5.9 .90			5.1	1.7 .300
		5.3	6.4 .83			7.0	2.2 .318
		5.8	6.3 .92			4.2	1.7 .247
		5.2	5.4 .96			6.8	3.0 .227
		3.3	4.1 .80			7.4	2.7 .274
		4.0	5.0 .80			7.3	3.5 .209
		3.8	4.7 .81			4.0	2.0 .200
		2.7	2.8 .96			4.5	2.1 .214
		7.8	4.7 .66			5.9	2.6 .227
		3.9	6.9 .57			8.0	2.9 .276
		5.9	6.2 .95			8.4	3.2 .263
		4.5	4.7 .96			8.1	3.1 .261
		5.6	4.2 .33			8.5	3.5 .243
		6.9	6.4 .08			2.9	5.5 .53
		2.2	2.8 .79			3.6	1.7 .212
		3.6	4.3 .84			2.9	4.5 .64
		4.6	6.9 .67			5.7	2.9 .97
		3.7	5.2 .71			4.3	1.9 .220
		3.1	4.2 .74			4.1	2.0 .205
		3.4	4.7 .72			3.0	6.5 .46
		2.6	3.8 .68			4.0	8.3 .48
		3.8	5.8 .66			2.0	5.2 .38
		3.9	6.0 .65			2.4	4.8 .50
		2.8	3.5 .80			2.3	6.0 .38
		3.6	6.0 .60			2.0	14.7 .43
		3.4	5.8 .59				
		1.9	3.5 .54				
		2.9	4.2 .69				
		4.0	5.4 .74				
		3.3	6.0 .55				
		2.8	4.2 .67				
		2.3	3.6 .64				

3) 1973 BLASTHOLE ASSAY CHECK (3910 BENCH)

DRILL HOLE	TONNAGE	% Pb	% Zn	Pb/Zn RATIO	DRILL HOLE	TONNAGE	% Pb	% Zn	Pb/Zn RATIO				
66-35	17,432	2.2	4.0	.55			5.6	5.4	1.03				
		3.0	4.5	.67			7.1	5.3	1.33				
		2.1	4.2	.50			6.8	7.1	.96				
		2.8	6.6	.42			3.3	4.1	.80				
		2.3	3.9	.59			6.6	7.2	.92				
		2.3	4.7	.49			5.9	7.1	.83				
		2.4	4.8	.50			4.3	4.2	1.02				
		2.3	4.3	.53			6.1	5.9	1.03				
		2.5	5.6	.45			4.3	5.6	.77				
		3.0	6.5	.46			3.8	4.2	.90				
		2.2	4.8	.46			5.2	4.8	1.08				
		2.1	4.0	.63			3.9	3.9	1.00				
		3.0	6.7	.45			5.1	5.5	.93				
		3.4	6.3	.54			3.5	4.0	.88				
		66-04	35,804	3.1			6.1	.51			4.1	4.8	.85
3.7	4.7			.79	4.0	4.4	.91						
2.5	5.0			.50	3.3	5.4	.61						
2.2	3.7			.59	5.8	5.7	1.01						
3.3	3.6			.92	1.8	3.7	.49						
2.5	2.9			.86	3.8	4.2	.91						
3.3	4.1			.80	4.0	4.1	.98						
3.1	3.7			.84	4.6	4.0	1.16						
4.0	3.6			1.11	4.5	4.7	.96						
4.7	5.0			.94	3.9	6.5	.60						
4.2	2.7			1.56	2.9	4.7	.62						
2.5	2.5			1.00	2.7	4.4	.61						
70-09	76,320			7.0	6.8	1.03	72-03	29,209			4.8	5.8	.83
				6.9	6.7	1.02					3.0	4.7	.64
				6.5	6.4	1.02					2.8	4.4	.64
		5.3	6.4	.83	1.7	3.3			.52				
		6.6	6.6	1.00	3.1	4.3			.72				
		6.2	6.4	.97	2.3	3.8			.61				
		6.9	6.4	1.08	2.3	3.6			.64				
		6.5	6.0	1.08	3.4	5.3			.64				
		5.8	5.9	.98	2.0	3.4			.69				
		7.2	6.3	1.14	3.0	4.5			.67				
		6.3	6.3	1.00									
		6.8	5.5	1.24									

4) 1973 BLASTHOLE ASSAY CHECK (3910 BENCH)

DRILL HOLE	TONNAGE	% Pb	% Zn	Pb/Zn ratio	DRILL HOLE	TONNAGE	% Pb	% Zn	Pb/Zn ratio
66-08	9,422	3.1	3.7	.84			4.4	4.8	.92
		2.2	3.9	.56			3.7	3.2	1.16
		2.6	5.4	.48			3.8	4.2	.90
		2.3	3.1	.74			2.2	3.9	.56
		6.3	4.5	1.40			2.3	3.1	.74
72-07	87,627	4.8	5.2	.92					
		5.5	5.0	1.10					
		3.4	3.9	.87	✓				
		3.2	4.7	.68					
		—	—	—					
		4.7	5.0	.94					
		—	—	—					
		2.5	2.5	1.00					
		5.5	4.9	1.12					
		3.0	3.3	.91					
		3.9	4.1	.95					
		5.9	5.7	1.04					
		6.9	5.8	1.19					
		4.3	4.4	.98					
		4.3	5.2	.83					
		3.4	3.8	.89					
		4.6	5.2	.88					
		3.8	4.8	.78					
		5.3	5.1	1.04					
		5.7	4.9	1.16					
		4.3	4.1	1.05					
		3.6	4.4	.82					
		3.4	3.5	.97					
4.3	4.4	.98							
5.8	5.2	1.12							
3.4	3.8	.89							
4.9	4.6	1.07							
2.4	2.6	.92							
2.8	3.3	.85							
4.6	4.8	.96							
3.5	3.8	.92							
3.0	2.8	1.07							
3.8	3.6	1.06							
4.4	4.1	1.07							