

1973 BLASTHOLE ASSAY CHECK (3870 BENCH)

002097

DRILL HOLE	TONNAGE	% Pb	% Zn	Pb/Zn RATIO	DRILL HOLE	TONNAGE	% Pb	% Zn	Pb/Zn RATIO
70-01	50,880	4.7	9.1	52	65-04	55,120	2.0	3.5	57
		1.7	3.3	52			2.7	5.9	46
		2.5	3.6	49			2.9	5.0	58
		3.8	7.6	50			2.7	4.9	55
		3.2	7.4	43			1.9	4.3	44
		4.6	8.8	52			1.8	3.0	60
		3.2	6.7	48			1.6	3.4	47
		3.5	7.8	45			2.2	5.4	41
		3.7	8.3	45			2.2	4.5	49
		2.8	7.5	37			2.0	3.5	57
		2.0	6.5	31			3.2	5.9	54
		2.2	6.7	33			3.2	5.9	54
		2.7	8.5	32			5.0	7.9	63
		2.6	8.5	31			1.6	2.6	62
		2.4	7.2	33			2.4	5.6	43
		2.5	3.9	64			3.1	5.5	56
		3.4	8.2	41			3.8	7.1	54
		3.3	6.7	49			1.9	4.0	48
		2.7	5.6	48			4.4	9.2	48
		3.1	6.8	46			3.7	7.3	51
		4.1	7.8	53			1.6	3.6	44
		5.9	10.4	57			3.1	7.0	44
		3.1	6.1	51			2.4	4.6	52
		3.1	5.6	55			3.6	6.1	59
		2.8	5.1	55			3.6	6.9	52
		3.2	6.4	50			4.9	8.8	56
		3.0	4.4	68			2.0	4.1	49
		3.3	7.3	49			4.6	6.6	70
		3.4	6.0	57			4.1	7.6	54
		2.4	4.7	51					
		2.9	4.6	63	70-16	15,076	2.6	4.7	57
		4.1	6.1	67			3.9	7.3	53
		2.7	4.4	64			3.1	6.8	46
		3.4	5.6	61			5.8	8.1	72
		1.5	2.9	52			4.6	8.1	57
		4.1	7.2	57			3.3	6.6	60
		2.9	4.3	67			6.9	12.6	55
		2.8	5.0	56					

1973 BLASTHOLE ASSAY CHECK (3870 BENCH)

DRILL HOLE	TONNAGE	% Pb	% Zn <sup>Pb/Zn RATIO</sup>	DRILL HOLE	TONNAGE	% Pb	% Zn <sup>Pb/Zn RATIO</sup>		
70-03	50,409	4.1	8.4	49	44,284	4.2	4.5	93	
		4.8	8.5	56		2.7	5.0	54	
		6.0	8.6	70		1.7	3.3	52	
		3.1	7.0	44		4.4	6.6	67	
		4.3	8.3	52		2.7	3.5	77	
		4.4	8.5	52		4.1	6.3	69	
		2.8	5.8	48		2.2	3.5	63	
		3.1	5.0	62		1.4	3.2	44	
		2.6	3.6	72		5.8	5.6	104	
		1.9	3.1	61		3.2	5.7	63	
		2.8	4.7	60		2.5	5.9	42	
		4.5	4.0	113		1.9	3.5	54	
		3.5	5.1	69		4.2	4.6	91	
		4.1	6.9	59		4.7	6.4	73	
		7.4	5.5	135		2.2	3.9	56	
		3.1	4.6	67		2.9	4.0	73	
		3.7	5.4	69		2.5	3.5	71	
		4.2	5.9	71		2.6	4.2	62	
		2.3	6.9	73		2.8	5.0	56	
		2.2	4.7	47					
		4.2	6.2	68		65-54	5.4	6.3	86
		2.6	4.0	65			5.3	6.4	83
		2.7	4.0	68			5.4	6.0	90
3.5	5.5	64		4.1	4.4	93			
3.8	6.4	59		6.1	6.2	98			
5.7	8.8	65		5.9	6.7	88			
4.4	7.8	56		5.0	6.0	83			
2.5	4.5	56		5.6	6.1	92			
				5.5	6.2	89			
70-02	58,418	6.5	10.4	63	5.4	5.2	104		
		3.3	6.1	54	5.9	6.3	94		
		2.9	4.5	64	5.1	5.2	98		
		5.2	7.5	69					
		2.1	4.9	43					
		2.2	3.1	71					
		7.1	10.4	68					
		4.3	7.7	56					
		2.9	4.0	73					
3.8	5.6	68							

3)

1973 BLASTHOLE ASSAY CHECK (3870 BENCH)

DRILL HOLE	TONNAGE	% Pb	% Zn	Pb/Zn ratio	DRILL HOLE	TONNAGE	% Pb	% Zn	Pb/Zn ratio
66-14	73,493	6.1	5.9	1.03			2.2	2.3	.96
		5.8	5.1	1.14			2.8	3.7	.76
		4.3	6.2	.69			2.2	3.4	.65
		2.6	4.5	.58			2.6	3.0	.87
		2.8	4.5	.62			4.2	5.3	.79
		4.8	4.5	1.07			5.6	6.5	.86
		4.7	4.1	1.15			4.9	5.7	.86
		3.5	6.9	.51			3.3	4.3	.77
		2.1	3.2	.66			3.3	4.3	.77
		3.6	3.7	.97			5.0	5.8	.86
		3.0	4.5	.67			2.5	3.8	.66
		2.7	4.1	.66			2.7	3.5	.77
		3.0	4.5	.67			4.2	4.6	.91
		5.3	5.1	1.04			4.0	4.4	.91
		2.4	4.0	.60			4.8	5.9	.81
		2.7	4.2	.64			3.7	4.6	.80
		3.7	5.6	.66			3.2	4.2	.76
		3.4	5.2	.65			3.9	4.5	.87
		2.8	4.6	.61			3.8	5.2	.73
		3.0	4.7	.64			2.6	3.7	.70
		4.7	5.8	.81			3.2	4.2	.76
		3.2	4.3	.74			3.5	4.2	.83
		3.3	4.8	.69			3.8	4.5	.84
		2.2	3.6	.61			5.2	5.3	.98
		4.1	5.5	.75			3.5	3.7	.95
		3.7	5.4	.69			4.2	4.5	.93
		3.4	6.3	.54			6.2	6.6	.94
		1.9	4.6	.41			5.3	6.0	.88
		0.8	1.4	.57			5.0	6.2	.81
		3.1	7.5	.41			3.2	4.2	.76
2.3	5.1	.45			3.8	4.6	.83		
4.8	11.6	.41			3.4	4.9	.69		
3.1	6.2	.50			4.2	5.7	.74		
70-04	81,973	3.9	8.7	.45		4.5	5.2	.87	
		4.2	5.4	.78		5.3	6.2	.85	
		3.0	5.9	.51		4.5	5.7	.79	
		2.7	3.9	.69		5.2	6.4	.81	
		2.3	3.4	.68		4.9	5.4	.91	
3.3	5.3	.62							

1973 BLASTHOLE ASSAY CHECK (3870 BENCH)

DRILL HOLE	TONNAGE	% Pb	% Zn	DRILL HOLE	TONNAGE	% Pb	% Zn
70-11	48,996	3.5	6.6	.53		5.1	5.7 .89
		2.6	6.2	.42		6.0	5.9 1.02
		1.3	1.0	1.30		5.5	5.9 .93
		2.4	4.4	.55		5.9	5.8 1.02
		1.0	2.2	.45		6.3	6.5 .97
		3.2	4.8	.67		6.5	6.0 1.08
		1.9	3.7	.51		5.8	5.8 1.00
		2.7	5.2	.52		6.3	8.4 .75
		4.5	6.1	.74		5.7	6.4 .89
		3.0	4.2	.71		5.9	6.2 .95
		1.4	2.4	.58		6.0	6.1 .98
		3.0	5.4	.56		7.6	6.3 1.21
		3.1	5.1	.61		5.2	4.8 1.08
		3.1	5.3	.58		4.9	5.7 .86
		3.7	5.4	.69		5.3	6.5 .86
		4.1	6.5	.63		6.7	6.4 1.05
		3.4	4.9	.69		5.9	6.4 .92
		3.3	3.6	.92		5.3	5.7 .93
		3.5	4.8	.73		6.5	6.1 1.07
		2.7	4.4	.61		6.0	6.2 .97
		3.8	4.8	.79		5.7	5.9 .97
		2.5	4.0	.63		4.3	4.7 .91
		4.4	5.7	.77		6.4	5.8 1.10
		4.7	5.8	.81		4.8	6.3 .91
		5.6	6.1	.92		6.0	5.8 1.03
		6.4	6.0	1.07		6.3	5.9 1.07
		6.3	6.6	.95		5.9	6.0 .98
						5.7	5.7 1.00
						6.7	6.1 1.10
		70-09	139,920	5.6	6.6	.85	
6.0	6.2			.97		5.7	5.0 1.14
5.7	7.5			.76		6.9	5.9 1.17
6.3	8.6			.73		8.2	7.2 1.14
6.1	6.1			1.00		7.2	6.5 1.11
6.4	6.3			1.02		4.5	4.4 1.02
3.4	4.4			.77		5.4	5.2 1.04
4.6	5.1			.90		6.8	6.7 1.01
5.8	5.6			1.04		4.9	5.2 .94
4.2	4.9			.86		6.1	6.1 1.00
4.0	4.3			.93		6.1	6.3 .98
2.3	2.6			.88			

1973 BLASTHOLE ASSAY CHECK (3870 BENCH)

RILL HOLE	TONNAGE	% Pb	% Zn	DRILL HOLE	TONNAGE	% Pb	% Zn
70-09	CON'T	6.1	6.2	.98	.98	5.4	5.5
		5.1	6.3	.81	.87	6.0	6.9
		6.4	5.8	1.10	1.08	6.7	6.2
		7.2	6.1	1.18	1.06	6.6	6.2
		6.1	5.5	1.11	1.02	6.1	6.0
		6.5	5.2	1.25	1.05	6.0	5.7
		6.3	6.0	1.05	1.06	5.6	5.3
		6.2	6.0	1.03	.91	5.3	5.8
		7.1	5.8	1.22	.87	5.5	6.3
		5.6	5.8	.97	.97	5.6	5.8
		5.7	5.9	.97	1.02	5.8	5.7
		6.4	4.6	1.39	1.02	5.7	5.6
		6.7	5.4	1.24	.90	5.4	6.0
		5.8	5.9	.98	.90	5.4	6.0
		5.7	6.4	.89	.95	5.7	6.0
		4.9	5.1	.96	.78	4.2	5.4
		7.2	6.5	1.11	.86	4.8	5.6
		4.8	5.1	.94	1.04	5.6	5.4 <sup>93</sup>
		5.2	5.1	1.02	.96	5.1	5.3
		5.1	4.9	1.04	.81	3.9	4.8
66-08	135,209	5.3	5.8	.91	.56	3.7	6.6
		5.4	5.8	.93	.72	2.6	3.6
		6.8	6.6	1.03	.78	3.1	4.0
		4.9	5.0	.98	.75	3.0	4.0
		5.3	6.1	.87	1.02	5.3	5.2
		5.2	6.0	.87	1.00	4.7	4.7
		5.5	6.1	.90	.91	3.1	3.4
		4.9	6.2	.79	.86	3.8	4.4
		6.0	5.6	1.07	.83	2.9	3.5
		5.6	5.4	1.04	.72	2.6	3.6
		4.8	5.3	.91	.80	1.6	2.0
		5.7	6.0	.95	.96	2.5	2.6
		5.7	6.1	.93	.98	5.6	5.7
		6.4	7.0	.91	.94	4.5	4.8
		6.7	6.4	1.05	.87	5.8	6.7
		6.0	5.6	1.07	.80	4.3	5.4
		5.7	5.8	.98	.75	3.9	5.2
		6.1	5.9	1.03	1.14	1.6	1.4
		6.2	6.0	1.03	.92	4.9	5.3
					.75	4.5	6.0

1973 BLASTHOLE ASSAY CHECK (3870 BENCH)

DRILL HOLE	TONNAGE	% Pb	% Zn	DRILL HOLE	TONNAGE	% Pb	% Zn
66-08	CONT.	3.7	4.3	.86	.86	4.8	5.6
		4.7	4.8	.98	.86	5.1	5.9
		3.5	4.7	.74	.83	5.2	6.3
		1.8	2.3	.78	.90	5.7	6.3
		2.8	3.9	.72	.81	5.0	6.2
		1.5	2.2	.68	.95	5.2	5.5
		2.1	3.5	.60	.89	5.1	5.7
		2.9	3.5	.83	.78	5.3	6.8
		4.7	6.1	.77	.84	4.6	5.5
					.86	5.6	6.5
72-03	273,244 (LARGE GAIN)	5.0	6.2	.81	.84	6.7	8.0
		5.2	6.0	.87	.85	5.3	6.2
		5.8	6.3	.92	.79	5.4	6.8
		5.7	6.0	.95	.75	5.1	6.8
		4.8	5.7	.84	.84	5.8	6.9
		4.6	5.6	.82	.90	5.4	6.0
		5.9	6.7	.88	.85	5.3	6.2
		5.1	6.6	.77	.92	5.7	6.2
		5.6	6.4	.92	.75	4.7	6.3
		6.0	6.5	.92	.70	4.3	6.1
		5.2	6.7	.78	.88	5.0	5.7
		5.2	6.0	.87	.89	4.9	5.5
		7.3	8.7	.84	.81	4.8	5.9
		5.6	6.0	.93	.76	3.8	4.9
		5.3	5.7	.93	.90	5.4	6.0
		5.9	7.0	.84	.78	5.8	4.9
		5.5	6.3	.87	.88	4.6	5.2
		5.9	6.7	.88	.87	3.9	4.5
		5.1	6.3	.81	.74	4.3	5.8
		4.6	5.5	.84	1.11	6.0	5.4
		4.6	5.1	.90	.51	3.4	6.7
		4.7	4.7	1.00	.81	3.0	3.7
		5.3	6.5	.82	.79	3.8	4.8
		6.2	6.8	.91	.50	4.1	8.2
		5.7	6.9	.83	.79	5.8	7.3
		4.6	5.7	.81	.80	5.7	7.1
		4.7	6.0	.78	.74	5.6	7.6
		5.5	7.0	.79	.53	3.4	6.4
5.1	6.5	.78	.61	2.5	4.1		
			.71	5.5	7.7		

1973 BLASTHOLE ASSAY CHECK (3870 BENCH)

DRILL HOLE	TONNAGE	% Pb	% Zn	DRILL HOLE	TONNAGE	% Pb	% Zn	
72-03	CONT	6.5	7.5	.87		.59	2.9	4.9
		5.0	6.7	.75		.64	2.7	4.2
		4.1	5.8	.71		.55	3.6	6.5
		5.0	6.9	.72		1.12		
		4.7	5.6	.84	72-07	42,400	4.8	4.3
		5.0	5.9	.85		1.05	4.1	3.9
		5.1	6.7	.76		1.09	6.0	5.5
		4.9	6.4	.77		.91	5.1	5.6
		4.5	6.2	.73		1.23	6.9	5.6
		5.1	6.6	.77		.97	6.0	6.2
		4.5	6.8	.66		.92	5.5	6.0
		2.1	3.7	.84		.90	5.2	5.8
		2.7	4.2	.64		.92	4.9	5.3
		3.4	5.6	.61		.87	4.1	4.7
		4.3	6.6	.65		1.22	7.3	6.0
		2.9	4.1	.71		1.14	5.8	5.1
						1.14	7.4	6.5
66-23	58,418 (LARGE GAIN)	2.5	4.3	.58		1.07	6.3	5.9
		3.8	5.3	.72		1.07	4.7	4.4
		2.3	3.6	.64		1.19	6.2	5.2
		5.6	7.3	.77		1.03	6.6	6.4
		2.9	4.6	.63		1.16	5.8	5.0
		6.6	8.7	.76		1.08	5.6	5.2
		6.3	7.6	.83		1.02	5.5	5.4
		3.4	5.2	.65		1.12	6.7	6.0
		5.4	8.1	.67		1.16	6.7	5.8
		6.6	8.6	.77		1.04	5.9	5.7
		6.5	8.4	.77		1.41	6.9	4.9
		6.4	8.3	.77		1.07	4.5	4.2
		4.6	6.8	.68		1.04	5.2	5.0
		7.1	10.4	.68		1.12	6.4	5.7
		5.5	9.0	.61				
		5.3	8.2	.65	66-04	4,711.72	3.4	4.7
		5.9	9.6	.61		.83	5.3	6.4
		5.2	8.8	.59				
		5.7	8.8	.65				
		5.2	8.5	.61				
		4.5	7.5	.57				
		3.0	4.8	.63				
		3.6	5.6	.64				