

BLAST HOLE INFO.

002141

BLAST	S. D. T	% Pb	% Zn
<u>3850</u> K ₂	<u>12,000</u>	<u>3.1</u>	<u>4.7</u>
<u>3830</u> K ₂	38,300	2.5	4.2
L ₂	44,000	4.5	5.6
N ₂	40,000	2.2	3.9
O ₂	74,000	2.7	3.6
P ₂	6,000	2.5	4.4
Q ₂	28,000	3.3	3.6
TOTAL	<u>230,300</u>	<u>3.0</u>	<u>4.1</u>

TOTAL 3850 + 3830

<u><u>242,300</u></u> S.D.T	<u><u>3.0</u></u> % Pb	<u><u>4.1</u></u> % Zn
-----------------------------	------------------------	------------------------

RED-LINE

Mine Model

3850	S.O.T	0/0.76	0/1.27
	3000	4.3	6.6

3830	261,955	3.0	4.1
------	---------	-----	-----

TOTAL	<u>264,955</u>	<u>3.0</u>	<u>4.1</u>
-------	----------------	------------	------------

DEVELOPED ONE

<u>3830</u>	S.O.T	BLAST	1/0 Pb	1.7 Zn
	13,000	P ₂	2.5	4.4
	6,000	Q ₂	3.3	3.6
<u>TOTAL 3830</u>	<u>19,000</u>	P ₂ + Q ₂	<u>2.7</u>	<u>4.1</u>
<u>3850</u>	<u>96,000</u>	K ₂	<u>3.1</u>	<u>4.7</u>

3820	-	99,000	4.0	6.5
<u>3810</u>		<u>476,622</u>	3.4	4.7
<u>City Zone 1</u>		-		
<u>Zone 2</u>		<u>7000</u>	3.2	4.0

<u>TOTAL</u>	S.O.T	598,622	1/0 Pb	1.0 Zn
		<u>697,622</u>	<u>3.3</u>	<u>4.7</u>
		<u>697,622</u>	<u>3.4</u>	<u>4.9</u>

4.2
3.5
6.3

7.7
4.4
6.3

DEVELOPED ONE

3830
3850
3810

16,500 E

15,000 E



5500 N

5500 N