




One block reliability

002236

<u>Bench</u>	<u>DDH</u>	
4100	66-28	
4065	70-10	✓
4030	66-41	✓
	70-8	
3990	66-24	✓
	66-41	✓
	66-44	✓
	70-5	
3950	66-44	✓
	70-2	✓
	70-16	✓
	70-5	✓
	66-32	✓
	66-25	✓
3910	66-44	✓
	66-15	✓
3870	66-44	✓
	65-11	✓







66-15

max on v walls yet 100%

high bottom and temp. model

Ore Jan 1971

66-32

70-5

70-16

70-2

predicted bench contact before revision Jun Jul 1971

estimated limit of much mineral as ore Jan 1971

estimated limit of much mineral as ore Jan 1971


estimated limit of much mineral as ore Jul 1971

estimated limit of much mineral as ore Aug 1971

estimated limit of much mineral as ore Oct 1971

3950

66-38



66-44

AUG
6' DILUTION

SEP

MAR '72

JAN

JUL

66-15

DEC

JUN

FEB

MAR

APR

SEP

NOV

OCT


est
mid
1971

estimated limit

estimated limit
of marks mined as
of April 1971

Estimated limit
of marks mined
as of March 1971

3910



approximate
limit of
muck mined
as of Sep 1971

approximate
limit of muck
mined as of
Jun 1971

approximate
limit of
muck mined
as of
May 1971

3870

66-44

65-11

APR '72

OCT

14-07

SEP

Q MAY
Waste
(115')

JUN

(MAR '72)

DEC

747

747

70-497

497

992

70-16 (35')

10-2

70-15

1195

70-2

(20) 75

1573

840

B-7

B-7

35-FA

1249