

ORE RESERVES ZONE

K = 6481.5 @ 3.50 T/BCY

2ND Qtr. Review, 1979

Bench

ZONE 2-5%

Page

of

| O R E | | | | | | | O R E | | | | | | |
|------------------|------------|-----------------|-------|-----|------|---------------------------------------|-----------------|------------|-----------------|-------|----|------|---------|
| Ore Block | Area Units | Tons (A.U. x K) | Grade | | | Remarks | Ore Block | Area Units | Tons (A.U. x K) | Grade | | | Remarks |
| | | | Pb | Zn | Comb | | | | | Pb | Zn | Comb | |
| JUNE (307,500) | | | | | | | 5% cut-off 3070 | | | | | | |
| II 3670 | | 23,000 | 2.9 | 5.0 | | BLAST L | | | | | | | |
| II 3670 | | 19,000 | 2.0 | 4.5 | | PLACTM | | | | | | | |
| II 3670 | | 35,000 | 3.1 | 4.4 | | BLASTK (NOT BROKEN) | | | | | | | |
| II 3670 | | 230,500 | 3.1 | 5.3 | | adjusted ENE 78-22, 78-23 + ESE 79-27 | | | | | | | |
| 307,500 | | | | | | | 3.1 5.1 | | | | | | |
| JULY (317,750) | | | | | | | | | | | | | |
| II 3670 | | 150,000 | 2.4 | 4.5 | | adjusted NNE MINE MODEL | | | | | | 476 | |
| II 3670 | | 56,000 | 3.3 | 5.2 | | adjusted 7' cut MINE MODEL | | | | | | | |
| II 3650 | | 111,750 | 3.4 | 4.4 | | adjusted SSW MINE MODEL | | | | | | | |
| 317,750 | | | | | | | 2.9 4.6 30,500 | | | | | | |
| AUGUST (317,750) | | | | | | | | | | | | | |
| II 3650 | | 45,315 | 3.0 | 4.5 | | | | | | | | | |
| II 3650 | | 272,435 | 2.9 | 4.9 | | adjusted 78-25, 78-23 | | | | | | | |
| 317,750 | | | | | | | 2.9 4.8 | | | | | | |
| SEPT. (307,500) | | | | | | | | | | | | | |
| II 3650 | | 103,000 | 3.2 | 4.4 | | | | | | | | | |
| II 3650 | | 204,500 | 2.5 | 4.7 | | adjusted 78-26, 78-27 | | | | | | | |
| 307,500 | | | | | | | 2.7 4.5 | | | | | | |
| OCT. (1943,000) | | | | | | | | | | | | | |
| II 3650 | | 85,000 | 2.3 | 4.2 | | adjusted NNE MINE MODEL | | | | | | | |
| II 3630 | | 100,000 | 2.4 | 4.1 | | adjusted | | | | | | | |
| II 3800 | | 154,000 | 2.6 | 4.8 | | | | | | | | | |
| II 3850 | | 245,000 | 2.3 | 4.7 | | 5% cut-off | | | | | | | |
| II 3800 | | 262,000 | 2.8 | 4.9 | | | | | | | | | |
| II 3820 | | 67,000 | 3.2 | 4.8 | | | | | | | | | |
| 943,000 | | | | | | | 2.6 4.9 | | | | | | |
| Total | | | | | | | Total | | | | | | |

ORE RESERVES ZONE

2ND QTR. REVIEW 1979

K = 6481.5 @ 3.50 T/BCY

Bench _____

Page _____ of _____

| O R E | | | | | | | O R E | | | | | | |
|-----------|------------|-------------------------------|-------|------|------|---------|-----------|------------|-----------------|-------|----|------|---------|
| Ore Block | Area Units | Tons (A.U. x K) | Grade | | | Remarks | Ore Block | Area Units | Tons (A.U. x K) | Grade | | | Remarks |
| | | | Pb | Zn | Comb | | | | | Pb | Zn | Comb | |
| | | 1 ST QTR (932,750) | | | | | | | | | | | |
| VLEA | 3830 | 555,000 | 3.2 | 4.8 | | 5% | | | | | | | |
| VLEA | 3810 | 377,750 | 3.4 | 5.2 | | inter | | | | | | | |
| | | 932,750 | 3.3 | 5.0 | | | | | | | | | |
| | | 2 ND QTR (932,750) | | | | | | | | | | | |
| VLEA | 3810 | 421,250 | 3.4 | 5.2 | | 5% | | | | | | | |
| VLEA | 3790 | 506,500 | 3.1 | 4.2 | | inter | | | | | | | |
| | | 932,750 | 3.2 | 4.7 | | | | | | | | | |
| | | 3 RD QTR (943,000) | | | | | | | | | | | |
| VLEA | 3790 | 130,500 | 3.09 | 4.20 | | | | | | | | | |
| VLEA | 3770 | 553,000 | 2.80 | 4.31 | | | | | | | | | |
| VLEA | 3750 | 259,500 | 2.88 | 4.19 | | | | | | | | | |
| | | 943,000 | 2.86 | 4.26 | | | | | | | | | |
| | | 4 TH QTR (943,000) | | | | | | | | | | | |
| VLEA | 3750 | 129,500 | 2.88 | 4.19 | | | | | | | | | |
| VLEA | 3730 | 187,000 | 2.48 | 4.09 | | | | | | | | | |
| VLEA | 3710 | 62,000 | 2.19 | 3.82 | | | | | | | | | |
| VI | 3830 | 13,000 | 2.3 | 4.9 | | ZONE 3 | | | | | | | |
| VI | 3810 | 81,000 | 1.9 | 4.1 | | | | | | | | | |
| VI | 3790 | 80,000 | 1.8 | 4.8 | | | | | | | | | |
| VI | 3770 | 91,000 | 2.3 | 6.0 | | | | | | | | | |
| VI | 3750 | 100,000 | 2.0 | 5.1 | | | | | | | | | |
| VI | 3730 | 142,000 | 2.4 | 4.6 | | | | | | | | | |
| VI | 3710 | 57,500 | 2.0 | 4.2 | | | | | | | | | |
| | | 943,000 | 2.29 | 4.53 | | | | | | | | | |
| Total | | | | | | | Total | | | | | | |