

002771

1974 PIT SUMMARY

BENCH	TONS	Pb %	Zn %	
3910	154,994	3.5	7.3	
3870	666,622	2.5	5.6	
3830	1,299,851	3.7	5.7	
3790	1,265,586	4.4	6.1	
	3,387,053	3.7	5.9	9.6

Note. INADEQUATE DEV. ORE

1974 PIT

DEC. 31/73 TO DEC. 31/74

3910

	DDH	TONS	PORTION	ESTIMATE	Pb	Zn %
13	66-18	40,044	.305	12,249	2.4	4.7
39	72- <del>6</del>	81,973	.448	36,746	3.3	6.6
	65-7	92,338	.785	72,551	2.6	7.2
23	72-1	59,596	.363	21,671	6.9	9.7
13	66-25	80,089	.147	11,777	4.8	8.2
				<u>154,994</u>	<u>3.5</u>	<u>7.3</u>

1974 PIT

DEC. 31/73 TO DEC. 31/74

3870

DDH	TONS	PORTION	ESTIMATE	Pb %	Zn %
✓✓ 66-22	98,698	.93	92,102	2.8	3.3
✓✓ 72-6	219,774	1.0	219,774	2.7	6.7
✓✓ 66-9	31,564	.94	29,679	2.8	6.0
✓✓ 66-35	63,129	1.0	63,129	1.8	5.5
✓✓ 66-18	3,769	1.0	3,769	2.5	6.1
✓✓ 65-7	159,236	1.0	159,236	2.5	6.1
✓✓ 66-53	11,307	1.0	11,307	2.5	6.1
✓✓ 66-30	3,769	1.0	3,769	2.5	6.1
✓✓ 66-4	118,720	.71	83,857	1.8	3.9
			666,622	2.5	5.6

1974 PIT DEC.31/73 TO DEC.31/74

3830

	DDH	TONS	PORTION	ESTIMATE	Pb%	Zn%
	66-14	86,720	.01		6.1	3.1
-17 ✓	70-11	45,227	.64	29,210	2.5	4.4
✓	72-7	199,751	.982	196,155	3.3	3.7
121	66-22	180,907	.63	114,008	3.5	5.4
✓	66-2	98,462	1.0	98,462	2.5	3.1
✓	66-23	164,418	.148	24,333	6.4	6.8
✓	66-12	44,520	.444	19,767	3.1	5.6
✓	70-6	117,778	<del>1.0</del> .5	58,889	4.0	6.2
✓	70-9	131,676	.162	21,431	1.5	4.2
✓	66-4	94,222	1.0	94,222	2.3	4.6
✓	70-3	82,444	.59	48,642	3.2	7.9
✓	65-4	86,684	.80	69,347	4.0	6.1
✓	70-1	60,067	1.0	60,067	3.0	6.9
✓	70-5	94,222	1.0	94,222	4.3	5.9
✓	66-32	62,187	1.0	62,187	2.4	5.9
✓	66-44	56,769	.92	52,057	5.3	8.7
?	65-11	142,040	.76	122,253	7.3	8.9
✓	66-15	188,444	.203	38,360	4.0	5.4
69	72-6	215,769	.30	65,013	2.4	6.5
27	66-35	48,524	.52	25,439	1.9	6.5
	66-9	64,307	.09	5,787	2.7	5.7
					3.8	5.7
				1,299,851	3.7	5.7

1974 PIT

DEC. 31/73 TO DEC. 31/74

3790

	DDH	TONS	PORTION	ESTIMATE	Pb %	Zn %
✓	65-11	65,013	.13	8,451	4.2	8.0
✓	66-15	265,706	.04	106,092	6.9	9.4
✓	70-6	52,764	.73	38,517	2.6	5.4
✓	70-14	76,555	1.0	76,555	4.5	7.3
93 ✓	66-23	127,200	.68	87,626	3.0	4.5
✓	65-8	84,329	1.0	84,329	6.3	9.2
✓	72-3	235,555	1.0	235,555	5.6	6.0
✓	66-8	193,155	1.0	193,155	3.7	5.0
31 ✓	70-2	94,222	.31	29,208	2.2	4.8
-15 ✓	70-4	94,222	.85	80,089	2.7	4.5
✓	70-9	43,342	1.0	43,342	2.2	3.5
✓	72-8	59,360	1.0	59,360	6.9	8.6
-20 ✓	66-2	195,040		176,196	3.2	4.5
16 ✓	72-7	123,441			6.0	6.4
22 ✓	66-12	185,442			2.1	3.7
-3 ✓	66-4	40,515			2.6	6.8
50 ✓	70-11	88,569		47,111	4.9	9.6
				1,265,586	4.4	6.1