







ANVIL MINING CORPORATION

ORE RESERVES ZONE 3

3790 Bench

Page 1 of 1

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	W A S T E			
			Grade				Yards (A.U.xC*)	Area Units	Yards (x7407.4)	Total Yards
			Pb	Zn	Comb					
66-E1	2.40	56,533	35	68	10.3					
66-E4	1.04	24,498	16	35	5.1					
74-10	.92	21,671	45	82	12.7	201-241	74-11			
74-11	3.06	72,080	45	82	12.7	201-241				
74-18	2.66	62,658	35	68	10.3	160-200	66-E1			
74-19										
74-20	.80	18,844	39	92	7.6	239'-279'				

Page	Total a*								
	Total b*								
Bench	Total (a+b)								
	Cum Totala								
	Cum Totalb								
	Total(a+b)	256,284	3.7	6.8	10.5				

plan, tons : 254,871

\*K = 23555.55 c = 7407.4. a is ore in red blocks; b in orange blocks



ANVIL MINING CORPORATION

ORE RESERVES ZONE 3

3710 Bench

Page 1 of 1

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	W A S T E			Total Yards
			Grade				Yards (A.U.xC*)	Area Units	Yards (x7407.4)	
			Pb	Zn	Comb					
66-E5	1.50	35,333	26	46	7.2					
66-E6	4.30	101,289	1.7	52	6.9					
66-E9	.68	16,018	20	30	5.0					
74-10	4.24	99,876	31	46	7.7	281-321				
74-11	1.44	33,920	26	47	7.3	296-286				
74-19	.78	18,373	17	33	5.0	35'				
74-20	4.22	99,404	25	42	6.7	259-299				

Page	Total a*								
	Total b*								
Bench	Total (a+b)								
	Cum Totala								
	Cum Totalb								
	Total (a+b)	404,213	24	4,5	6.9				

plan tons: 404,213

\*K = 23555.55, c = 7407.4, a is ore in red blocks, b in orange blocks



ANVIL MINING CORPORATION

ORE RESERVES ZONE 3

3630 Bench

Page 1 of 1

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	Yards (A.U.xC*)	W A S T E		Total Yards
			Grade					Area Units	Yards (x7407.4)	
			Pb	Zn	Comb					
66-E6	3.36	79,147	1.7	5.2	6.9					
66-E9	-	21,200	1.8	3.2	5.0					
67-04	.09	2,120	2.3	5.7	8.0					
67-05	2.68	63,129	2.3	5.7	8.0					
67-07	.10	2,356	2.4	5.0	7.4					
74-10	5.14	121,076	2.3	3.3	5.6					
74-20	3.50	82,444	2.3	3.9	6.2	259'-299'				

Page	Total a*								
	Total b*								
Bench	Total (a+b)								
	Cum Totala								
	Cum Totalb								
	Total(a+b)	371,472	2.1	4.3	6.4				

plan. tons = 372,178

\*K = 23555.55, c = 7407.4, a is ore in red blocks, b in orange blocks.

ANVIL MINING CORPORATION

ORE RESERVES ZONE 3

3590 Bench

Page 1 of 1

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	Yards (A.U.xC*)	W A S T E		Total Yards
			Grade					Area Units	Yards (x7407.4)	
			Pb	Zn	Comb					
66-E6	.032	754	3.0	6.5	9.5					
66-E9	-	25,440	1.9	5.2	7.1					
67-03	1.50	35,333	4.0	7.1	11.1					
67-05	4.72	111,182	3.0	6.5	9.5					
67-07	5.08	119,662	2.9	5.6	8.5					
74-08	2.24	52,764	2.3	3.6	5.9					
74-20	1.68	39,573	3.0	6.0	9.0					

Page Bench	Total a*								
	Total b*								
	Total (a+b)								
	Cum Totala								
	Cum Totalb								
Total(a+b)	384,708	2.9	5.7	8.6					

plan. tons : 385,840

\*K = 23555.55, c = 7407.4, a is ore in red blocks, b in orange blocks.

ANVIL MINING CORPORATION

ORE RESERVES ZONE 3

3550 Bench

Page 1 of 1

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	W A S T E		Total Yards
			Grade				Yards (A.U.xC*)	Area Units	
			Pb	Zn	Comb				
65-06	270	63,600	18	39	5.7				
65-09	296	69,724	38	5.2	9.0				
66-59	196	46,169	19	5.2	7.1				
66-02	—	34,862	26	68	9.4				
66-03	236	55,591	43	76	11.9				
66-05		7,066	21	3.7	5.8				
66-06	658	154,996	31	7.7	10.8				
66-07	882	207,760	34	6.5	9.9				
66-11	.28	6,596	3.1	7.7	10.8				
66-46	588	138,507	18	3.9	5.7				
66-52	308	72,551	54	7.1	12.5				
66-55	242	57,004	30	4.4	7.4				
67-03	416	97,991	22	40	6.2				
67-05	676	159,236	21	5.2	7.3				
6707	422	99,404	30	4.8	7.8				
72-16	1030	242,622	24	4.8	7.2				
73-02	622	146,515	26	6.8	9.6				
74-07	386	90,924	29	7.1	10.0	589'-629'			
74-08	644	151,698	35	3.3	6.8				
74-10	.84	19,787	32	7.5	10.7	381'-421'			
74-20	.30	7,067	21	5.2	7.3	67-5			

Page	Total a*							
	Total b*							
Bench	Total (a+b)							
	Cum Totala							
	Cum Totalb							
	Total(a+b)	1,929,670	2.9	5.5	8.4			

plan tons : 1,935,324

\*K = 23555.55, c = 7407.4, a is ore in red blocks, b in orange blocks.

ANVIL MINING CORPORATION

ORE RESERVES ZONE 3

3510

Bench

Page 1 of 1

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	W A S T E			Total Yards
			Grade				Yards (A.U.xC*)	Area Units	Yards (x7407.4)	
			Pb	Zn	Comb					
65-06	.66	15,547	2.3	4.8	7.1					
66-E9	1.08	25,440	3.6	7.6	11.2					
66-03	7.58	178,551	4.2	7.6	11.8					
66-05		77,733	2.3	3.4	5.7					
66-06	3.68	86,684	3.1	7.7	10.8	583'-623'				
66-07	13.36	314,702	4.2	9.5	13.7					
66-10A	5.9	138,978	2.5	6.6	9.1					
66-11	.04	942	2.9	7.1	10.0	74-07				
66-46	6.80	160,178	2.3	4.8	7.1					
66-52	7.04	165,831	5.4	7.1	12.5					
67-03	6.56	154,524	2.1	3.5	5.6					
67-04	2.0	47,111	3.1	5.1	8.2					
67-05	5.14	121,076	1.9	4.9	6.8					
67-06	-	229,195	1.9	4.2	6.1					
67-08	-	52,528	3.0	6.3	9.3					
67-10	-	180,906	2.1	3.3	5.4					
67-11	-	311,168	3.0	7.0	10.0					
67-12	4.20	98,933	2.4	3.7	6.1					
67-30	10.96	258,169	3.0	4.8	7.8					
71-05	2.84	66,898	3.1	5.2	8.3	517'-557'				
72-15	-	60,537	1.7	4.6	6.3					
72-16	6.46	152,169	2.1	5.4	7.5					
73-02	5.10	120,133	4.2	7.6	11.8					
74-07	1.80	183,733	2.9	7.1	10.0	589'-629'				
74-08	9.68	228,018	2.7	4.1	6.8	482'-522'				
74-10	3.06	72,080	2.9	5.9	8.8	Av. of 67-4; 67-5; 66-E9				
74-15	14.36	338,258	5.1	5.9	11.0	511'-551'				
74-17	6.24	146,987	4.3	6.5	10.8	384'-524'				

Page	Total	a*							
	Total	b*							
Bench	Total (a+b)								
	Cum Totala								
	Cum Totalb								
	Total(a+b)	3,987,009	3.2	5.9	9.1				

plan. tons: 4,009,603

\*K = 23555.55, c = 7407.4, a is ore in red blocks, b in orange blocks.

ANVIL MINING CORPORATION

ORE RESERVES ZONE 3

3470 Bench

Page 1 of 1

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	W A S T E		Total Yards	
			Grade				Yards (A.U.xC*)	Area Units		Yards (x7407.4)
			Pb	Zn	Comb					
66-03	2.54	59,831	21	3.7	5.8					
66-05	6.18	145,573	23	3.4	5.7					
66-06	1.52	35,804	29	5.6	8.5	74-07				
66-07	.80	18,844	15	3.6	5.1					
66-46	1.88	44,284	29	6.6	9.5	651'-691'				
66-49	16.00	376,888	5.4	6.7	12.1					
66-52	-	299,626	6.1	7.1	13.2					
67-03	8.04	189,387	3.2	5.4	8.6					
67-04	-	220,244	1.8	4.6	6.4					
67-05	-	97,284	1.9	4.9	6.8					
67-08	-	89,039	2.8	6.4	9.2					
67-10	-	167,479	3.1	7.2	10.3					
67-11	2.44	57,476	3.0	7.0	10.0					
67-12	12.82	301,982	2.0	4.3	6.3					
67-30	16.00	376,888	3.7	4.7	8.4					
70-12	1.30	30,622	5.7	8.1	13.8	552'-592'				
70-13	1.32	31,093	3.1	5.2	8.3					
70-17	8.68	204,462	3.6	5.2	8.8					
71-04	5.92	139,449	2.5	4.1	6.6					
71-05	8.04	189,387	3.1	5.2	8.3					
74-07	3.08	72,551	2.9	5.6	8.5	664'-704'				
74-08	12.02	283,138	2.2	3.8	6.0					
74-15	1.72	40,516	4.3	4.5	8.8	521'-561'				
74-17	15.48	364,640	3.4	4.3	7.7	521'-561'				

Page	Total a*							
	Total b*							
Bench	Total (a+b)							
	Cum Totala							
	Cum Totalb							
	Total(a+b)	3836487	3.4	5.2	8.6			

plan. tons : 3,815,529

\*K = 23555.55, c = 7407.4, a is ore in red blocks, b in orange blocks.

ANVIL MINING CORPORATION

ORE RESERVES ZONE 3

3430 Bench

Page 1 of 1

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	W A S T E			Total Yards
			Grade				Yards (A.U.xC*)	Area Units	Yards (x7407.4)	
			Pb	Zn	Comb					
66-03	9,74	229,431	2,5	3,1	5,6					
66-05	-	13,426	2,1	3,7	5,8					
66-07	4,72	111,182	1,5	3,6	5,1					
66-10-A	8,84	208,231	1,9	3,3	5,2					
66-46	5,40	127,200	3,4	5,9	9,3					
66-49	16,00	376,888	2,3	3,3	5,6					
66-52	-	229,902	5,4	7,1	12,5					
67-03	10,78	253,929	2,7	5,9	8,6					
67-04	-	54,884	5,3	10,1	15,4					
67-06	8,82	207,759	3,2	4,6	7,8					
67-10	-	94,928	3,2	7,5	10,7					
67-11	16,00	376,888	2,7	6,3	9,0					
67-12	16,00	376,888	3,5	5,9	9,4					
67-30	8,22	193,627	3,6	5,1	8,7					
70-12	-	180,435	5,7	8,1	13,8					
70-17	8,50	200,222	3,6	5,2	8,8	←				
71-02	-	16,959	2,2	4,2	6,4					
71-03	-	16,959	5,7	8,1	13,8					
71-04	-	298,213	2,5	4,1	6,6					
71-05	-	161,591	3,1	5,2	8,3					
72-13	-	33,448	6,0	7,6	13,6					
74-07	6,58	154,996	3,2	5,7	8,9	669'-709'				
74-08	5,08	119,662	1,9	3,1	5,0					
74-15	15,52	365,582	2,7	4,4	7,1	587'-627'				
74-17	10,24	241,209	3,8	3,4	7,2	534'-574'				

Page	Total a*								
	Total b*								
Bench	Total (a+b)								
	Cum Totala								
	Cum Totalb								
	Total(a+b)	4,644,439	3,2	5,1	8,3				

plan. tons = 4,655,520

\*K = 23555.55, c = 7407.4, a is ore in red blocks, b in orange blocks.

ANVIL MINING CORPORATION

ORE RESERVES ZONE 3

3390

Bench

Page 1 of 1

Drill Hole	Area Units	Tons (A.U. x K*)	O R E			Remarks	Yards (A.U.xC*)	W A S T E		Total Yards
			Grade					Area Units	Yards (x7407.4)	
			Pb	Zn	Comb					
66-03	7.14	168,186	2.3	4.3	6.6					
66-07	.66	15,547	3.6	6.6	10.2					
66-10A	14.38	338,729	2.6	4.9	7.5					
66-46	1.76	41,458	3.6	6.6	10.2					
66-49	9.86	232,258	2.9	4.6	7.5					
66-52	.34	8,008	4.1	5.8	9.9					
67-03	.14	3,297	2.9	6.4	9.3					
67-06	9.24	217,653	1.9	5.0	6.9					
67-10	1.54	36,276	1.9	5.0	6.9					
67-11	9.32	219,538	2.8	5.7	8.5					
67-12	11.70	275,600	3.3	5.0	8.3					
70-12	—	55,355	5.7	8.1	13.8					
71-01		7,302	5.7	8.1	13.8					
71-03		9,893	5.7	8.1	13.8					
72-13		102,702	6.0	7.6	13.6					
74-15	15.80	372,178	2.6	3.8	6.4	627'-667'				

Page	Total a*							
	Total b*							
Bench	Total (a+b)							
	Cum Totala							
	Cum Totalb							
	Total(a+b)	2,103,980	2.9	5.0	7.9			

plan. tons = 2,103,982

\*K = 23555.55, c = 7407.4, a is ore in red blocks, b in orange blocks.



1. 59,831.00  
 2.10  
 3.70

2. 145,573.00  
 2.30  
 3.40

3. 35,804.00  
 2.90  
 5.60

4. 18,844.00  
 1.50  
 3.60

5. 44,284.00  
 2.90  
 6.60

6. 376,888.00  
 5.40  
 6.70

7. 299,526.00  
 ERROR  
 6.10  
 7.10

8. 189,387.00  
 3.20  
 5.40

9. 220,244.00  
 1.30  
 4.60

10. 97,284.00  
 1.90  
 4.90

11. 89,039.00  
 2.80  
 6.40

12. 167,479.00  
 3.10  
 7.20

13. 57,476.00  
 3.00

3430

14. 301,982.00  
 2.00  
 4.30

15. 376,888.00  
 3.70  
 4.70

16. 30,622.00  
 5.70  
 8.10

17. 31,093.00  
 3.10  
 5.20

18. 204,462.00  
 3.60  
 5.20

19. 139,449.00  
 2.50  
 4.10

20. 189,387.00  
 3.10  
 5.20

21. 72,551.00  
 2.90  
 5.60

22. 283,138.00  
 2.20  
 3.80

23. 40,516.00  
 4.30  
 4.50

24. 364,640.00  
 3.40  
 4.30

.....  
 3,836,487.00  
 3.36  
 5.20

3470

1. 4,644,439.00  
 3.13  
 5.06

2. -200,222.00  
 3.00  
 5.20

3. 200,222.00  
 3.60  
 ERROR  
 5.20

.....  
 4,644,439.00  
 3.16  
 5.06

3430 corrected

A  
 A  
 A

754.00  
3.00  
6.50

25,440.00  
1.90  
5.20

35,333.00  
4.00  
7.10

111,182.00  
3.00  
6.50

3590

119,562.00  
2.90  
5.50

52,764.00  
2.30  
3.50

39,573.00  
3.00  
6.00

.....  
384,708.00     A  
2.89            A  
5.74            A

1. 63,600.00  
1.30  
3.90

2. 63,724.00  
3.30  
5.20

3. 46,169.00  
1.90  
5.20

4. 34,862.00  
2.50  
6.30

5. 55,591.00  
4.30  
7.50

6. 7,065.00  
2.10  
3.70

7. 154,996.00  
3.10  
7.70

8. 207,760.00  
3.40  
6.50

9. 6,596.00  
3.10  
7.70

10. 138,507.00  
1.30  
3.90

11. 72,551.00  
5.40  
7.10

12. 57,004.00  
3.00  
4.40

13. 97,991.00  
2.20  
4.00

14. 159,236.00  
2.10  
5.20

15. 99,404.00  
3.00  
4.30

16. 242,522.00  
2.40  
4.30

17. 146,515.00  
2.50  
6.30

18. 90,924.00  
2.90  
7.10

19. 151,598.00  
3.50  
3.30

20. 19,787.00  
3.20  
7.50

21. 7,057.00  
2.10  
5.20

.....  
1,929,570.00     A  
2.36            A  
5.51            A

3550

1. 15,547.00  
2.30  
4.30

2. 25,440.00  
3.60  
7.60

3. 178,551.00  
4.20  
7.60

4. 77,733.00  
2.30  
3.40

5. 86,684.00  
3.10  
7.70

6. 314,702.00  
4.20  
9.50

7. 138,978.00  
2.50  
6.60

8. 942.00  
2.90  
7.10

9. 160,178.00  
2.30  
4.30

10. 165,831.00  
5.40  
7.10

11. 154,524.00  
2.10  
3.50

12. 47,111.00  
3.10  
5.10

13. 121,076.00  
1.90  
4.90

14. 229,195.00  
1.90  
4.20

15. 52,528.00  
3.00  
6.30

16. 180,906.00  
2.10  
3.30

17. 311,168.00  
3.00  
7.00

18. 98,933.00  
2.40  
3.70

19. 258,169.00  
3.00  
4.80

20. 66,898.00  
3.10  
5.20

21. 60,537.00  
1.70  
4.60

22. 152,169.00  
2.10  
ERROR  
5.40

23. 120,133.00  
4.20  
7.60

24. 183,733.00  
2.90  
7.10

25. 228,018.00  
2.70  
4.10

26. 72,080.00  
2.90  
5.90

27. 338,258.00  
5.10  
5.90

28. 146,287.00  
4.30  
6.50

.....  
3,987,009.00 A  
3.19 A  
5.88 A

3510

1.  
7,538.00  
3.50  
6.30

2.  
33,920.00  
3.20  
6.30

3.  
23,084.00  
2.30  
4.30

4.  
35,333.00  
2.50  
4.20

5.  
27,796.00  
3.50  
4.00

.....  
127,671.00     A  
3.02            A  
5.02            A

3830

1.  
9,893.00  
2.30  
4.30

2.  
13,191.00  
4.50  
6.40

3.  
11,307.00  
2.30  
4.30

4.  
1,384.00  
3.30  
6.10

5.  
32,507.00  
3.50  
4.00

.....  
68,782.00     A  
3.47            A  
4.61            A

3870

1.  
56,533.00  
3.50  
6.30

2.  
24,498.00  
1.50  
3.50

3.  
21,671.00  
4.50  
3.20

4.  
72,080.00  
4.50  
8.20

5.  
62,650.00  
3.50  
6.30

6.  
18,844.00  
3.40  
4.20

.....  
256,284.00     A  
3.58            A  
6.31            A

3790

1.  
15,076.00  
3.50  
6.30

2.  
6,124.00  
1.50  
3.50

3.  
29,680.00  
2.30  
4.10

4.  
32,036.00  
3.10  
4.60

5.  
94,034.00  
3.40  
6.20

6.  
22,142.00  
2.30  
3.90

7.  
19,316.00  
1.30  
3.20

8.  
78,576.00  
3.40  
4.20

.....  
297,084.00     A  
3.04            A  
4.90            A

3750

1.  
35,333.00  
2.50  
4.50

2.  
101,289.00  
1.70  
5.20

3.  
16,018.00  
2.00  
3.00

4.  
99,376.00  
3.10  
4.50

5.  
33,920.00  
2.50  
4.70

6.  
18,373.00  
1.70  
3.30

7.  
99,404.00  
2.50  
4.20

.....  
404,213.00     A  
2.41     A  
4.54     A

1.  
102,702.00  
1.70  
5.20

2.  
13,191.00  
1.30  
3.20

3.  
4,711.00  
2.40  
5.30

4.  
12,720.00  
2.40  
3.30

5.  
34,329.00  
2.30  
3.90

.....  
217,553.00     A  
1.99     A  
4.51     A

3710

3670

1.  
79,147.00  
1.70  
5.20

2.  
21,200.00  
1.30  
3.20

3.  
2,120.00  
2.30  
5.70

4.  
63,129.00  
2.30  
5.70

5.  
2,356.00  
2.40  
5.00

6.  
121,076.00  
2.30  
3.30

7.  
82,444.00  
2.30  
3.90

.....  
371,472.00     A  
2.14     A  
4.26     A

3630

1.  
168,186.00  
2.30  
4.30

2.  
15,547.00  
3.50  
6.50

3.  
338,729.00  
2.50  
4.90

4.  
41,458.00  
3.50  
6.50

5.  
232,258.00  
2.90  
4.50

6.  
8,008.00  
4.10  
5.30

7.  
3,297.00  
2.90  
6.40

8.  
217,653.00  
1.90  
5.00

9.  
36,276.00  
1.90  
5.00

10.  
219,538.00  
2.30  
5.70

11.  
275,600.00  
3.30  
5.00

12.  
55,355.00  
5.70  
3.10

13.  
7,302.00  
5.70  
9.10

3390

14.  
9,393.00  
5.70  
8.10

15.  
102,702.00  
6.00  
7.50

16.  
372,178.00  
2.50  
1.30

.....  
2,103,980.00 A  
2.94 A  
5.03 A

1.  
97,991.00  
2.10  
5.30

2.  
41,453.00  
1.20  
3.90

3.  
3,298.00  
2.50  
4.20

4.  
42,635.00  
2.60

ERROR  
6.00

5.  
214,826.00  
4.50  
4.50

6.  
294,915.00  
2.30  
4.20

.....  
695,123.00 A  
2.91 A  
4.54 A

3350

1.  
68,782.00  
3.50  
4.50

2.  
127,671.00  
3.00  
5.00

3.  
256,284.00  
3.70  
6.30

4.  
297,084.00  
3.00  
4.90

5.  
404,213.00  
2.40  
4.50

6.  
217,553.00  
2.00  
4.50

7.  
371,472.00  
2.10  
4.30

8.  
384,703.00  
2.90  
5.70

9.  
1,929,670.00  
2.90  
ERROR  
5.50

10.  
3,987,009.00  
3.20  
5.90

11.  
3,836,487.00  
3.40  
5.20

Total  
zone  
3.

12.  
4,644,439.00  
3.20  
5.10

13.  
2,103,980.00  
2.90  
5.00

14.  
695,123.00  
2.90  
4.50

.....  
19,324,575.00 A  
3.11 A  
5.29 A