

DATA COMPARISON ($\approx 75\%$ ORE ZONE MINED OUT)

	ORE RESERVE CALCULATION			ORE BLAST HOLE DATA			PLOT SYMBOL	PERCENTAGE BLAST/ RESERVE
	Pb	Zn	COMB	Pb	Zn	COMB		
BENCH 4240								
D.D.H.								
66-45	2.5	3.9	6.4	3.3	6.1	9.4	○	146.9
BENCH 4205								
66-1	2.1	4.9	7.0	2.1	4.9	7.0		
66-19	3.3	7.3	10.6	3.4	5.9	9.3	○	87.7
BENCH 4170								
66-48	3.0	4.1	7.1	3.0	4.9	7.9		111.2
66-19	4.2	8.1	12.3	3.7	5.9	9.6		78.0
66-1	4.8	7.9	12.7	3.9	7.1	11.0		86.6
66-24	2.2	6.9	9.1	3.0	5.5	8.5	○	93.4
BENCH 4135								
66-51	2.8	8.2	11.0	2.3	6.2	8.5		77.3
66-1	5.7	10.8	16.5	4.7	6.5	11.2		67.9
66-25	5.0?	6.1?	11.1	5.0	6.1	11.1		
66-24	3.6	4.7	8.3	1.9	6.2	8.1	□	97.6
BENCH 4100								
66-1	6.4	10.6	17.0	3.5	5.8	9.3		54.7
66-25	4.8	6.3	11.1	3.1	5.3	8.4	-	75.7
BENCH 4065								
65-1	1.6?	3.9?	5.5	3.8	5.6	9.4		170.9
66-25	4.9	6.7	11.6	3.9	5.3	9.2		79.3
66-44	4.5	3.3	7.8	3.5	5.2	8.7	*	111.5
BENCH 4030								
65-1	6.6	10.0	16.6	4.8	7.5	12.3		74.1
66-44	5.8	6.7	12.5	4.7	6.1	10.8		86.4
66-32	2.9	6.0	8.9	2.2	5.6	7.8	●	87.6

DATA COMPARISON ($\approx 75\%$ ORE ZONE MINED OUT)

Page 2.

	<u>ORE RESERVE CALCULATION</u>			<u>ORE BLAST HOLE DATA</u>			<u>PLDT SYMBOL</u>	<u>PERCENTAGE BLAST/ RESERVE</u>
	<u>Pb</u>	<u>Zn</u>	<u>COMB</u>	<u>Pb</u>	<u>Zn</u>	<u>COMB</u>		
<u>BENCH 3990</u>								
DDH.								
66-20	6.5	7.9	14.4	4.5	7.5	12.0		83.3
66-44	5.7	6.8	12.5	6.3	8.5	14.8		118.4
66-24	2.7	5.4	8.1	3.6	5.7	9.3		114.8
70-5	2.3	4.4	6.7	3.5	6.1	9.6	●	143.3
<u>BENCH 3950</u>								
66-20	6.3	8.7	15.0	4.6	7.0	11.6		77.3
66-16	5.9	8.2	14.1	5.7	7.4	13.1		92.9
66-44	3.8	5.1	8.9	5.9	7.6	13.5		151.7
65-11	4.7	5.6	10.3	4.6	6.2	10.8	●	104.9
<u>BENCH 3910</u>								
66-12	6.8	9.7	16.5	5.1	7.6	12.7		77.0
66-16	7.0	8.9	15.9	4.4	7.0	11.4		71.7
70-6	5.2	7.3	12.5	4.9	7.2	12.1	●	96.8

DATA COMPARISON ($\geq 75\%$ ORE ZONE MINED OUT)

REVISED ORE RESERVE CALCULATION

ORE BLAST HOLE DATA

PLOT SYMBOL

PERCENTAGE BLAST / RESERVE

	<u>Pb</u>	<u>Zn</u>	<u>Comb</u>	<u>Pb</u>	<u>Zn</u>	<u>Comb</u>		
BENCH 4240 D.D.H. 66-45	2.5	3.9	6.4	3.3	6.1	9.4	○	146.9
BENCH 4205 66-1	2.1	4.9	7.0	⊖	⊖	⊖		
66-19	(3.4)	(7.1)	(10.5)	3.4	5.9	9.3	○	(88.6)
BENCH 4170 66-48	(2.4)	(3.9)	(6.3)	3.0	4.9	7.9		(125.4)
66-19	(4.3)	(8.2)	(12.5)	3.7	5.9	9.6		(76.8)
66-1	(3.6)	(6.2)	(9.8)	3.9	7.1	11.0	⊖	(112.2)
66-24	(2.1)	(7.2)	(9.3)	3.0	5.5	8.5		(91.4)
BENCH 4135 66-51	2.8	(7.9)	(10.7)	2.3	6.2	8.5		(79.4)
66-1	5.7	10.8	16.5	4.7	6.5	11.2		67.9
66-25	5.0?	6.1?	11.1	⊖	⊖	⊖		
66-24	(1.4)	(7.5)	(8.9)	1.9	6.2	8.1	□	(91.0)
BENCH 4100 66-1	(6.8)	(10.9)	(17.7)	3.5	5.8	9.3		(52.5)
66-25	(5.0)	(6.3)	(11.3)	3.1	5.3	8.4	⊖	(74.3)
BENCH 4065 65-1	(2.4)	(4.9)	(7.3)	3.8	5.6	9.4		(128.8)
66-25	4.9	6.7	11.6	3.9	5.3	9.2		79.3
66-44	(4.2)	(3.1)	(7.3)	3.5	5.2	8.7	⊗	(119.2)
BENCH 4050 65-1	6.6	10.0	16.6	4.8	7.5	12.3		74.1
66-44	5.8	6.7	12.5	4.7	6.1	10.8		86.4
66-32	2.9	6.0	8.9	2.2	5.6	7.8	●	87.6

DATA COMPARISON ($\geq 75\%$ ORE ZONE MINED OUT)

Page 2.

REVISED ORE RESERVE CALCULATION

ORE BLAST HOLE DATA

PLDT
SYMBOL

PERCENTAGE
BLAST / RESERVE

BENCH 3990

	<u>Pb</u>	<u>Zn</u>	<u>CoMB</u>	<u>Pb</u>	<u>Zn</u>	<u>CoMB</u>	
DD.H.							
66-20	6.5	7.9	14.4	4.5	7.5	12.0	83.3
66-44	5.7	6.8	12.5	6.3	8.5	14.8	118.4
66-24	2.7	5.4	8.1	3.6	5.7	9.3	114.8
70-5	2.3	4.4	6.7	3.5	6.1	9.6	143.3

BENCH 3950

66-20	6.3	8.7	15.0	4.6	7.0	11.6	77.3
66-16	5.9	8.2	14.1	5.7	7.4	13.1	92.9
66-44	3.8	5.1	8.9	5.9	7.6	13.5	151.7
65-11	4.7	5.6	10.3	4.6	6.2	10.8	104.9

BENCH 3910

66-12	6.8	9.7	16.5	5.1	7.6	12.7	77.0
66-16	7.0	8.9	15.9	4.4	7.0	11.4	71.7
70-6	5.2	7.3	12.5	4.9	7.2	12.1	96.8

(REVISED D.D. HOLE ASSAY DATA)

DATA COMPARISON ($\geq 40\%$, $< 75\%$ ORE ZONE MIN. OUT)

	REVISED ORE RESERVE CALCULATION			ORE BLAST HOLE DATA			PLOT SYMBOL	PERCENTAGE BLAST/RESERVE
	Pb	Zn	COMB	Pb	Zn	COMB		
BENCH 4065 DDH. 66-1	(4.3)	(8.0)	(12.3)	5.1	7.3	12.4	⊗	(100.8)
BENCH 3990								
65-1	8.7	9.6	18.3	5.2	7.7	12.9		70.5
70-16	3.8	7.6	11.4	3.8	6.3	10.1	●	88.6
BENCH 3950								
66-15	4.0	7.1	11.1	3.7	6.5	10.2		91.9
66-32	4.1	5.8	9.9	4.5	5.6	10.1	●	102.0
BENCH 3910								
66-44	7.3	8.6	15.9	4.8	7.5	12.3		77.4
65-11	6.4	5.2	11.6	4.4	6.6	11.0	●	94.8
BENCH 3870								
65-11	6.7	7.4	14.1	4.3	7.4	11.7		83.0
70-6	4.8	7.9	12.7	3.2	5.9	9.1	△	71.7

(REVISED D. D. HOLE ASSAY DATA)