

PC-XPLOR VERSION 1.30
 Exploration Data Manager
 By GEMCOM SERVICES INC.

Curragh Resources In
 13:17:55 Serial no: 20320
 25/ 7/91 Page : 1

*** GRUM DRILLHOLE DATABASE ***

 PRINTOUT OF DATABASE STRUCTURE INFORMATION

Database Filename : E:\GRUM\GRUM.G5A

Table Number : 1
 Table Name : HEADER
 Number of Fields : 12

Field name	Code	Mark	Type	Minimum	Maximum	Defau
HOLE-ID	1:1	Optional	String		8	
LOCATION	1:2	Optional	Local			
(X-COORD)	1:2:1		Real	-1.0	20000.0	
(Y-COORD)	1:2:2		Real	-1.0	20000.0	
(Z-COORD)	1:2:3		Real	-1.0	1400.0	
LENGTH	1:3	Optional	Real	-1.0	4000.0	
UTM COLLAR	1:4	Optional	UTM			
(X-COORD)	1:4:1		Real	-1.0	650000.0	
(Y-COORD)	1:4:2		Real	-1.0	920000.0	
(Z-COORD)	1:4:3		Real	-1.0	1400.0	
RECORD	1:5	Optional	Integer	-1	10000	
TYPE	1:6	Optional	String		6	DDH
SECTION	1:7	Optional	String		15	
CORE SIZE	1:8	Optional	String		10	NQ
GEOLOGIST	1:9	Optional	String		10	
LOG DATE	1:10	Optional	String		8	
CORE LCTN	1:11	Optional	String		20	GRUM
COMMENTS	1:12	Optional	String		100	

Table Number : 2
 Table Name : SURVEYS
 Number of Fields : 5

Field name	Code	Mark	Type	Minimum	Maximum	Defau
DISTANCE	2:1	Optional	Real	.0	4000.0	
DIP	2:2	Optional	Real	-90.0	90.0	
AZIMUTH	2:3	Optional	Real	.0	360.0	
UTMAZIMUTH	2:4	Optional	Real	.0	360.0	
METHOD	2:5	Optional	String		20	AT C

*** GRUM DRILLHOLE DATABASE ***
 *** ***

Table Number : 3
 Table Name : LITHOLOGY
 Number of Fields : 11

Field name	Code	Mark	Type	Minimum	Maximum	Defau
FROM	3:1	Optional	Real	-1.0	4000.0	
TO	3:2	Optional	Real	-1.0	4000.0	
UNIT	3:3	Optional	String		8	
DESCRIPTION	3:4	Optional	String		50	
ROCK CODE1	3:5	Optional	Integer	-1	999	
ROCK CODE2	3:6	Optional	Integer	-1	999	
MINERAL	3:7	Optional	String		8	
TEXTURE	3:8	Optional	String		10	
GRADE	3:9	Optional	String		3	
SUB UNITS	3:10	Optional	String		30	
PLOTUNIT	3:11	Optional	String		20	

Table Number : 4
 Table Name : ASSAYS
 Number of Fields : 29

Field name	Code	Mark	Type	Minimum	Maximum	Defau
FROM	4:1	Optional	Real	-1.0	4000.0	
TO	4:2	Optional	Real	-1.0	4000.0	
INTERVAL	4:3	Optional	Real	-1.0	4000.0	
RECOVERY	4:4	Optional	Real	-1.0	4000.0	
RECOVERY %	4:5	Optional	Integer	-1	100	
SAMPLE #	4:6	Optional	Integer	-1	999999	
ROCK TYPE	4:7	Optional	String		8	
ROCK CODE	4:8	Optional	Integer	-1	999	
SG-PULP	4:9	Optional	Real	-1.00	10.00	
SG-WR	4:10	Optional	Real	-1.00	10.00	
PB+ZN %	4:11	Optional	Real	-1.00	100.00	
PB %	4:12	Optional	Real	-1.00	100.00	
ZN %	4:13	Optional	Real	-1.00	100.00	
ZN RATIO	4:14	Optional	Real	-1.00	1.00	
AG G/T(AA)	4:15	Optional	Real	-1.0	1000.0	
AG G/T(FA)	4:16	Optional	Real	-1.0	1000.0	
AU G/T	4:17	Optional	Real	-1.00	500.00	
PO+PY %	4:18	Optional	Real	-1.00	100.00	
PO %	4:19	Optional	Real	-1.00	100.00	
PY %	4:20	Optional	Real	-1.00	100.00	
BAO %	4:21	Optional	Real	-1.00	100.00	
BA %	4:22	Optional	Real	-1.00	100.00	
CU %	4:23	Optional	Real	-1.00	20.00	
HG %	4:24	Optional	Real	-1.000	10.000	
AS %	4:25	Optional	Real	-1.00	10.00	
MN %	4:26	Optional	Real	-1.00	10.00	
OXIDATION	4:27	Optional	Integer	-1	100	
OXIDE PB %	4:28	Optional	Real	-1.00	100.00	
OXIDE ZN %	4:29	Optional	Real	-1.00	100.00	

*** GRUM DRILLHOLE DATABASE ***

Table Number : 5
 Table Name : STRUCTURES
 Number of Fields : 23

Field name	Code	Mark	Type	Minimum	Maximum	Defau
DISTANCE	5:1	Optional	Real	-1.0	4000.0	
SYMMETRY	5:2	Optional	String		5	
FEATRE-RFE	5:3	Optional	String		5	PS2
DEFN-RFE	5:4	Optional	Integer	-1	10	
DIP-RFE	5:5	Optional	Integer	-1	90	
DIR-RFE	5:6	Optional	Integer	-1	360	
PLOT-RFE	5:7	Optional	Logical			TRUE
COMMENTS	5:8	Optional	String		100	
FEATRE-A	5:9	Optional	String		5	
DEFN-A	5:10	Optional	Integer	-1	10	
DIP-A	5:11	Optional	Integer	-1	90	
DIR-A	5:12	Optional	Integer	-1	360	
PLOT-A	5:13	Optional	Logical			TRUE
FEATRE-B	5:14	Optional	String		5	
DEFN-B	5:15	Optional	Integer	-1	10	
DIP-B	5:16	Optional	Integer	-1	90	
DIR-B	5:17	Optional	Integer	-1	360	
PLOT-B	5:18	Optional	Logical			TRUE
FEATRE-C	5:19	Optional	String		5	
DEFN-C	5:20	Optional	Integer	-1	10	
DIP-C	5:21	Optional	Integer	-1	90	
DIR-C	5:22	Optional	Integer	-1	360	
PLOT-C	5:23	Optional	Logical			TRUE

Table Number : 6
 Table Name : FAULTS
 Number of Fields : 11

Field name	Code	Mark	Type	Minimum	Maximum	Defau
FROM	6:1	Optional	Real	-1.0	4000.0	
TO	6:2	Optional	Real	-1.0	4000.0	
FEATURE	6:3	Optional	String		10	
RECOVERY	6:4	Optional	String		10	
DIP-UPPER	6:5	Optional	Integer	-1	99	
DIR-UPPER	6:6	Optional	Integer	-1	999	
DIP-INTRNL	6:7	Optional	Integer	-1	99	
DIR-INTRNL	6:8	Optional	Integer	-1	999	
DIP-LOWER	6:9	Optional	Integer	-1	99	
DIR-LOWER	6:10	Optional	Integer	-1	999	
COMMENTS	6:11	Optional	String		50	

*** GRUM DRILLHOLE DATABASE ***

Table Number : 7
 Table Name : GEOTECH
 Number of Fields : 12

Field name	Code	Mark	Type	Minimum	Maximum	Defau
FROM	7:1	Optional	Real	-1.0	4000.0	
TO	7:2	Optional	Real	-1.0	4000.0	
INTERVAL	7:3	Optional	Real	-1.0	500.0	
RECOVERY	7:4	Optional	Real	-1.0	100.0	
RECOVERY %	7:5	Optional	Integer	-1	100	
RQD	7:6	Optional	Real	-1.0	100.0	
RQD %	7:7	Optional	Integer	-1	100	
BREAKAGE	7:8	Optional	Integer	-1	15	
WEATHERING	7:9	Optional	String		5	
JOINT #	7:10	Optional	Integer	-1	100	
JOINT FREQ	7:11	Optional	Real	-1.00	100.00	
CORE SIZE	7:12	Optional	String		5	NQ

Table Number : 8
 Table Name : SAMPLES
 Number of Fields : 7

Field name	Code	Mark	Type	Minimum	Maximum	Defau
FROM	8:1	Optional	Real	-1.0	4000.0	
TO	8:2	Optional	Real	-1.0	4000.0	
UNIT	8:3	Optional	String		8	
ROCK CODE	8:4	Optional	Integer	-1	999	
DEPT	8:5	Optional	String		20	
PURPOSE	8:6	Optional	String		100	
DATE	8:7	Optional	String		8	