

003480

DRILL HOLE : 87F-01  
NORTHING : 7,938.1  
EASTING : 14,537.8  
ELEVATION : 3,792.3  
TOTAL DEPTH : 352.0  
SECTION : 125+000  
R.F.E. : S2  
RFE DIRECTION: 210  
PLUNGE ANGLE : 0  
PLUNGE DIRECT: 0  
DHD CALC: 1  
SS CALC: 1

## DETAIL RECORD COUNTS:

NOS ORE-SAMPLES: 17  
NOS DOWN-H-SURVEYS: 3  
NOS DOWN-H-LITHOLOGY: 25  
NOS DOWN-H-STRUCTURE: 25  
NOS DOWN-H-FAULTS: 38  
NOS DOWN-H-SPLINES: 3  
NOS COMPOSITES: 4

DDH: 87F-01 UTM-N: 7,938.1 UTM-E: 14,537.8 UTM-ELEV: 3,792.3 TOTAL DEPTH: 352.0 SECTION: 125+000  
 RFE: S2 RFE DIR: 210 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

---DEPTHS---		SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	ASSAYS														S.G. W.R.
FROM	TO					Cu %	Pb %	Zn %	Ag(AA) g/mT	Ag(FA) g/mT	Au(FA) g/mT	Po %	Py %	TOT Fe	BaO %	Hg %	Mn %	As %	Ba %	
264.0	268.5	09502	4.5	4.5	2H		1.98	3.98	32.00				23	17	40					
268.5	271.4	09503	2.9	2.9	2E4		4.02	7.37	56.00				4	33	37					
271.4	275.0	09504	3.6	3.6	2E4		6.36	7.66	90.00				6	29	36					
275.0	277.4	09505	2.4	2.4	BXA		7.30	7.80	102.00				15	18	34					
277.4	280.5	09506	3.1	3.1	2E4		6.52	6.96	78.00				4	34	38					
280.5	284.2	09507	3.7	3.7	2H		1.90	3.26	37.00				17	25	42					
284.2	288.7	09508	4.5	4.5	2H		2.81	4.96	47.00				32	13	45					
288.7	293.4	09509	4.7	4.7	2E46		5.95	6.35	88.00				4	32	37					
293.4	297.6	09510	4.2	4.2	2E4		5.14	5.80	64.00				2	37	39					
297.6	302.2	09511	4.6	4.6	2E4		5.21	7.77	66.00				2	36	38					
302.2	303.6	09512	1.4	1.4	2E43B		5.88	6.65	76.00				7	24	32					
303.6	308.8	09513	5.2	4.4	2E46		4.60	5.47	62.00				6	26	33					
308.8	312.7	09514	3.9	3.9	2E46		5.10	5.47	68.00				7	24	31					
312.7	319.6	09515	6.9	6.9	2F4		6.18	6.15	88.00				6	27	33					
319.6	324.3	09516	4.7	4.7	2F4		5.96	6.14	91.00				4	30	35					
324.3	328.5	09517	4.2	4.2	2E4		5.47	6.31	89.00				5	30	36					
328.5	330.3	09518	1.8	1.8	2E4		4.94	6.92	78.00				10	23	33					

## WEIGHTED AVERAGE

264.0 330.3 66.3 65.5 4.96 6.04 70.80 9 27 37

DDH: 87F-01 UTM-N: 7,938.1 UTM-E: 14,537.8 UTM-ELEV: 3,792.3 TOTAL DEPTH: 352.0 SECTION: 125+000  
RFE: S2 RFE DIR: 210 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DEPTH	ZENITH	AZIMUTH
0.000	180.000	0.000
292.000	178.000	4.000
342.000	179.000	327.000

DDH: 87F-01 UTM-N: 7,938.1 UTM-E: 14,537.8 UTM-ELEV: 3,792.3 TOTAL DEPTH: 352.0 SECTION: 125+000  
 RFE: S2 RFE DIR: 210 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DEPTH	UNIT	CODE	DESC	RECOVERY	IND
12.0	0001	#	TRICONED - NO RECOVERY	0.0	1
17.0	0002	1D0	(1D2) 80:20	0.0	1
91.1	0003	1CD0	(1H3) TRACE	0.0	1
93.7	0004	1D83	[1H03]	0.0	1
139.2	0005	1D0		0.0	1
144.1	0006	1D8		0.0	1
215.0	0007	1CD0	[1D0]	0.0	1
232.0	0008	1D2		0.0	1
240.5	0009	1D08		0.0	1
241.5	0010	GOUGE	[1D4]	0.0	1
252.0	0011	1D4		0.0	1
259.0	0012	1D0		0.0	1
264.0	0013	1D4	(1D0) 70:30	0.0	1
268.5	0014	2H	(2C0) 85:15	0.0	1
275.0	0015	2E4	(2F4) 60:40	0.0	1
277.4	0016	BXA		0.0	1
280.5	0017	2E4		0.0	1
288.7	0018	2H	BXA (2E4,2C0)	0.0	1
302.2	0019	2E4	(2E46) 75:25	0.0	1
303.6	0020	2E43	BXA	0.0	1
312.7	0021	2E46		0.0	1
324.3	0022	2F4	+/-6	0.0	1
328.5	0023	2E4		0.0	1
330.3	0024	2E4		0.0	1
352.0	0025	1CD4	[1D0]	0.0	1

DDH: 87F-01 UTM-N: 7,938.1 UTM-E: 14,537.8 UTM-ELEV: 3,792.3 TOTAL DEPTH: 352.0 SECTION: 125+000  
 RFE: S2 RFE DIR: 210 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT	SYMTRY	S0 ANGLE DIRECT	S1 ANGLE DIRECT	S2 ANGLE DIRECT	RFE	CDE	DHDC	SDC	PROCESS
87F-01	0.0	21.0	PS2		0	0	60	210	0	1	1	1
87F-01	0.0	40.0	PS2		0	0	75	210	0	1	1	1
87F-01	0.0	67.0	PS2		0	0	65	210	0	1	1	1
87F-01	0.0	87.0	PS2		0	0	70	210	0	1	1	1
87F-01	0.0	107.0	PS2		0	0	65	210	0	1	1	1
87F-01	0.0	128.0	PS2		0	0	75	210	0	1	1	1
87F-01	0.0	137.0	PS2		0	0	68	210	0	1	1	1
87F-01	0.0	137.0	CSN		0	55	20	68	210	0	0	0
87F-01	0.0	162.0	PS2		0	0	72	210	0	1	1	1
87F-01	0.0	177.0	PS2		0	0	63	210	0	1	1	1
87F-01	0.0	197.0	PS2		0	0	75	210	0	1	1	1
87F-01	0.0	216.0	PS2		0	0	68	210	0	1	1	1
87F-01	0.0	225.0	PS2		0	0	70	210	0	1	1	1
87F-01	0.0	242.0	PS2		0	0	80	210	0	1	1	1
87F-01	0.0	243.0	PS2		0	0	25	210	0	1	1	1
87F-01	0.0	247.0	PS2		0	0	42	210	0	1	1	1
87F-01	0.0	253.0	PS2		0	0	67	210	0	1	1	1
87F-01	0.0	273.0	PS2		0	0	70	210	0	1	1	1
87F-01	0.0	289.0	PS2		0	0	66	210	0	1	1	1
87F-01	0.0	300.5	PS2		0	0	55	210	0	1	1	1
87F-01	0.0	320.0	PS2		0	0	45	210	0	1	1	1
87F-01	0.0	332.0	PS2		0	0	70	210	0	1	1	1
87F-01	0.0	340.0	PS2		0	0	24	210	0	1	1	1
87F-01	0.0	349.0	PS2		0	0	20	210	0	1	1	1
87F-01	0.0	349.0	CSN		0	50	0	20	210	0	0	0

DDH: 87F-01 UTM-N: 7,938.1 UTM-E: 14,537.8 UTM-ELEV: 3,792.3 TOTAL DEPTH: 352.0 SECTION: 125+000  
 RFE: S2 RFE DIR: 210 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT	REC	CD	PARLL	UPPER PLANE	INTERNAL PLANE	LOWER PLANE	DHD	
87F-01	0.1	12.0	N	0			0	0	0	0	1
87F-01	12.0	15.0	3BP	7			0	0	0	0	1
87F-01	15.0	16.0	3B				0	0	0	0	1
87F-01	0.0	27.7	1B				0	0	0	0	1
87F-01	27.7	27.9	G				99	999	0	0	1
87F-01	27.9	39.5	1B				0	0	0	0	1
87F-01	39.5	46.5	2BP	8			0	0	0	0	1
87F-01	46.5	49.0	3BP	6			0	0	0	0	1
87F-01	49.0	91.1	1B				0	0	0	0	1
87F-01	96.0	98.0	2B				0	0	0	0	1
87F-01	108.7	113.5	3BP	3			0	0	0	0	1
87F-01	132.0	133.5	3BP	6			0	0	0	0	1
87F-01	216.0	216.5	1G				0	0	99	999	1
87F-01	216.5	219.5	1B				0	0	0	0	1
87F-01	219.5	222.0	2BG				0	0	0	0	1
87F-01	219.5	222.0	G				32	0	0	0	1
87F-01	0.0	239.7	G				0	0	99	999	1
87F-01	240.5	241.5	G				25	80	0	0	1
87F-01	254.6	255.1	3BG				0	0	0	0	1
87F-01	255.1	257.8	2BG				0	0	0	0	1
87F-01	260.8	262.1	2BG				0	0	99	999	1
87F-01	268.5	275.0	3B				0	0	0	0	1
87F-01	275.0	277.4	X				0	0	0	0	1
87F-01	277.4	280.5	2B				0	0	0	0	1
87F-01	280.5	288.7	X				0	0	0	0	1
87F-01	288.7	293.0	1B				0	0	0	0	1
87F-01	293.0	302.2	3B				0	0	0	0	1
87F-01	302.2	303.6	X				0	0	0	0	1
87F-01	306.0	307.4	3BR				0	0	0	0	1
87F-01	321.0	324.3	2BR				0	0	0	0	1
87F-01	324.3	328.5	3BR				0	0	0	0	1
87F-01	328.5	330.3	3BR				0	0	0	0	1
87F-01	0.0	331.4	G				0	0	99	999	1
87F-01	0.0	332.1	G				0	0	0	0	1
87F-01	332.3	332.8	G				0	0	0	0	1
87F-01	330.3	338.0	2B				0	0	0	0	1
87F-01	343.0	347.5	2BR				0	0	0	0	1
87F-01	0.0	352.0	R				0	0	0	0	1

DDH: 87F-01 UTM-N: 7,938.1 UTM-E: 14,537.8 UTM-ELEV: 3,792.3 TOTAL DEPTH: 352.0 SECTION: 125+000  
RFE: S2 RFE DIR: 210 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	SEGMENT NOS	COND INDICATOR
87F-01	1	2
87F-01	2	2
87F-01	3	1

DDH: 87F-01 UTM-N: 7,938.1 UTM-E: 14,537.8 UTM-ELEV: 3,792.3 TOTAL DEPTH: 352.0 SECTION: 125+000  
RFE: S2 RFE DIR: 210 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

FROM TO INT. ROCK CODE S.G. CU PB ZN AG(AA) AG(FA) AU(FA) PO PY TOT BAO HG MN AS BA S.G.

DATE: 25JAN88 TIME: 10:33:45 CUT OFF GRADE: .000

264.0	280.5	16.5	2EH		4.92	6.49	67.69				11	26	38					
280.5	288.7	8.2	2H		2.39	4.19	42.48				25	18	44					
288.7	312.7	24.0	2E46		5.23	6.20	70.00				4	30	35					
312.7	330.3	17.6	2EF		5.82	6.26	88.01				6	28	35					

DRILL HOLE : 87F-02  
NORTHING : 8,459.7  
EASTING : 14,480.4  
ELEVATION : 3,750.5  
TOTAL DEPTH : 400.0  
SECTION : 122+000  
R.F.E. : S2  
RFE DIRECTION: 210  
PLUNGE ANGLE : 0  
PLUNGE DIRECT: 0  
DHD CALC: 1  
SS CALC: 1

## DETAIL RECORD COUNTS:

NOS ORE-SAMPLES: 45  
NOS DOWN-H-SURVEYS: 5  
NOS DOWN-H-LITHOLOGY: 33  
NOS DOWN-H-STRUCTURE: 26  
NOS DOWN-H-FAULTS: 94  
NOS DOWN-H-SPLINES: 5  
NOS COMPOSITES: 11

DDH: 87F-02 UTM-N: 8,459.7 UTM-E: 14,480.4 UTM-ELEV: 3,750.5 TOTAL DEPTH: 400.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 210 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

---DEPTHS---		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	-----ASSAYS-----											S.G. W.R.		
FROM	TO						Cu %	Pb %	Zn %	Ag(AA) g/mT	Ag(FA) g/mT	Au(FA) g/mT	Po %	Py %	TOT Fe	BaO %	Hg %		Mn %	As %
191.1	195.3	09532	4.2	4.2	2C2	3.10		.13	.18	10.00			4	12	16					
195.3	197.0	09533	1.7	1.7	2D4	3.30		1.50	7.48	26.00			2	14	16					
197.0	201.0	09534	4.0	4.0	2G42	4.50		5.67	7.75	69.00			3	25	29					
201.0	203.9	09535	2.9	2.9	2G42	4.60		3.86	5.17	57.00			7	26	33					
203.9	207.0	09536	3.1	3.1	2EF4	4.70		6.23	5.69	95.00			5	27	32					
207.0	211.0	09537	4.0	4.0	2EF4	4.70		9.10	6.07	65.00			8	22	30					
211.0	216.0	09538	5.0	5.0	2E4	4.80		9.17	7.97	108.00			2	32	34					
216.0	222.1	09539	6.1	6.1	2E4	4.40		7.93	5.98	101.00			9	24	33					
222.1	224.8	09540	2.7	2.7	2H4	4.60		7.16	5.95	109.00			13	23	37					
224.8	229.2	09541	4.4	4.4	2G24	4.70		6.50	5.72	99.00			5	25	30					
229.2	233.3	09542	4.1	4.1	2G24	4.60		6.52	5.75	97.00			9	22	32					
233.3	238.0	09543	4.7	4.7	2H4	4.40		6.03	5.26	97.00			20	13	33					
238.0	242.7	09544	4.7	4.7	2H4	4.50		6.43	9.28	93.00			25	12	38					
242.7	247.4	09545	4.7	4.7	2H4	4.50		7.20	9.15	111.00			25	13	39					
247.4	251.4	09546	4.0	4.0	2CD	3.00		2.30	6.41	39.00			3	3	7					
251.4	255.6	09547	4.2	4.2	2CD	2.90		1.89	3.28	33.00			3	3	6					
255.6	259.5	09548	3.9	3.9	2CD	3.20		2.83	5.53	41.00			3	4	8					
259.5	264.3	09549	4.8	4.8	2CD	2.90		1.97	4.10	33.00			3	3	6					
264.3	268.2	09551	3.9	3.9	2CD	2.80		1.07	3.09	18.00			2	3	5					
268.2	272.4	09552	4.2	4.2	2A	2.70		.89	2.82	16.00			1	1	2					
272.4	276.4	09553	4.0	4.0	2A	2.80		.86	2.30	16.00			1	2	3					
276.4	281.2	09554	4.8	4.8	2A	2.90		1.61	3.21	22.00			4	3	8					
281.2	285.6	09555	4.4	4.4	2D	3.30		.06	3.49	6.00			4	10	15					
285.6	289.8	09556	4.2	4.2	2D4	3.20		1.17	11.70	22.00			5	6	11					
289.8	293.2	09557	3.4	3.4	2D4	3.60		3.90	21.60	59.00			8	7	16					
293.2	297.0	09558	3.8	3.8	2D4	3.50		6.41	13.20	97.00			7	10	18					
297.0	300.6	09559	3.6	3.6	2H4	4.40		10.60	13.10	143.00			25	10	36					
300.6	304.6	09560	4.0	4.0	2D4	3.40		5.67	12.10	81.00			8	8	17					
304.6	309.2	09561	4.6	4.6	2D4	3.40		3.48	19.10	54.00			7	6	14					
309.2	314.0	09562	4.8	4.8	2D4	2.90		1.69	12.30	29.00			1	7	9					
314.0	318.4	09563	4.4	4.4	2A4	2.90		1.73	5.40	27.00			1	1	3					
318.4	322.8	09564	4.4	4.4	2A4	2.80		2.16	6.83	37.00			1	1	2					
322.8	326.9	09565	4.1	4.1	2A4	2.90		2.27	6.51	33.00			2	3	5					
326.9	331.0	09566	4.1	4.1	2A4	2.90		1.58	7.19	27.00			2	3	5					
331.0	335.6	09567	4.6	4.6	2A4	2.90		1.44	7.77	37.00			3	2	5					
335.6	340.5	09568	4.9	4.9	2B4	2.50		1.80	7.61	37.00			4	3	8					
340.5	344.4	09569	3.9	3.9	2E	4.70		3.53	5.53	39.00			3	38	41					
344.4	349.5	09570	5.1	5.1	2E	4.70		3.41	2.96	28.00			2	40	42					
349.5	353.4	09571	3.9	3.9	2E	2.70		1.93	1.96	21.00			3	40	44					
353.4	360.0	09572	6.6	6.0	2E	4.70		1.71	2.32	15.00			2	39	41					
360.0	365.0	09573	5.0	5.0	2E	4.70		2.16	1.40	27.00			7	36	43					
365.0	369.0	09574	4.0	3.8	2E	4.10		3.07	5.93	45.00			15	19	34					
369.0	373.6	09575	4.6	4.6	2D	4.70		1.56	3.11	24.00			5	37	43					
373.6	379.4	09576	5.8	5.8	2D	2.40		1.48	3.41	32.00			5	9	15					
379.4	383.5	09577	4.1	4.1	2D5	2.30		1.03	1.91	26.00			5	5	11					

DDH: 87F-02 UTM-N: 8,459.7 UTM-E: 14,480.4 UTM-ELEV: 3,750.5 TOTAL DEPTH: 400.0 SECTION: 122+000  
RFE: S2 RFE DIR: 210 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DEPTH	ZENITH	AZIMUTH
0.000	160.000	45.000
100.000	160.000	46.500
200.000	160.000	54.000
300.000	163.000	57.000
400.000	161.000	51.000

DDH: 87F-02 UTM-N: 8,459.7 UTM-E: 14,480.4 UTM-ELEV: 3,750.5 TOTAL DEPTH: 400.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 210 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DEPTH	UNIT	CODE	DESC	RECOVERY	IND
12.0	0001	#	NO RECOVERY - TRICONED	0.0	1
21.0	0002	1D2		7.0	1
28.1	0003	1D0	[1CD]	5.7	1
45.8	0004	1CD2	[1D2]	17.0	1
86.5	0005	1CD8	(+/-3)	40.7	1
104.0	0006	1D2		17.5	1
113.9	0007	1D0		9.9	1
128.3	0008	1CD8	[1D8]	14.4	1
134.4	0009	1D84		6.1	1
137.7	0010	1CD8		3.3	1
168.9	0011	1CD	(=/-8)	31.2	1
171.8	0012	1D14		2.9	1
183.6	0013	1D0	(+/-8)	11.8	1
191.9	0014	1D4		8.3	1
195.3	0015	2C2		3.4	1
197.0	0016	2D4		1.7	1
203.9	0017	2G42		6.9	1
211.0	0018	2EF4		7.1	1
222.1	0019	2E4		11.1	1
224.8	0020	2H4		2.7	1
233.3	0021	2G24	(+/-7,8)	8.5	1
247.4	0022	2H4	(2F4) 85:15	14.1	1
268.2	0023	2CD		20.8	1
281.2	0024	2A		13.0	1
297.0	0025	2D4		5.8	1
300.6	0026	2H4		3.6	1
314.0	0027	2D4	(2E4) 95:5	13.4	1
335.6	0028	2A4	(+/-6)	21.6	1
340.5	0029	2B4	2C?	4.9	1
373.6	0030	2E	(2D4) (2E0) 90:3:7	33.1	1
383.5	0031	2D5	[2B4]	9.9	1
393.5	0032	1C4	[1CD4]	10.0	1
400.0	0033	1D0		6.5	1

DDH: 87F-02 UTM-N: 8,459.7 UTM-E: 14,480.4 UTM-ELEV: 3,750.5 TOTAL DEPTH: 400.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 210 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT SYMTRY	S0 ANGLE DIRECT	S1 ANGLE DIRECT	S2 ANGLE DIRECT	RFE CDE	DHDC	SDC	PROCESS
87F-02	0.0	25.0	PS2	0	0	75	210	0	1	1
87F-02	0.0	40.0	PS2	0	0	75	210	0	1	1
87F-02	0.0	67.0	PS2	0	0	75	210	0	1	1
87F-02	0.0	81.0	PS2	0	0	60	210	0	1	1
87F-02	0.0	99.0	PS2	0	0	60	210	0	1	1
87F-02	0.0	118.0	PS2	0	0	65	210	0	1	1
87F-02	0.0	135.0	PS2	0	0	60	210	0	1	1
87F-02	0.0	153.0	PS2	0	0	75	210	0	1	1
87F-02	0.0	167.0	PS2	0	0	60	210	0	1	1
87F-02	0.0	186.0	PS2	0	0	55	210	0	1	1
87F-02	0.0	196.0	PS2	0	0	90	210	0	1	1
87F-02	0.0	210.0	PS2	0	0	68	210	0	1	1
87F-02	0.0	231.0	PS2	0	0	50	210	0	1	1
87F-02	0.0	246.0	PS2	0	0	65	210	0	1	1
87F-02	0.0	261.0	PS2	0	0	55	210	0	1	1
87F-02	0.0	275.0	PS2	0	0	60	210	0	1	1
87F-02	0.0	283.0	PS2	0	0	35	210	0	1	1
87F-02	0.0	296.0	PS2	0	0	65	210	0	1	1
87F-02	0.0	311.0	PS2	0	0	55	210	0	1	1
87F-02	0.0	318.0	PS2	0	0	27	210	0	1	1
87F-02	0.0	331.0	PS2	0	0	10	210	0	1	1
87F-02	0.0	336.0	PS2	0	0	22	210	0	1	1
87F-02	0.0	347.0	PS2	0	0	55	210	0	1	1
87F-02	0.0	365.0	PS2	0	0	50	210	0	1	1
87F-02	0.0	380.0	PS2	0	0	55	210	0	1	1
87F-02	0.0	395.0	PS2	0	0	55	210	0	1	1

DDH: 87F-02 UTM-N: 8,459.7 UTM-E: 14,480.4 UTM-ELEV: 3,750.5 TOTAL DEPTH: 400.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 210 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT	REC	CD	PARLL	UPPER PLANE	INTERNAL PLANE	LOWER PLANE	DHD
87F-02	0.1	12.0	N		0		0	0	0	1
87F-02	12.0	15.0	2BP		9		0	0	0	1
87F-02	15.0	21.0	3BP		9		0	0	0	1
87F-02	21.0	27.0	3BR		9		0	0	0	1
87F-02	27.0	28.1	2B				0	0	0	1
87F-02	28.1	45.8	2BP		9		0	0	0	1
87F-02	45.8	52.2	2B				0	0	0	1
87F-02	0.0	52.6	G				0	0	0	1
87F-02	52.2	53.8	3B				0	0	0	1
87F-02	53.8	55.1	2B				0	0	0	1
87F-02	0.0	55.1	G				0	99	999	1
87F-02	55.1	61.0	3B				0	0	0	1
87F-02	61.0	61.6	G				65	100	0	1
87F-02	61.6	65.2	2B				0	0	0	1
87F-02	65.2	65.9	3B				0	0	0	1
87F-02	65.9	82.5	2BG				0	0	0	1
87F-02	82.5	86.5	3B				0	0	0	1
87F-02	86.5	91.0	2B				0	0	0	1
87F-02	91.0	93.4	2B				0	0	0	1
87F-02	93.4	93.7	G				0	0	0	1
87F-02	93.7	102.0	2B				0	0	45	175
87F-02	102.0	104.0	3BG				99	999	0	1
87F-02	104.0	104.8	2B				0	0	55	300
87F-02	0.0	104.8	G				0	0	0	1
87F-02	0.0	105.0	G				0	0	0	1
87F-02	104.8	105.5	3BG				0	0	0	1
87F-02	105.5	107.6	2B				0	0	0	1
87F-02	107.6	108.0	G				0	0	0	1
87F-02	108.0	109.0	2B				0	0	0	1
87F-02	109.0	111.0	3BG				0	0	0	1
87F-02	111.0	113.9	2B				0	0	0	1
87F-02	113.9	125.0	2BG				0	0	0	1
87F-02	125.0	126.0	3B				0	0	0	1
87F-02	126.0	128.3	2B				0	0	0	1
87F-02	0.0	128.7	G				0	0	0	1
87F-02	0.0	131.0	G				0	0	60	290
87F-02	0.0	131.8	G				0	0	0	1
87F-02	128.3	134.4	3BG				0	0	60	200
87F-02	134.4	137.7	2B				0	0	0	1
87F-02	137.7	142.5	2B				0	0	0	1
87F-02	142.5	143.7	3B				0	0	0	1
87F-02	143.7	150.2	2B				0	0	0	1
87F-02	0.0	150.2	G				0	0	0	1
87F-02	150.2	151.1	3B				0	0	60	300
87F-02	0.0	151.1	G				0	0	0	1
87F-02	151.1	164.2	2B				0	0	0	1
87F-02	0.0	164.2	G				0	0	0	1
87F-02	164.2	168.9	2B				0	0	99	999
87F-02	0.0	170.4	G				0	0	0	1
87F-02	168.9	171.8	3B				0	0	0	1
87F-02	171.0	171.8	B				0	0	0	1

DDH: 87F-02 UTM-N: 8,459.7 UTM-E: 14,480.4 UTM-ELEV: 3,750.5 TOTAL DEPTH: 400.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 210 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT	REC	CD	PARLL	UPPER PLANE	INTERNAL PLANE	LOWER PLANE	DHD			
87F-02	0.0	173.2	G				0	0	55	190	0	0	1
87F-02	171.8	175.1	2B				0	0	0	0	0	0	1
87F-02	175.1	175.7	3B				0	0	0	0	0	0	1
87F-02	175.7	183.6	2B				0	0	0	0	0	0	1
87F-02	183.6	191.9	2B				0	0	0	0	0	0	1
87F-02	191.9	195.3	2B				0	0	0	0	0	0	1
87F-02	195.7	196.0	3BG				0	0	0	0	0	0	1
87F-02	197.0	197.7	3BG				0	0	99	999	0	0	1
87F-02	197.7	203.9	2B				0	0	0	0	0	0	1
87F-02	203.9	207.5	3B				0	0	0	0	0	0	1
87F-02	207.5	211.0	2B				0	0	0	0	0	0	1
87F-02	216.0	216.8	3BG				0	0	0	0	30	280	1
87F-02	0.0	217.6	F				0	0	20	290	0	0	1
87F-02	211.0	222.1	3B				0	0	0	0	0	0	1
87F-02	223.6	224.8	3B				0	0	0	0	0	0	1
87F-02	224.8	233.3	2B				0	0	0	0	0	0	1
87F-02	238.4	239.0	2B				0	0	0	0	0	0	1
87F-02	251.5	254.0	3B				0	0	0	0	0	0	1
87F-02	254.0	256.5	2B				0	0	0	0	0	0	1
87F-02	256.5	264.0	3B				0	0	0	0	0	0	1
87F-02	264.0	265.2	2B				0	0	0	0	0	0	1
87F-02	264.0	265.2	2B			S2	0	0	0	0	0	0	1
87F-02	265.2	268.2	3B				0	0	0	0	0	0	1
87F-02	268.2	281.2	3BR				0	0	0	0	0	0	1
87F-02	286.0	292.0	2B				0	0	0	0	0	0	1
87F-02	292.0	295.5	3B				0	0	0	0	0	0	1
87F-02	300.6	304.5	2B				0	0	0	0	0	0	1
87F-02	304.5	306.0	3B				0	0	0	0	0	0	1
87F-02	306.0	319.0	2B				0	0	0	0	0	0	1
87F-02	319.0	323.5	3B				0	0	0	0	0	0	1
87F-02	323.5	340.5	2BT				0	0	0	0	0	0	1
87F-02	340.5	342.0	3B				0	0	0	0	0	0	1
87F-02	342.0	343.2	2B				0	0	0	0	0	0	1
87F-02	343.2	346.4	R				0	0	0	0	0	0	1
87F-02	346.4	354.5	3BP				0	0	0	0	0	0	1
87F-02	354.5	370.0	2BR				0	0	0	0	0	0	1
87F-02	370.0	373.0	3BR				0	0	0	0	0	0	1
87F-02	373.0	373.6	2B				0	0	0	0	0	0	1
87F-02	373.6	377.5	2B				0	0	0	0	0	0	1
87F-02	383.5	384.5	G				0	0	0	0	0	0	1
87F-02	390.0	395.7	2B				0	0	0	0	0	0	1
87F-02	395.7	396.5	GR				0	0	0	0	40	345	1
87F-02	396.5	400.0	2B				0	0	0	0	0	0	1

DDH: 87F-02 UTM-N: 8,459.7 UTM-E: 14,480.4 UTM-ELEV: 3,750.5 TOTAL DEPTH: 400.0 SECTION: 122+000  
RFE: S2 RFE DIR: 210 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	SEGMENT NOS	COND INDICATOR
87F-02	1	2
87F-02	2	2
87F-02	3	2
87F-02	4	2
87F-02	5	1



DRILL HOLE : 87F-03  
NORTHING : 8,310.6  
EASTING : 14,314.8  
ELEVATION : 3,750.3  
TOTAL DEPTH : 348.0  
SECTION : 122+000  
R.F.E. : S2  
RFE DIRECTION: 235  
PLUNGE ANGLE : 0  
PLUNGE DIRECT: 0  
DHD CALC: 1  
SS CALC: 1

## DETAIL RECORD COUNTS:

NOS ORE-SAMPLES: 13  
NOS DOWN-H-SURVEYS: 2  
NOS DOWN-H-LITHOLOGY: 28  
NOS DOWN-H-STRUCTURE: 22  
NOS DOWN-H-FAULTS: 98  
NOS DOWN-H-SPLINES: 2  
NOS COMPOSITES: 3

DDH: 87F-03 UTM-N: 8,310.6 UTM-E: 14,314.8 UTM-ELEV: 3,750.3 TOTAL DEPTH: 348.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

-----DEPTHS-----		SAMPLE NO.	INT. REC.	ROCK UNIT	S.G. PULP	-----ASSAYS-----													S.G. W.R.		
FROM	TO					Cu %	Pb %	Zn %	Ag(AA) g/mT	Ag(FA) g/mT	Au(FA) g/mT	Po %	Py %	TOT Fe	BaO %	Hg %	Mn %	As %		Ba %	
267.0	271.9	09519	4.9	4.9	2B	2.90	.23	.27	8.00				3	2	6						
271.9	276.0	09520	4.1	4.1	2D4	3.30	2.74	4.48	49.00				4	8	12						
276.0	279.6	09521	3.6	3.6	2D4	3.40	3.57	7.07	45.00				3	14	17						
279.6	282.0	09522	2.4	2.4	2C3	2.90	1.51	3.89	21.00				1	5	7						
282.0	287.0	09523	5.0	5.0	2A	2.80	1.01	1.97	23.00				1	7	8						
287.0	292.8	09524	5.8	5.8	2A	2.80	.83	1.74	19.00				3	3	7						
292.8	295.7	09525	2.9	2.9	2C3	2.80	.44	.40	11.00				4	5	9						
295.7	301.6	09526	5.9	5.9	1C14	2.80	.04	.08	2.00				2	1	3						
301.6	307.2	09527	5.6	5.6	1C14	2.80	.05	.09	2.00				3	2	5						
307.2	312.6	09528	5.4	5.4	2C3	3.00	.18	.25	4.00				3	7	10						
312.6	317.0	09529	4.4	4.4	1C14	2.80	.03	.12	2.00				4	1	5						
317.0	320.1	09530	3.1	3.1	1C14	2.40	.34	.13	6.00				4	3	8						
320.1	324.0	09531	3.9	2.9	2A	2.90	.52	1.09	14.00				3	3	6						

DDH: 87F-03 UTM-N: 8,310.6 UTM-E: 14,314.8 UTM-ELEV: 3,750.3 TOTAL DEPTH: 348.0 SECTION: 122+000  
RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DEPTH	ZENITH	AZIMUTH
0.000	180.000	0.000
326.000	178.000	2.000

DDH: 87F-03 UTM-N: 8,310.6 UTM-E: 14,314.8 UTM-ELEV: 3,750.3 TOTAL DEPTH: 348.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DEPTH	UNIT	CODE	DESC	RECOVERY	IND
12.0	0001	*	NO RECOVERY -- TRICONED	0.0	1
39.1	0002	1D2		25.9	1
73.5	0003	1CD	[1D8]	34.4	1
76.6	0004	1D2		3.1	1
80.3	0005	1D8	[1D0]	3.7	1
84.7	0006	1D2		4.4	1
115.0	0007	1D0	(8)	30.3	1
116.8	0008	GOUGE	(1D08) 50:50	1.8	1
135.4	0009	1D0	(1CD) 50:50	18.6	1
138.5	0010	1D8	(+/-3)	3.1	1
142.4	0011	1CD8	[1D8]	3.9	1
148.4	0012	1D0	(1D8) 70:30	6.0	1
174.0	0013	1CD	(+/-8)	25.6	1
190.0	0014	1D0		16.0	1
199.4	0015	1D2		9.4	1
221.0	0016	1D0	(8)	21.6	1
267.0	0017	1CD0		46.0	1
271.9	0018	2B	(1D4,2L)	4.9	1
279.6	0019	2D4	(2F4) 88:12	7.7	1
282.0	0020	2C3	(+/-5)	2.4	1
292.8	0021	2A3	(+/-4)	10.8	1
295.7	0022	2C3	(1D4,2L)	2.9	1
307.2	0023	1C14	[1D14] (+/-9)	11.5	1
312.6	0024	2C3		5.4	1
320.1	0025	1C14	[1D14]	7.5	1
324.0	0026	2A		2.9	1
327.5	0027	1D4		3.5	1
348.0	0028	1D0		20.5	1

DDH: 87F-03 UTM-N: 8,310.6 UTM-E: 14,314.8 UTM-ELEV: 3,750.3 TOTAL DEPTH: 348.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT SYMTRY	S0 ANGLE DIRECT	S1 ANGLE DIRECT	S2 ANGLE DIRECT	RFE CDE	DHDC	SDC	PROCESS
87F-03	0.0	25.0	PS2	0	0	65	235	0	1	1
87F-03	0.0	53.0	PS2	0	0	65	235	0	1	1
87F-03	0.0	71.0	PS2	0	0	65	235	0	1	1
87F-03	0.0	83.0	PS2	0	0	80	235	0	1	1
87F-03	0.0	105.0	PS2	0	0	65	235	0	1	1
87F-03	0.0	131.0	PS2	0	0	70	235	0	1	1
87F-03	0.0	141.0	PS2	0	0	75	235	0	1	1
87F-03	0.0	141.0	CSN	0	70	80	235	0	1	0
87F-03	0.0	161.0	PS2	0	0	70	235	0	1	1
87F-03	0.0	181.0	PS2	0	0	80	235	0	1	1
87F-03	0.0	194.0	PS2	0	0	60	235	0	1	1
87F-03	0.0	220.0	PS2	0	0	60	235	0	1	1
87F-03	0.0	220.0	CSN	0	55	200	235	0	1	0
87F-03	0.0	241.0	PS2	0	0	65	235	0	1	1
87F-03	0.0	253.0	PS2	0	0	89	235	0	1	1
87F-03	0.0	271.0	PS2	0	0	75	235	0	1	1
87F-03	0.0	291.0	PS2	0	0	73	235	0	1	1
87F-03	0.0	300.0	PS2	0	0	68	235	0	1	1
87F-03	0.0	300.0	CSN	0	70	200	235	0	1	0
87F-03	0.0	316.0	PS2	0	0	65	235	0	1	1
87F-03	0.0	316.0	CSN	0	35	30	235	0	1	0
87F-03	0.0	335.0	PS2	0	0	50	235	0	1	1

DDH: 87F-03 UTM-N: 8,310.6 UTM-E: 14,314.8 UTM-ELEV: 3,750.3 TOTAL DEPTH: 348.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT	REC	CD	PARLL	UPPER PLANE	INTERNAL PLANE	LOWER PLANE	DHD			
87F-03	0.1	12.0	N		0		0	0	0	0	1		
87F-03	12.0	12.5	R				0	0	0	0	1		
87F-03	12.5	16.0	3BP	7			0	0	0	0	1		
87F-03	16.0	21.0	2BP	5			0	0	0	0	1		
87F-03	21.0	26.0	2BP	5			0	0	0	0	1		
87F-03	26.0	30.0	2BP	8			0	0	0	0	1		
87F-03	37.7	38.4	GR				0	0	0	0	1		
87F-03	30.0	39.1	2BP	5			0	0	0	0	1		
87F-03	39.1	46.0	2BR				0	0	0	0	1		
87F-03	0.0	62.2	G				0	0	99	999	1		
87F-03	46.0	73.5					0	0	0	0	1		
87F-03	73.5	76.0	1B				0	0	0	0	1		
87F-03	76.0	77.0	G(F				0	0	0	99	999	1	
87F-03	77.0	84.7	2B				0	0	0	0	1		
87F-03	84.7	95.3	1B				0	0	0	0	1		
87F-03	95.3	96.0	3BG				55	90	0	0	1		
87F-03	96.0	104.0	2BG				0	0	99	999	1		
87F-03	104.0	107.8	1B				0	0	0	0	1		
87F-03	0.0	107.8	G				45	265	0	0	1		
87F-03	107.8	113.1	2BG				0	0	0	0	1		
87F-03	113.1	115.0	3B				0	0	0	0	1		
87F-03	115.0	116.8	G				55	255	0	0	45	90	1
87F-03	116.8	126.0	2B				0	0	0	0	0	1	
87F-03	126.0	135.4	1B				0	0	0	0	0	1	
87F-03	135.4	138.5	1BR				0	0	0	0	0	1	
87F-03	138.5	142.4	1B				0	0	0	0	0	1	
87F-03	142.4	148.4					0	0	0	0	0	1	
87F-03	148.4	151.0	1B				0	0	0	0	0	1	
87F-03	151.0	156.0	2BR				0	0	0	0	0	1	
87F-03	156.0	157.0	1B				0	0	0	0	0	1	
87F-03	157.0	163.0	1B				0	0	0	0	0	1	
87F-03	163.0	163.4	R				0	0	0	0	0	1	
87F-03	163.4	164.4	1B				0	0	0	0	0	1	
87F-03	164.4	165.0	3B				0	0	0	0	0	1	
87F-03	165.0	166.0	1B				0	0	0	0	0	1	
87F-03	166.0	166.2	G				0	0	0	0	0	1	
87F-03	166.2	174.0	1B				0	0	0	0	0	1	
87F-03	0.0	174.0	G				99	999	0	0	0	1	
87F-03	174.6	176.0	2B				0	0	0	0	0	1	
87F-03	176.0	181.5	1B				0	0	0	0	0	1	
87F-03	181.5	181.8	R				0	0	0	0	0	1	
87F-03	181.8	189.5	1B				0	0	0	0	0	1	
87F-03	189.5	190.4	G				0	0	0	0	0	1	
87F-03	190.4	192.5	3B				0	0	0	0	0	1	
87F-03	192.5	194.3	2B				0	0	0	0	0	1	
87F-03	194.3	197.7	3B				0	0	0	0	0	1	
87F-03	197.7	199.4					0	0	0	0	0	1	
87F-03	199.4	206.7	1B				0	0	0	0	0	1	
87F-03	206.7	206.9	3BG				40	180	0	0	40	180	1
87F-03	206.9	210.8	2B				0	0	0	0	0	1	
87F-03	210.8	211.8	G				99	999	0	0	99	999	1

DDH: 87F-03 UTM-N: 8,310.6 UTM-E: 14,314.8 UTM-ELEV: 3,750.3 TOTAL DEPTH: 348.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT REC CD	PARLL	UPPER PLANE	INTERNAL PLANE	LOWER PLANE	DHD	
87F-03	211.8	221.0	1B		0	0	0	1	
87F-03	221.0	223.8	3B		0	0	0	1	
87F-03	0.0	223.8	G		0	50	350	1	
87F-03	223.8	225.2			0	0	0	1	
87F-03	225.2	229.3	1B		0	0	0	1	
87F-03	0.0	229.3	G		0	28	350	1	
87F-03	229.3	231.5	1B		0	0	0	1	
87F-03	0.0	231.5	G		0	99	999	1	
87F-03	231.5	232.0	3B		0	0	0	1	
87F-03	0.0	232.0	G		0	99	999	1	
87F-03	232.0	234.0	3B		0	0	0	1	
87F-03	0.0	234.0	G		0	0	60	135	1
87F-03	234.0	234.6	3B		0	0	0	0	1
87F-03	0.0	234.6	G		0	0	50	130	1
87F-03	234.6	236.4	3B		0	0	0	0	1
87F-03	0.0	236.4	G		0	0	50	200	1
87F-03	236.4	241.0	1B		0	0	0	0	1
87F-03	241.0	243.4	3BR		0	0	0	0	1
87F-03	243.4	253.3	2B		0	0	0	0	1
87F-03	253.3	254.2	3BG		0	50	345	0	1
87F-03	254.2	267.0	2BG		0	0	0	0	1
87F-03	267.0	271.9	2B		0	0	0	0	1
87F-03	271.9	279.6	3BR		0	0	0	0	1
87F-03	279.6	284.4	3B		0	0	0	0	1
87F-03	284.4	289.0	R		0	0	0	0	1
87F-03	289.0	292.0	3B		0	0	0	0	1
87F-03	0.0	292.0	G		0	35	0	0	1
87F-03	292.0	294.5	3B		0	0	0	0	1
87F-03	0.0	294.5	G		0	40	345	0	1
87F-03	294.5	295.7	3B		0	0	0	0	1
87F-03	295.7	298.7	2B		0	0	0	0	1
87F-03	298.7	299.4	3B		0	0	0	0	1
87F-03	299.4	307.2	2B		0	0	0	0	1
87F-03	307.2	318.2	1B		0	0	0	0	1
87F-03	318.2	318.8	3B		0	0	0	0	1
87F-03	0.0	318.8	G		0	99	999	0	1
87F-03	318.8	322.0	3B		0	0	0	0	1
87F-03	322.0	324.0	GP	5	99	999	0	0	1
87F-03	324.0	325.4	2B		0	0	0	0	1
87F-03	0.0	325.4	G		0	99	999	0	1
87F-03	325.4	338.4	2B		0	0	0	0	1
87F-03	338.4	338.4	3B		0	0	0	0	1
87F-03	0.0	338.4	G		0	25	330	0	1
87F-03	338.4	339.0	3B		0	0	0	0	1
87F-03	0.0	339.0	G		0	0	0	0	1
87F-03	339.0	341.0	3B		0	0	0	0	1
87F-03	341.0	348.0	2B		0	0	0	0	1

DDH: 87F-03 UTM-N: 8,310.6 UTM-E: 14,314.8 UTM-ELEV: 3,750.3 TOTAL DEPTH: 348.0 SECTION: 122+000  
RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH SEGMENT NOS COND INDICATOR

87F-03	1	2
87F-03	2	1

DDH: 87F-03 UTM-N: 8,310.6 UTM-E: 14,314.8 UTM-ELEV: 3,750.3 TOTAL DEPTH: 348.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

FROM	TO	INT.	ROCK CODE	S.G.	CU	PB	ZN	AG(AA)	AG(FA)	AU(FA)	PO	PY	TOT	BA0	HG	MN	AS	BA	S.G.
------	----	------	-----------	------	----	----	----	--------	--------	--------	----	----	-----	-----	----	----	----	----	------

DATE: 27JAN88 TIME: 10:59:27 CUT OFF GRADE: .000

267.0	282.0	15.0	2BCD	3.12			1.92	3.63	30.16				3	7	10				
282.0	295.7	13.7	2AC	2.80			.81	1.54	18.76				2	5	8				
295.7	324.0	28.3	1C14 2AC	2.80			.16	.26	4.47				3	3	6				

DRILL HOLE : 87F-04  
NORTHING : 8,466.4  
EASTING : 14,464.1  
ELEVATION : 3,748.4  
TOTAL DEPTH : 495.0  
SECTION : 122+000  
R.F.E. : S2  
RFE DIRECTION: 235  
PLUNGE ANGLE : 0  
PLUNGE DIRECT: 0  
DHD CALC: 1  
SS CALC: 1

## DETAIL RECORD COUNTS:

NOS ORE-SAMPLES: 50  
NOS DOWN-H-SURVEYS: 2  
NOS DOWN-H-LITHOLOGY: 46  
NOS DOWN-H-STRUCTURE: 32  
NOS DOWN-H-FAULTS: 162  
NOS DOWN-H-SPLINES: 2  
NOS COMPOSITES: 9

DDH: 87F-04 UTM-N: 8,466.4 UTM-E: 14,464.1 UTM-ELEV: 3,748.4 TOTAL DEPTH: 495.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

---DEPTHS---		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	ASSAYS													S.G. W.R.
FROM	TO						Cu %	Pb %	Zn %	Ag(AA) g/mT	Ag(FA) g/mT	Au(FA) g/mT	Po %	Py %	TOT Fe	BaO %	Hg %	Mn %	As %	
219.5	222.0	09578	2.5	2.5	2B	3.10	.16	.55	11.00				4	12	16					
222.0	226.1	09579	4.1	4.1	2D4	3.20	2.84	7.70	37.00				2	9	12					
226.1	231.0	09580	4.9	4.9	2F468	4.60	5.37	6.01	87.00				5	27	32					
231.0	236.0	09581	5.0	5.0	2F468	4.70	7.04	5.58	111.00				7	19	27					
236.0	241.0	09582	5.0	5.0	2F468	4.70	7.85	6.95	97.00				6	20	26					
241.0	246.0	09583	5.0	5.0	2F468	4.50	7.87	6.92	89.00				6	19	25					
246.0	251.0	09584	5.0	5.0	2F468	3.10	7.57	6.39	97.00				6	21	27					
251.0	254.6	09585	3.6	3.6	2F468	4.70	8.28	6.78	111.00				6	18	25					
254.6	258.5	09586	3.9	3.9	2F468	4.70	7.57	6.52	105.00				5	21	27					
258.5	262.0	09587	3.5	3.5	2H4	4.50	6.09	5.60	103.00				21	12	34					
262.0	266.3	09588	4.3	4.3	2C	2.60	1.29	3.40	25.00				5	9	15					
266.3	269.3	09589	3.0	3.0	2C	2.90	.44	1.50	12.00				2	37	39					
269.3	273.8	09590	4.5	4.5	2D	3.30	4.37	8.94	81.00				6	7	13					
273.8	278.4	09591	4.6	4.6	2D	3.20	2.31	3.95	44.00				5	7	13					
278.4	281.0	09592	2.6	2.6	1D12	2.90	.88	.86	20.00				3	3	6					
281.0	286.4	09593	5.4	5.4	2B	3.10	1.02	1.20	20.00				6	3	9					
286.4	291.7	09594	5.3	5.3	2H4	4.60	8.48	8.89	128.00				24	6	31					
291.7	297.5	09595	5.8	5.8	2F47	4.50	7.64	6.18	131.00				7	18	26					
297.5	301.0	09596	3.5	3.5	2H4	4.50	7.38	6.30	117.00				27	6	34					
301.0	304.2	09597	3.2	3.2	2H4	3.20	7.86	6.50	123.00				22	9	31					
304.2	308.0	09598	3.8	3.8	2E4	4.20	5.70	5.05	87.00				15	20	36					
308.0	311.0	09599	3.0	3.0	2E4	4.30	8.75	9.09	123.00				15	15	31					
311.0	315.0	09600	4.0	4.0	2D4	3.00	3.09	4.58	43.00				4	4	8					
315.0	321.0	09601	6.0	6.0	2D4	4.60	3.37	8.95	46.00				6	9	15					
321.0	325.5	09602	4.5	4.5	2H4	2.60	9.03	11.20	119.00				16	16	32					
325.5	331.0	09603	5.5	5.5	2H4	4.40	2.69	2.28	42.00				20	23	43					
331.0	336.0	09604	5.0	5.0	2H4	4.40	4.53	6.52	61.00				28	14	42					
336.0	341.5	09605	5.5	5.5	2H4	4.70	2.92	4.33	42.00				19	25	44					
341.5	343.5	09606	2.0	2.0	2D4	3.40	5.08	7.71	65.00				9	10	19					
343.5	345.5	09607	2.0	2.0	2E47	2.60	5.94	7.16	81.00				14	23	37					
345.5	349.5	09608	4.0	3.3	2E8	4.70	1.40	1.45	18.00				6	37	44					
349.5	353.1	09609	3.6	2.5	2E0	4.70	2.98	2.54	26.00				1	41	43					
353.1	358.0	09610	4.9	2.5	2E0	3.40	1.86	2.46	22.00				1	42	44					
358.0	361.0	09611	3.0	3.0	2E08	4.70	2.28	1.72	20.00				2	41	44					
361.0	365.4	09612	4.4	4.4	2E08	4.70	6.14	10.20	51.00				1	34	36					
365.4	370.9	09613	5.5	5.5	2E08	4.70	3.95	5.00	38.00				1	37	39					
372.5	376.0	09614	3.5	3.5	2E4	2.60	3.61	4.41	32.00				2	38	40					
376.0	380.0	09615	4.0	4.0	2E4	4.70	2.58	2.72	23.00				2	40	43					
380.0	383.2	09616	3.2	3.2	2E4	4.70	4.07	6.10	43.00				5	34	40					
383.2	387.5	09617	4.3	4.3	2E4	4.70	3.31	4.74	33.00				5	36	42					
387.5	392.0	09618	4.5	4.5	2H4	4.40	2.98	2.62	43.00				19	25	45					
392.0	395.0	09619	3.0	3.0	2E4	2.60	2.67	3.71	39.00				3	38	42					
395.0	396.7	09620	1.7	1.7	2E3	4.20	3.46	5.76	51.00				14	23	37					
418.5	421.9	09621	3.4	3.4	2H4	4.40	3.98	6.38	55.00				21	19	41					
421.9	425.2	09622	3.3	3.3	2C	2.60	1.17	3.70	97.00				6	6	12					
425.2	428.4	09623	3.2	3.2	2C	2.60	.61	1.58	15.00				5	6	11					
428.4	433.7	09624	5.3	5.3	2A	2.70	.93	2.23	14.00				1	1	3					
433.7	439.0	09625	5.3	5.3	2A	2.60	1.50	2.34	22.00				1	1	2					

DDH: 87F-04 UTM-N: 8,466.4 UTM-E: 14,464.1 UTM-ELEV: 3,748.4 TOTAL DEPTH: 495.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

-----DEPTHS-----				-----ASSAYS-----																	
FROM	TO	SAMPLE NO.	INT. REC. UNIT	ROCK UNIT	S.G. PULP	Cu %	Pb %	Zn %	Ag(AA) g/mT	Ag(FA) g/mT	Au(FA) g/mT	Po %	Py %	TOT Fe	BaO %	Hg %	Mn %	As %	Ba %	S.G. W.R.	
439.0	444.2	09626	5.2	5.2 2A	2.90		1.81	1.21	14.00				2	3	6						
444.2	450.2	09627	6.0	6.0 2B	2.80		.82	.83	22.00				2	2	4						

DDH: 87F-04 UTM-N: 8,466.4 UTM-E: 14,464.1 UTM-ELEV: 3,748.4 TOTAL DEPTH: 495.0 SECTION: 122+000  
RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DEPTH	ZENITH	AZIMUTH
0.000	130.000	45.000
488.000	144.000	55.000

DDH: 87F-04 UTM-N: 8,466.4 UTM-E: 14,464.1 UTM-ELEV: 3,748.4 TOTAL DEPTH: 495.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DEPTH	UNIT	CODE	DESC	RECOVERY	IND
36.0	0001	*	TRICONED-NO RECOVERY	0.0	1
49.1	0002	1D2	[1CD2]	10.0	1
57.5	0003	GOUGE	(1D) (10Q) 60:40	4.0	1
73.2	0004	1D8		15.7	1
99.0	0005	1CD0	(+/-8)	23.8	1
117.0	0006	1D2		18.0	1
125.3	0007	1CD2		8.3	1
131.4	0008	1CD8		6.1	1
133.6	0009	1F48	(1CD8) 60:40	2.2	1
161.6	0010	1D8	[1CD8]	28.0	1
178.8	0011	1CD	(BXA) 80:20	7.2	1
200.2	0012	1D8		21.4	1
208.0	0013	1CD		7.8	1
216.7	0014	1D8	[1CD8]	8.7	1
219.5	0015	1D149		2.8	1
222.0	0016	2B	(3 MINOR)	2.5	1
226.1	0017	2D4		4.1	1
258.5	0018	2F468	BRECCIA [2G248]	32.4	1
262.0	0019	2H4	(+8)?	3.5	1
269.3	0020	2C	BRECCIA (+/-4)	7.3	1
278.4	0021	2D	(2B) 90:10	9.1	1
281.0	0022	1D12		2.6	1
286.4	0023	2B		5.4	1
291.7	0024	2H4	BXA (1D149) (2B) 95:4:1	5.3	1
297.5	0025	2F47		5.8	1
304.2	0026	2H4	(2H64) 60:40	6.7	1
311.0	0027	2E4	BXA (2H4) 90:10	6.8	1
321.0	0028	2D4	(2H4) 95:5	10.0	1
341.5	0029	2H4	BXA (2E) (1D14) 90:8:2	20.5	1
343.5	0030	2D4	-	2.0	1
345.5	0031	2E47		2.0	1
349.5	0032	2E8		3.3	1
358.0	0033	2E0	(2F) 95:5	4.5	1
370.9	0034	2E08	(2F4) 90:10	11.9	1
372.5	0035	10E9		1.6	1
387.5	0036	2E4	(7)	15.0	1
392.0	0037	2H4	BXA (2E(4)) 80:20	4.5	1
395.0	0038	2E4		3.0	1
396.7	0039	2E3		1.7	1
418.5	0040	10E9	(2E3) 98:2	21.8	1
421.9	0041	2H4	BXA (2E34) 70:30	2.4	1
428.4	0042	2C	(2D4) 90:10	6.5	1
444.2	0043	2A		15.8	1
450.2	0044	2B	(1D14) (10Q+/-9) 75:15:10	6.0	1
460.4	0045	1D4	(1D14) 80:20	10.2	1
495.0	0046	1D4		24.6	1

DDH: 87F-04 UTM-N: 8,466.4 UTM-E: 14,464.1 UTM-ELEV: 3,748.4 TOTAL DEPTH: 495.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT	SYMTRY	S0 ANGLE	DIRECT	S1 ANGLE	DIRECT	S2 ANGLE	DIRECT	RFE	CDE	DHDC	SDC	PROCESS
87F-04	0.0	46.0	PS2		0	0	0	0	56	235	0		1	1	1
87F-04	0.0	67.0	PS2		0	0	0	0	30	235	0		1	1	1
87F-04	0.0	86.0	PS2		0	0	0	0	50	235	0		1	1	1
87F-04	0.0	110.0	PS2		0	0	0	0	60	235	0		1	1	1
87F-04	0.0	128.0	CSN	S	0	0	85	20	0	0	0		1	0	0
87F-04	0.0	128.0	PS2		0	0	0	0	65	235	0		1	1	1
87F-04	0.0	151.0	PS2		0	0	0	0	60	235	0		1	1	1
87F-04	0.0	165.0	CSN	S	0	0	75	20	0	0	0		1	0	0
87F-04	0.0	165.0	PS2		0	0	0	0	35	235	0		1	1	1
87F-04	0.0	183.0			0	0	0	0	55	235	0		1	1	1
87F-04	0.0	207.0	CSN	S	0	0	70	190	0	0	0		1	0	0
87F-04	0.0	207.0	PS2		0	0	0	0	70	235	0		1	1	1
87F-04	0.0	216.0	PS2		0	0	0	0	70	235	0		1	1	1
87F-04	0.0	220.0	PS2		0	0	0	0	60	235	0		1	1	1
87F-04	0.0	239.0	PS2		0	0	0	0	45	235	0		1	1	1
87F-04	0.0	262.0	PS2		0	0	0	0	40	235	0		1	1	1
87F-04	0.0	267.0	PS2		0	0	0	0	35	235	0		1	1	1
87F-04	0.0	271.0	PS2		0	0	0	0	15	235	0		1	1	1
87F-04	0.0	280.0	PS2		0	0	0	0	45	235	0		1	1	1
87F-04	0.0	284.0	PS2		0	0	0	0	23	235	0		1	1	1
87F-04	0.0	296.0	PS2		0	0	0	0	75	235	0		1	1	1
87F-04	0.0	313.0	PS2		0	0	0	0	55	235	0		1	1	1
87F-04	0.0	332.0	PS2		0	0	0	0	30	235	0		1	1	1
87F-04	0.0	345.0	PS2		0	0	0	0	45	235	0		1	1	1
87F-04	0.0	353.0	PS2		0	0	0	0	45	235	0		1	1	1
87F-04	0.0	377.0	PS2		0	0	0	0	40	235	0		1	1	1
87F-04	0.0	422.0	PS2		0	0	0	0	30	235	0		1	1	1
87F-04	0.0	430.0	PS2		0	0	0	0	60	235	0		1	1	1
87F-04	0.0	442.0	CSN	S	0	0	75	120	0	0	0		1	0	0
87F-04	0.0	450.0	PS2		0	0	0	0	60	235	0		1	1	1
87F-04	0.0	474.0	PS2		0	0	0	0	55	235	0		1	1	1
87F-04	0.0	492.0	PS2		0	0	0	0	65	235	0		1	1	1

DDH: 87F-04 UTM-N: 8,466.4 UTM-E: 14,464.1 UTM-ELEV: 3,748.4 TOTAL DEPTH: 495.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT	REC	CD	PARLL	UPPER PLANE	INTERNAL PLANE	LOWER PLANE	DHD		
87F-04	0.1	36.0	N		0		0	0	0	0	1	
87F-04	36.0	38.5	3BP		7		0	0	0	0	1	
87F-04	0.0	38.5	R				0	0	0	0	1	
87F-04	38.5	41.6	3BP		7		0	0	0	0	1	
87F-04	0.0	41.6	RIG				0	0	0	0	1	
87F-04	41.6	47.0	3BP		7		0	0	0	0	1	
87F-04	0.0	47.0	T				0	0	0	0	1	
87F-04	47.0	49.1	3BP		7		0	0	0	0	1	
87F-04	49.1	57.5	GP				82	90	0	0	1	
87F-04	57.5	63.4	2B				0	0	0	0	1	
87F-04	0.0	63.4	R				0	0	0	0	1	
87F-04	63.4	68.0	2B				0	0	0	0	1	
87F-04	68.0	70.6	3B				0	0	0	0	1	
87F-04	70.6	73.2	2B				0	0	0	0	1	
87F-04	73.2	77.0	3B				0	0	0	0	1	
87F-04	77.0	97.3	2B				0	0	0	0	1	
87F-04	0.0	97.3	G				35	90	0	0	1	
87F-04	97.3	103.2	2B				0	0	0	0	1	
87F-04	103.2	103.7	3B				0	0	0	0	1	
87F-04	103.7	105.0	2B				0	0	0	0	1	
87F-04	0.0	105.0	G?				0	0	0	0	1	
87F-04	105.0	111.0	2B				0	0	0	0	1	
87F-04	111.0	111.7	3B				0	0	0	0	1	
87F-04	0.0	111.7	G				0	0	99	999	1	
87F-04	111.7	112.7	3B				0	0	0	0	1	
87F-04	0.0	112.7	G				0	0	99	999	1	
87F-04	112.7	114.6	3B				0	0	0	0	1	
87F-04	114.6	114.9	G				0	0	99	999	1	
87F-04	114.9	115.2	3B				0	0	0	0	1	
87F-04	115.2	115.4	G				0	0	99	999	1	
87F-04	115.4	117.0	3BR				0	0	0	0	1	
87F-04	117.0	118.6	3BT				0	0	0	0	1	
87F-04	118.6	123.9	2B				0	0	0	0	1	
87F-04	0.0	123.9	R				0	0	0	0	1	
87F-04	123.9	125.3	2B				0	0	0	0	1	
87F-04	125.3	126.0	T				0	0	0	0	1	
87F-04	126.0	126.9	GO				0	0	0	99	999	1
87F-04	126.9	129.7	2B				0	0	0	0	1	
87F-04	129.7	131.4	3B				0	0	0	0	1	
87F-04	131.4	133.6					0	0	0	0	1	
87F-04	133.6	135.0	2B				0	0	0	0	1	
87F-04	0.0	135.0	G				0	0	99	999	1	
87F-04	135.0	136.0	3B				0	0	0	0	1	
87F-04	136.0	139.6	1BG				0	0	0	0	1	
87F-04	139.6	141.3	2B				0	0	0	0	1	
87F-04	0.0	141.3	G				0	0	55	155	1	
87F-04	141.3	144.5	2B				0	0	0	0	1	
87F-04	144.5	145.0	G				0	0	99	999	1	
87F-04	145.0	146.0	2B				0	0	0	0	1	
87F-04	0.0	146.0	G				0	0	0	0	1	
87F-04	146.0	146.7	2B				0	0	0	0	1	

DDH: 87F-04 UTM-N: 8,466.4 UTM-E: 14,464.1 UTM-ELEV: 3,748.4 TOTAL DEPTH: 495.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT REC CD	PARLL	UPPER PLANE	INTERNAL PLANE	LOWER PLANE	DHD
87F-04	0.0	146.7	G		99	999	0 0	65 285 1
87F-04	146.7	154.5	2B		0	0	0 0	0 0 1
87F-04	154.5	157.0	3B		0	0	0 0	0 0 1
87F-04	157.0	158.7	2B		0	0	0 0	0 0 1
87F-04	0.0	158.7	G		45	110	0 0	55 110 1
87F-04	158.7	161.0	2B		0	0	0 0	0 0 1
87F-04	161.0	166.0	3B		0	0	0 0	0 0 1
87F-04	166.0	174.5			0	0	0 0	0 0 1
87F-04	174.5	175.5	XG		0	0	0 0	0 0 1
87F-04	0.0	175.5	G		0	0	0 0	0 0 1
87F-04	175.5	176.5	XG		0	0	0 0	0 0 1
87F-04	176.5	183.7	2B		0	0	0 0	0 0 1
87F-04	0.0	183.7	G		0	0	0 0	0 0 1
87F-04	183.7	184.6	2BG		0	0	0 0	0 0 1
87F-04	184.6	185.6	3B		0	0	0 0	0 0 1
87F-04	185.6	186.0	G		0	0	0 0	0 0 1
87F-04	186.0	187.0	2B		0	0	0 0	0 0 1
87F-04	0.0	187.0	G		0	0	99 999	0 0 1
87F-04	0.0	187.6	G		0	0	99 999	0 0 1
87F-04	187.6	189.0	2B		0	0	0 0	0 0 1
87F-04	189.0	198.4	1B		0	0	0 0	0 0 1
87F-04	0.0	198.4	G		0	0	0 0	20 135 1
87F-04	198.4	199.8	1B		0	0	0 0	0 0 1
87F-04	0.0	199.8	G		0	0	99 999	0 0 1
87F-04	199.8	200.2	1B		0	0	0 0	0 0 1
87F-04	200.2	201.5	3BG		0	0	99 999	0 0 1
87F-04	201.5	205.5	1B		0	0	0 0	0 0 1
87F-04	205.5	208.0	2B		0	0	0 0	0 0 1
87F-04	208.0	209.3	1B		0	0	0 0	0 0 1
87F-04	209.3	210.0	3BT		0	0	0 0	0 0 1
87F-04	210.0	215.8	2B		0	0	0 0	0 0 1
87F-04	0.0	215.8	G		0	0	65 150	0 0 1
87F-04	215.8	226.1	2B		0	0	0 0	0 0 1
87F-04	226.1	227.0	R		0	0	0 0	0 0 1
87F-04	227.0	229.0	1B		0	0	0 0	0 0 1
87F-04	229.0	230.6	3B		0	0	0 0	0 0 1
87F-04	230.6	241.0			0	0	0 0	0 0 1
87F-04	241.0	245.0	2B		0	0	0 0	0 0 1
87F-04	245.0	246.1	3BX		0	0	0 0	0 0 1
87F-04	246.1	254.0	2B		0	0	0 0	0 0 1
87F-04	0.0	254.0	S		0	0	21 300	0 0 1
87F-04	254.0	258.5	2B		0	0	0 0	0 0 1
87F-04	258.5	260.7	1B		0	0	0 0	0 0 1
87F-04	260.7	262.0	3BR		0	0	0 0	0 0 1
87F-04	262.0	262.2	X		0	0	0 0	0 0 1
87F-04	262.2	263.8	3BX		0	0	0 0	0 0 1
87F-04	263.8	267.0	2B		0	0	0 0	0 0 1
87F-04	267.0	269.0	3B		0	0	0 0	0 0 1
87F-04	0.0	269.0	G		0	0	99 999	0 0 1
87F-04	269.0	269.3	3B		0	0	0 0	0 0 1
87F-04	269.3	274.0	2B		0	0	0 0	0 0 1

DDH: 87F-04 UTM-N: 8,466.4 UTM-E: 14,464.1 UTM-ELEV: 3,748.4 TOTAL DEPTH: 495.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT	REC	CD	PARLL	UPPER PLANE	INTERNAL PLANE	LOWER PLANE	DHD			
87F-04	274.0	274.5	3B				0	0	0	0	1		
87F-04	274.5	278.4	2B				0	0	0	0	1		
87F-04	278.4	281.0	1B				0	0	0	0	1		
87F-04	0.0	281.0	S				27	85	0	0	38	85	1
87F-04	281.0	286.4	2B				0	0	0	0	0	0	1
87F-04	286.4	304.2	1B				0	0	0	0	0	0	1
87F-04	304.2	306.0	3BR				0	0	0	0	0	0	1
87F-04	306.0	309.0	3B				0	0	0	0	0	0	1
87F-04	309.0	309.5	R				0	0	0	0	0	0	1
87F-04	309.0	310.0	3B				0	0	0	0	0	0	1
87F-04	310.0	321.0					0	0	0	0	0	0	1
87F-04	321.0	325.0	2B				0	0	0	0	0	0	1
87F-04	325.0	326.0	3BR				0	0	0	0	0	0	1
87F-04	326.0	330.0	1B				0	0	0	0	0	0	1
87F-04	330.0	331.0	3B				0	0	0	0	0	0	1
87F-04	331.0	332.2	2B				0	0	0	0	0	0	1
87F-04	332.2	341.5	1B				0	0	0	0	0	0	1
87F-04	341.5	345.5	3B				0	0	0	0	0	0	1
87F-04	345.5	349.5	3BP	8			0	0	0	0	0	0	1
87F-04	349.5	358.0	3BP	5			0	0	0	0	0	0	1
87F-04	358.0	364.2	3B				0	0	0	0	0	0	1
87F-04	364.2	368.7	RP	8			0	0	0	0	0	0	1
87F-04	368.7	370.9	3BR				0	0	0	0	0	0	1
87F-04	370.9	372.5	1B				0	0	0	0	0	0	1
87F-04	372.5	387.5	3BR				0	0	0	0	0	0	1
87F-04	387.5	392.0	1B				0	0	0	0	0	0	1
87F-04	392.0	394.0	3B				0	0	0	0	0	0	1
87F-04	394.0	395.0	R				0	0	0	0	0	0	1
87F-04	395.0	396.7	1B				0	0	0	0	0	0	1
87F-04	396.7	398.4	2B				0	0	0	0	0	0	1
87F-04	398.4	399.7	3B				0	0	0	0	0	0	1
87F-04	399.7	403.8	2B				0	0	0	0	0	0	1
87F-04	403.8	407.2	3BP	5			0	0	0	0	0	0	1
87F-04	407.2	410.0	2B				0	0	0	0	0	0	1
87F-04	410.0	411.0	3BR				0	0	0	0	0	0	1
87F-04	411.0	413.0	1B				0	0	0	0	0	0	1
87F-04	413.0	414.5	3B				0	0	0	0	0	0	1
87F-04	414.5	421.9	1B				0	0	0	0	0	0	1
87F-04	421.9	428.4					0	0	0	0	0	0	1
87F-04	428.4	429.0	2B				0	0	0	0	0	0	1
87F-04	429.0	429.7	GX				0	0	0	0	37	280	1
87F-04	429.7	442.0	2B				0	0	0	0	0	0	1
87F-04	442.0	444.2	3B				0	0	0	0	0	0	1
87F-04	444.2	446.0	2B				0	0	0	0	0	0	1
87F-04	446.0	448.1	3BT				0	0	0	0	0	0	1
87F-04	448.1	453.4	2B				0	0	0	0	0	0	1
87F-04	453.4	456.0	3B				0	0	0	0	0	0	1
87F-04	456.0	460.4	2B				0	0	0	0	0	0	1
87F-04	460.4	464.6	1B				0	0	0	0	0	0	1
87F-04	464.6	468.7	2BG				0	0	0	0	0	0	1
87F-04	0.0	468.7	G				0	0	32	300	0	0	1

DDH: 87F-04 UTM-N: 8,466.4 UTM-E: 14,464.1 UTM-ELEV: 3,748.4 TOTAL DEPTH: 495.0 SECTION: 122+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT REC CD	PARLL	UPPER PLANE	INTERNAL PLANE	LOWER PLANE	DHD
87F-04	468.7	470.0	2B		0	0	0	1
87F-04	0.0	470.0	G		0	50	190	1
87F-04	470.0	471.0	2B		0	0	0	1
87F-04	0.0	471.0	G		0	42	120	1
87F-04	471.0	480.7	2BG		0	0	0	1
87F-04	480.7	481.5	3B		0	0	0	1
87F-04	0.0	481.5	G		0	99	999	1
87F-04	481.5	483.0	3B		0	0	0	1
87F-04	483.0	495.0	2BG		0	0	0	1

DDH: 87F-04 UTM-N: 8,466.4 UTM-E: 14,464.1 UTM-ELEV: 3,748.4 TOTAL DEPTH: 495.0 SECTION: 122+000  
RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH SEGMENT NOS COND INDICATOR

87F-04	1	2
87F-04	2	1



DRILL HOLE : 87F-05  
NORTHING : 9,109.4  
EASTING : 13,889.7  
ELEVATION : 3,630.4  
TOTAL DEPTH : 291.0  
SECTION : 19+000  
R.F.E. : S2  
RFE DIRECTION: 235  
PLUNGE ANGLE : 0  
PLUNGE DIRECT: 0  
DHD CALC: 1  
SS CALC: 1

## DETAIL RECORD COUNTS:

NOS ORE-SAMPLES: 0  
NOS DOWN-H-SURVEYS: 3  
NOS DOWN-H-LITHOLOGY: 14  
NOS DOWN-H-STRUCTURE: 9  
NOS DOWN-H-FAULTS: 62  
NOS DOWN-H-SPLINES: 3  
NOS COMPOSITES: 0

DDH: 87F-05 UTM-N: 9,109.4 UTM-E: 13,889.7 UTM-ELEV: 3,630.4 TOTAL DEPTH: 291.0 SECTION: 19+000  
RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DEPTH	ZENITH	AZIMUTH
0.000	130.000	135.000
179.000	141.000	128.000
279.000	145.500	127.000

DDH: 87F-05 UTM-N: 9,109.4 UTM-E: 13,889.7 UTM-ELEV: 3,630.4 TOTAL DEPTH: 291.0 SECTION: 19+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DEPTH	UNIT	CODE	DESC	RECOVERY	IND
22.0	0001	*	TRICONED NO RECOVERY	0.0	1
28.8	0002	1D12		2.5	1
31.5	0003	10E99		2.7	1
35.0	0004	GOUGE	[10E99]?	2.0	1
54.0	0005	10E0		19.0	1
86.6	0006	10E0	(10E9) 85:15	32.1	1
101.8	0007	10E9		15.2	1
121.0	0008	10E0		19.2	1
122.8	0009	GOUGE		1.8	1
141.8	0010	10E	(10E9) 60:40	19.0	1
154.0	0011	1D0	(GOUGE) (10Q) 80:10:10	12.2	1
164.4	0012	10E99	(GOUGE) 80:20	9.9	1
209.7	0013	1D0		45.3	1
291.0	0014	1CD		81.3	1

DDH: 87F-05 UTM-N: 9,109.4 UTM-E: 13,889.7 UTM-ELEV: 3,630.4 TOTAL DEPTH: 291.0 SECTION: 19+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT SYMTRY	S0 ANGLE DIRECT	S1 ANGLE DIRECT	S2 ANGLE DIRECT	RFE CDE	DHDC	SDC	PROCESS
87F-05	0.0	26.0	PS2	0	0	15	235	0	1	1
87F-05	0.0	146.0	PS2	0	0	15	235	0	1	1
87F-05	0.0	165.0	PS2	0	0	20	235	0	1	1
87F-05	0.0	178.0	PS2	0	0	10	235	0	1	1
87F-05	0.0	200.0	PS2	0	0	30	235	0	1	1
87F-05	0.0	222.0	PS2	0	0	20	235	0	1	1
87F-05	0.0	256.0	PS2	0	0	10	235	0	1	1
87F-05	0.0	276.0	PS2	0	0	40	235	0	1	1
87F-05	0.0	286.0	PS2	0	0	40	235	0	1	1

DDH: 87F-05 UTM-N: 9,109.4 UTM-E: 13,889.7 UTM-ELEV: 3,630.4 TOTAL DEPTH: 291.0 SECTION: 19+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT	REC	CD	PARLL	UPPER PLANE	INTERNAL PLANE	LOWER PLANE	DHD
87F-05	0.1	22.0	N	0			0	0	0	1
87F-05	22.0	28.8	3BP	3			0	0	0	1
87F-05	28.8	31.5	3BR				0	0	0	1
87F-05	31.5	35.0	G	0	0		0	0	0	1
87F-05	35.0	37.0	R				0	0	0	1
87F-05	37.0	42.5	3B				0	0	0	1
87F-05	42.5	47.5	2B				0	0	0	1
87F-05	0.0	47.5	G				0	0	0	1
87F-05	47.5	52.3	2B				0	0	0	1
87F-05	52.3	54.0	3B				0	0	0	1
87F-05	54.0	55.6	GP				0	0	0	1
87F-05	55.6	56.4	2B				0	0	0	1
87F-05	0.0	56.4	G				0	0	0	1
87F-05	0.0	57.3	G				0	0	0	1
87F-05	57.3	75.8	2B				0	0	0	1
87F-05	75.8	76.0	G				0	0	0	1
87F-05	0.0	76.4	G				0	0	0	1
87F-05	76.4	83.8	2B				0	0	0	1
87F-05	0.0	83.8	G				0	0	0	1
87F-05	83.8	88.0	2B				0	0	0	1
87F-05	0.0	88.0	G				0	0	0	1
87F-05	88.0	121.0	2B				0	0	0	1
87F-05	121.0	122.8	G				0	0	0	1
87F-05	122.8	124.4	2B				0	0	0	1
87F-05	0.0	124.4	G				0	0	0	1
87F-05	124.4	126.5	2B				0	0	0	1
87F-05	126.5	127.5	3BG				0	0	0	1
87F-05	127.5	132.8	2B				0	0	0	1
87F-05	132.8	133.0	3BR				0	0	0	1
87F-05	133.0	143.2	2BG				0	0	0	1
87F-05	143.2	143.5	3B				0	0	0	1
87F-05	143.5	144.0	3BG				0	0	0	1
87F-05	144.0	153.4	2BG				0	0	0	1
87F-05	153.4	154.0	R				0	0	0	1
87F-05	154.0	156.2	3B				0	0	0	1
87F-05	156.2	157.0	GP				0	0	0	1
87F-05	157.0	164.2	3B				0	0	0	1
87F-05	164.2	164.4	GR				0	0	0	1
87F-05	164.4	166.0	3B				0	0	0	1
87F-05	0.0	166.0	R				0	0	0	1
87F-05	166.0	167.3	3B				0	0	0	1
87F-05	167.3	168.7	Q				0	0	0	1
87F-05	168.7	170.0	GX				0	0	0	1
87F-05	170.0	173.4	3B				0	0	0	1
87F-05	173.4	175.0	Q3B				0	0	0	1
87F-05	0.0	176.0	3B				0	0	0	1
87F-05	175.0	176.6	1B				0	0	0	1
87F-05	176.0	179.3	2B				0	0	0	1
87F-05	179.3	180.1	Q				0	0	0	1
87F-05	180.1	189.5	2B				0	0	0	1
87F-05	189.5	190.8	Q				0	0	0	1

DDH: 87F-05 UTM-N: 9,109.4 UTM-E: 13,889.7 UTM-ELEV: 3,630.4 TOTAL DEPTH: 291.0 SECTION: 19+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT REC CD	PARLL	UPPER PLANE	INTERNAL PLANE	LOWER PLANE	DHD
87F-05	190.8	193.5	2B		0	0	0	1
87F-05	193.5	196.0	Q		0	0	0	1
87F-05	196.0	198.0	2B		0	0	0	1
87F-05	198.0	198.7	Q		0	0	0	1
87F-05	198.7	241.8	2B		0	0	0	1
87F-05	241.8	242.5	G		43	0	15	1
87F-05	242.5	273.5	2B		0	0	0	1
87F-05	0.0	273.5	G		0	0	99	1
87F-05	273.5	290.6	2B		0	0	0	1
87F-05	0.0	290.6	G		0	0	55	1
87F-05	290.6	291.0	2B		0	0	0	1

DDH: 87F-05 UTM-N: 9,109.4 UTM-E: 13,889.7 UTM-ELEV: 3,630.4 TOTAL DEPTH: 291.0 SECTION: 19+000  
RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH SEGMENT NOS COND INDICATOR

87F-05	1	2
87F-05	2	2
87F-05	3	1

DRILL HOLE : 87F-06  
NORTHING : 8,564.9  
EASTING : 14,340.7  
ELEVATION : 3,710.4  
TOTAL DEPTH : 336.0  
SECTION : 121+000  
R.F.E. : 52  
RFE DIRECTION: 235  
PLUNGE ANGLE : 0  
PLUNGE DIRECT: 0  
DHD CALC: 1  
SS CALC: 1

## DETAIL RECORD COUNTS:

NOS ORE-SAMPLES: 31  
NOS DOWN-H-SURVEYS: 4  
NOS DOWN-H-LITHOLOGY: 24  
NOS DOWN-H-STRUCTURE: 22  
NOS DOWN-H-FAULTS: 73  
NOS DOWN-H-SPLINES: 4  
NOS COMPOSITES: 8

DDH: 87F-06 UTM-N: 8,564.9 UTM-E: 14,340.7 UTM-ELEV: 3,710.4 TOTAL DEPTH: 336.0 SECTION: 121+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

---DEPTHS---		SAMPLE NO.	INT.	REC.	ROCK UNIT	S.G. PULP	---ASSAYS---													S.G. W.R.		
FROM	TO						Cu %	Pb %	Zn %	Ag(AA) g/mT	Ag(FA) g/mT	Au(FA) g/mT	Po %	Py %	TOT Fe	BaO %	Hg %	Mn %	As %		Ba %	
181.0	185.4	09628	4.4	4.4	2B	2.80		.18	.06	6.00				3	5	8						
185.4	191.8	09629	6.4	6.4	2D47	3.40		3.77	12.40	26.00				11	5	16						
191.8	195.7	09630	3.9	3.9	2D4	3.10		2.57	6.69	24.00				3	7	11						
195.7	200.4	09631	4.7	4.7	2D4	3.20		1.05	7.73	14.00				3	11	14						
200.4	204.7	09632	4.3	4.3	2D4	4.70		3.07	7.74	32.00				2	11	13						
204.7	208.4	09633	3.7	3.7	2F4	3.20		5.60	7.09	69.00				5	31	37						
208.4	211.5	09634	3.1	3.1	2F4	4.50		6.70	7.34	91.00				7	29	36						
211.5	216.3	09635	4.8	4.8	2H4	4.30		5.62	6.93	87.00				29	10	40						
216.3	220.3	09636	4.0	4.0	2H4	4.30		5.27	7.37	79.00				28	12	40						
220.3	224.3	09637	4.0	4.0	2H4	4.30		3.89	6.51	60.00				23	18	41						
224.3	229.4	09638	5.1	5.1	2B	3.20		2.05	6.41	34.00				5	6	12						
229.4	233.6	09639	4.2	4.2	2B	3.00		1.82	3.97	28.00				3	4	7						
233.6	239.4	09640	5.8	5.8	2B	2.90		1.61	3.57	28.00				3	4	7						
239.4	244.6	09641	5.2	5.2	2B	3.20		2.23	6.43	63.00				10	3	14						
244.6	248.4	09642	3.8	3.8	2H4	3.90		3.52	14.00	87.00				24	7	31						
248.4	251.6	09643	3.2	3.2	2H4	4.50		6.46	12.00	120.00				32	7	40						
251.6	256.0	09644	4.4	4.4	2E4	3.30		4.21	6.27	50.00				3	35	38						
256.0	260.0	09645	4.0	4.0	2E4	4.70		2.74	5.90	27.00				1	40	41						
260.0	265.0	09646	5.0	5.0	2E4	2.70		4.70	6.63	43.00				6	35	41						
265.0	269.1	09647	4.1	4.1	2C	3.00		.59	3.89	12.00				3	7	10						
269.1	274.2	09648	5.1	4.6	2C	3.00		.26	2.59	12.00				4	7	11						
274.2	280.2	09649	6.0	5.5	2C	2.90		.65	2.55	25.00				3	4	7						
280.2	284.3	09650	4.1	4.1	2C	3.00		1.12	2.37	27.00				2	3	6						
284.3	289.5	09651	5.2	5.2	2A			1.05	3.06	19.00				1		2						
289.5	293.4	09652	3.9	3.9	2A			2.17	1.64	35.00				1	1	3						
293.4	298.9	09653	5.5	5.5	2A			1.49	3.66	21.00				1		1						
298.9	301.0	09654	2.1	2.1	2B	2.80		1.86	5.94	31.00				1		2						
301.0	304.5	09655	3.5	3.5	2B	3.90		2.01	2.68	10.00				1	1	3						
304.5	310.6	09656	6.1	6.1	2C	3.00		.46	.99	37.00				6	8	14						
310.6	314.7	09657	4.1	4.1	2A	3.00		.19	.89	14.00				6	8	14						
314.7	317.7	09658	3.0	3.0	2A	4.10		.32	.45	8.00				3	7	10						

WEIGHTED AVERAGE

181.0 317.7 136.7135.7 3.07 2.44 5.28 37.80 7 10 18

DDH: 87F-06 UTM-N: 8,564.9 UTM-E: 14,340.7 UTM-ELEV: 3,710.4 TOTAL DEPTH: 336.0 SECTION: 121+000  
RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DEPTH	ZENITH	AZIMUTH
0.000	175.000	45.000
130.000	173.000	52.000
230.000	172.000	41.000
330.000	172.700	53.000

DDH: 87F-06 UTM-N: 8,564.9 UTM-E: 14,340.7 UTM-ELEV: 3,710.4 TOTAL DEPTH: 336.0 SECTION: 121+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DEPTH	UNIT	CODE	DESC	RECOVERY	IND
10.0	0001	*	TRICONED-NO RECOVERY	0.0	1
45.2	0002	1CD0		34.2	1
101.0	0003	1D08	[1CD0]	55.8	1
111.9	0004	1D2		10.9	1
128.2	0005	1D0	[1CD0]	6.3	1
135.0	0006	1CD8		6.8	1
158.5	0007	1D8	[1D48]	23.5	1
167.6	0008	1D0		9.1	1
181.0	0009	1D4		12.4	1
185.4	0010	2B		4.4	1
191.8	0011	2D47		6.4	1
204.7	0012	2D4		12.9	1
211.5	0013	2F4		6.8	1
224.3	0014	2H4	BXA (1D14) (2C) 98:1:1	12.8	1
244.6	0015	2B	2D4 80:20	20.3	1
251.6	0016	2H4	BXA	7.0	1
265.0	0017	2E4	(2H4) (2B) 95:3:2 BXA?	13.4	1
284.3	0018	2C	(2B4) 70:30	18.3	1
298.9	0019	2A		14.6	1
304.5	0020	2B		5.6	1
310.6	0021	2C	[2B]	6.1	1
317.7	0022	2A		7.1	1
322.5	0023	1D14		4.8	1
336.0	0024	1D0		13.5	1

DDH: 87F-06 UTM-N: 8,564.9 UTM-E: 14,340.7 UTM-ELEV: 3,710.4 TOTAL DEPTH: 336.0 SECTION: 121+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT	SYMTRY	S0 ANGLE DIRECT	S1 ANGLE DIRECT	S2 ANGLE DIRECT	RFE	CDE	DHDC	SDC	PROCESS
87F-06	0.0	22.0	PS2		0	0	72	235	0	1	1	1
87F-06	0.0	40.0	PS2		0	0	65	235	0	1	1	1
87F-06	0.0	58.0	PS2		0	0	70	235	0	1	1	1
87F-06	0.0	81.5	PS2		0	0	70	235	0	1	1	1
87F-06	0.0	86.0	PS2		0	0	55	235	0	1	1	1
87F-06	0.0	99.0	PS2		0	0	70	235	0	1	1	1
87F-06	0.0	117.0	PS2		0	0	70	235	0	1	1	1
87F-06	0.0	132.0	PS2		0	0	70	235	0	1	1	1
87F-06	0.0	150.0	PS2		0	0	50	235	0	1	1	1
87F-06	0.0	161.0	PS2		0	0	55	235	0	1	1	1
87F-06	0.0	168.0	PS2		0	0	35	235	0	1	1	1
87F-06	0.0	182.0	PS2		0	0	65	235	0	1	1	1
87F-06	0.0	197.0	PS2		0	0	40	235	0	1	1	1
87F-06	0.0	227.0	PS2		0	0	40	235	0	1	1	1
87F-06	0.0	242.0	PS2		0	0	55	235	0	1	1	1
87F-06	0.0	257.0	PS2		0	0	55	235	0	1	1	1
87F-06	0.0	270.0	PS2		0	0	35	235	0	1	1	1
87F-06	0.0	285.0	PS2		0	0	23	235	0	1	1	1
87F-06	0.0	296.0	PS2		0	0	50	235	0	1	1	1
87F-06	0.0	316.0	PS2		0	0	80	235	0	1	1	1
87F-06	0.0	325.0	CSN	Z	0	0	0	0	0	1	0	0
87F-06	0.0	325.0	PS2		0	0	60	235	0	1	1	1

DDH: 87F-06 UTM-N: 8,564.9 UTM-E: 14,340.7 UTM-ELEV: 3,710.4 TOTAL DEPTH: 336.0 SECTION: 121+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT	REC	CD	PARLL	UPPER PLANE	INTERNAL PLANE	LOWER PLANE	DHD
87F-06	0.1	10.0	N		0		0	0	0	1
87F-06	10.0	12.0	3BP		7		0	0	0	1
87F-06	12.0	17.0	2B				0	0	0	1
87F-06	17.0	20.0	3B				0	0	0	1
87F-06	20.0	22.0	2B				0	0	0	1
87F-06	22.0	22.7	3B				0	0	0	1
87F-06	0.0	22.7	G				0	0	0	1
87F-06	22.7	23.0	3B				0	0	0	1
87F-06	23.0	25.5	2B				0	0	0	1
87F-06	25.5	27.3	3BG				0	0	0	1
87F-06	27.3	36.0	2B				0	0	0	1
87F-06	36.0	38.0	3BG				0	0	0	1
87F-06	38.0	44.3	1B				0	0	0	1
87F-06	44.3	45.2	3BG				0	0	999	1
87F-06	45.2	52.0	2B				0	0	0	1
87F-06	52.0	52.5	3B				0	0	0	1
87F-06	52.5	54.5	2B				0	0	0	1
87F-06	54.5	58.0	3B				0	0	0	1
87F-06	58.0	76.3	2B				0	0	0	1
87F-06	76.3	78.2	3BR				0	0	0	1
87F-06	0.0	78.2	G				0	0	99	999
87F-06	78.2	87.0	2B				0	0	0	1
87F-06	0.0	87.0	R				0	0	0	1
87F-06	87.0	92.0	2B				0	0	0	1
87F-06	92.0	94.0	3BR				0	0	0	1
87F-06	94.0	101.0	2B				0	0	0	1
87F-06	0.0	101.0	G				55	0	55	0
87F-06	101.0	128.2	2B				0	0	0	1
87F-06	0.0	128.2	G				0	0	40	320
87F-06	128.2	135.0	2B				0	0	0	1
87F-06	135.0	136.5	1B				0	0	0	1
87F-06	136.5	137.0	3B				0	0	0	1
87F-06	0.0	137.0	G				0	0	99	999
87F-06	137.0	140.0	1B				0	0	0	1
87F-06	140.0	140.5	3B				0	0	0	1
87F-06	0.0	140.5	G				0	0	99	999
87F-06	140.5	142.0	3BR				0	0	0	1
87F-06	142.0	154.5	2B				0	0	0	1
87F-06	154.5	157.0	3B				0	0	0	1
87F-06	157.0	158.5	1B				0	0	0	1
87F-06	0.0	165.0	G				0	0	30	280
87F-06	158.5	166.0	2B				0	0	0	1
87F-06	166.0	167.6	3B				0	0	0	1
87F-06	165.0	167.6	3B				0	0	0	1
87F-06	167.6	170.0	2B				0	0	0	1
87F-06	0.0	170.0	R				0	0	0	1
87F-06	170.0	175.0	2B				0	0	0	1
87F-06	175.0	179.0	3BR		7		0	0	0	1
87F-06	170.0	180.0	GQ				0	0	0	1
87F-06	180.0	191.8	1B				0	0	0	1
87F-06	0.0	191.8	G				45	315	0	1

DDH: 87F-06 UTM-N: 8,564.9 UTM-E: 14,340.7 UTM-ELEV: 3,710.4 TOTAL DEPTH: 336.0 SECTION: 121+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	F DEPTH	T DEPTH	FEAT	REC	CD	PARLL	UPPER PLANE	INTERNAL PLANE	LOWER PLANE	DHD
87F-06	191.8	200.5	2B				0	0	0	1
87F-06	200.5	204.7	3BR				0	0	0	1
87F-06	0.0	204.7	G				45	60	0	1
87F-06	204.7	211.5	3BR				0	0	0	1
87F-06	211.5	224.3	2B				0	0	0	1
87F-06	224.3	232.0	1B				0	0	0	1
87F-06	232.0	237.0	2B				0	0	0	1
87F-06	237.0	251.6	1B				0	0	0	1
87F-06	251.6	254.4	3BR				0	0	0	1
87F-06	254.4	255.0	G				0	0	0	1
87F-06	255.0	256.0	1B				0	0	0	1
87F-06	256.0	265.0	2B				0	0	0	1
87F-06	265.0	274.0	3B				0	0	0	1
87F-06	274.0	280.0	R	8			0	0	0	1
87F-06	280.0	286.5	3B				0	0	0	1
87F-06	286.5	288.0	R				0	0	0	1
87F-06	288.0	298.9	3B				0	0	0	1
87F-06	298.9	304.5	2B				0	0	0	1
87F-06	304.5	317.7	1B				0	0	0	1
87F-06	317.7	323.5	2B				0	0	0	1
87F-06	323.5	327.0	1B				0	0	0	1
87F-06	327.0	336.0	2B				0	0	0	1

DDH: 87F-06 UTM-N: 8,564.9 UTM-E: 14,340.7 UTM-ELEV: 3,710.4 TOTAL DEPTH: 336.0 SECTION: 121+000  
RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

DDH	SEGMENT NOS	COND INDICATOR
87F-06	1	2
87F-06	2	2
87F-06	3	2
87F-06	4	1

DDH: 87F-06 UTM-N: 8,564.9 UTM-E: 14,340.7 UTM-ELEV: 3,710.4 TOTAL DEPTH: 336.0 SECTION: 121+000  
 RFE: S2 RFE DIR: 235 PLUNGE ANGLES: 0 0 DHD CALC: 1 SS CALC: 1

FROM TO INT. ROCK CODE S.G. CU PB ZN AG(AA) AG(FA) AU(FA) PO PY TOT BAO HG MN AS BA S.G.

DATE: 27JAN88 TIME: 10:59:27 CUT OFF GRADE: .000

181.0	204.7	23.7	2BD	3.43	2.23	7.39	20.66				5	7	13					
204.7	211.5	6.8	2F4	3.79	6.10	7.20	79.02				6	30	36					
211.5	224.3	12.8	2H4	4.30	4.97	6.93	76.06				27	13	40					
224.3	244.6	20.3	2B	3.07	1.92	5.09	38.47				5	4	10					
244.6	265.0	20.4	2EH	3.72	4.26	8.62	61.64				12	26	38					
265.0	284.3	19.3	2C0	2.96	.63	2.80	19.22				3	5	8					
284.3	298.9	14.6	2A0		1.51	2.90	24.02				1		2					
298.9	317.7	18.8	2ABC	3.32	.82	1.74	21.65				4	5	10					

\*\*THIS REPORT WAS REQUESTED BY: LEEP .GEOLOGY AT: 13:09:39