

DDH	UTM-N	UTM-E	UTM-ELEV	TOTAL DEPTH	SECTION	RFE	DIR	PLUNGE ANGLE	DHD	SSC
*****	0.0	0.0	0.0	0.0						
65-53	6,605.4	14,741.4	4,019.8	427.0		S2	210		1	
65-55	7,035.3	15,525.7	4,009.4	233.0		S2	210		1	
65006	9,599.6	14,399.9	4,099.8	500.0					1	
65007	9,999.6	14,400.0	4,130.8	500.0					1	
65008	9,599.8	13,599.9	4,169.1	600.0					1	
65009	9,199.8	13,998.3	4,060.5	472.0					1	
65012	9,199.6	13,598.3	4,104.5	396.0					1	
65017	9,999.5	14,800.0	4,221.8	400.0					1	
66-03	9,200.0	14,398.0	4,100.4	744.0	118+000	S2	235		1	1
66-05	8,800.1	13,999.5	4,018.1	673.2	118+000	S2	235		1	1
66-06	9,599.5	14,800.0	4,188.3	766.0	118+000	S2	235		1	1
66-07	9,200.6	14,798.3	4,156.7	810.0	120+000	S2	235		1	1
66-10	8,790.5	14,795.4	4,121.4	849.0	122+020	S2	235		1	1
66-11	9,199.3	15,199.7	4,191.5	759.5	122+020	S2	235		1	1
66-46	9,398.9	14,599.9	4,161.1	800.0	118+000	S2	235		1	1
66-47	9,599.8	15,199.8	4,217.1	700.0	120+000	S2	235		1	1
66-49	8,799.3	14,399.5	4,059.5	750.0	120+000	S2	235		1	1
66-52	8,996.9	14,199.1	4,038.8	725.0	118+000	S2	235		1	1
66002	9,599.7	13,999.9	4,136.9	534.0					1	
66004	9,999.7	14,000.0	4,192.7	700.0					1	
66008	9,799.6	13,799.0	4,189.5	700.0					1	
66018	10,199.7	14,200.0	4,180.6	400.0					1	
66022	9,797.9	14,199.0	4,124.1	430.5					1	
66026	9,399.9	13,397.3	4,150.1	500.0					1	
66030	9,793.0	14,536.3	4,124.7	526.0					1	
66031	9,399.6	13,797.3	4,128.0	500.0					1	
66033	9,399.3	14,197.3	4,078.6	461.5					1	
66035	10,095.8	14,099.6	4,178.9	405.0					1	
66043	8,995.1	13,791.9	4,034.4	400.0					1	
66053	10,098.6	14,501.9	4,140.9	300.0					1	
66055	9,028.0	13,757.0	4,047.0	400.0					1	
66057	9,919.0	14,690.0	4,207.8	400.0					1	
66E-01	7,541.5	15,604.0	4,012.0	452.5	132	S2			1	
66E-02	7,389.8	15,825.1	4,009.0	423.0		S2	210		1	
66E-03	7,616.0	15,908.0	4,016.0	200.0		S2	210		1	
66E-04	7,352.0	15,416.0	4,023.0	450.0	132	S2			1	
66E-05	7,536.0	15,206.0	4,014.0	346.8	130	S2	210		1	
66E-06	7,736.4	15,399.4	4,008.8	500.0	130	S2	210		1	
66E-07	7,131.0	15,217.0	4,018.0	504.0	132	S2			1	
66E-08	7,141.0	15,619.0	4,012.0	370.5		S2	210		1	
66E-09	7,943.0	15,592.0	4,037.0	546.0	130	S2	210		1	
67-01	7,745.0	15,805.0	4,013.0	351.5	132	S2			1	
67-02	8,171.5	15,753.1	4,123.0	606.0	130	S2	210		1	
67-03	8,177.1	14,934.9	4,039.0	999.0	126	S2			1	
67-04	8,162.6	15,361.3	4,081.0	742.0	128	S2	210		1	
67-05	7,942.0	15,176.7	4,028.0	569.0	128	S2	210		1	
67-06	8,566.2	15,016.0	4,135.0	852.5	124	S2			1	
67-07	7,743.1	15,007.0	4,005.0	551.0	128	S2			1	
67-08	8,342.2	15,602.2	4,164.0	806.0	128	S2			1	
67-09	8,740.0	15,199.0	4,186.0	800.0	124	S2	210		1	

003482

DDH	UTM-N	UTM-E	UTM-ELEV	TOTAL DEPTH	SECTION	RFE	DIR	PLUNGE ANGLE	DHD	SSC
67-10	8,340.0	15,203.0	4,103.0	741.0	126	S2			1	
67-11	8,343.0	14,808.0	4,057.0	723.0	124	S2	210		1	
67-12	8,538.0	14,602.0	4,061.0	1,006.0	122+020	S2	235		1	1
67-30	8,162.6	14,623.6	4,023.7	661.0	124	S2	210		1	
70-12	8,200.3	14,209.7	4,006.7	701.0	122+020	S2	235		1	1
70-13	7,561.2	14,814.0	4,011.2	706.0		S2	210		1	
70-17	8,596.0	14,209.3	4,019.0	703.0	120+000	S2	235		1	1
71-01	8,118.0	13,975.0	3,967.2	695.0	121+000	S2	235		1	1
71-02	8,600.0	13,793.0	4,005.0	603.0	118+000	S2	235		1	1
71-03	8,397.0	13,997.0	3,992.6	645.0	120+000	S2	235		1	1
71-04	7,983.0	14,402.0	3,992.6	570.0	124	S2	210		1	
71-05	7,721.0	14,596.0	4,001.5	567.0	126	S2	210		1	
71DS-01	6,532.4	13,803.2	3,960.7	999.0	127+200E	S2	210		1	
71DS-02	7,336.4	13,800.5	3,960.0	791.0	122+300E	S2	210		1	
72-11	8,046.7	16,179.7	4,060.0	287.0		S2	210		1	
72-12	7,366.7	15,116.5	4,018.0	393.0	131	S2	210		1	
72-13	7,571.6	14,463.6	4,002.0	680.0	126	S2	210		1	
72-15	8,569.9	15,442.6	4,188.3	700.0	126	S2	210		1	
72-16	8,978.1	15,011.7	4,161.8	810.0	122+020	S2	235		1	1
72004	8,801.1	13,597.3	4,036.2	600.0					1	
72006	10,029.9	14,241.5	4,129.6	274.0					1	
72007	9,804.6	13,996.7	4,040.2	437.0					1	
72008	9,524.4	13,743.3	3,995.5	305.0					1	
73-01	9,684.3	14,711.2	4,182.6	549.0	117+000	S2	235		1	1
73-02	9,254.1	14,275.2	4,060.2	700.0	117+000	S2	235		1	1
73003	9,419.6	13,569.6	3,953.0	303.0					1	
73027	10,115.0	14,298.6	4,043.0	140.0					1	
73028	9,176.4	13,801.5	3,948.2	330.0					1	
73029	9,956.6	14,589.8	4,120.0	307.0					1	
74-01	9,701.5	14,908.2	4,112.8	523.0	118+000	S2	235		1	1
74-02	9,032.6	13,965.5	3,965.5	474.0	117+000	S2	235		1	1
74-07	9,398.7	15,001.9	4,138.5	777.0	120+000	S2	235		1	1
74-08	8,002.8	14,796.3	4,017.8	576.0	126	S2	210		1	
74-10	7,890.6	15,456.5	4,017.3	508.0	130	S2	210		1	
74-11	7,682.8	15,538.8	4,017.9	300.0	131	S2	210		1	
74-15	9,004.0	14,601.9	4,056.9	754.0	120+000	S2	235		1	1
74-16	9,515.6	14,677.1	4,060.7	641.0	118+000	S2	235		1	
74-17	8,431.2	14,404.4	4,031.0	585.0	122+020	S2	235		1	1
74-18	7,445.1	15,512.9	4,015.5	250.0	132	S2	210		1	
74-19	7,431.3	15,336.4	4,016.4	373.0	131	S2	210		1	
74-20	7,690.8	15,281.2	4,004.4	427.0	130	S2	210		1	
74-21	7,191.9	15,402.4	4,014.0	250.0	133	S2	210		1	
74005	9,606.3	14,193.3	3,902.6	325.0					1	
74006	9,815.2	14,343.8	3,979.8	407.0					1	
74009	9,404.4	13,993.3	3,923.4	311.0					1	
74012	9,292.8	13,500.7	3,873.0	167.5					1	
74014	9,330.2	13,670.6	3,832.4	176.0					1	
75-03	9,214.5	14,972.6	4,139.6	688.0	121+000	S2	235		1	1
75-04	7,802.5	15,601.2	4,018.4	482.0	131	S2	210		1	
75-05	9,495.1	14,907.1	4,109.7	651.0	119+000	S2	235		1	1
75-06	9,285.3	14,516.6	4,042.6	701.0	118+000	S2	235		1	1

DDH	UTM-N	UTM-E	UTM-ELEV	TOTAL DEPTH	SECTION	RFE	DIR	PLUNGE ANGLE	DHD	SSC
75-09	9,365.1	14,773.7	4,063.7	723.0	119+000	S2	235		1	1
75-10	9,302.4	15,100.8	4,141.0	957.0	121+000	S2	235		1	1
→ 75-11	8,878.3	14,097.0	4,000.1	2,120.0	118+000	S2	235		1	1
75001	9,431.1	14,149.0	3,832.3	233.0					1	
75002	8,997.7	14,399.9	4,025.5	687.0	119+000	S2	235		1	1
75007	9,856.4	14,432.6	3,906.0	261.0					1	
75008	9,993.7	14,199.6	3,878.7	200.0					1	
75456-15	6,791.0	14,397.0	4,018.0	821.0	130+000	S2	210		1	1
75456-18	7,603.0	13,966.0	3,981.9	1,410.0	124	S2	210		1	
76-01	9,067.7	15,135.1	4,185.6	754.0	122+020	S2	235		1	1
76-02	8,892.2	15,099.2	4,181.5	821.0	123+015	S2	235		1	1
76-03	8,798.3	15,009.1	4,166.0	866.0	123+015	S2	235		1	1
76-04	8,676.0	15,107.6	4,156.9	890.0	124	S2			1	
76-05	8,584.0	14,797.0	4,100.2	744.0	123+015	S2	235		1	1
76-06	8,805.2	14,600.1	4,058.7	801.0	121+000	S2	235		1	1
76-07	8,614.0	14,406.4	4,051.3	787.0	121+000	S2	235		1	1
76-08	8,395.3	14,621.1	4,041.9	690.0	123+015	S2	235		1	1
76-09	8,199.0	14,420.5	4,012.5	638.0	123+015	S2	235		1	1
76-10	8,397.2	14,213.9	4,009.1	626.0	121+000	S2	235		1	1
76-11	8,618.1	13,987.0	3,992.0	595.0	119+000	S2	235		1	1
76-12	8,993.3	14,806.6	4,069.0	787.0	121+000	S2	235		1	1
76-13	9,003.1	14,399.2	4,002.2	714.0	119+000	S2	235		1	1
76-14	9,203.0	14,598.0	4,002.6	611.0	119+000	S2	235		1	1
76-22	8,799.1	14,227.3	4,012.1	630.0	119+000	S2	235		1	1
76916	9,168.9	14,246.5	3,926.1	793.0	117+000	S2	235		1	
76X-09	10,152.7	15,300.6	4,173.2	1,237.0	118+000	S2	235		1	1
76X-10	9,795.0	14,990.0	4,041.2	637.0	118+000	S2	235		1	1
76X-14	9,870.3	15,107.5	4,076.0	829.0	118+000	S2	235		1	1
76X-17	9,293.0	15,529.2	4,223.2	464.5	123+015	S2	235		1	1
76X-19	8,688.0	16,295.0	4,218.2	881.0		S2	210		1	
76X-20	9,053.8	15,310.5	4,202.3	847.0	123+015	S2	235		1	1
77-01	8,573.3	15,213.8	4,147.4	729.0	125	S2	210		1	
77-02	8,468.9	15,315.3	4,140.9	732.0	126	S2			1	
77-03	8,380.4	15,406.4	4,118.9	694.0	127	S2			1	
77-04	8,168.3	15,578.1	4,117.3	721.0	129	S2	210		1	
77-06	8,286.1	15,503.2	4,136.0	700.0		S2			1	
77-07	8,060.0	15,635.9	4,101.6	604.0	130	S2	210		1	
77-09	8,363.5	14,986.3	4,096.7	765.0	125	S2			1	
77-10	8,165.0	15,223.0	4,061.6	662.0	127	S2	210		1	
77-11	7,876.9	15,729.0	4,021.9	300.0		S2			1	
77-12	7,802.6	15,208.3	4,014.7	402.0	129	S2	210		1	
77-13	7,974.9	14,986.7	4,018.2	543.0	127	S2	210		1	
77-14	7,978.7	15,357.8	4,023.4	323.0	129	S2	240		1	
77-15	7,794.9	14,799.4	4,016.0	565.0	127	S2			1	
77-16	7,986.5	14,589.4	4,007.0	670.0	125	S2	210		1	
77-17	8,190.0	14,784.1	4,026.3	650.0	125	S2	210		1	
77018	9,790.4	14,417.4	3,831.1	297.0					1	
77020	9,925.2	14,437.8	3,866.9	95.0					1	
77021	9,957.9	14,355.8	3,853.0	80.0					1	
77023	9,877.7	14,682.6	3,839.8	117.0					1	
78005	9,282.6	13,918.3	3,748.1	173.0					1	

DDH
SSol's.

DDH	UTM-N	UTM-E	UTM-ELEV	TOTAL DEPTH	SECTION	RFE	DIR	PLUNGE ANGLE	DHD	SSC
78006	9,482.1	13,915.9	3,709.1	59.1					1	
78022	9,698.7	14,293.1	3,712.6	103.0					1	
78023	9,496.6	14,311.1	3,712.6	123.0					1	
78024	9,684.9	14,494.2	3,723.1	163.0					1	
78025	9,508.9	14,078.6	3,696.3	86.0					1	
78026	9,700.0	14,100.0	3,711.0	121.0					1	
78027	9,579.2	13,824.2	3,691.3	31.0					1	
79-01	9,000.8	14,208.1	3,921.1	576.0	118+000	S2	235		1	1
79-02	9,361.1	14,623.7	3,889.5	458.0	118+000	S2	235		1	1
79-03	9,491.5	14,715.2	3,879.6	516.0	118+000	S2	235		1	1
80-01	9,136.0	14,402.0	3,905.0	584.0	118+000	S2	235		1	1
80-02	8,305.7	14,914.5	4,061.2	680.0	125	S2	210		1	
80-03	8,299.4	15,116.6	4,086.3	663.0	126	S2			1	
80-04	8,513.9	15,126.1	4,109.2	704.0	125	S2	210		1	
80-05	8,701.0	14,305.3	3,955.0	589.0	120+000	S2	235		1	1
80-06	8,859.7	14,928.0	4,027.5	753.0	122+020	S2	235		1	1
80-07	8,674.8	14,718.2	4,031.2	699.0	122+020	S2	235		1	1
80-08	9,060.8	14,675.2	3,954.5	601.0	120+000	S2	235		1	1
81-01	7,594.5	15,399.6	4,002.9	320.0	131	S2	210		1	
81-02	7,711.3	15,102.5	3,994.5	400.0	129	S2	210		1	
81-03	7,503.2	15,105.3	4,011.6	384.0	130	S2	210		1	
81-04	7,297.5	15,299.4	4,018.7	305.0	132	S2	210		1	
81-05	7,091.8	15,304.1	4,005.8	252.0	133	S2	210		1	
81-06	7,296.6	15,508.9	4,010.5	273.0	133	S2	210		1	
81-07	7,402.5	15,604.1	4,009.8	190.0	133	S2	210		1	
81-08	7,703.7	15,651.8	4,016.4	288.0	132	S2	210		1	
81-09	7,860.4	15,057.8	4,014.9	481.0	128	S2	210		1	
81-10	7,922.9	15,325.7	4,016.1	538.0	129	S2	210		1	
81-11	7,991.9	15,396.3	4,024.9	533.0	129	S2	210		1	
81-12	7,822.6	15,416.8	4,014.7	488.0	130	S2	210		1	
81-13	7,898.9	15,112.8	4,014.1	504.0	128	S2	210		1	
81-14	8,095.1	15,301.6	4,050.0	641.0	128	S2			1	
81-15	8,084.3	15,504.8	4,100.8	685.0	129	S2			1	
81-16	7,843.8	15,662.7	4,013.1	518.0	131	S2			1	
81-18	7,845.7	15,256.9	4,012.4	478.0	129	S2	210		1	
81-19	8,102.2	15,699.7	4,101.3	624.0	130	S2	210		1	
81-20	7,733.0	15,533.0	4,017.9	421.0	131	S2	210		1	
81017	7,734.0	15,529.4	4,017.7	248.0					1	
82F-01	8,841.5	15,313.2	4,071.3	903.0	124	S2	210		1	1
82F-02	8,584.4	15,598.3	4,032.3	755.0		S2	210		1	
82F-03	8,289.8	15,294.0	4,031.0	627.0	127	S2	210		1	1
82F-04	9,066.5	15,528.7	4,071.2	787.0		S2	200		1	
82F-05	7,889.3	14,894.5	3,913.1	407.0	127	S2	210		1	
82F-06	8,467.3	14,924.0	4,069.0	792.0	124	S2	200		1	
82F-07	7,890.6	14,693.4	3,912.8	422.0	126	S2			1	
82F-08	8,091.1	14,697.7	3,908.9	541.0	125	S2	200		1	
82F-09	8,296.2	14,692.8	4,040.1	667.0	124	S2	210		1	
82F-10	7,792.2	14,389.4	3,940.6	627.0	125	S2	210		1	
82F-11	8,094.9	14,491.6	4,009.4	603.6	124	S2	210		1	
82F-12	7,283.0	14,897.5	3,875.4	451.0	130	S2	210		1	
82F-13	7,870.9	14,270.2	3,946.6	641.0	124	S2	210		1	

DDH	UTM-N	UTM-E	UTM-ELEV	TOTAL DEPTH	SECTION	RFE	DIR	PLUNGE ANGLE	DHD	SSC
82F-14	7,517.5	14,524.1	3,992.1	700.0	127	S2	210		1	
82F-15	7,087.1	14,693.1	4,025.6	740.0	130	S2	210		1	
82F-16	7,390.8	14,399.0	4,004.4	707.0	127	S2	210		1	
82F-17	7,695.4	14,898.2	3,912.9	400.0	128	S2	210		1	
82F-22	5,158.4	14,959.7	4,022.5	377.0					1	
82F-24	6,646.4	15,322.0	4,007.4	127.0	135	S2			1	
83F-01	6,783.0	14,782.1	4,035.5	656.5	132+00E	S2	210		1	
83F-02	6,577.2	14,564.5	4,023.0	893.0	132+00E	S2	210		1	
83F-03	8,218.2	16,073.8	4,036.3	213.0	127+600E	S2	210		1	
83F-04	6,357.4	14,356.4	4,016.9	800.7	132+00E	S2	210		1	
83F-05	8,136.1	16,131.8	4,039.7	200.0	132+00E	S2	210		1	
83F-06	8,068.7	16,204.2	4,039.3	196.0	132+100E	S2	210		1	
83F-07	6,641.7	15,201.5	4,013.7	202.0	132+100E	S2	210		1	
83F-08	6,125.0	14,587.4	4,021.7	690.0	132+300E	S2	210		1	
83F-09	6,645.6	15,039.6	4,018.1	493.0	132+300E	S2	210		1	
83F-10	5,689.5	14,541.0	3,981.1	727.0	132+600E	S2	210		1	
83F-11	6,517.8	15,193.3	4,005.0	212.0	132+500E	S2	210		1	
83F-12	6,860.6	14,280.4	4,004.7	832.0	127+300E	S2	210		1	
83F-13	6,789.0	15,213.7	3,985.4	200.0	132+300E	S2	210		1	
83F-14	6,750.3	15,309.6	3,985.5	198.5	132+400E	S2	210		1	
83F-15	7,078.3	14,504.0	4,013.0	759.0	127+300E	S2	210		1	
83F-16	6,713.9	15,410.5	3,984.9	196.0	132+500E	S2	210		1	
83F-17	6,650.4	15,501.8	3,986.9	200.0	132+600E	S2	210		1	
83F-18	6,573.2	15,274.2	4,006.5	171.0	132+500E	S2	210		1	
83F-19	7,346.4	14,193.2	3,988.6	787.0	122+600E	S2	210		1	
83F-20	6,482.3	15,145.2	4,005.4	197.0	132+500E	S2	210		1	
83F-21	6,571.3	15,137.8	4,017.4	136.5	132+400E	S2	210		1	
83F-22	7,143.7	13,992.6	3,989.6	917.0	122+600	S2	210		1	
84F-01	9,090.3	14,515.3	3,810.0	516.0	119+000	S2	235		1	1
84F-02	7,557.8	13,989.6	3,985.5	855.0	122+300E	S2	210		1	
84F-03	9,277.7	14,732.1	3,791.7	381.0	119+000	S2	235		1	1
84F-04	7,355.1	13,783.6	3,960.3	923.0	122+300E	S2	210		1	
84F-05	9,442.8	14,851.5	3,776.6	460.0	119+000	S2	235		1	1
84F-06	9,295.8	14,499.3	3,690.4	301.0	118+000	S2	235		1	1
84F-07	6,374.3	14,799.6	4,009.2	626.0	132+300E	S2	210		1	
84F-08	9,597.3	14,999.4	3,758.7	280.0	119+000	S2	235		1	1
84F-09	6,504.6	14,501.2	4,020.6	814.0	132+000E	S2	210		1	
84F-10	7,362.1	14,790.8	3,886.3	525.0	127+300E	S2	210		1	
84F-11	10,358.3	12,067.2	4,320.2	550.0	97+500E	S2	210		1	
84F-12	10,211.4	12,208.3	4,306.7	550.0	102+000E	S2	210		1	
84F-13	7,054.9	15,127.6	3,872.5	210.0	132+052E	S2	210		1	
84F-14	7,186.1	15,019.7	3,870.6	335.0	131+022E	S2	210		1	
84F-15	6,552.2	16,103.7	3,987.8	141.0	139+000E	S2	210		1	
84F-16	6,753.3	16,210.3	4,001.9	150.0	139+000E	S2	210		1	
84F-17	7,287.9	15,117.1	3,871.1	227.0	131+022E	S2	210		1	
84F-18	8,715.3	14,518.6	3,915.6	585.0	121+000	S2	235		1	1
84F-19	8,896.6	14,700.0	3,913.8	597.0	121+000	S2	235		1	1
84F-20	9,099.0	14,901.6	3,912.5	556.0	121+000	S2	235		1	1
84F-21	9,503.5	15,296.3	3,908.4	397.0	121+000	S2	235		1	1
84F-22	9,701.1	15,096.5	3,752.0	185.0	119+000	S2	235		1	1
84F-23	8,513.0	14,728.7	3,909.7	572.0	123+000	S2	235	210	1	1

DDH	UTM-N	UTM-E	UTM-ELEV	TOTAL DEPTH	SECTION	RFE	DIR	PLUNGE ANGLE	DHD	SSC
84F-24	8,082.8	14,307.2	3,910.1	545.0	123+000	S2	235		1	1
84F-25	8,690.0	14,912.0	3,911.0	591.0	123+015	S2	235		1	1
84F-26	8,986.0	15,204.3	3,912.2	504.0	123+015	S2	235		1	1
84F-27	9,188.5	15,400.9	3,914.4	355.0	123+015	S2	235		1	1
84F-28	8,969.9	16,296.9	4,254.0	350.0	129+000	S2	210		1	
86F-01	9,500.0	14,750.0	3,726.0	209.0	118+070	S2	235	315	1	1
86F-02	7,652.0	15,482.0	3,876.0	160.0	131+022	S2	235	315	1	1
86F-03	7,650.0	15,350.0	3,874.5	161.0	130+000	S2	235	315	1	1
86F-04	6,610.0	15,225.0	4,014.0	135.0		S2	235	315	1	1
86F-05	9,616.3	14,880.0	3,737.9	272.0	118+070	S2	235	315	1	1
86F-06	9,407.0	14,667.5	3,713.7	364.0	118+070	S2	235	315	1	1
86F-07	8,901.6	14,321.1	3,838.6	547.0	119+000	S2	235	315	1	1
86F-08	8,293.4	14,511.6	3,870.1	492.0	123+000	S2	235	315	1	1
86F-09	8,438.0	14,223.2	3,869.5	476.0	121+000	S2	235	315	1	1
86F-10	8,546.0	13,949.8	3,873.9	522.0	119+000	S2	235	315	1	1
86F-11	9,114.9	14,711.4	3,739.5	337.0	120+000	S2	235	315	1	1
86F-12	8,993.8	14,596.9	3,740.5	463.0	120+000	S2	235	315	1	1
86F-13	8,993.8	14,596.9	3,740.5	412.0	120+000	S2	235	315	1	1
86F-14	9,361.6	14,564.2	3,706.9	270.0	118+000	S2	235	315	1	1
86F-15	8,757.8	14,787.0	3,737.5	416.5	121+000	S2	235	315	1	1
86F-16	9,426.4	14,738.8	3,706.7	297.0	118+00	S2	235	315	1	1
86F-17	9,534.4	14,831.4	3,708.7	325.0	118+070	S2	235	315	1	1
86F-18	9,363.8	14,961.4	3,704.5	277.0	120+000	S2	235	315	1	1
86F-19	9,300.0	14,898.0	3,702.6	313.0	120+000	S2	235	315	1	1
86F-20	9,350.7	14,843.4	3,705.4	257.0	119+070	S2	235	315	1	1
86F-21	9,420.2	14,923.7	3,708.4	299.0	119+070	S2	235	315	1	1
86F-22	9,260.3	14,657.5	3,708.4	327.0	119+000	S2	235	315	1	1
86F-23	9,181.7	14,980.9	3,705.1	387.0	121+000	S2	235	315	1	1
86F-24	9,051.2	14,853.9	3,710.2	391.0	121+000	S2	235	315	1	1
86F-25	8,979.0	14,772.6	3,713.0	411.0	121+000	S2	235	315	1	1
87F-01	7,938.1	14,537.8	3,792.3	352.0	125+000	S2	210		1	1
87F-02	8,459.7	14,480.4	3,750.5	400.0	122+000	S2	210		1	1
87F-03	8,310.6	14,314.8	3,750.3	348.0	122+000	S2	235		1	1
87F-04	8,466.4	14,464.1	3,748.4	495.0	122+000	S2	235		1	1
87F-05	9,109.4	13,889.7	3,630.4	291.0	19+000	S2	235		1	1
87F-06	8,564.9	14,340.7	3,710.4	336.0	121+000	S2	235		1	1
87F-07	8,224.4	15,024.3	3,826.1	402.0	126+000	S2	210		1	1
87F-08	8,117.0	14,914.3	3,816.9	404.0	126+000	S2	210		1	1
87F-09	8,226.3	15,427.9	3,865.7	422.0	128+000	S2	210		1	1
87F-10	8,152.8	15,144.7	3,834.4	407.0	127+000	S2	210		1	1
87F-11	8,036.1	15,229.6	3,775.4	295.0	128+000	S2	210		1	1
87F-12	8,059.3	15,051.1	3,801.9	302.0	127+000	S2	210		1	1

**THIS REPORT WAS REQUESTED BY: LEEP .GEOLOGY AT: 14:17:28