

003694

PC-XPLOR VERSION 1.30 ***
Exploration Data Manager ***
By GEMCOM SERVICES INC.

DY - ANVIL DISTRICT
FARO, YUKON

*** Curragh Resources Inc
*** 13:20:37 Serial no: 20320
13/ 7/90 Page : 1

PRINTOUT OF PROPERTY INFORMATION

PROJECT NAME : DY
PROJECT DESCRIPTION : [DY - ANVIL DISTRICT]
[FARO, YUKON]
CO-ORDINATE SYSTEM : Universal Transverse Mercator System
MEASUREMENT UNIT : Metric scale
LEFT EASTING : 595935.00 x
LOWER NORTHING : 896700.00 j
BOTTOM ELEVATION : -1.00
RIGHT EASTING : 605600.00
UPPER NORTHING : 907900.00
TOP ELEVATION : 2000.00

PRINTOUT OF DATABASE STRUCTURE INFORMATION

Database Filename : D:\DY\DY.G5A

Table Number : 1
 Table Name : HEADER
 Number of Fields : 11

Field name	Code	Mark	Type	Minimum	Maximum	Default
HOLE-ID	1:1	Optional	String		8	
LOCATION	1:2	Optional	UTM			
(X-COORD)	1:2:1		Real	-1.0	605600.0	-1.0
(Y-COORD)	1:2:2		Real	-1.0	907900.0	-1.0
(Z-COORD)	1:2:3		Real	-1.0	2000.0	-1.0
LENGTH	1:3	Optional	Real	-1.0	4000.0	-1.0
RECORD	1:4	Optional	Integer	-1	1000	-1
TYPE	1:5	Optional	String		6	DDH
SECTION	1:6	Optional	String		15	
CORE SIZE	1:7	Optional	String		10	NQ
GEOLOGIST	1:8	Optional	String		10	
LOG DATE	1:9	Optional	String		8	
CORE LOCTN	1:10	Optional	String		20	GRUM
COMMENTS	1:11	Optional	String		100	

Table Number : 2
 Table Name : SURVEYS
 Number of Fields : 4

Field name	Code	Mark	Type	Minimum	Maximum	Default
DISTANCE	2:1	Optional	Real	.0	4000.0	.0
DIP	2:2	Optional	Real	-90.0	90.0	-90.0
AZIMUTH	2:3	Optional	Real	.0	360.0	.0
METHOD	2:4	Optional	String		20	AT C

Table Number : 3
 Table Name : LITHOLOGY
 Number of Fields : 6

Field name	Code	Mark	Type	Minimum	Maximum	Default
FROM	3:1	Optional	Real	.0	4000.0	.0
TO	3:2	Optional	Real	.0	4000.0	.0
UNIT	3:3	Optional	String		8	
DESCRIPTION	3:4	Optional	String		50	
ROCK CODE	3:5	Optional	Integer	-1	1000	-1
COMMENTS	3:6	Optional	String		50	

Table Number : 4
 Table Name : ASSAYS
 Number of Fields : 26

Field name	Code	Mark	Type	Minimum	Maximum	Default
FROM	4:1	Optional	Real	-1.0	4000.0	-1.0
TO	4:2	Optional	Real	-1.0	4000.0	-1.0
INTERVAL	4:3	Optional	Real	-1.0	4000.0	-1.0
RECOVERY	4:4	Optional	Real	-1.0	4000.0	-1.0
RECOVERY %	4:5	Optional	Integer	-1	100	-1
SAMPLE #	4:6	Optional	String		10	
ROCK TYPE	4:7	Optional	String		8	
ROCK CODE	4:8	Optional	Integer	-1	1000	-1
SG-PULP	4:9	Optional	Real	-1.00	10.00	-1.00
SG-WR	4:10	Optional	Real	-1.00	10.00	-1.00
PB+ZN%	4:11	Optional	Real	-1.00	100.00	-1.00
PB%	4:12	Optional	Real	-1.00	100.00	-1.00
ZN%	4:13	Optional	Real	-1.00	100.00	-1.00
ZN RATIO	4:14	Optional	Real	-1.00	1.00	-1.00
AG G/T(AA)	4:15	Optional	Real	-1.0	1000.0	-1.0
AG G/T(FA)	4:16	Optional	Real	-1.0	1000.0	-1.0
AU G/T	4:17	Optional	Real	-1.00	500.00	-1.00
PO+PY%	4:18	Optional	Real	-1.00	100.00	-1.00
PO%	4:19	Optional	Real	-1.00	100.00	-1.00
PY%	4:20	Optional	Real	-1.00	100.00	-1.00
BAO%	4:21	Optional	Real	-1.00	100.00	-1.00
BA%	4:22	Optional	Real	-1.00	100.00	-1.00
CU%	4:23	Optional	Real	-1.00	50.00	-1.00
HG%	4:24	Optional	Real	-1.000	10.000	-1.000
AS%	4:25	Optional	Real	-1.00	10.00	-1.00
MN%	4:26	Optional	Real	-1.00	10.00	-1.00

Table Number : 5
 Table Name : STRUCTURE
 Number of Fields : 23

Field name	Code	Mark	Type	Minimum	Maximum	Default
DISTANCE	5:1	Optional	Real	-1.0	4000.0	-1.0
SYMMETRY	5:2	Optional	String		5	
FEATRE-RFE	5:3	Optional	String		5	PS2
DEFN-RFE	5:4	Optional	Integer	-1	10	2
DIP-RFE	5:5	Optional	Integer	-1	90	-1
DIR-RFE	5:6	Optional	Integer	-1	360	220
PLOT-RFE	5:7	Optional	Logical			TRUE
COMMENTS	5:8	Optional	String		100	
FEATRE-A	5:9	Optional	String		5	
DEFN-A	5:10	Optional	Integer	-1	10	-1
DIP-A	5:11	Optional	Integer	-1	90	-1
DIR-A	5:12	Optional	Integer	-1	360	-1

FLOT-A	5:13	Optional	Logical			TRUE
FEATRE-B	5:14	Optional	String		5	
DEFN-B	5:15	Optional	Integer	-1	10	-1
DIP-B	5:16	Optional	Integer	-1	90	-1
DIR-B	5:17	Optional	Integer	-1	360	-1
FLOT-B	5:18	Optional	Logical			TRUE
FEATRE-C	5:19	Optional	String		5	
DEFN-C	5:20	Optional	Integer	-1	10	-1
DIP-C	5:21	Optional	Integer	-1	90	-1
DIR-C	5:22	Optional	Integer	-1	360	-1
FLOT-C	5:23	Optional	Logical			TRUE

Table Number : 6
 Table Name : FAULT
 Number of Fields : 11

Field name	Code	Mark	Type	Minimum	Maximum	Default
FROM	6:1	Optional	Real	-1.0	4000.0	-1.0
TO	6:2	Optional	Real	-1.0	4000.0	-1.0
FEATURE	6:3	Optional	String		10	
RECOVERY	6:4	Optional	String		10	
DIP-UPPER	6:5	Optional	Integer	-1	99	-1
DIR-UPPER	6:6	Optional	Integer	-1	999	-1
DIP-INTRNL	6:7	Optional	Integer	-1	99	-1
DIR-INTRNL	6:8	Optional	Integer	-1	999	-1
DIP-LOWER	6:9	Optional	Integer	-1	99	-1
DIR-LOWER	6:10	Optional	Integer	-1	999	-1
COMMENTS	6:11	Optional	String		50	

Table Number : 7
 Table Name : GEOTECH
 Number of Fields : 13

Field name	Code	Mark	Type	Minimum	Maximum	Default
FROM	7:1	Optional	Real	-1.0	4000.0	-1.0
TO	7:2	Optional	Real	-1.0	4000.0	-1.0
INTERVAL	7:3	Optional	Real	-1.0	4000.0	-1.0
RECOVERY	7:4	Optional	Real	-1.0	4000.0	-1.0
RECOVERY %	7:5	Optional	Integer	-1	100	-1
RQD	7:6	Optional	Real	-1.0	4000.0	-1.0
RQD %	7:7	Optional	Integer	-1	100	-1
BREAKAGE	7:8	Optional	Integer	-1	15	-1
WEATHERING	7:9	Optional	String		5	
JOINT #	7:10	Optional	Integer	-1	1000	-1
JOINT FREQ	7:11	Optional	Real	-1.00	1000.00	-1.00
CORE SIZE	7:12	Optional	String		5	NO
COMMENTS	7:13	Optional	String		50	

Table Number : 8
Table Name : SAMPLES
Number of Fields : 7

Field name	Code	Mark	Type	Minimum	Maximum	Default
FROM	8:1	Optional	Real	-1.0	4000.0	-1.0
TO	8:2	Optional	Real	-1.0	4000.0	-1.0
UNIT	8:3	Optional	String		8	
ROCK CODE	8:4	Optional	Integer	-1	999	-1
DEPT	8:5	Optional	String		20	
PURPOSE	8:6	Optional	String		100	
DATE	8:7	Optional	String		8	/