

003840

COL.3 (PEA) CHECK N.A.L.	COL.2 (PULP) CHECK N.A.L.	COL.4 (PULP) CHECK # B.C.	COL.1 SAMPLE NUMBER	ROCK CODE	COL. 1 INITIAL ZPb N.A.L.	COL. 2 (PULP) ZPb N.A.L.	COL. 3 (PEA) ZPb N.A.L.	COL. 4 (PULP) ZPb B.C.	[(1-2)/1] N.A.L. VARIANCE	[(1-3)/1] N.A.L. VARIANCE	[(1-4)/1] NAL:BC ZPb VARIANCE
	896-10	P-01	14758	4A4	1.8	1.82		1.78	-1.11%		1.11%
	896-10	P-02	14775	5DB	1.07	1.13		1.04	-5.61%		2.80%
	896-10	P-03	14777	5D	0.47	0.48		0.47	-2.13%		0.00%
	896-10	P-04	14790	4C5	0.13	2.13		2.1			
	896-10	P-05	14791	4A0	0.25	1.07					
	896-11	P-06	14816	5B269	0.56	0.64		0.61	-14.29%		-8.93%
	896-11	P-07	14819	4A0	1.31	1.28		1.31	2.29%		0.00%
G-1	896-11	P-08	14823	4CA	1.5	1.59	1.83		-6.00%	-22.00%	
G-2	896-13	P-09	14849	4A0	1.62	1.75	1.49	1.78	-8.02%	8.02%	-9.88%
G-3	896-13	P-10	14863	4A4	2.56	2.81	2.57	2.7	-9.77%	-0.39%	-5.47%
G-4	896-13	P-11	14870	4C5	1.31	1.3	1.33	1.3	0.76%	-1.53%	0.76%
G-5	896-17	P-12	14882	4A44	4.25	4.27	4.42	4.2	-0.47%	-4.00%	1.18%
G-6	896-17	P-13	14896	4C5	1.15	1.25	1.02		-8.70%	11.30%	
G-7	896-17	P-14	14904	4A0	1.44	1.53	1.57	1.58	-6.25%	-9.03%	-9.72%
G-8	896-17	P-15	14907	4A0	1.2	1.38	1.27	1.85	-15.00%	-5.83%	-54.17%
G-9	896-16	P-16	14924	4AD	1.99	2.5	2.35	2.56	-25.63%	-18.09%	-28.64%
G-10	896-16	P-17	14925	5C/4D	0.48	0.76	0.64	0.76	-58.33%	-33.33%	-58.33%
	896-16	P-18	14941	4EA4	2.71	2.11		2.16	22.14%		20.30%
	896-18	P-19	14952	4D0	2.35	1.83		1.82	22.13%		22.55%
	896-18	P-20	14970	4A34	5.81	4.37		4.5	24.78%		22.55%
	896-18	P-21	14977	4C53	1.46	1.22		1.2	16.44%		17.81%
	896-21	P-22	14999	4E1#	1.71	1.7		1.71	0.58%		0.00%
		P-23	15440			0.01		0.02			
		P-24	15447			0.02		0.08			
		P-25	15454			0.01		0.01			
		P-26	15462			0.01		0.02			
		P-27	15714			0.01		0.01			
	896-20	P-28	37002	4A0	1.48	1.5		1.6	-1.35%		-8.11%
	896-20	P-29	37006	4E4	16.18	14.2		14.05	12.24%		13.16%
	896-20	P-30	37010	4A0	1.06	1.18		1.18	-11.32%		-11.32%
G-12	896-19	P-31	37025	4A0#	0.2	0.21	0.25	0.39	-5.00%	-25.00%	-95.00%
G-13	896-19	P-32	37050	4L24	1.29	1.41	1.16	1.31	-9.30%	10.08%	-1.55%
G-14	896-23	P-33	37136	4H135	0.6	0.66	0.62	0.66	-10.00%	-3.33%	-10.00%
G-15	896-23	P-34	37139	4A4	1.75	1.9	1.95	2	-8.57%	-11.43%	-14.29%
	896-15	P-35	37168	4A0	0.05	0.1		0.09			
G-16	896-15	P-36	37177	4D0	1.72	1.66	1.54	1.78	3.49%	10.47%	-3.49%
G-17	896-15	P-37	37191	4C5	1.11	1.07	1.1	1.1	3.60%	0.90%	0.90%
G-18	896-15	P-38	37200	4AC	0.66	0.79	0.74	0.84	-19.70%	-12.12%	-27.27%
G-19	896-25	P-39	37231	4E4	6.26	6.62	6.89	6.53	-5.75%	-10.06%	-4.31%
	896-14	P-40	41954	4A44	3.13	3.04			2.88%		
	896-14	P-41	41960	5D6	0.02	0.07		0.05			
	896-14	P-42	41982	4DAE	1.25	1.35		1.9	-8.00%		-52.00%
	896-14	P-43	41984	4A0	1.16	1.14		1.17	1.72%		-0.86%
	896-14	P-44	41988	4A0	1.16	1.13		1.29	2.59%		
AVERAGE VALUE ----->					1.95	1.75	1.82	1.79	-3.56%	-6.41%	-9.68%

COL.3 (PEA) CHECK N.A.L.	COL.2 (PULP) HOLE NUMBER	COL.4 (PULP) CHECK N.A.L.	COL.1 CHECK # B.C.	COL.1 SAMPLE NUMBER	ROCK CODE	COL. 1 INITIAL Zn N.A.L.	COL. 2 (PULP) Zn N.A.L.	COL. 3 (PEA) Zn N.A.L.	COL. 4 (PULP) Zn B.C.	[(1-2)/1] N.A.L Zn VARIANCE	[(1-3)/1] N.A.L Zn VARIANCE	[(1-4)/1] NAL:BC Zn VARIANCE
	896-10	P-01		14758	4A4	4.55	4.49		4.13	1.32%		9.23%
	896-10	P-02		14775	5DB	1.22	1.34		1.28	-9.84%		-4.92%
	896-10	P-03		14777	5D	1.16	1.23		1.16	-6.03%		0.00%
	896-10	P-04		14790	4C5	1.79	3.33		2.98			
	896-10	P-05		14791	4A0	1.1	2.24					
	896-11	P-06		14816	5B269	0.95	1.08		1.01	-13.68%		-6.32%
	896-11	P-07		14819	4A0	1.45	1.57		1.54	-8.28%		-6.21%
G-1	896-11	P-08	14823	14823	4CA	3	3.26	3.56		-8.67%	-18.67%	
G-2	896-13	P-09	14849	14849	4A0	3.39	3.46	3.21	3.2	-2.06%	5.31%	5.60%
G-3	896-13	P-10	14863	14863	4A4	4.48	4.77	5.09	4.2	-6.47%	-13.62%	6.25%
G-4	896-13	P-11	14870	14870	4C5	3.19	3.59	3.31	3.4	-12.54%	-3.76%	-6.58%
G-5	896-17	P-12	14882	14882	4A44	7.35	7.63	8.82	7.19	-3.81%	-20.00%	2.18%
G-6	896-17	P-13	14896	14896	4C5	2.43	2.77	2.3		-13.99%	5.35%	
G-7	896-17	P-14	14904	14904	4A0	2.64	2.91	2.9	2.68	-10.23%	-9.85%	-1.52%
G-8	896-17	P-15	14907	14907	4A0	2.66	3.2	3.06	3.66	-20.30%	-15.04%	-37.59%
G-9	896-16	P-16	14924	14924	4AD	4.68	4.68	4.57	4.33	0.00%	2.35%	7.48%
G-10	896-16	P-17	14925	14925	5C/4D	1.61	1.58	1.47	1.47	1.86%	8.70%	8.70%
	896-16	P-18		14941	4EA4	5.35	5.53		5.03	-3.36%		5.98%
	896-18	P-19		14952	4D0	3.87	5.41		4.6	-39.79%		-18.86%
	896-18	P-20		14970	4A34	7.05	7.71		7.15	-9.36%		-1.42%
	896-18	P-21		14977	4C53	1.9	2.07		1.96	-8.95%		-3.16%
	896-21	P-22		14999	4E1\$	1.7	1.72		1.7	-1.18%		0.00%
		P-23		15440			0.01		0.02			
		P-24		15447			0.01		0.06			
		P-25		15454			0.01		0.01			
		P-26		15462			0.01		0.01			
		P-27		15714			0.01		0.01			
	896-20	P-28		37002	4A0	2.77	2.81		2.7	-1.44%		2.53%
	896-20	P-29		37006	4E4	17.5	19.24		16.48	-9.94%		5.83%
	896-20	P-30		37010	4A0	1.34	1.51		1.38	-12.69%		-2.99%
G-12	896-19	P-31	37025	37025	4A0\$	0.14	0.15	0.18	0.26	-7.14%	-28.57%	
G-13	896-19	P-32	37050	37050	4L24	0.75	0.81	0.71	0.79	-8.00%	5.33%	-5.33%
G-14	896-23	P-33	37136	37136	4H135	1.88	2.22	2.16	2.05	-18.09%	-14.89%	-9.04%
G-15	896-23	P-34	37139	37139	4A4	5.9	6.6	6.69	4.07	-11.86%	-13.39%	31.02%
	896-15	P-35		37168	4A0	0.09	0.08		0.1	11.11%		-11.11%
G-16	896-15	P-36	37177	37177	4D0	3.64	3.69	3.26	3.7	-1.37%	10.44%	-1.65%
G-17	896-15	P-37	37191	37191	4C5	2.7	2.93	2.9	2.6	-8.52%	-7.41%	3.70%
G-18	896-15	P-38	37200	37200	4AC	0.99	1.01	0.99	0.99	-2.02%	0.00%	0.00%
G-19	896-25	P-39	37231	37231	4E4	11.2	12.84	13.51	10.68	-14.64%	-20.63%	4.64%
	896-14	P-40		41954	4A44	7.89	7.79			1.27%		
	896-14	P-41		41960	5D6	0.11	0.14		0.13			
	896-14	P-42		41982	4DAE	2.32	2.43		3.3	-4.74%		-42.24%
	896-14	P-43		41984	4A0	1.32	1.31		1.28	0.76%		3.03%
	896-14	P-44		41988	4A0	3.25	3.26		3.26	-0.31%		-0.31%
AVERAGE VALUE ----->						3.37	3.28	3.82	2.91	-7.31%	-7.13%	-1.97%

COL.3 (PEA) CHECK N.A.L.	COL.2 (PULP) HOLE NUMBER	COL.4 (PULP) CHECK N.A.L.	COL.1 CHECK # B.C.	COL.1 SAMPLE NUMBER	ROCK CODE	COL. 1 INITIAL Ag N.A.L.	COL. 2 (PULP) Ag N.A.L.	COL. 3 (PEA) Ag N.A.L.	COL. 4 (PULP) Ag B.C.	[(1-2)/1] N.A.L Ag VARIANCE	[(1-3)/1] N.A.L Ag VARIANCE	[(1-4)/1] NAL:BC Ag VARIANCE
	896-10	P-01		14758	4A4	36	38.7		35.3	-7.50%		1.94%
	896-10	P-02		14775	5DB	26	12.3		15.1	52.69%		41.92%
	896-10	P-03		14777	5D	18	6.4		8.9	64.44%		50.56%
	896-10	P-04		14790	4C5	14	23.6		30.9			
	896-10	P-05		14791	4A0	12	21.9					
	896-11	P-06		14816	5B269	11	11.2		11.7	-1.82%		-6.36%
	896-11	P-07		14819	4A0	19	20		24	-5.26%		-26.32%
G-1	896-11	P-08	14823	14823	4CA	28	29.6	32.2		-5.71%	-15.00%	
G-2	896-13	P-09	14849	14849	4A0	11	32.4	29.3	30.5	-194.55%	-166.36%	-177.27%
G-3	896-13	P-10	14863	14863	4A4	22	41.5	27.8	48	-88.64%	-26.36%	-118.18%
G-4	896-13	P-11	14870	14870	4C5	21	25.6	31.2	29	-21.90%	-48.57%	-38.10%
G-5	896-17	P-12	14882	14882	4A44	55	63.6	77.1	66.9	-15.64%	-40.18%	-21.64%
G-6	896-17	P-13	14896	14896	4C5	22	17.5	19.9		20.45%	9.55%	
G-7	896-17	P-14	14904	14904	4A0	24	27.3	29.3	28.1	-13.75%	-22.08%	-17.08%
G-8	896-17	P-15	14907	14907	4A0	19	27.5	26.3	34.3	-44.74%	-38.42%	-80.53%
G-9	896-16	P-16	14924	14924	4AD	24	29.8	34.4	38.4	-24.17%	-43.33%	-60.00%
G-10	896-16	P-17	14925	14925	5C/4D	7	9.6	9.7	12.3	-37.14%	-38.57%	-75.71%
	896-16	P-18		14941	4EA4	49	43.4		51.4	11.43%		-4.90%
	896-18	P-19		14952	4D0	30	20.7		33.9	31.00%		-13.00%
	896-18	P-20		14970	4A34	60	72.4		72.3	-20.67%		-20.50%
	896-18	P-21		14977	4C53	18	17.8		21.9	1.11%		-21.67%
	896-21	P-22		14999	4E14	23	24.4		32.6	-6.09%		-41.74%
		P-23		15440			1.5		2.1			
		P-24		15447			11.1		11.7			
		P-25		15454			1.1		1.4			
		P-26		15462			3.5		3.4			
		P-27		15714			0.1		0.7			
	896-20	P-28		37002	4A0	26	24		29.5	7.69%		-13.46%
	896-20	P-29		37006	4E4	195	316		222.2	-62.05%		-13.95%
	896-20	P-30		37010	4A0	21	22.6		24.3	-7.62%		-15.71%
G-12	896-19	P-31	37025	37025	4A04	8	8.9	7.8	12.3	-11.25%	2.50%	-53.75%
G-13	896-19	P-32	37050	37050	4L24	10	13.3	14.4	16.5	-33.00%	-44.00%	-65.00%
G-14	896-23	P-33	37136	37136	4H135	8	11.5	11.3	11.3	-43.75%	-41.25%	-41.25%
G-15	896-23	P-34	37139	37139	4A4	31	26.6	28.1	28.1	14.19%	9.35%	9.35%
	896-15	P-35		37168	4A0	4	3.6		4.1	10.00%		-2.50%
G-16	896-15	P-36	37177	37177	4D0	18	21.5	19	26.1	-19.44%	-5.56%	-45.00%
G-17	896-15	P-37	37191	37191	4C5	23	21.4	21.3	20.9	6.96%	7.39%	9.13%
G-18	896-15	P-38	37200	37200	4AC	16	15.1	13.6	15.4	5.63%	15.00%	3.75%
G-19	896-25	P-39	37231	37231	4E4	128	93.9	98.4	89.8	26.64%	23.12%	29.84%
	896-14	P-40		41954	4A44	52	45			13.46%		
	896-14	P-41		41960	5D6	10	0.6		1	94.00%		90.00%
	896-14	P-42		41982	4DAE	40	19.9		32.2	50.25%		19.50%
	896-14	P-43		41984	4A0	31	20.6		21.3	33.55%		31.29%
	896-14	P-44		41988	4A0	37	27.6		30.2	25.41%		18.38%
AVERAGE VALUE ----->						30.95	30.15	29.51	30.75	-5.29%	-25.71%	-19.65%

COL.3 (PEA)	COL.2 (PULP)	COL.4 (PULP)	COL.1	COL.1 INITIAL	COL.2 (PULP)	COL.3 (PEA)	COL.4 (PULP)	[(1-2)/1] N.A.L	[(1-3)/1] N.A.L	[(1-4)/1] NAL:BC		
CHECK N.A.L.	HOLE NUMBER	CHECK N.A.L.	CHECK # B.C.	SAMPLE NUMBER	ROCK CODE	Au N.A.L.	Au N.A.L.	Au N.A.L.	Au B.C.	VARIANCE	VARIANCE	VARIANCE
	896-10	P-01		14758	4A4	0.28	0.39		0.14	-39.29%		50.00%
	896-10	P-02		14775	5DB	0.07	0.14		0.07	-100.00%		0.00%
	896-10	P-03		14777	5D	0.13	0.16		0.07	-23.08%		46.15%
	896-10	P-04		14790	4C5	0.25	0.34		0.21			
	896-10	P-05		14791	4A0	0.28	0.39					
	896-11	P-06		14816	5B269	0.19	0.38		0.14	-100.00%		26.32%
	896-11	P-07		14819	4A0	0.43	0.8		0.41	-86.05%		4.65%
G-1	896-11	P-08	14823	14823	4CA	0.41	0.56	0.52		-36.59%	-26.83%	
G-2	896-13	P-09	14849	14849	4A0	0.45	0.57	0.57	0.45	-26.67%	-26.67%	0.00%
G-3	896-13	P-10	14863	14863	4A4	0.54	0.71	0.83	0.51	-31.48%	-53.70%	5.56%
G-4	896-13	P-11	14870	14870	4C5	0.17	0.3	0.31	0.14	-76.47%	-82.35%	17.65%
G-5	896-17	P-12	14882	14882	4A44	0.69	0.81	0.86	1.1	-17.39%	-24.64%	-59.42%
G-6	896-17	P-13	14896	14896	4C5	0.39	0.57	0.5		-46.15%	-28.21%	
G-7	896-17	P-14	14904	14904	4A0	0.46	0.7	0.63	0.48	-52.17%	-36.96%	-4.35%
G-8	896-17	P-15	14907	14907	4A0	0.31	0.47	0.51	0.38	-51.61%	-64.52%	-22.58%
G-9	896-16	P-16	14924	14924	4AD	0.39	0.6	0.5	0.41	-53.85%	-28.21%	-5.13%
G-10	896-16	P-17	14925	14925	5C/4D	0.11	0.27	0.17	0.1	-145.45%	-54.55%	9.09%
	896-16	P-18		14941	4EA4	1.19	0.64		1.1	46.22%		7.56%
	896-18	P-19		14952	4D0	0.06	0.25		0.07	-316.67%		-16.67%
	896-18	P-20		14970	4A34	1.07	1.33		1.17	-24.30%		-9.35%
	896-18	P-21		14977	4C53	0.51	0.61		0.45	-19.61%		11.76%
	896-21	P-22		14999	4E1\$	0.73	0.78		0.62	-6.85%		15.07%
		P-23		15440			0.14		0.07			
		P-24		15447			0.37		0.17			
		P-25		15454			0.19		0.07			
		P-26		15462			0.17		0.07			
		P-27		15714			0.11		0.07			
	896-20	P-28		37002	4A0	0.38	0.63		0.41	-65.79%		-7.89%
	896-20	P-29		37006	4E4	2.3	2.81		2.85	-22.17%		-23.91%
	896-20	P-30		37010	4A0	0.45	0.74		0.55	-64.44%		-22.22%
G-12	896-19	P-31	37025	37025	4A0\$	0.48	0.55	0.56	0.38	-14.58%	-16.67%	20.83%
G-13	896-19	P-32	37050	37050	4L24	0.36	0.35	0.41	0.21	2.78%	-13.89%	41.67%
G-14	896-23	P-33	37136	37136	4H135	0.25	0.23	0.3	0.14	8.00%	-20.00%	44.00%
G-15	896-23	P-34	37139	37139	4A4	0.31	0.38	0.37	0.24	-22.58%	-19.35%	22.58%
	896-15	P-35		37168	4A0	0.25	0.48		0.31	-92.00%		-24.00%
G-16	896-15	P-36	37177	37177	4D0	0.1	0.33	0.22	0.21	-230.00%	-120.00%	-110.00%
G-17	896-15	P-37	37191	37191	4C5	0.15	0.38	0.35	0.24	-153.33%	-133.33%	-60.00%
G-18	896-15	P-38	37200	37200	4AC	0.53	0.39	0.46	0.31	26.42%	13.21%	41.51%
G-19	896-25	P-39	37231	37231	4E4	1.99	1.81	1.74	1.85	9.05%	12.56%	7.04%
	896-14	P-40		41954	4A44	0.28	0.46			-64.29%		
	896-14	P-41		41960	5D6	0.03	0.11		0.07	-266.67%		-133.33%
	896-14	P-42		41982	4DAE	0.87	1.09		0.99	-25.29%		-13.79%
	896-14	P-43		41984	4A0	0.42	0.51		0.41	-21.43%		2.38%
	896-14	P-44		41988	4A0	0.33	0.37		0.31	-12.12%		6.06%
AVERAGE VALUE ----->						0.48	0.55	0.55	0.45	-59.89%	-40.23%	-3.90%

COL.3 (PEA) CHECK N.A.L.	COL.2 (PULP) HOLE NUMBER	COL.4 (PULP) CHECK N.A.L.	COL.1 CHECK # B.C.	COL.1 SAMPLE NUMBER	ROCK CODE	COL. 1 INITIAL %Cu N.A.L.	COL. 2 (PULP) %Cu N.A.L.	COL. 3 (PEA) %Cu N.A.L.	COL. 4 (PULP) %Cu B.C.	[(1-2)/1] N.A.L. %Cu VARIANCE	[(1-3)/1] N.A.L. %Cu VARIANCE	[(1-4)/1] NAL:BC %Cu VARIANCE
	896-10	P-01		14758	4A4	0.05	0.04		0.04	20.00%		20.00%
	896-10	P-02		14775	5DB	0.01	0.007		0.01	30.00%		0.00%
	896-10	P-03		14777	5D	0.01	0.007		0.01	30.00%		0.00%
	896-10	P-04		14790	4C5	0.01	0.017		0.02			-100.00%
	896-10	P-05		14791	4A0	0.01	0.018					
	896-11	P-06		14816	5B269	0.05	0.047		0.05	6.00%		0.00%
	896-11	P-07		14819	4A0	0.08	0.073		0.06	8.75%		25.00%
G-1	896-11	P-08	14823	14823	4CA	0.07	0.06	0.037		14.29%	47.14%	
G-2	896-13	P-09	14849	14849	4A0	0.02	0.028	0.063	0.03	-40.00%	-215.00%	-50.00%
G-3	896-13	P-10	14863	14863	4A4	0.08	0.069	0.071	0.07	13.75%	11.25%	12.50%
G-4	896-13	P-11	14870	14870	4C5	0.01	0.013	0.025	0.01	-30.00%	-150.00%	0.00%
G-5	896-17	P-12	14882	14882	4A44	0.05	0.033	0.047	0.03	34.00%	6.00%	40.00%
G-6	896-17	P-13	14896	14896	4C5	0.09	0.08	0.068		11.11%	24.44%	
G-7	896-17	P-14	14904	14904	4A0	0.03	0.025	0.029	0.02	16.67%	3.33%	33.33%
G-8	896-17	P-15	14907	14907	4A0	0.05	0.042	0.036	0.01	16.00%	28.00%	80.00%
G-9	896-16	P-16	14924	14924	4AD	0.03	0.025	0.024	0.03	16.67%	20.00%	0.00%
G-10	896-16	P-17	14925	14925	5C/4D	0.01	0.007	0.015	0.01	30.00%	-50.00%	0.00%
	896-16	P-18		14941	4EA4	0.18	0.177		0.16	1.67%		11.11%
	896-18	P-19		14952	4D0	0.01	0.011		0.01	-10.00%		0.00%
	896-18	P-20		14970	4A34	0.13	0.146		0.13	-12.31%		0.00%
	896-18	P-21		14977	4C53	0.05	0.054		0.04	-8.00%		20.00%
	896-21	P-22		14999	4E1#	0.31	0.263		0.25	15.16%		19.35%
		P-23		15440			0.002		0.01			
		P-24		15447			0.032		0.04			
		P-25		15454			0.005		0.01			
		P-26		15462			0.01		0.01			
		P-27		15714			0.002		0.01			
	896-20	P-28		37002	4A0	0.08	0.075		0.08	6.25%		0.00%
	896-20	P-29		37006	4E4	0.28	0.254		0.25	9.29%		10.71%
	896-20	P-30		37010	4A0	0.01	0.018		0.02	-80.00%		-100.00%
G-12	896-19	P-31	37025	37025	4A0#	0.19	0.187	0.172	0.18	1.58%	9.47%	5.26%
G-13	896-19	P-32	37050	37050	4L24	0.13	0.101	0.128	0.11	22.31%	1.54%	15.38%
G-14	896-23	P-33	37136	37136	4H135	0.05	0.035	0.04	0.03	30.00%	20.00%	40.00%
G-15	896-23	P-34	37139	37139	4A4	0.02	0.014	0.014	0.02	30.00%	30.00%	0.00%
	896-15	P-35		37168	4A0	0.04	0.044		0.04	-10.00%		0.00%
G-16	896-15	P-36	37177	37177	4D0	0.03	0.02	0.02	0.02	33.33%	33.33%	33.33%
G-17	896-15	P-37	37191	37191	4C5	0.04	0.044	0.04	0.04	-10.00%	0.00%	0.00%
G-18	896-15	P-38	37200	37200	4AC	0.1	0.108	0.096	0.1	-8.00%	4.00%	0.00%
G-19	896-25	P-39	37231	37231	4E4	0.16	0.16	0.155	0.15	0.00%	3.13%	6.25%
	896-14	P-40		41954	4A44	0	0.009					
	896-14	P-41		41960	5D6	0	0.001		0.02			
	896-14	P-42		41982	4DAE	0.04	0.036		0.05	10.00%		-25.00%
	896-14	P-43		41984	4A0	0.06	0.055		0.05	8.33%		16.67%
	896-14	P-44		41988	4A0	0.08	0.073		0.07	8.75%		12.50%
AVERAGE VALUE ----->						0.07	0.06	0.06	0.06	6.16%	-9.63%	3.72%

COL.3 (PEA) CHECK N.A.L.	COL.2 (PULP) HOLE N.A.L.	COL.4 (PULP) CHECK B.C.	COL.1 CHECK # SAMPLE NUMBER	ROCK CODE	COL. 1 INITIAL %Fe N.A.L.	COL. 2 (PULP) %Fe N.A.L.	COL. 3 (PEA) %Fe N.A.L.	COL. 4 (PULP) %Fe B.C.	[(1-2)/1] N.A.L. %Fe VARIANCE	[(1-3)/1] N.A.L. %Fe VARIANCE	[(1-4)/1] NAL:BC %Fe VARIANCE
	896-10	P-01	14758	4A4	4.08	2.19		3.2	46.32%		21.57%
	896-10	P-02	14775	5DB	7.51	5.51		7.75	26.63%		-3.20%
	896-10	P-03	14777	5D	6.83	5.88		7.39	13.91%		-8.20%
	896-10	P-04	14790	4C5	0.91	1.33		2.59			
	896-10	P-05	14791	4A0	2.67	4.27					
	896-11	P-06	14816	5B269	6.25	5.05		8.28	19.20%		-32.48%
	896-11	P-07	14819	4A0	6.26	4.85		8.07	22.52%		-28.91%
G-1	896-11	P-08	14823	4CA	5.36	4.03	3.78		24.81%	29.48%	
G-2	896-13	P-09	14849	4A0	3.65	2.88	4.11	4.9	21.10%	-12.60%	-34.25%
G-3	896-13	P-10	14863	4A4	11.99	2.91	7.97	12.52	75.73%	33.53%	-4.42%
G-4	896-13	P-11	14870	4C5	1.98	1.96	1.87	2.99	1.01%	5.56%	-51.01%
G-5	896-17	P-12	14882	4A44	13.04	9.53	9.19	15.39	26.92%	29.52%	-18.02%
G-6	896-17	P-13	14896	4C5	4.25	3.94	4.21		7.29%	0.94%	
G-7	896-17	P-14	14904	4A0	5.3	4.17	4.03	7	21.32%	23.96%	-32.08%
G-8	896-17	P-15	14907	4A0	8.49	6.57	6.55	8.99	22.61%	22.85%	-5.89%
G-9	896-16	P-16	14924	4AD	2.27	2.02	1.97	3.2	11.01%	13.22%	-40.97%
G-10	896-16	P-17	14925	5C/4D	6.14	6	5.69	7.7	2.28%	7.33%	-25.41%
	896-16	P-18	14941	4EA4	16.13	13.32		19.86	17.42%		-23.12%
	896-18	P-19	14952	4D0	4.7	4.34		6.4	7.66%		-36.17%
	896-18	P-20	14970	4A34	16.54	12.82		19.96	22.49%		-20.68%
	896-18	P-21	14977	4C53	10.86	8.53		12.92	21.45%		-18.97%
	896-21	P-22	14999	4E1#	20.59	21.52		30.37	-4.52%		-47.50%
		P-23	15440			1.02		0.85			
		P-24	15447			1.31		2.47			
		P-25	15454			1.09		1			
		P-26	15462			0.93		0.74			
		P-27	15714			2.13		2.98			
	896-20	P-28	37002	4A0	9.05	6.45		10.69	28.73%		-18.12%
	896-20	P-29	37006	4E4	20.08	14.2		24.2	29.28%		-20.52%
	896-20	P-30	37010	4A0	7.38	4.98		9.13	32.52%		-23.71%
G-12	896-19	P-31	37025	4A0#	13.96	11.11	11.86	16.17	20.42%	15.04%	-15.83%
G-13	896-19	P-32	37050	4L24	13.46	14.78	14.58	18.61	-9.81%	-8.32%	-38.26%
G-14	896-23	P-33	37136	4H135	19.99	21.84	22.6	27.94	-9.25%	-13.06%	-39.77%
G-15	896-23	P-34	37139	4A4	9.87	11.35	11.59	16.48	-14.99%	-17.43%	-66.97%
	896-15	P-35	37168	4A0	4.71	5.08		6.45	-7.86%		-36.94%
G-16	896-15	P-36	37177	4D0	4.66	5.46	4.89	6.08	-17.17%	-4.94%	-30.47%
G-17	896-15	P-37	37191	4C5	4.5	5.22	4.51	6.98	-16.00%	-0.22%	-55.11%
G-18	896-15	P-38	37200	4AC	8.74	8.21	7.95	11.46	6.06%	9.04%	-31.12%
G-19	896-25	P-39	37231	4E4	26.22	20.61	20.24	33.31	21.40%	22.81%	-27.04%
	896-14	P-40	41954	4A44	14.06	10.02			28.73%		
	896-14	P-41	41960	5D6	4.39	5.09		5.09	-15.95%		-15.95%
	896-14	P-42	41982	4DAE	23.41	17.14		24.45	26.78%		-4.44%
	896-14	P-43	41984	4A0	6.32	5.82		7.49	7.91%		-18.51%
	896-14	P-44	41988	4A0	12.09	8.77		13.2	27.46%		-9.18%
AVERAGE VALUE ----->					9.45	7.19	8.20	10.88	14.74%	8.71%	-25.34%

86

COL. 3 (PEA)	COL. 2 (PULP)	COL. 4 (PULP)	COL. 1 SAMPLE	COL. 1 INITIAL	COL. 3 [(1-2)/1] NAL SG	COL. 1 INITIAL	COL. 4 [(1-4)/1] NAL:BC
CHECK	HOLE	CHECK	CHECK #	ROCK	Ag	SG	SG
N.A.L. NUMBER	N.A.L. B.C.	B.C.	NUMBER	TYPE	N.A.L. VARIANCE	N.A.L. VARIANCE	%
896-10	P-01		14758		2.67		
896-10	P-02		14775		2.83		
896-10	P-03		14777		2.8		
896-10	P-04		14790		2.67		
896-10	P-05		14791		2.61		
896-11	P-06		14816		2.71		
896-11	P-07		14819		2.66		
G-1	896-11	P-08	14823	14823	2.76	2.57	
G-2	896-13	P-09	14849	14849	2.6	2.89	-11.15%
G-3	896-13	P-10	14863	14863 4A4	2.96	2.99	-1.01%
G-4	896-13	P-11	14870	14870	2.54	2.68	-5.51%
G-5	896-17	P-12	14882	14882	3.21	3.16	1.56%
G-6	896-17	P-13	14896	14896	2.56	2.84	-10.94%
G-7	896-17	P-14	14904	14904	2.79	2.86	-2.51%
G-8	896-17	P-15	14907	14907	2.67	2.9	-8.61%
G-9	896-16	P-16	14924	14924	2.62	2.78	
G-10	896-16	P-17	14925	14925 5C/4D	2.62	2.82	-7.63%
	896-16	P-18	14941		3.31		
	896-18	P-19	14952	4D0	2.67		
	896-18	P-20	14970		3.31		
	896-18	P-21	14977		2.95		
	896-21	P-22	14999		3.84		
		P-23	15440				
		P-24	15447				
		P-25	15454				
		P-26	15462				
		P-27	15714				
	896-20	P-28	37002		2.7		
	896-20	P-29	37006		4.87		
	896-20	P-30	37010		2.81		
G-12	896-19	P-31	37025	37025	2.88	3.09	-7.29%
G-13	896-19	P-32	37050	37050	3.12	3.24	-3.85%
G-14	896-23	P-33	37136	37136	3.2	3.4	-6.25%
G-15	896-23	P-34	37139	37139	3.04	3.18	-4.61%
	896-15	P-35	37168		2.55		
G-16	896-15	P-36	37177	37177	2.8	2.86	-2.14%
G-17	896-15	P-37	37191	37191 4C5	2.57	2.77	-7.78%
G-18	896-15	P-38	37200	37200	2.78	2.7	
G-19	896-25	P-39	37231	37231	4.62	4.48	
	896-14	P-40	41954		3.1		
	896-14	P-41	41960		2.67		
	896-14	P-42	41982		3.39		
	896-14	P-43	41984		2.61		
	896-14	P-44	41988		2.83		

896-13	896-19	896-13	896-19	896-13	896-19
13	13	13	13	13	13
13	13	13	13	13	13
14857	14857	14857	14857	14857	14857
14863	14863	14863	14863	14863	14863
14875	14875	14875	14875	14875	14875
14877	14877	14877	14877	14877	14877
14916	14916	14916	14916	14916	14916
14925	14925	14925	14925	14925	14925
14937	14937	14937	14937	14937	14937
14952	14952	14952	14952	14952	14952
37032	37032	37032	37032	37032	37032
37060	37060	37060	37060	37060	37060
37106	37106	37106	37106	37106	37106
37187	37187	37187	37187	37187	37187
37191	37191	37191	37191	37191	37191
37210	37210	37210	37210	37210	37210
37217	37217	37217	37217	37217	37217
37218	37218	37218	37218	37218	37218
37230	37230	37230	37230	37230	37230
37248	37248	37248	37248	37248	37248
37365	37365	37365	37365	37365	37365
37415	37415	37415	37415	37415	37415
37434	37434	37434	37434	37434	37434
37468	37468	37468	37468	37468	37468
41559*	41559*	41559*	41559*	41559*	41559*
41564*	41564*	41564*	41564*	41564*	41564*
41738	41738	41738	41738	41738	41738
G-13	G-13	G-13	G-13	G-13	G-13

AVERAGE VALUE 3.20 3.30 -3.94%

AVERAGE VALUE -----> 2.81 3.01 -4.86%

