

SAMPLE ROCK INITIAL Pb (2)Zn (3)Zn Zn % INITIAL Ag(2)Au GMT (3)Au GMT Au GMT Au % (2)Cu (3)Cu %Cu Cu % (2)Fe
 NUMBER TYPE N.A.L. N.A.L. N.A.L. B.C. VARIENCE N.A.L. N.A.L. N.A.L. B.C. VARIENCE N.A.L. N.A.L. N.A.L. B.C. VARIENCE N.A.L. N.A.L. B.C. VARIENCE N.A.L.

003841

SAMPLE NUMBER	ROCK TYPE	INITIAL Pb N.A.L.	(2)Zn N.A.L.	(3)Zn N.A.L.	Zn % B.C.	INITIAL Zn N.A.L.	(2)Zn N.A.L.	(3)Zn N.A.L.	Zn % B.C.	INITIAL Ag N.A.L.	(2)Au GMT N.A.L.	(3)Au GMT N.A.L.	Au GMT B.C.	Au % VARIENCE	(2)Cu N.A.L.	(3)Cu N.A.L.	%Cu B.C.	Cu % VARIENCE	(2)Fe N.A.L.							
14758		1.8	1.82		1.78	2.20%	4.55	4.49	4.13	8.02%	36	38.7	35.3	8.79%	0.28	0.39	0.14	64.10%	0.04	0.04	0.00%	2.19				
14775		1.07	1.13		1.04	7.96%	1.22	1.34	1.28	4.48%	26	12.3	15.1	-22.76%	0.07	0.14	0.07	50.00%	0.007	0.01	-42.86%	5.51				
14777		0.47	0.48		0.47	2.08%	1.16	1.23	1.16	5.69%	18	6.4	8.9	-39.06%	0.13	0.16	0.07	56.25%	0.007	0.01	-42.86%	5.88				
14790		0.13	2.13		2.1	1.41%	1.79	3.33	2.98	10.51%	14	23.6	30.9	-30.93%	0.25	0.34	0.21	38.24%	0.017	0.02	-17.65%	1.33				
14791		0.25	1.07			100.00%	1.1	2.24		100.00%	12	21.9		100.00%	0.28	0.39		100.00%	0.018		100.00%	4.27				
14816		0.56	0.64		0.61	4.69%	0.95	1.08	1.01	6.48%	11	11.2	11.7	-4.46%	0.19	0.38	0.14	63.16%	0.047	0.05	-6.38%	5.05				
14819		1.31	1.28		1.31	-2.34%	1.45	1.57	1.54	1.91%	19	20	24	-20.00%	0.43	0.8	0.41	48.75%	0.073	0.06	17.81%	4.85				
14823		1.5	1.59	1.83		100.00%	3	3.26	3.56	100.00%	28	29.6	32.2	100.00%	0.41	0.56	0.52	100.00%	0.06	0.037	100.00%	4.03				
14849		1.62	1.75	1.49	1.78	-1.71%	3.39	3.46	3.21	3.2	7.51%	11	32.4	29.3	30.5	5.86%	0.45	0.57	0.57	0.45	21.05%	0.028	0.063	0.03	-7.14%	2.88
14863		2.56	2.81	2.57	2.7	3.91%	4.48	4.77	5.09	4.2	11.95%	22	41.5	27.8	48	-15.66%	0.54	0.71	0.83	0.51	28.17%	0.069	0.071	0.07	-1.45%	2.91
14870		1.31	1.3	1.33	1.3	0.00%	3.19	3.59	3.31	3.4	5.29%	21	25.6	31.2	29	-13.28%	0.17	0.3	0.31	0.14	53.33%	0.013	0.025	0.01	23.08%	1.96
14882		4.25	4.27	4.42	4.2	1.64%	7.35	7.63	8.82	7.19	5.77%	55	63.6	77.1	66.9	-5.19%	0.69	0.81	0.86	1.1	-35.80%	0.033	0.047	0.03	9.09%	9.53
14896		1.15	1.25	1.02		100.00%	2.43	2.77	2.3		100.00%	22	17.5	19.9		100.00%	0.39	0.57	0.5		100.00%	0.08	0.068		100.00%	3.94
14904		1.44	1.53	1.57	1.56	-1.96%	2.64	2.91	2.9	2.68	7.90%	24	27.3	29.3	28.1	-2.93%	0.46	0.7	0.63	0.48	31.43%	0.025	0.029	0.02	20.00%	4.17
14907		1.2	1.38	1.27	1.85	ERR	2.66	3.2	3.06	3.66	ERR	19	27.5	26.3	34.3	ERR	0.31	0.47	0.51	0.38	ERR	0.042	0.36	0.01	76.19%	6.57
14924		1.99	2.5	2.35	2.56	ERR	4.68	4.68	4.57	4.33	ERR	24	29.8	34.4	38.4	ERR	0.39	0.6	0.5	0.41	ERR	0.025	0.024	0.03	ERR	2.02
14925		0.48	0.76	0.64	0.76	-2.40%	1.61	1.58	1.47	1.47	7.48%	7	9.6	9.7	12.3	-28.86%	0.11	0.27	0.17	0.1	31.67%	0.007	0.015	0.01	-328.57%	6
14941		2.71	2.11		2.16	0.00%	5.35	5.53		5.03	6.96%	49	43.4		51.4	-28.13%	1.19	0.64		1.1	62.96%	0.177		0.16	94.35%	13.32
14952		2.35	1.83		1.82	-2.37%	3.87	5.41		4.6	9.04%	30	20.7		33.9	-18.43%	0.06	0.25		0.07	-71.88%	0.011		0.01	*****	4.34
14970		5.81	4.37		4.5	0.55%	7.05	7.71		7.15	14.97%	60	72.4		72.3	-63.77%	1.07	1.33		1.17	72.00%	0.146		0.13	93.15%	12.82
14977		1.46	1.22		1.2	-2.97%	1.9	2.07		1.96	7.26%	18	17.8		21.9	0.14%	0.51	0.61		0.45	12.03%	0.054		0.04	-140.74%	8.53
14999		1.71	1.7		1.71	1.64%	1.7	1.72		1.7	5.31%	23	24.4		32.6	-23.03%	0.73	0.78		0.62	26.23%	0.263		0.25	84.79%	21.52
15440			0.01		0.02	-0.59%		0.01		0.02	1.16%		1.5		2.1	-33.61%		0.14		0.07	20.51%	0.002		0.01	*****	1.02
15447			0.02		0.08	-100.00%		0.01		0.06	-100.00%		11.1		11.7	-40.00%		0.37		0.17	50.00%	0.032		0.04	68.75%	1.31
15454			0.01		0.01	-300.00%		0.01		0.01	-500.00%	OK	1.1		1.4	-5.41%		0.19		0.07	54.05%	0.005		0.01	-700.00%	1.09
15462			0.01		0.02	0.00%		0.01		0.01	0.00%		3.5		3.4	-27.27%		0.17		0.07	63.16%	0.01		0.01	0.00%	0.93
15714			0.01		0.01	-100.00%		0.01		0.01	0.00%		0.1		0.7	2.86%		0.11		0.07	58.82%	0.002		0.01	-400.00%	2.13
37002		1.48	1.5		1.6	0.00%	2.77	2.81		2.7	0.00%	26	24		29.5	-600.00%	0.38	0.63		0.41	36.36%	0.075		0.08	86.67%	6.45
37006		16.18	14.2		14.05	-6.67%	17.5	19.24		16.48	3.91%	195	316		222.2	-22.92%	2.3	2.81		2.85	34.92%	0.254		0.25	68.50%	14.2
37010		1.06	1.18		1.18	1.06%	1.34	1.51		1.38	14.35%	21	22.6		24.3	-29.68%	0.45	0.74		0.55	-1.42%	0.018		0.02	*****	4.98
37025		0.2	0.21	0.25	0.39	0.00%	0.14	0.15	0.18	0.26	8.61%	8	8.9	7.8	12.3	-7.52%	0.48	0.55	0.56	0.38	25.68%	0.187	0.172	0.18	89.30%	11.11
37050		1.29	1.41	1.16	1.31	-85.71%	0.75	0.81	0.71	0.79	-73.33%	10	13.3	14.4	16.5	-38.20%	0.36	0.35	0.41	0.21	30.91%	0.101	0.128	0.11	-78.22%	14.78
37136		0.6	0.66	0.62	0.66	7.09%	1.88	2.22	2.16	2.05	2.47%	8	11.5	11.3	11.3	-24.06%	0.25	0.23	0.3	0.14	40.00%	0.035	0.04	0.03	-214.29%	21.84
37139		1.75	1.9	1.95	2	0.00%	5.9	6.6	6.69	4.07	7.66%	31	26.6	28.1	28.1	1.74%	0.31	0.38	0.37	0.24	39.13%	0.014	0.014	0.02	-114.29%	11.35
37168		0.05	0.1		0.09	-5.26%	0.09	0.08		0.1	38.33%	4	3.6		4.1	-5.64%	0.25	0.48		0.31	36.84%	0.044		0.04	54.55%	5.08
37177		1.72	1.66	1.54	1.78	10.00%	3.64	3.69	3.26	3.7	-25.00%	18	21.5	19	26.1	-13.89%	0.1	0.33	0.22	0.21	35.42%	0.02	0.02	0.02	-100.00%	5.46
37191		1.11	1.07	1.1	1.1	-7.23%	2.7	2.93	2.9	2.6	-0.27%	23	21.4	21.3	20.9	-21.40%	0.15	0.38	0.35	0.24	36.36%	0.044	0.04	0.04	54.55%	5.22
37200		0.66	0.79	0.74	0.84	-2.80%	0.99	1.01	0.99	0.99	11.26%	16	15.1	13.6	15.4	2.34%	0.53	0.39	0.46	0.31	36.84%	0.108	0.096	0.1	62.96%	8.21
37231		6.26	6.62	6.89	6.53	-6.33%	11.2	12.84	13.51	10.68	1.98%	128	93.9	98.4	89.8	-1.99%	1.99	1.81	1.74	1.85	20.51%	0.16	0.155	0.15	37.50%	20.61
41954		3.13	3.04			1.36%	7.89	7.79			16.82%	52	45			4.37%	0.28	0.46			-2.21%	0.009			*****	10.02
41960		0.02	0.07		0.05	100.00%	0.11	0.14		0.13	100.00%	10	0.6		1	100.00%	0.03	0.11		0.07	100.00%	0.001		0.02	100.00%	5.09
41982		1.25	1.35		1.9	28.57%	2.32	2.43		3.3	7.14%	40	19.9		32.2	-66.67%	0.87	1.09		0.99	36.36%	0.036		0.05	44.44%	17.14
41984		1.16	1.14		1.17	-40.74%	1.32	1.31		1.28	-35.80%	31	20.6		21.3	-61.81%	0.42	0.51		0.41	9.17%	0.055		0.05	9.09%	5.82
41988		1.16	1.13		1.29	-2.63%	3.25	3.26		3.26	2.29%	37	27.6		30.2	-3.40%	0.33	0.37		0.31	19.61%	0.073		0.07	31.51%	8.77
????						-14.16%					0.00%					-9.42%					16.22%	0.073				4.11%

CALC ERROR!

AM... BU 51

(3)%Fe N.A.L.	%Fe B.C.	Fe % VARIENCE	INITAL SG N.A.L.	(2)SG N.A.L.	(3)SG N.A.L.	SG-PULP B.C.	SG % VARIENCE
	3.2	-46.12%	2.67				ERR
	7.75	-40.65%	0				ERR
	7.39	-25.68%	0				ERR
	2.59	-94.74%	2.67				ERR
		100.00%	2.61				ERR
	8.28	-63.96%	2.71				ERR
	9.07	-66.39%	2.66				ERR
3.78		100.00%	0	2.57			ERR
4.11	4.9	-70.14%	2.6	2.89			ERR
7.97	12.52	-330.24%	2.96	2.99			ERR
1.87	2.99	-52.55%	2.54	2.68			ERR
9.19	15.39	-61.49%	3.21	3.16			ERR
4.21		100.00%	2.56	2.84			ERR
4.03	7	-67.87%	2.79	2.86			ERR
6.55	8.99	ERR	2.67	2.9			ERR
1.97	3.2	ERR		2.78			ERR
5.69	7.7	-58.42%	2.62	2.82			ERR
	19.86	-28.33%	3.31				ERR
	6.4	-49.10%	2.67				ERR
	19.96	-47.47%	3.31				ERR
	12.92	-55.69%	2.95				ERR
	30.37	-51.47%					ERR
	0.85	-41.12%					ERR
	2.47	16.67%					ERR
	1	-88.55%					ERR
	0.74	8.26%					ERR
	2.98	20.43%					ERR
	10.69	-39.91%	2.7				ERR
	24.2	-65.74%					ERR
	9.13	-70.42%	2.81				ERR
11.86	16.17	-83.33%	2.88	3.09			ERR
14.58	18.61	-45.54%	3.12	3.24			ERR
22.6	27.94	-25.91%	3.2	3.4			ERR
11.59	16.48	-27.93%	3.04	3.18			ERR
	6.45	-45.20%	2.55				ERR
4.89	6.08	-26.97%	2.8	2.86			ERR
4.51	6.98	-11.36%	2.57	2.77			ERR
7.95	11.46	-33.72%		2.7			ERR
20.24	33.31	-39.59%		4.48			ERR
		-61.62%	3.1				ERR
	5.09	100.00%	2.67				ERR
	24.45	0.00%					ERR
	7.49	-42.65%	2.61				ERR
	13.2	-28.69%	2.83				ERR
		-50.51%					ERR