

004053

MINE GRID NORTH EAST UTM GRID NORTH EAST ELEV.

HOLE ID: 97G10 DEPTH: 223.4M


SPERRY SUN READINGS CONVERSION

SPERRY SUN CONVERTED READINGS

DEPTH (FEET)	DEPTH (METRES)	SS DIP	SS BEARING	DIP	ZENITH	UTM BEARING	MINE GRID BEARING
0.0	0.00	1.0	0	-89.0	179.0	29.5	77.3
120.0	36.58	1.0	0	-89.0	179.0	29.5	77.3
320.0	97.54	6.0	80	-84.0	174.0	109.5	157.3
520.0	158.50	8.5	83	-81.5	171.5	112.5	160.3
720.0	219.46	9.0	88	-81.0	171.0	117.5	165.3


WELL 97-3-10
 DEPTH 120
 PICTURE No.
 INCLINATION -87.0
 OBS. DIR. 300
 COR. DIR.
 TOOL FACE
 RUN BY
 DATE
 CHECKED BY [Signature]

SPERRY-SUN




WELL 97-3-10
 DEPTH 320
 PICTURE No.
 INCLINATION -84.0
 OBS. DIR. 080
 COR. DIR.
 TOOL FACE
 RUN BY
 DATE
 CHECKED BY [Signature]

SPERRY-SUN



WELL 97-3-10
 DEPTH 520
 PICTURE No.
 INCLINATION -81.5
 OBS. DIR. 083
 COR. DIR.
 TOOL FACE
 RUN BY
 DATE
 CHECKED BY [Signature]

SPERRY-SUN



WELL 97-3-10
 DEPTH 720
 PICTURE No.
 INCLINATION -81.0
 OBS. DIR. 088
 COR. DIR.
 TOOL FACE
 RUN BY
 DATE
 CHECKED BY [Signature]

SPERRY-SUN




MINE GRID			UTM GRID	
NORTH	EAST	ELEV.	NORTH	EAST
6865.84	2734.90	1321.21	6905310.2	591953.064

HOLE ID: 97G10
DEPTH: 223.4M

SPERRY SUN READINGS CONVERSION

		SPERRY SUN		CONVERTED READINGS			
DEPTH	DEPTH	SS	SS	DIP	ZENITH	UTM	MINE GRID
(FEET)	(METRES)	DIP	BEARING			BEARING	BEARING
0.0	0.00			-90.0	180.0		
120.0	36.58	1.0	0	-89.0	179.0	29.5	77.3
320.0	97.54	6.0	80	-84.0	174.0	109.5	157.3
520.0	158.50	8.5	83	-81.5	171.5	112.5	160.3
720.0	219.46	9.0	88	-81.0	171.0	117.5	165.3



13
13 1/8
Fr 9/7
To 16/8
noia 55/2

7
8
9
6
11
12

403-962-3373
Geri MASTON