



August 8, 1991

Work Order # 13303

Curragh Resources Inc.
117 Industrial Rd.
Whitehorse, Yukon
Y1A 2T8

File #

P.O. #

Assay Certificate

Sample	g/t Ag	%Cu	%Pb	%Zn	%Fe
64823	179.1	---	10.50	19.30	---
64833	194.2	---	12.30	26.30	---

Certified by Chyorki



Drill Hole: 91G01 Section: W79
 Northing: 6546.3 Easting: 2886.2 Elevation: 1277.1
 Length: 52.7 Core: NQ Record: 521

ASSAYS

Sample #	---Depths---		Int	Rec	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To	m	%									
0	.0	34.7	34.7	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64051	34.7	35.6	.9	89		2	-1.00	9.76	2.94	6.82	53.3	9.66	-1.00
64052	35.6	37.4	1.8	100		2	-1.00	13.40	4.37	9.03	77.4	8.28	-1.00
64053	37.4	38.4	1.0	100		2	-1.00	10.15	3.23	6.92	59.8	3.94	-1.00
64054	38.4	39.5	1.1	100		2	-1.00	7.90	2.19	5.71	48.5	6.63	-1.00
64055	39.5	40.5	1.0	100		20	-1.00	5.94	2.20	3.74	33.9	6.62	-1.00
64056	40.5	42.4	1.9	100		20	-1.00	5.45	2.01	3.44	31.8	6.84	-1.00
64057	42.4	43.7	1.3	100		20	-1.00	5.40	1.82	3.58	33.2	3.43	-1.00
0	43.7	52.7	9.0	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

3 {

Drill Hole: 91G02 Section: W79
 Northing: 6546.6 Easting: 2916.7 Elevation: 1277.1
 Length: 75.3 Core: NQ Record: 522

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	20.7	20.7	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64058	20.7	22.3	1.6	56		52	-1.00	4.26	.85	3.41	17.2	3.97	-1.00
-1	22.3	42.4	20.1	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64059	42.4	44.0	1.6	94		2	-1.00	5.74	2.30	3.44	35.6	4.55	-1.00
-1	44.0	57.3	13.3	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64060	57.3	58.7	1.4	86		30	-1.00	3.61	1.59	2.02	24.2	3.39	-1.00
64061	58.7	60.4	1.7	47	2	30	-1.00	5.71	2.81	2.90	47.4	1.84	-1.00
64062	60.4	61.6	1.2	50		2	-1.00	4.25	2.06	2.19	33.3	2.54	-1.00
64063	61.6	62.8	1.2	58		2	-1.00	4.22	2.00	2.22	35.6	3.73	-1.00
64064	62.8	64.3	1.5	87		2	-1.00	3.72	1.55	2.17	25.6	3.82	-1.00
64065	64.3	66.0	1.7	82		2	-1.00	5.32	1.85	3.47	28.4	4.84	-1.00
64066	66.0	67.6	1.6	100		2	-1.00	5.18	1.39	3.79	29.9	5.37	-1.00
64067	67.6	68.4	.8	100		20	-1.00	2.76	.80	1.96	13.7	4.51	-1.00
64068	68.4	69.3	.9	78		30	-1.00	10.45	3.05	7.40	63.3	5.28	-1.00
64069	69.3	70.8	1.5	100		30	-1.00	4.68	1.44	3.24	25.9	2.62	-1.00
64070	70.8	72.2	1.4	100	2	30	-1.00	7.98	2.42	5.56	40.2	14.37	-1.00
64071	72.2	73.4	1.2	100		30	-1.00	5.99	1.61	4.38	27.8	10.45	-1.00
64072	73.4	74.6	1.2	100		30	-1.00	5.27	1.73	3.54	27.9	9.52	-1.00
-1	74.6	75.3	.7	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G03 Section: W79
 Northing: 6546.6 Easting: 2947.1 Elevation: 1277.5
 Length: 71.9 Core: NQ Record: 523

ASSAYS

Sample #	---Depths---		Int	Rec	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To	m	%									
0	.0	8.8	8.8	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64073	8.8	10.2	1.4	100		3	-1.00	5.20	2.57	2.63	33.1	15.12	-1.00
64074	10.2	11.0	.8	75		44	-1.00	.20	.09	.11	.7	7.76	-1.00
64075	11.0	11.8	.8	100		3	-1.00	6.43	2.67	3.76	46.7	11.40	-1.00
64076	11.8	12.2	.4	100		44	-1.00	.37	.12	.25	.2	7.34	-1.00
64077	12.2	13.5	1.3	100		2	-1.00	4.56	1.75	2.81	29.3	7.67	-1.00
64078	13.5	15.0	1.5	93		2	-1.00	9.24	2.82	6.42	63.6	5.25	-1.00
64079	15.0	16.2	1.2	100		2	-1.00	6.36	2.07	4.29	42.3	5.07	-1.00
64080	16.2	18.2	2.0	100		2	-1.00	7.84	2.29	5.55	44.0	6.88	-1.00
64081	18.2	18.6	.4	100		30	-1.00	3.20	.95	2.25	18.6	7.66	-1.00
64082	18.6	19.7	1.1	100		2	-1.00	5.35	1.55	3.80	25.8	9.27	-1.00
64083	19.7	21.3	1.6	100		2	-1.00	4.16	1.29	2.87	22.1	6.71	-1.00
64084	21.3	22.6	1.3	100		2	-1.00	5.96	1.77	4.19	30.5	8.46	-1.00
64085	22.6	24.2	1.6	94		2	-1.00	7.50	2.72	4.78	37.8	10.73	-1.00
64086	24.2	25.9	1.7	29		2	-1.00	5.51	1.77	3.74	28.6	8.71	-1.00
64087	25.9	27.4	1.5	100		52	-1.00	7.18	2.29	4.89	33.0	5.37	-1.00
64088	27.4	28.7	1.3	100		52	-1.00	3.40	2.13	1.27	33.2	9.40	-1.00
64089	28.7	29.4	.7	100		52	-1.00	4.34	1.55	2.79	24.4	9.37	-1.00
0	29.4	34.3	4.9	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64090	34.3	35.2	.9	16		2	-1.00	3.84	1.34	2.50	24.1	11.21	-1.00
64091	35.2	36.7	1.5	80		2	-1.00	9.42	3.29	6.13	62.5	16.66	-1.00
64092	36.7	37.6	.9	89		2	-1.00	6.10	2.37	3.73	41.3	5.95	-1.00
64093	37.6	38.2	.6	100		7	-1.00	26.20	9.90	16.30	179.8	19.16	-1.00
64094	38.2	39.0	.8	100		44	-1.00	3.19	.67	2.52	11.1	19.71	-1.00
0	39.0	41.9	2.9	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64095	41.9	42.6	.7	19		5	-1.00	12.62	3.77	8.85	72.4	22.85	-1.00
0	42.6	71.9	29.3	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G04 Section: W79
 Northing: 6546.2 Easting: 2977.4 Elevation: 1277.9
 Length: 98.1 Core: NQ Record: 524

ASSAYS

Sample #	---Depths---	Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	.9	.9	-1	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64141	.9	2.4	1.5	80	30	-1.00	4.36	1.08	3.28	22.8	4.36	-1.00
64142	2.4	3.8	1.4	93	30	-1.00	8.54	2.50	6.04	57.2	4.22	-1.00
64143	3.8	5.5	1.7	88	30	-1.00	5.34	1.84	3.50	31.9	3.09	-1.00
64144	5.5	7.3	1.8	78	30	-1.00	5.63	1.54	4.09	27.9	3.01	-1.00
64145	7.3	10.8	3.5	63	30	-1.00	6.89	1.80	5.09	33.1	3.90	-1.00
64146	10.8	12.4	1.6	81	30	-1.00	1.07	.36	.71	5.1	4.23	-1.00
64147	12.4	14.0	1.6	81	30	-1.00	1.32	.39	.93	5.2	5.11	-1.00
64148	14.0	14.9	.9	100	3	-1.00	3.43	.86	2.57	12.7	1.89	-1.00
64149	14.9	15.4	.5	60	30	-1.00	1.76	.41	1.35	8.7	2.33	-1.00
64150	15.4	16.4	1.0	100	3	-1.00	7.27	2.62	4.65	35.9	2.34	-1.00
64151	16.4	18.0	1.6	81	3	-1.00	1.89	.66	1.23	10.5	4.72	-1.00
64152	18.0	20.0	2.0	65	2	-1.00	2.13	.47	1.66	13.2	13.05	-1.00
64153	20.0	22.9	2.9	55	2	-1.00	5.94	1.81	4.13	27.1	3.84	-1.00
64154	22.9	24.3	1.4	86	2	-1.00	3.62	1.48	2.14	20.0	4.83	-1.00
64155	24.3	26.5	2.2	79	2	-1.00	2.05	1.17	.88	14.9	3.46	-1.00
0	26.5	35.4	8.9	-1	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64156	35.4	37.4	2.0	90	30	-1.00	3.67	1.21	2.46	19.6	9.62	-1.00
64157	37.4	38.9	1.5	100	7	4.26	29.50	11.60	17.90	200.0	19.57	-1.00
64158	38.9	39.6	.7	100	30	-1.00	3.70	1.29	2.41	30.8	6.73	-1.00
64159	39.6	40.0	.4	100	7	-1.00	41.60	13.90	27.70	200.0	15.61	-1.00
64160	40.0	41.0	1.0	80	30	-1.00	10.29	3.54	6.75	70.3	9.53	-1.00
0	41.0	44.2	3.2	-1	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64161	44.2	44.8	.6	100	3	-1.00	22.91	8.81	14.10	143.8	11.95	-1.00
64162	44.8	45.3	.5	100	3 544	-1.00	11.00	2.58	8.42	46.4	9.60	-1.00
64163	45.3	47.0	1.7	71	7	4.16	28.26	8.86	19.40	162.1	18.73	-1.00
64164	47.0	47.5	.5	100	3	-1.00	16.18	5.78	10.40	84.9	11.48	-1.00
64165	47.5	48.3	.8	75	52	-1.00	1.28	.16	1.12	2.6	7.02	-1.00
64166	48.3	48.5	.2	100	7	-1.00	17.53	4.83	12.70	63.2	24.05	-1.00
64167	48.5	49.4	.9	89	52	-1.00	.98	.28	.70	4.1	6.48	-1.00
0	49.4	52.6	3.2	-1	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64168	52.6	53.5	.9	100	3 544	-1.00	12.24	3.91	8.33	71.2	9.20	-1.00
64169	53.5	54.2	.7	100	3 544	-1.00	16.66	5.26	11.40	90.5	10.17	-1.00
0	54.2	55.6	1.4	-1	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64170	55.6	55.9	.3	100	8	-1.00	22.14	6.34	15.80	124.5	12.12	-1.00
64171	55.9	57.1	1.2	100	3	-1.00	26.62	10.42	16.20	179.4	11.91	-1.00
64172	57.1	57.4	.3	100	2	-1.00	6.02	2.06	3.96	28.9	8.01	-1.00
64173	57.4	57.9	.5	100	7	-1.00	13.71	7.17	6.54	73.0	22.55	-1.00
64174	57.9	59.1	1.2	83	7	-1.00	22.06	8.76	13.30	88.8	26.88	-1.00
64175	59.1	60.7	1.6	100	7	-1.00	18.60	7.80	10.80	99.8	27.81	-1.00
64176	60.7	61.0	.3	100	7	-1.00	32.00	11.60	20.40	159.7	20.74	-1.00
64177	61.0	62.5	1.5	100	7	-1.00	19.17	7.27	11.90	107.4	26.39	-1.00
64178	62.5	63.9	1.4	43	3	-1.00	15.93	6.68	9.25	89.0	14.12	-1.00
64179	63.9	64.8	.9	67	60	-1.00	8.29	4.68	3.61	57.4	6.79	-1.00

64180	64.8	65.4	.6	83	4	-1.00	23.73	8.63	15.10	160.0	19.66	-1.00
0	65.4	66.9	1.5	-1	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64181	66.9	67.8	.9	78	3	-1.00	9.87	3.98	5.89	75.1	17.68	-1.00
0	67.8	69.5	1.7	-1	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64182	69.5	69.7	.2	100	3	-1.00	18.28	6.98	11.30	115.3	16.09	-1.00
-1	69.7	72.5	2.8	-1	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64183	72.5	73.5	1.0	100	3	-1.00	9.95	3.91	6.04	71.7	17.46	-1.00
64184	73.5	73.8	.3	100	20	-1.00	1.48	.93	.55	32.8	5.69	-1.00
64185	73.8	75.1	1.3	92	3	-1.00	16.96	5.66	11.30	86.9	18.26	-1.00
64186	75.1	76.8	1.7	76	2	-1.00	9.55	3.45	6.10	50.2	8.13	-1.00
64187	76.8	78.3	1.5	93	30	-1.00	1.99	.55	1.44	6.2	8.11	-1.00
64188	78.3	78.8	.5	80	2	-1.00	6.24	1.46	4.78	28.8	6.71	-1.00
0	78.8	98.1	19.3	-1	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G05 Section: W78
 Northing: 6515.0 Easting: 2870.6 Elevation: 1277.1
 Length: 130.1 Core: NQ Record: 533

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	72.0	72.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64201	72.0	73.6	1.6	100		3	-1.00	4.20	.60	3.60	26.5	7.42	-1.00
64202	73.6	75.2	1.6	100		3	-1.00	4.62	.74	3.88	8.4	5.85	-1.00
64203	75.2	75.8	.6	100		47	-1.00	5.02	.43	4.59	19.4	8.02	-1.00
64204	75.8	78.0	2.2	100		3	-1.00	4.36	.49	3.87	21.3	4.20	-1.00
64205	78.0	79.5	1.5	67		44	-1.00	1.61	.07	1.54	.0	7.49	-1.00
64206	79.5	80.0	.5	80		3	-1.00	4.75	.54	4.21	27.5	9.66	-1.00
0	80.0	86.9	6.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64207	86.9	87.9	1.0	100		30	-1.00	1.75	.77	.98	15.3	9.67	-1.00
64208	87.9	88.2	.3	100		3	-1.00	7.95	.41	7.54	59.7	25.06	-1.00
64209	88.2	89.4	1.2	100		44	-1.00	.17	.07	.10	1.9	6.46	-1.00
64210	89.4	89.7	.3	100		7	-1.00	8.40	.78	7.62	42.9	21.65	-1.00
64211	89.7	91.5	1.8	94		7	-1.00	13.26	.96	12.30	89.7	22.15	-1.00
64212	91.5	92.6	1.1	73		7	-1.00	12.34	.14	12.20	84.8	22.51	-1.00
64213	92.6	93.4	.8	100		7	-1.00	14.71	.41	14.30	94.9	22.99	-1.00
64214	93.4	94.4	1.0	100		3	-1.00	3.51	.65	2.86	30.8	20.03	-1.00
64215	94.4	94.8	.4	100		44	-1.00	1.44	.31	1.13	2.4	7.13	-1.00
64216	94.8	96.4	1.6	100		3	-1.00	5.53	.52	5.01	28.0	6.18	-1.00
64217	96.4	98.5	2.1	90		3	-1.00	5.23	2.17	3.06	34.1	20.95	-1.00
64218	98.5	100.4	1.9	100		3	-1.00	4.29	1.95	2.34	28.5	19.79	-1.00
64219	100.4	102.3	1.9	100		3	-1.00	6.10	2.53	3.57	37.4	24.41	-1.00
64220	102.3	103.7	1.4	100		3	-1.00	10.40	4.94	5.46	67.4	17.41	-1.00
64221	103.7	106.4	2.7	100		20	-1.00	.29	.11	.18	2.1	4.75	-1.00
64222	106.4	107.3	.9	100		7	-1.00	18.06	6.56	11.50	117.6	28.46	-1.00
64223	107.3	108.5	1.2	100		30	-1.00	9.27	4.47	4.80	65.2	14.90	-1.00
64224	108.5	109.6	1.1	100		30	-1.00	15.68	6.48	9.20	84.3	19.98	-1.00
64225	109.6	110.5	.9	100		30	-1.00	9.50	4.97	4.53	59.3	12.96	-1.00
64226	110.5	111.9	1.4	100		30	-1.00	16.22	6.33	9.89	87.4	11.30	-1.00
64227	111.9	113.4	1.5	100		30	-1.00	12.58	4.52	8.06	64.5	10.22	-1.00
64228	113.4	114.1	.7	100		44	-1.00	4.56	1.42	3.14	21.5	7.35	-1.00
0	114.1	130.1	16.0	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

2 {

Drill Hole: 91G06 Section: W78
 Northing: 6516.3 Easting: 2951.0 Elevation: 1277.4
 Length: 84.1 Core: NQ Record: 526

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	22.9	22.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64229	22.9	24.7	1.8	17		7	-1.00	31.35	12.45	18.90	203.9	21.30	-1.00
0	24.7	60.1	35.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64230	60.1	61.5	1.4	100		5	-1.00	18.71	6.31	12.40	99.1	23.30	-1.00
64231	61.5	64.0	2.5	92		2	-1.00	5.74	1.93	3.81	35.5	10.22	-1.00
64232	64.0	65.2	1.2	100		2	-1.00	.39	.08	.31	2.6	3.54	-1.00
64233	65.2	66.8	1.6	100		2	-1.00	2.12	.21	1.91	22.3	3.86	-1.00
64234	66.8	67.6	.8	100		4	-1.00	1.09	.07	1.02	3.1	31.07	-1.00
64235	67.6	68.5	.9	100		30	-1.00	1.03	.05	.98	4.0	10.69	-1.00
64236	68.5	69.0	.5	100		30	-1.00	4.34	1.62	2.72	29.3	12.85	-1.00
64237	69.0	71.2	2.2	100		30	-1.00	2.01	.90	1.11	15.1	1.42	-1.00
64238	71.2	72.4	1.2	100		30	-1.00	3.76	1.27	2.49	22.5	2.72	-1.00
0	72.4	84.1	11.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G07 Section: W80
 Northing: 6576.9 Easting: 2867.4 Elevation: 1277.1
 Length: 63.1 Core: NQ Record: 527

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	55.8	55.8	100		0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64189	55.8	56.7	.9	100		2	-1.00	7.54	2.36	5.18	40.2	19.13	-1.00
64190	56.7	57.8	1.1	100		2	-1.00	10.34	3.11	7.23	48.6	9.73	-1.00
64191	57.8	59.0	1.2	100		2	-1.00	6.72	2.61	4.11	38.9	10.37	-1.00
64192	59.0	61.0	2.0	90		2	-1.00	5.13	2.34	2.79	33.6	10.14	-1.00
64193	61.0	63.1	2.1	67		2	-1.00	8.17	2.66	5.51	39.7	8.81	-1.00

Drill Hole: 91G08 Section: W80
 Northing: 6576.5 Easting: 2992.9 Elevation: 1277.5
 Length: 43.0 Core: NQ Record: 528

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	10.4	10.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64194	10.4	11.9	1.5	80		30	-1.00	3.23	1.43	1.80	14.8	2.55	-1.00
64195	11.9	13.2	1.3	100		30	-1.00	4.08	1.48	2.60	17.2	3.49	-1.00
64196	13.2	14.3	1.1	100		30	-1.00	2.91	.98	1.93	12.1	5.75	-1.00
64197	14.3	15.6	1.3	92		30	-1.00	3.85	1.12	2.73	30.6	5.45	-1.00
64198	15.6	19.0	3.4	44		30	-1.00	4.67	.26	4.41	77.8	2.54	-1.00
0	19.0	38.8	19.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64199	38.8	39.9	1.1	100		30	-1.00	9.17	.88	8.29	46.4	7.18	-1.00
0	39.9	42.0	2.1	100		0	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64200	42.0	43.0	1.0	100		30	-1.00	6.96	.66	6.30	40.9	5.83	-1.00

2 {

3 {

Drill Hole: 91G09 Section: W71
 Northing: 6303.9 Easting: 2779.7 Elevation: 1277.6
 Length: 96.9 Core: NQ Record: 529

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	59.8	59.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64790	59.8	60.4	.6	100		72	-1.00	11.02	3.85	7.17	63.7	12.01	-1.00
64791	60.4	62.0	1.6	100		2	-1.00	6.08	2.28	3.80	36.8	10.23	-1.00
64792	62.0	63.7	1.7	100		2	-1.00	4.61	1.47	3.14	27.4	10.93	-1.00
64793	63.7	64.8	1.1	100		3	-1.00	8.09	3.70	4.39	53.4	3.76	-1.00
64794	64.8	66.0	1.2	100		3	-1.00	2.78	1.47	1.31	17.7	3.90	-1.00
64795	66.0	66.7	.7	100		2	-1.00	.60	.18	.42	2.2	6.13	-1.00
64796	66.7	68.7	2.0	100		2	-1.00	6.11	1.91	4.20	40.8	6.06	-1.00
64797	68.7	69.2	.5	100		44	-1.00	5.42	1.19	4.23	16.7	11.50	-1.00
64798	69.2	70.7	1.5	100		3	-1.00	14.44	4.96	9.48	84.6	9.02	-1.00
64799	70.7	72.3	1.6	100		3	-1.00	6.98	2.12	4.86	46.0	7.67	-1.00
64800	72.3	73.6	1.3	100		30	-1.00	1.84	.37	1.47	6.1	1.63	-1.00
64801	73.6	74.8	1.2	100		3	-1.00	2.68	.70	1.98	14.0	8.82	-1.00
64802	74.8	76.0	1.2	100		3	-1.00	3.08	.77	2.31	13.4	7.66	-1.00
64803	76.0	76.8	.8	62		74	-1.00	6.07	2.57	3.50	45.0	8.22	-1.00
64804	76.8	78.6	1.8	100		3	-1.00	4.40	1.51	2.89	35.8	6.11	-1.00
64805	78.6	80.5	1.9	100		3	-1.00	3.83	1.47	2.36	29.7	7.06	-1.00
64806	80.5	81.8	1.3	100		3	-1.00	4.30	2.31	1.99	41.3	5.72	-1.00
64807	81.8	83.1	1.3	100		3	-1.00	3.40	2.04	1.36	35.4	5.90	-1.00
64808	83.1	84.4	1.3	100		3	-1.00	4.72	1.60	3.12	28.3	3.67	-1.00
64809	84.4	85.8	1.4	57		3	-1.00	2.37	.67	1.70	12.1	5.23	-1.00
64810	85.8	87.2	1.4	93		3	-1.00	4.33	1.74	2.59	29.4	4.41	-1.00
64811	87.2	88.6	1.4	100		3	-1.00	6.45	2.59	3.86	45.3	3.60	-1.00
64812	88.6	90.1	1.5	80		3	-1.00	2.91	.90	2.01	12.1	2.61	-1.00
64813	90.1	91.8	1.7	100		3	-1.00	4.53	1.48	3.05	24.1	3.96	-1.00
64814	91.8	93.5	1.7	100		3	-1.00	5.60	1.83	3.77	31.6	4.78	-1.00
64815	93.5	95.2	1.7	100		3	-1.00	6.46	2.17	4.29	32.9	4.87	-1.00
64816	95.2	96.9	1.7	100		3	-1.00	6.04	1.96	4.08	32.4	10.43	-1.00

Drill Hole: 91G10 Section: W79
 Northing: 6546.5 Easting: 3007.8 Elevation: 1285.6
 Length: 71.9 Core: NQ Record: 530

ASSAYS

Sample #	---Depths---		Int	Rec	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To	m	%									
0	.0	30.2	30.2	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64126	30.2	31.2	1.0	70		2	-1.00	12.54	3.14	9.40	50.2	2.90	-1.00
64127	31.2	32.1	.9	67		30	-1.00	3.87	.66	3.21	7.7	5.24	-1.00
64128	32.1	33.7	1.6	87		3	-1.00	7.49	1.61	5.88	21.7	9.53	-1.00
0	33.7	42.9	9.2	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64129	42.9	44.9	2.0	85		30	-1.00	2.75	.62	2.13	10.5	14.00	-1.00
64130	44.9	45.8	.9	100		6	-1.00	1.38	.56	.82	19.2	33.76	-1.00
64131	45.8	46.3	.5	100		6	-1.00	37.00	10.40	26.60	200.0	17.12	-1.00
64132	46.3	47.1	.8	50		6	-1.00	2.71	.72	1.99	14.4	24.24	-1.00
0	47.1	50.4	3.3	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64133	50.4	51.4	1.0	100		30	-1.00	2.63	.81	1.82	9.5	7.43	-1.00
-1	51.4	57.5	6.1	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64134	57.5	58.4	.9	100		5	-1.00	12.42	3.13	9.29	51.3	15.90	-1.00
64135	58.4	59.1	.7	100		4	-1.00	3.57	.75	2.82	10.9	30.08	-1.00
64136	59.1	60.3	1.2	100		60	-1.00	1.72	.31	1.41	4.8	11.62	-1.00
64137	60.3	61.0	.7	100		4	-1.00	2.58	.52	2.06	8.6	31.81	-1.00
64138	61.0	61.8	.8	100		30	-1.00	7.81	1.27	6.54	19.5	2.78	-1.00
64139	61.8	64.0	2.2	23		30	-1.00	4.95	.74	4.21	13.0	2.18	-1.00
64140	64.0	65.7	1.7	35		30	-1.00	6.51	3.59	2.92	56.6	2.99	-1.00
0	65.7	71.9	6.2	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

2 {

Drill Hole: 91G11 Section: W77
 Northing: 6485.9 Easting: 2870.8 Elevation: 1276.8
 Length: 110.0 Core: NQ Record: 531

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	63.9	63.9	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64096	63.9	65.0	1.1	100		3	-1.00	6.47	2.20	4.27	35.3	6.41	-1.00
64097	65.0	66.1	1.1	100		3	-1.00	5.76	1.90	3.86	27.4	5.12	-1.00
64098	66.1	67.6	1.5	100		3	-1.00	4.55	1.35	3.20	23.2	3.07	-1.00
64099	67.6	69.1	1.5	100		44	-1.00	.43	.03	.40	.4	4.79	-1.00
64100	69.1	70.6	1.5	100		3	-1.00	5.08	1.57	3.51	30.2	3.72	-1.00
64101	70.6	72.5	1.9	100		3	-1.00	6.30	1.91	4.39	36.7	4.68	-1.00
64102	72.5	73.3	.8	100		20	-1.00	.22	.05	.17	.8	4.83	-1.00
64103	73.3	74.6	1.3	100		2	-1.00	6.28	1.92	4.36	35.2	3.47	-1.00
64104	74.6	76.0	1.4	100		20	-1.00	1.11	.41	.70	9.1	4.06	-1.00
64105	76.0	76.9	.9	100		20	-1.00	.83	.04	.79	.5	6.10	-1.00
64106	76.9	77.5	.6	100		2	-1.00	5.15	1.51	3.64	22.4	4.23	-1.00
64107	77.5	78.0	.5	100		44	-1.00	4.56	.33	4.23	6.1	13.87	-1.00
0	78.0	85.1	7.1	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64108	85.1	85.7	.6	100		5	-1.00	14.09	4.95	9.14	76.2	27.83	-1.00
64109	85.7	86.3	.6	100		5	-1.00	16.02	6.18	9.84	103.5	18.31	-1.00
64110	86.3	87.5	1.2	100		44	-1.00	4.62	1.12	3.50	20.5	10.14	-1.00
64111	87.5	90.0	2.5	100		2	-1.00	6.83	2.22	4.61	43.6	4.31	-1.00
64112	90.0	91.9	1.9	100		20	-1.00	2.10	.82	1.28	15.8	6.30	-1.00
64113	91.9	92.8	.9	100		20	-1.00	3.79	1.35	2.44	22.8	9.82	-1.00
64114	92.8	93.9	1.1	100		2	-1.00	6.69	2.43	4.26	37.1	2.90	-1.00
64115	93.9	95.6	1.7	100		3	-1.00	7.20	3.09	4.11	52.4	16.20	-1.00
64116	95.6	96.9	1.3	100		3	-1.00	3.98	1.76	2.22	28.1	14.31	-1.00
64117	96.9	97.7	.8	69		5	-1.00	19.01	5.91	13.10	95.3	20.51	-1.00
64118	97.7	98.5	.8	50		2.30	-1.00	16.58	8.07	8.51	138.9	9.84	-1.00
64119	98.5	99.2	.7	100		7	-1.00	25.71	8.51	17.20	153.7	16.16	-1.00
64120	99.2	100.2	1.0	100		2	-1.00	12.18	3.67	8.51	77.3	9.31	-1.00
64121	100.2	101.8	1.6	94		2	-1.00	11.45	3.25	8.20	73.2	7.18	-1.00
64122	101.8	102.7	.9	67		2	-1.00	14.61	3.91	10.70	81.0	5.47	-1.00
64123	102.7	104.0	1.3	100		2	-1.00	15.06	4.36	10.70	93.1	6.35	-1.00
64124	104.0	104.9	.9	100		2	-1.00	13.72	4.20	9.52	78.1	6.90	-1.00
64125	104.9	106.0	1.1	100		2	-1.00	6.46	1.88	4.58	38.4	6.73	-1.00
0	106.0	110.0	4.0	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G12 Section: W77
 Northing: 6485.8 Easting: 2901.1 Elevation: 1277.0
 Length: 103.0 Core: NQ Record: 532

ASSAYS

Sample #	---Depths---	Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0 1.2	1.2	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64267	1.2 2.4	1.2	100		3	-1.00	4.53	1.88	2.65	27.0	10.40	-1.00
64268	2.4 3.4	1.0	70		3	-1.00	4.65	1.94	2.71	33.0	7.22	-1.00
64269	3.4 4.7	1.3	62		3	-1.00	6.08	2.29	3.79	41.0	8.27	-1.00
0	4.7 14.1	9.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64270	14.1 15.5	1.4	93		3	-1.00	2.86	1.51	1.35	26.3	6.97	-1.00
64271	15.5 16.5	1.0	90		3	-1.00	5.19	1.60	3.59	25.7	11.36	-1.00
64272	16.5 17.6	1.1	100		2	-1.00	10.97	3.46	7.51	52.5	12.72	-1.00
64273	17.6 18.0	.4	100		2	-1.00	4.76	1.46	3.30	21.3	45.62	-1.00
64274	18.0 19.7	1.7	76		3	-1.00	8.93	2.76	6.17	41.7	9.66	-1.00
64275	19.7 20.7	1.0	100		3	-1.00	5.32	1.94	3.38	32.0	4.68	-1.00
64276	20.7 22.1	1.4	100		44	-1.00	.05	.04	.01	2.1	9.11	-1.00
64277	22.1 24.4	2.3	87		2	-1.00	4.87	2.20	2.67	31.1	7.16	-1.00
64278	24.4 25.7	1.3	92		2	-1.00	8.14	2.34	5.80	32.4	2.85	-1.00
64279	25.7 27.4	1.7	100		2	-1.00	6.97	1.96	5.01	31.0	5.17	-1.00
64280	27.4 28.1	.7	100		2	-1.00	4.52	1.75	2.77	22.2	8.41	-1.00
64281	28.1 30.8	2.7	74		3	-1.00	5.56	2.08	3.48	29.1	5.70	-1.00
64282	30.8 32.6	1.8	100		2	-1.00	8.12	2.97	5.15	46.8	3.86	-1.00
64283	32.6 35.1	2.5	80		2	-1.00	7.62	2.77	4.85	42.7	5.18	-1.00
64284	35.1 37.3	2.2	95		2	-1.00	8.28	2.94	5.34	41.7	7.70	-1.00
64285	37.3 37.6	.3	100		72	-1.00	6.79	2.33	4.46	33.3	6.70	-1.00
64286	37.6 39.6	2.0	100		3	-1.00	6.06	2.21	3.85	31.6	7.51	-1.00
64287	39.6 40.8	1.2	67		3	-1.00	6.99	2.62	4.37	38.2	14.59	-1.00
64288	40.8 41.7	.9	78		3	-1.00	3.68	1.73	1.95	24.4	12.20	-1.00
64289	41.7 43.6	1.9	84		72	-1.00	1.35	.74	.61	10.5	6.01	-1.00
64290	43.6 45.4	1.8	94		2	-1.00	5.04	1.73	3.31	26.6	3.72	-1.00
64291	45.4 47.7	2.3	52		2	-1.00	3.77	1.33	2.44	21.4	4.91	-1.00
64292	47.7 50.6	2.9	55		2	-1.00	3.72	1.35	2.37	24.0	4.54	-1.00
64293	50.6 52.3	1.7	100		2 30	-1.00	6.48	2.00	4.48	30.7	10.84	-1.00
64294	52.3 53.6	1.3	100		44	-1.00	4.69	.75	3.94	23.1	22.44	-1.00
64295	53.6 54.1	.5	100		30	-1.00	1.71	.77	.94	22.7	25.61	-1.00
64296	54.1 55.8	1.7	100		2	-1.00	4.98	2.00	2.98	12.8	20.29	-1.00
64297	55.8 56.3	.5	100		2 30	-1.00	3.75	1.46	2.29	35.1	19.50	-1.00
64298	56.3 59.2	2.9	100		44	-1.00	.46	.21	.25	23.5	13.32	-1.00
64299	59.2 60.3	1.1	100		5	-1.00	13.65	7.66	5.99	3.8	32.56	-1.00
64300	60.3 62.2	1.9	89		3	-1.00	8.54	3.44	5.10	48.2	9.74	-1.00
64301	62.2 63.0	.8	100		44	-1.00	2.52	.14	2.38	2.4	9.25	-1.00
64302	63.0 64.8	1.8	100		3	-1.00	6.35	2.17	4.18	29.6	7.31	-1.00
64303	64.8 65.8	1.0	80		47	-1.00	.34	.33	.01	6.4	12.56	-1.00
64304	65.8 67.3	1.5	100		3	-1.00	6.83	2.06	4.77	31.9	8.96	-1.00
64305	67.3 69.3	2.0	100		3	-1.00	8.65	2.83	5.82	44.2	8.20	-1.00
64306	69.3 70.4	1.1	100		3	-1.00	10.76	4.56	6.20	68.9	9.34	-1.00
64307	70.4 70.8	.4	100		44	-1.00	2.61	.18	2.43	2.4	6.17	-1.00
64308	70.8 73.5	2.7	74		2 30	-1.00	5.80	1.99	3.81	34.5	3.72	-1.00

64309	73.5	74.3	.8	75	20	-1.00	.33	.32	.01	4.7	7.98	-1.00
64310	74.3	75.3	1.0	100	2.30	-1.00	6.64	2.64	4.00	42.5	21.96	-1.00
64311	75.3	76.9	1.6	94	2	-1.00	10.92	5.68	5.24	73.9	16.92	-1.00
64312	76.9	78.7	1.8	100	2	-1.00	4.07	1.63	2.44	26.2	13.67	-1.00
64313	78.7	79.8	1.1	82	2	-1.00	9.87	3.36	6.51	52.7	11.16	-1.00
64314	79.8	81.6	1.8	100	2.30	-1.00	5.26	1.52	3.74	29.4	6.00	-1.00
64315	81.6	83.1	1.5	100	2	-1.00	7.69	3.01	4.68	50.2	17.05	-1.00
64316	83.1	84.7	1.6	100	2	-1.00	10.10	3.41	6.69	59.2	12.43	-1.00
64317	84.7	86.1	1.4	100	2	-1.00	7.05	2.59	4.46	50.5	15.18	-1.00
64318	86.1	87.7	1.6	100	2	-1.00	8.24	2.84	5.40	49.9	19.89	-1.00
64319	87.7	89.3	1.6	100	2	-1.00	7.71	2.56	5.15	34.4	8.06	-1.00
64320	89.3	90.3	1.0	100	44	-1.00	1.01	.46	.55	7.9	5.89	-1.00
0	90.3	103.0	12.7	100	-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G13 Section: W77
 Northing: 6485.9 Easting: 2931.2 Elevation: 1277.1
 Length: 79.9 Core: NQ Record: 525

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	20.1	20.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64373	20.1	21.6	1.5	-1	3 {	20	-1.00	2.30	.64	1.66	15.7	10.14	-1.00
64374	21.6	23.2	1.6	-1		20	-1.00	2.43	.59	1.84	16.5	7.83	-1.00
64375	23.2	24.9	1.7	-1		2	-1.00	5.39	1.45	3.94	29.5	9.36	-1.00
64376	24.9	26.2	1.3	-1		2	-1.00	4.82	1.66	3.16	33.8	9.88	-1.00
64377	26.2	27.5	1.3	-1		2	-1.00	4.66	1.30	3.36	24.6	7.59	-1.00
64378	27.5	28.8	1.3	-1		2	-1.00	3.61	1.37	2.24	24.0	9.15	-1.00
0	28.8	36.6	7.8	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64379	36.6	37.9	1.3	-1		2	-1.00	6.38	1.83	4.55	33.3	10.34	-1.00
64380	37.9	39.2	1.3	-1		2	-1.00	4.29	1.57	2.72	30.4	6.86	-1.00
64381	39.2	40.5	1.3	-1		2	-1.00	8.06	2.33	5.73	39.7	8.10	-1.00
64382	40.5	41.8	1.3	-1		2	-1.00	3.76	1.31	2.45	19.7	6.82	-1.00
64383	41.8	43.1	1.3	-1		2	-1.00	7.99	2.45	5.54	40.8	7.39	-1.00
64384	43.1	44.2	1.1	-1		2	-1.00	5.29	1.79	3.50	29.3	8.43	-1.00
0	44.2	57.6	13.4	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64385	57.6	58.9	1.3	-1		5	-1.00	20.65	7.35	13.30	129.8	16.68	-1.00
64386	58.9	59.7	.8	-1		2	-1.00	11.06	3.88	7.18	66.7	9.64	-1.00
0	59.7	64.2	4.5	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64387	64.2	66.1	1.9	-1		2	-1.00	7.12	2.65	4.47	44.9	9.33	-1.00
64388	66.1	68.0	1.9	-1		2	-1.00	4.76	1.62	3.14	29.4	7.11	-1.00
0	68.0	79.9	11.9	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G14 Section: W75
 Northing: 6425.8 Easting: 2885.7 Elevation: 1277.9
 Length: 100.0 Core: NQ Record: 534

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	24.0	24.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64866	24.0	24.8	.8	88		2	-1.00	7.22	2.08	5.14	40.3	4.37	-1.00
64867	24.8	26.2	1.4	100		2	-1.00	5.42	2.33	3.09	45.6	3.63	-1.00
64868	26.2	27.8	1.6	94		2	-1.00	4.38	1.36	3.02	27.7	3.55	-1.00
64869	27.8	28.9	1.1	91		2	-1.00	5.92	1.12	4.80	25.4	4.34	-1.00
64870	28.9	31.2	2.3	96		2	-1.00	7.48	2.22	5.26	46.5	3.90	-1.00
64871	31.2	32.5	1.3	100		2	-1.00	6.16	1.93	4.23	36.2	3.29	-1.00
64872	32.5	33.3	.8	88		2	-1.00	5.14	1.49	3.65	27.9	2.34	-1.00
64873	33.3	34.6	1.3	100		2	-1.00	5.36	1.36	4.00	29.1	5.17	-1.00
64874	34.6	36.0	1.4	86		2	-1.00	9.12	2.87	6.25	60.9	4.47	-1.00
64875	36.0	37.2	1.2	83		2	-1.00	5.73	1.94	3.79	33.7	4.87	-1.00
64876	37.2	38.4	1.2	92		2	-1.00	4.77	1.54	3.23	30.3	4.25	-1.00
64877	38.4	39.7	1.3	100		2	-1.00	4.30	1.51	2.79	27.9	2.32	-1.00
64878	39.7	41.0	1.3	100		2	-1.00	9.40	2.98	6.42	22.5	5.57	-1.00
64879	41.0	41.6	.6	100		2	-1.00	8.09	2.67	5.42	45.5	7.01	-1.00
64880	41.6	41.9	.3	100		2	-1.00	6.57	1.60	4.97	24.9	20.02	-1.00
0	41.9	48.8	6.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64881	48.8	50.5	1.7	100		2	-1.00	3.74	.95	2.79	20.6	8.39	-1.00
64882	50.5	52.7	2.2	55		2	-1.00	3.25	.85	2.40	18.4	10.44	-1.00
64883	52.7	54.4	1.7	100		2	-1.00	1.60	.45	1.15	9.8	7.91	-1.00
64884	54.4	55.0	.6	100		52	-1.00	1.24	.34	.90	6.8	11.89	-1.00
64885	55.0	56.2	1.2	92		44	-1.00	7.84	1.79	6.05	27.3	22.39	-1.00
64886	56.2	57.1	.9	100		7	-1.00	16.97	6.97	10.00	94.3	25.39	-1.00
64887	57.1	58.8	1.7	100		2	-1.00	10.75	4.32	6.43	68.3	11.57	-1.00
64888	58.8	60.9	2.1	100		44	-1.00	2.55	.51	2.04	10.2	9.28	-1.00
64889	60.9	63.4	2.5	92		2	-1.00	8.19	2.69	5.50	51.8	4.23	-1.00
64890	63.4	64.0	.6	100		44	-1.00	3.08	.22	2.86	6.1	11.64	-1.00
64891	64.0	65.4	1.4	100		2	-1.00	8.92	2.77	6.15	48.6	15.91	-1.00
64892	65.4	66.2	.8	100		44	-1.00	.22	.01	.21	.6	7.75	-1.00
64893	66.2	67.3	1.1	100		7	-1.00	28.69	9.79	18.90	175.3	15.83	-1.00
64894	67.3	69.1	1.8	100		2	-1.00	3.61	.68	2.93	84.6	8.72	-1.00
64895	69.1	69.8	.7	100		2	-1.00	16.74	7.34	9.40	78.2	20.88	-1.00
64896	69.8	71.7	1.9	100		44	-1.00	11.91	4.43	7.48	13.2	10.03	-1.00
64897	71.7	73.5	1.8	100		7	-1.00	12.87	3.61	9.26	138.9	8.82	-1.00
64898	73.5	74.5	1.0	100		7	-1.00	20.85	6.75	14.10	146.2	22.59	-1.00
64899	74.5	74.8	.3	100		20	-1.00	2.47	.33	2.14	11.0	8.68	-1.00
64900	74.8	75.9	1.1	100		7	-1.00	20.12	6.42	13.70	114.8	22.72	-1.00
64901	75.9	77.0	1.1	100		2	-1.00	10.28	3.58	6.70	71.5	12.34	-1.00
64902	77.0	78.4	1.4	100		2	-1.00	7.82	2.23	5.59	49.7	10.10	-1.00
0	78.4	100.0	21.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G15 Section: W75
 Northing: 6424.8 Easting: 2855.2 Elevation: 1277.7
 Length: 100.0 Core: NQ Record: 535

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	34.6	34.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64973	34.6	35.5	.9	100		2	-1.00	6.36	1.66	4.70	31.1	6.19	-1.00
64974	35.5	37.6	2.1	100		2	-1.00	7.05	1.30	5.75	46.8	3.45	-1.00
64975	37.6	38.6	1.0	100		2	-1.00	5.79	1.74	4.05	29.6	6.04	-1.00
64976	38.6	39.5	.9	100		2	-1.00	4.12	2.32	1.80	23.6	4.29	-1.00
64977	39.5	41.2	1.7	100		2	-1.00	4.51	1.64	2.87	31.2	6.61	-1.00
64978	41.2	43.7	2.5	100		2	-1.00	7.44	2.67	4.77	49.9	5.66	-1.00
64979	43.7	45.7	2.0	100		2	-1.00	6.61	3.26	3.35	55.4	6.94	-1.00
64980	45.7	47.6	1.9	100		2	-1.00	7.84	3.00	4.84	57.3	4.97	-1.00
64981	47.6	48.4	.8	100		44	-1.00	3.95	.72	3.23	15.5	10.12	-1.00
64982	48.4	50.6	2.2	100		2	-1.00	6.22	2.03	4.19	41.6	5.77	-1.00
64983	50.6	52.5	1.9	100		44	-1.00	3.66	.46	3.20	10.5	6.81	-1.00
64984	52.5	55.2	2.7	100		2	-1.00	7.08	2.91	4.17	58.8	8.85	-1.00
64985	55.2	55.8	.6	100		2	-1.00	3.16	1.32	1.84	31.6	11.57	-1.00
64986	55.8	56.4	.6	100		8	-1.00	8.47	2.77	5.70	51.3	26.90	-1.00
64987	56.4	56.9	.5	100		44	-1.00	.70	.19	.51	2.0	9.06	-1.00
64988	56.9	58.2	1.3	100		30	-1.00	2.80	.54	2.26	11.4	9.97	-1.00
0	58.2	65.6	7.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64989	65.6	66.1	.5	100		2	-1.00	3.80	1.17	2.63	25.5	12.39	-1.00
64990	66.1	66.6	.5	100		44	-1.00	4.71	.10	4.61	3.1	12.94	-1.00
64991	66.6	67.4	.8	100		7	-1.00	25.50	10.10	15.40	163.8	22.31	-1.00
64992	67.4	68.5	1.1	100		2	-1.00	10.11	3.46	6.65	68.1	15.75	-1.00
0	68.5	73.6	5.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64993	73.6	75.0	1.4	100		2	-1.00	8.86	2.47	6.39	46.9	7.94	-1.00
64994	75.0	77.1	2.1	100		2	-1.00	7.17	1.89	5.28	39.2	6.65	-1.00
64995	77.1	77.8	.7	100		20	-1.00	3.41	1.11	2.30	25.4	5.33	-1.00
64996	77.8	79.1	1.3	100		20	-1.00	4.16	1.74	2.42	27.6	3.97	-1.00
64997	79.1	80.1	1.0	100		20	-1.00	2.18	.71	1.47	11.3	4.83	-1.00
64998	80.1	80.7	.6	100		60	-1.00	1.33	.07	1.26	1.5	4.56	-1.00
64999	80.7	83.1	2.4	100		3	-1.00	2.43	.71	1.72	15.1	21.53	-1.00
65000	83.1	83.8	.7	100		20	-1.00	6.57	2.23	4.34	40.7	12.65	-1.00
63601	83.8	85.6	1.8	100		2	-1.00	13.33	4.96	8.37	93.5	13.73	-1.00
63602	85.6	86.3	.7	100		47	-1.00	4.09	1.38	2.71	38.6	9.41	-1.00
63603	86.3	88.1	1.8	100		2	-1.00	13.51	5.86	7.65	45.0	6.33	-1.00
63604	88.1	89.0	.9	100		2	-1.00	14.62	6.31	8.31	43.2	18.50	-1.00
63605	89.0	90.4	1.4	100		2	-1.00	9.88	4.26	5.62	16.5	13.74	-1.00
0	90.4	92.8	2.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63606	92.8	94.8	2.0	100		2	-1.00	12.21	4.65	7.56	53.8	15.14	-1.00
63607	94.8	96.4	1.6	100		2	-1.00	12.44	4.10	8.34	30.7	13.12	-1.00
63608	96.4	98.0	1.6	100		2	-1.00	7.84	2.90	4.94	11.5	13.14	-1.00
0	98.0	100.0	2.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G16 Section: W75
 Northing: 6424.7 Easting: 2910.0 Elevation: 1278.2
 Length: 85.3 Core: NQ Record: 536

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	23.1	23.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63609	23.1	24.0	.9	56		2	-1.00	14.81	6.60	8.21	18.7	25.41	-1.00
63610	24.0	25.8	1.8	89		2	-1.00	13.39	4.69	8.70	149.2	12.15	-1.00
63611	25.8	26.1	.3	100		7	-1.00	26.90	12.30	14.60	117.8	20.17	-1.00
63612	26.1	27.8	1.7	82		2	-1.00	9.06	3.21	5.85	125.4	8.08	-1.00
63613	27.8	30.1	2.3	100		2	-1.00	13.55	4.97	8.58	57.2	10.30	-1.00
63614	30.1	32.0	1.9	100		2	-1.00	10.08	3.56	6.52	16.2	10.62	-1.00
63615	32.0	35.1	3.1	87		2	-1.00	2.57	1.13	1.44	32.7	9.90	-1.00
63616	35.1	38.2	3.1	94		2	-1.00	2.02	.66	1.36	57.5	12.70	-1.00
63617	38.2	40.2	2.0	100		2	-1.00	5.91	2.39	3.52	10.2	4.77	-1.00
0	40.2	42.8	2.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63618	42.8	44.0	1.2	100		20	-1.00	2.15	1.15	1.00	30.1	4.74	-1.00
63619	44.0	46.1	2.1	100		2	-1.00	8.61	3.04	5.57	44.6	12.66	-1.00
63620	46.1	46.5	.4	100		8	-1.00	20.33	7.73	12.60	30.2	15.70	-1.00
63621	46.5	47.3	.8	100		2	-1.00	13.79	4.44	9.35	89.1	10.90	-1.00
63622	47.3	48.7	1.4	100		2	-1.00	7.35	2.16	5.19	31.0	7.41	-1.00
0	48.7	85.3	36.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G17 Section: W73
 Northing: 6364.3 Easting: 2871.1 Elevation: 1277.8
 Length: 75.0 Core: NQ Record: 537

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To											
0	.0	27.6	27.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64939	27.6	29.3	1.7	100		2	-1.00	3.35	2.02	1.33	50.7	16.29	-1.00
0	29.3	34.0	4.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64940	34.0	34.4	.4	100		3	-1.00	14.87	.97	13.90	23.4	13.30	-1.00
0	34.4	35.5	1.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64941	35.5	36.3	.8	88		2	-1.00	3.70	1.11	2.59	25.2	11.92	-1.00
64942	36.3	37.3	1.0	100		2	-1.00	12.80	4.88	7.92	80.8	10.51	-1.00
64943	37.3	38.2	.9	100		2	-1.00	8.27	3.52	4.75	52.8	9.41	-1.00
64944	38.2	39.8	1.6	88		2	-1.00	6.23	1.62	4.61	37.1	4.67	-1.00
0	39.8	40.9	1.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64945	40.9	41.7	.8	100		2	-1.00	26.61	9.01	17.60	154.7	10.90	-1.00
64946	41.7	43.0	1.3	92		2	-1.00	2.21	.21	2.00	1.7	10.13	-1.00
64947	43.0	43.6	.6	100		2 44	-1.00	11.48	4.43	7.05	75.0	13.27	-1.00
64948	43.6	44.5	.9	78		2	-1.00	7.51	2.39	5.12	40.6	12.55	-1.00
0	44.5	45.5	1.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64949	45.5	47.4	1.9	84		2	-1.00	16.23	5.83	10.40	98.7	13.26	-1.00
64950	47.4	48.3	.9	100		2 30	-1.00	8.71	1.97	6.74	36.6	9.96	-1.00
0	48.3	75.0	26.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G18 Section: W73
 Northing: 6364.6 Easting: 2840.1 Elevation: 1278.1
 Length: 100.0 Core: NQ Record: 538

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	12.1	12.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64903	12.1	13.9	1.8	33		2	-1.00	15.05	4.95	10.10	102.1	6.53	-1.00
64904	13.9	14.3	.4	100		2	-1.00	9.27	3.76	5.51	72.4	6.79	-1.00
64905	14.3	15.5	1.2	83		2	-1.00	6.21	2.26	3.95	48.4	3.89	-1.00
64906	15.5	17.4	1.9	100		2	-1.00	9.24	2.73	6.51	58.2	3.33	-1.00
64907	17.4	19.7	2.3	100		2	-1.00	6.71	2.62	4.09	49.9	5.19	-1.00
64908	19.7	20.3	.6	100		2	-1.00	10.02	4.32	5.70	73.6	7.30	-1.00
64909	20.3	23.2	2.9	100		2	-1.00	5.85	2.03	3.82	41.0	7.47	-1.00
64910	23.2	25.5	2.3	96		2	-1.00	7.49	3.17	4.32	56.1	10.44	-1.00
64911	25.5	26.9	1.4	100		2	-1.00	15.81	6.18	9.63	109.3	9.01	-1.00
64912	26.9	29.3	2.4	100		2	-1.00	16.63	6.23	10.40	124.1	8.06	-1.00
64913	29.3	29.9	.6	83		72	-1.00	6.44	.10	6.34	1.5	12.30	-1.00
64914	29.9	32.9	3.0	83		2	-1.00	4.20	1.36	2.84	27.1	4.43	-1.00
64915	32.9	34.8	1.9	68		44	-1.00	4.12	1.04	3.08	17.8	7.10	-1.00
64916	34.8	36.9	2.1	100		2	2.74	8.14	3.96	4.18	71.1	5.69	-1.00
64917	36.9	38.2	1.3	100		2	-1.00	5.04	1.50	3.54	29.8	2.24	-1.00
64918	38.2	38.9	.7	100		2	-1.00	11.20	4.23	6.97	88.0	4.70	-1.00
64919	38.9	39.8	.9	89		3	-1.00	22.53	6.93	15.60	111.5	18.73	-1.00
64920	39.8	41.5	1.7	88		2	-1.00	12.50	3.74	8.76	72.6	6.22	-1.00
64921	41.5	43.4	1.9	100		2	-1.00	13.07	3.56	9.51	68.8	7.04	-1.00
0	43.4	53.2	9.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64922	53.2	54.9	1.7	94		7	-1.00	25.20	10.00	15.20	159.4	14.95	-1.00
64923	54.9	56.9	2.0	100		2	-1.00	5.39	1.63	3.76	27.6	11.19	-1.00
64924	56.9	59.3	2.4	100		2	-1.00	6.48	1.91	4.57	38.9	5.04	-1.00
64925	59.3	60.9	1.6	100		20	-1.00	1.81	.61	1.20	9.6	3.56	-1.00
64926	60.9	61.1	.2	100		2	-1.00	8.71	3.34	5.37	55.9	2.56	-1.00
64927	61.1	61.5	.4	100		30	-1.00	4.95	2.00	2.95	32.4	3.58	-1.00
64928	61.5	63.4	1.9	100		2	-1.00	16.52	6.83	9.69	107.1	13.65	-1.00
64929	63.4	64.2	.8	100		2	-1.00	6.48	2.58	3.90	41.0	6.92	-1.00
64930	64.2	66.5	2.3	100		2	3.02	7.66	2.83	4.83	62.9	13.68	-1.00
64931	66.5	68.7	2.2	55		2	-1.00	6.40	1.78	4.62	47.4	11.41	-1.00
64932	68.7	69.6	.9	100		2	-1.00	8.84	2.53	6.31	56.5	17.12	-1.00
64933	69.6	71.2	1.6	100		2	-1.00	6.31	1.87	4.44	43.6	13.23	-1.00
64934	71.2	72.5	1.3	100		2	-1.00	7.25	2.23	5.02	53.2	14.97	-1.00
64935	72.5	73.0	.5	100		44	-1.00	.82	.22	.60	3.7	12.65	-1.00
64936	73.0	74.9	1.9	100		2	-1.00	8.06	3.12	4.94	50.5	12.82	-1.00
64937	74.9	75.9	1.0	100		2	-1.00	9.81	4.83	4.98	98.9	8.33	-1.00
64938	75.9	77.6	1.7	100		2	3.28	18.22	7.42	10.80	128.6	11.44	-1.00
0	77.6	100.0	22.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G19 Section: W73
 Northing: 6364.6 Easting: 2809.6 Elevation: 1278.1
 Length: 110.0 Core: NQ Record: 539

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	31.5	31.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64951	31.5	33.0	1.5	73		47	-1.00	.77	.28	.49	4.6	12.12	-1.00
64952	33.0	34.8	1.8	100		2	-1.00	1.56	.58	.98	10.9	13.08	-1.00
64953	34.8	38.1	3.3	91		2	-1.00	1.69	.53	1.16	9.6	17.76	-1.00
64954	38.1	39.8	1.7	100		47	-1.00	.98	.31	.67	5.5	7.83	-1.00
0	39.8	46.5	6.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64955	46.5	47.2	.7	100		2	-1.00	2.77	.62	2.15	13.8	6.78	-1.00
0	47.2	71.9	24.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64956	71.9	73.5	1.6	100		7	-1.00	15.63	5.85	9.78	109.1	14.58	-1.00
64957	73.5	76.1	2.6	100		2	-1.00	6.10	2.05	4.05	35.9	12.55	-1.00
0	76.1	81.0	4.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64958	81.0	84.6	3.6	100		2	-1.00	6.18	2.23	3.95	39.9	16.61	-1.00
0	84.6	85.6	1.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64959	85.6	86.9	1.3	100		2	-1.00	7.91	2.73	5.18	41.5	8.54	-1.00
64960	86.9	88.3	1.4	86		2	-1.00	6.48	2.21	4.27	35.3	3.30	-1.00
64961	88.3	89.7	1.4	100		2	-1.00	5.19	1.92	3.27	31.9	3.40	-1.00
64962	89.7	91.4	1.7	100		2	-1.00	5.66	2.17	3.49	33.8	4.14	-1.00
64963	91.4	92.7	1.3	92		54	-1.00	2.77	.79	1.98	13.2	1.39	-1.00
64964	92.7	94.0	1.3	100		2	-1.00	3.56	1.15	2.41	17.6	6.50	-1.00
64965	94.0	96.3	2.3	96		2	-1.00	10.16	4.68	5.48	72.6	10.35	-1.00
64966	96.3	97.0	.7	100		47	-1.00	1.54	.48	1.06	9.5	8.06	-1.00
64967	97.0	98.5	1.5	100		2	-1.00	10.28	3.90	6.38	61.0	9.12	-1.00
64968	98.5	100.4	1.9	74		54	-1.00	.55	.11	.44	.9	6.11	-1.00
64969	100.4	102.4	2.0	100		2	-1.00	16.03	5.03	11.00	85.5	10.41	-1.00
64970	102.4	105.5	3.1	97		2	-1.00	17.29	5.59	11.70	103.4	10.09	-1.00
64971	105.5	108.2	2.7	100		2	-1.00	11.10	3.60	7.50	57.3	9.56	-1.00
64972	108.2	110.0	1.8	100		2	-1.00	8.41	2.69	5.72	49.9	10.67	-1.00

Drill Hole: 91G20 Section: W69
 Northing: 6243.7 Easting: 2657.5 Elevation: 1277.9
 Length: 105.5 Core: NQ Record: 540

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	30.4	30.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64849	30.4	31.2	.8	100		3	-1.00	18.94	8.64	10.30	167.6	17.96	-1.00
64850	31.2	32.6	1.4	86		5	-1.00	5.39	2.79	2.60	40.4	14.97	-1.00
0	32.6	59.7	27.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64851	59.7	61.2	1.5	100		52	-1.00	3.98	1.93	2.05	25.0	15.92	-1.00
64852	61.2	62.4	1.2	100		7	-1.00	10.47	5.56	4.91	91.6	21.81	-1.00
64853	62.4	64.0	1.6	100		5	-1.00	9.05	4.77	4.28	64.9	25.59	-1.00
64854	64.0	65.3	1.3	100		5	-1.00	11.56	6.82	4.74	73.4	27.67	-1.00
64855	65.3	67.2	1.9	100		5	-1.00	1.49	.64	.85	13.4	33.66	-1.00
64856	67.2	68.6	1.4	100		7	4.54	7.43	3.16	4.27	59.2	22.58	-1.00
0	68.6	97.1	28.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64857	97.1	98.7	1.6	100		5	-1.00	17.01	7.09	9.92	141.3	24.88	-1.00
64858	98.7	100.3	1.6	100		5	-1.00	10.97	4.10	6.87	78.0	23.36	-1.00
64859	100.3	101.9	1.6	100		5	-1.00	16.60	6.20	10.40	104.9	24.35	-1.00
64860	101.9	102.5	.6	100		30	-1.00	1.25	.57	.68	9.2	6.72	-1.00
64861	102.5	103.3	.8	100		5	-1.00	11.46	4.71	6.75	74.5	21.26	-1.00
64862	103.3	104.9	1.6	100		30	-1.00	.71	.26	.45	5.2	6.81	-1.00
64863	104.9	105.5	.6	100		5	-1.00	7.16	3.15	4.01	52.5	25.41	-1.00

Drill Hole: 91G21 Section: W77
 Northing: 6486.2 Easting: 2981.7 Elevation: 1286.2
 Length: 79.9 Core: NQ Record: 541

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	79.9	79.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G22 Section: W77
 Northing: 6485.7 Easting: 2967.2 Elevation: 1285.7
 Length: 79.9 Core: NQ Record: 542

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	54.0	54.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64343	54.0	54.9	.9	100		3	-1.00	4.90	2.66	2.24	31.1	7.82	-1.00
64344	54.9	55.8	.9	78		47	-1.00	.08	.07	.01	1.0	7.33	-1.00
64345	55.8	57.2	1.4	100		3	-1.00	11.01	3.24	7.77	81.7	11.68	-1.00
64346	57.2	58.3	1.1	91		47	-1.00	.73	.47	.26	7.0	6.96	-1.00
64347	58.3	58.9	.6	100		3	-1.00	13.58	5.17	8.41	110.1	18.25	-1.00
64348	58.9	59.4	.5	100		44	-1.00	.65	.14	.51	2.9	9.93	-1.00
64349	59.4	60.0	.6	100		5	-1.00	10.80	3.89	6.91	78.0	29.98	-1.00
64350	60.0	60.7	.7	86		47	-1.00	5.46	1.78	3.68	21.8	15.28	-1.00
64351	60.7	62.0	1.3	69		54	-1.00	.99	.45	.54	8.5	6.68	-1.00
64352	62.0	62.4	.4	100		30	-1.00	2.00	.66	1.34	12.2	3.91	-1.00
64353	62.4	63.0	.6	100		5	-1.00	1.74	1.24	.50	22.4	24.74	-1.00
64354	63.0	64.0	1.0	100		30	-1.00	1.80	.88	.92	19.7	12.29	-1.00
64355	64.0	65.5	1.5	87	2	30	-1.00	4.10	1.93	2.17	28.2	4.64	-1.00
64356	65.5	67.1	1.6	94		30	-1.00	6.39	2.18	4.21	31.8	2.71	-1.00
64357	67.1	68.3	1.2	75	2	30	-1.00	6.45	1.66	4.79	20.6	6.30	-1.00
64358	68.3	68.7	.4	100		72	-1.00	2.52	.15	2.37	2.6	8.40	-1.00
64359	68.7	69.4	.7	86	2	30	-1.00	.38	.30	.08	6.0	11.90	-1.00
64360	69.4	70.8	1.4	100		30	-1.00	4.11	.88	3.23	16.7	5.94	-1.00
64361	70.8	72.5	1.7	76		30	-1.00	6.14	2.03	4.11	41.0	11.53	-1.00
64362	72.5	73.9	1.4	100		30	-1.00	2.91	1.06	1.85	20.7	3.33	-1.00
64363	73.9	75.9	2.0	65		30	-1.00	7.76	2.97	4.79	59.3	1.66	-1.00
0	75.9	79.9	4.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G23 Section: W75
 Northing: 6425.0 Easting: 2947.1 Elevation: 1284.9
 Length: 70.1 Core: NQ Record: 543

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	29.6	29.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63640	29.6	33.5	3.9	33		2	-1.00	6.93	1.71	5.22	164.8	3.82	-1.00
0	33.5	34.9	1.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63641	34.9	36.5	1.6	19		30	-1.00	6.12	1.21	4.91	17.7	7.51	-1.00
0	36.5	37.1	.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63642	37.1	37.6	.5	60		5	-1.00	29.50	11.60	17.90	346.0	20.58	-1.00
0	37.6	42.6	5.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63643	42.6	43.6	1.0	60		30	-1.00	3.36	1.12	2.24	21.3	4.83	-1.00
63644	43.6	45.9	2.3	83		2	-1.00	13.51	4.87	8.64	88.3	13.56	-1.00
0	45.9	70.1	24.2	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G24 Section: W73
 Northing: 6361.8 Easting: 2914.2 Elevation: 1284.8
 Length: 76.2 Core: NQ Record: 544

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	76.2	76.2	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G25 Section: W71
 Northing: 6301.8 Easting: 2850.8 Elevation: 1284.6
 Length: 93.0 Core: NQ Record: 545

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	70.0	70.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64864	70.0	71.5	1.5	33		60	-1.00	28.78	24.10	4.68	363.0	2.58	-1.00
0	71.5	85.8	14.3	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64865	85.8	86.4	.6	100		54	-1.00	10.05	6.32	3.73	126.0	15.27	-1.00
0	86.4	93.0	6.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G26 Section: W76
 Northing: 6275.6 Easting: 2834.0 Elevation: 1284.6
 Length: 103.6 Core: NQ Record: 546

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	92.6	92.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64785	92.6	94.6	2.0	100		3	-1.00	19.93	8.83	11.10	101.4	13.06	-1.00
64786	94.6	96.1	1.5	100		7	-1.00	14.63	6.09	8.54	80.7	13.11	-1.00
64787	96.1	97.5	1.4	100		7	-1.00	11.59	4.43	7.16	85.1	7.38	-1.00
64788	97.5	99.1	1.6	100		2	-1.00	5.21	1.89	3.32	34.1	3.66	-1.00
64789	99.1	99.8	.7	100		2 S ₂ 30	-1.00	7.30	2.53	4.77	53.7	2.08	-1.00
0	99.8	103.6	3.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G27 Section: W69
 Northing: 6242.8 Easting: 2779.4 Elevation: 1289.3
 Length: 106.1 Core: NQ Record: 547

ASSAYS

Sample #	---Depths---		Int	Rec	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To	m	%									
0	.0	55.2	55.2	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64649	55.2	55.5	.3	100		52	-1.00	8.60	3.60	5.00	41.7	10.26	-1.00
64650	55.5	56.2	.7	29		74	-1.00	2.73	1.09	1.64	13.3	6.15	-1.00
64651	56.2	57.3	1.1	73		30	-1.00	3.78	1.35	2.43	24.1	5.51	-1.00
64652	57.3	58.9	1.6	100		30	-1.00	2.17	.99	1.18	11.7	5.54	-1.00
64653	58.9	59.7	.8	100		20	-1.00	.02	.01	.01	.1	5.20	-1.00
0	59.7	99.8	40.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64654	99.8	101.0	1.2	100		52	-1.00	2.88	.85	2.03	13.4	8.07	-1.00
0	101.0	106.1	5.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G28 Section: W69
 Northing: 6236.2 Easting: 2755.8 Elevation: 1288.1
 Length: 109.1 Core: NQ Record: 548

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	51.7	51.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64710	51.7	52.7	1.0	50		2	-1.00	11.80	3.48	8.32	53.9	9.88	-1.00
0	52.7	82.1	29.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64711	82.1	83.0	.9	89		2	-1.00	3.27	1.01	2.26	26.7	6.71	-1.00
64712	83.0	83.7	.7	71		74	-1.00	.27	.05	.22	1.1	5.44	-1.00
64713	83.7	86.0	2.3	70		2	-1.00	5.65	1.72	3.93	34.5	8.90	-1.00
0	86.0	92.5	6.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64714	92.5	94.0	1.5	100		3	-1.00	5.66	4.06	1.60	59.3	5.97	-1.00
64715	94.0	95.5	1.5	100		3	-1.00	9.99	5.91	4.08	84.0	6.42	-1.00
64716	95.5	97.0	1.5	100		3	-1.00	3.70	1.86	1.84	30.6	5.47	-1.00
64717	97.0	98.9	1.9	100		52	-1.00	4.26	1.99	2.27	33.7	7.81	-1.00
64718	98.9	100.2	1.3	100		3	-1.00	3.19	.91	2.28	16.3	6.80	-1.00
64719	100.2	101.6	1.4	100		3	-1.00	2.83	.99	1.84	17.7	5.78	-1.00
64720	101.6	102.3	.7	100		72	-1.00	2.75	.49	2.26	11.8	7.12	-1.00
64721	102.3	103.1	.8	100		3	-1.00	11.07	3.09	7.98	46.1	8.56	-1.00
64722	103.1	104.4	1.3	100		5	-1.00	15.10	5.32	9.78	83.2	13.39	-1.00
64723	104.4	105.7	1.3	100		5	-1.00	15.99	5.64	10.35	81.4	14.52	-1.00
64724	105.7	106.2	.5	100		3	-1.00	6.59	2.53	4.06	28.5	10.51	-1.00
64725	106.2	107.3	1.1	100		3	-1.00	3.30	.86	2.44	8.8	3.99	-1.00
0	107.3	109.1	1.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G29 Section: W67
 Northing: 6183.1 Easting: 2826.5 Elevation: 1288.9
 Length: 104.9 Core: NQ Record: 549

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	35.1	35.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64559	35.1	37.2	2.1	52		8	-1.00	13.90	5.95	7.95	101.6	12.64	-1.00
64560	37.2	38.3	1.1	100		8 20	-1.00	11.26	5.62	5.64	114.4	12.45	-1.00
64561	38.3	39.6	1.3	100		20	-1.00	.12	.05	.07	1.2	3.62	-1.00
0	39.6	47.4	7.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64562	47.4	49.4	2.0	100		3 20	-1.00	2.51	1.36	1.15	22.6	5.38	-1.00
64563	49.4	51.1	1.7	100		5	-1.00	24.10	13.90	10.20	183.8	19.16	-1.00
64564	51.1	52.9	1.8	94		3 20	-1.00	3.42	1.76	1.66	31.5	7.38	-1.00
64565	52.9	54.1	1.2	100		5	-1.00	17.58	8.17	9.41	134.2	12.43	-1.00
64566	54.1	55.5	1.4	93		5	-1.00	2.71	1.28	1.43	19.6	8.10	-1.00
64567	55.5	56.8	1.3	100		3 { 20	-1.00	4.65	2.50	2.15	41.7	8.78	-1.00
64568	56.8	58.4	1.6	81		5	-1.00	25.20	15.00	10.20	188.7	21.18	-1.00
64569	58.4	59.7	1.3	100		52 20	-1.00	5.13	2.04	3.09	39.5	8.23	-1.00
64570	59.7	60.8	1.1	82		7	-1.00	14.57	7.01	7.56	117.2	22.55	-1.00
64571	60.8	61.7	.9	100		20	-1.00	.62	.23	.39	3.8	3.87	-1.00
64572	61.7	63.0	1.3	100		3 20	-1.00	6.22	2.05	4.17	34.2	7.20	-1.00
64573	63.0	65.0	2.0	100		20	-1.00	.19	.01	.18	1.0	4.84	-1.00
64574	65.0	67.1	2.1	100		20	-1.00	3.48	1.46	2.02	23.9	4.64	-1.00
64575	67.1	67.8	.7	100		7	-1.00	11.92	3.37	8.55	65.5	7.08	-1.00
0	67.8	75.4	7.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64576	75.4	76.3	.9	89		5	-1.00	16.47	6.87	9.60	107.3	16.72	-1.00
64577	76.3	78.1	1.8	72		3 { 20	-1.00	4.17	1.28	2.89	27.0	6.33	-1.00
64578	78.1	81.7	3.6	25		3 { 20	-1.00	1.29	.45	.84	8.6	3.98	-1.00
64579	81.7	83.1	1.4	100		3	-1.00	12.92	3.60	9.32	60.0	9.66	-1.00
64580	83.1	85.0	1.9	68		5	-1.00	14.45	7.28	7.17	123.3	22.34	-1.00
64581	85.0	86.3	1.3	85		52	-1.00	2.56	.84	1.72	15.3	5.82	-1.00
64582	86.3	88.4	2.1	62		52	-1.00	.79	.35	.44	6.1	3.52	-1.00
64583	88.4	89.6	1.2	83		3 20	-1.00	11.68	4.35	7.33	65.7	9.55	-1.00
64584	89.6	91.0	1.4	86		20	-1.00	.45	.09	.36	1.5	3.98	-1.00
64585	91.0	92.3	1.3	85		20	-1.00	.77	.38	.39	5.9	3.16	-1.00
64586	92.3	93.7	1.4	100		52	-1.00	1.09	.25	.84	4.8	4.82	-1.00
64587	93.7	95.1	1.4	100		52	-1.00	1.29	.35	.94	5.1	3.57	-1.00
64588	95.1	96.6	1.5	100		52	-1.00	1.07	.36	.71	5.0	3.82	-1.00
64589	96.6	97.9	1.3	100		52	-1.00	.20	.08	.12	1.7	4.21	-1.00
64590	97.9	99.3	1.4	100		52	-1.00	.19	.01	.18	1.5	5.74	-1.00
0	99.3	104.9	5.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G30 Section: W65
 Northing: 6122.1 Easting: 2812.0 Elevation: 1286.1
 Length: 66.1 Core: NQ Record: 550

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To											
0	.0	59.4	59.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64364	59.4	59.8	.4	100		52	-1.00	.07	.06	.01	1.3	9.54	-1.00
0	59.8	61.8	2.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64365	61.8	62.5	.7	100		52	-1.00	.03	.02	.01	.7	5.82	-1.00
0	62.5	66.1	3.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G31 Section: W67
 Northing: 6182.4 Easting: 2642.2 Elevation: 1277.1
 Length: 99.1 Core: NQ Record: 551

ASSAYS

Sample #	---Depths---		Int	Rec	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To	m	%									
0	.0	44.3	44.3	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64591	44.3	45.0	.7	71		7	-1.00	7.42	4.04	3.38	49.6	19.45	-1.00
64592	45.0	46.4	1.4	79		7	-1.00	10.90	5.28	5.62	58.8	17.37	-1.00
64593	46.4	47.6	1.2	100		5	-1.00	4.02	2.21	1.81	27.0	23.56	-1.00
64594	47.6	48.5	.9	89		5	-1.00	11.34	3.39	7.95	52.4	18.71	-1.00
0	48.5	67.9	19.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64595	67.9	69.4	1.5	93		5	-1.00	30.60	11.10	19.50	166.4	10.81	-1.00
64596	69.4	70.4	1.0	100		5	-1.00	31.80	11.70	20.10	188.3	13.41	-1.00
64597	70.4	70.8	.4	100		5	-1.00	23.62	7.92	15.70	116.7	13.48	-1.00
64598	70.8	71.5	.7	86		7	-1.00	16.35	5.85	10.50	96.0	9.84	-1.00
64599	71.5	71.9	.4	100		5	-1.00	12.65	7.63	5.02	108.2	20.48	-1.00
64600	71.9	72.8	.9	78		7	-1.00	13.86	3.85	10.01	76.9	7.42	-1.00
64601	72.8	74.1	1.3	92		5	-1.00	21.34	6.84	14.50	95.7	15.78	-1.00
64602	74.1	75.5	1.4	100		7	-1.00	14.17	4.66	9.51	96.2	8.17	-1.00
64603	75.5	76.3	.8	75		5	-1.00	21.29	6.89	14.40	110.7	14.13	-1.00
64604	76.3	77.2	.9	100		5	-1.00	12.27	3.48	8.79	43.6	20.05	-1.00
64605	77.2	78.4	1.2	92		5	-1.00	15.18	5.31	9.87	62.3	20.36	-1.00
64606	78.4	79.6	1.2	92		5	-1.00	13.83	4.51	9.32	67.4	20.18	-1.00
64607	79.6	81.0	1.4	100		5	-1.00	15.88	4.78	11.10	67.0	19.83	-1.00
64608	81.0	82.0	1.0	100		5	-1.00	17.33	7.43	9.90	100.2	16.48	-1.00
64609	82.0	82.4	.4	75		5	-1.00	15.30	5.00	10.30	72.1	17.49	-1.00
64610	82.4	84.6	2.2	77		30	-1.00	1.34	.29	1.05	4.7	5.09	-1.00
64611	84.6	85.4	.8	100		5	-1.00	10.89	4.86	6.03	74.9	17.48	-1.00
64612	85.4	86.0	.6	100		7	-1.00	15.51	5.11	10.40	133.3	6.25	-1.00
64613	86.0	86.3	.3	100		5	-1.00	4.77	2.22	2.55	26.8	18.46	-1.00
64614	86.3	87.1	.8	75		52	-1.00	.68	.13	.55	2.7	7.79	-1.00
64615	87.1	88.1	1.0	100		5	-1.00	11.85	4.32	7.53	94.5	13.56	-1.00
64616	88.1	89.1	1.0	100		5	-1.00	12.90	5.03	7.87	100.0	15.27	-1.00
64617	89.1	90.4	1.3	100		7	-1.00	9.89	3.13	6.76	62.5	9.94	-1.00
64618	90.4	90.7	.3	100		7	-1.00	11.01	3.97	7.04	63.2	14.06	-1.00
64619	90.7	91.4	.7	100		5	-1.00	9.53	3.57	5.96	44.9	16.62	-1.00
64620	91.4	92.1	.7	100		5	-1.00	12.19	4.13	8.06	89.1	13.64	-1.00
64621	92.1	93.1	1.0	100		7	-1.00	12.41	4.30	8.11	71.9	11.84	-1.00
0	93.1	99.1	6.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G32 Section: W67
 Northing: 6183.2 Easting: 2704.3 Elevation: 1278.4
 Length: 99.1 Core: NQ Record: 552

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	46.6	46.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64726	46.6	47.9	1.3	92		3	-1.00	10.46	4.94	5.52	98.7	4.12	-1.00
64727	47.9	49.2	1.3	100		3	-1.00	17.86	9.31	8.55	181.9	4.98	-1.00
64728	49.2	51.1	1.9	26		72	-1.00	5.43	3.25	2.18	34.6	5.05	-1.00
64729	51.1	52.1	1.0	100		3	-1.00	13.11	5.49	7.62	94.5	4.54	-1.00
64730	52.1	53.1	1.0	100		3	-1.00	7.20	2.24	4.96	38.4	3.59	-1.00
64731	53.1	54.6	1.5	100		4	-1.00	8.17	2.84	5.33	43.1	15.54	-1.00
64732	54.6	56.1	1.5	100		4	-1.00	6.62	2.05	4.57	35.7	13.39	-1.00
64733	56.1	57.6	1.5	100		4	-1.00	10.12	3.26	6.86	50.2	13.87	-1.00
64734	57.6	59.1	1.5	100		4	-1.00	9.24	2.85	6.39	42.5	16.18	-1.00
64735	59.1	60.6	1.5	100		4	-1.00	8.53	3.28	5.25	50.9	16.80	-1.00
64736	60.6	62.1	1.5	100		4	-1.00	5.42	2.61	2.81	49.6	14.93	-1.00
64737	62.1	63.6	1.5	93		4	-1.00	6.61	2.43	4.18	48.2	12.10	-1.00
64738	63.6	65.5	1.9	95		4	-1.00	7.51	3.12	4.39	65.7	14.12	-1.00
64739	65.5	67.6	2.1	76		20	-1.00	2.04	.40	1.64	5.8	5.76	-1.00
64740	67.6	69.1	1.5	93		4	-1.00	5.53	1.56	3.97	34.1	13.31	-1.00
64741	69.1	70.5	1.4	100		4	-1.00	4.69	1.77	2.92	32.9	13.64	-1.00
64742	70.5	72.8	2.3	100		20	-1.00	1.80	.36	1.44	6.0	5.31	-1.00
64743	72.8	74.2	1.4	100		20	-1.00	1.78	.46	1.32	6.4	3.96	-1.00
64744	74.2	75.3	1.1	100		20	-1.00	2.20	.36	1.84	4.9	5.00	-1.00
64745	75.3	76.9	1.6	100		4	-1.00	10.58	4.04	6.54	50.9	13.40	-1.00
64746	76.9	78.6	1.7	100		5	-1.00	21.26	7.86	13.40	121.8	17.61	-1.00
64747	78.6	79.9	1.3	85		3	-1.00	27.02	9.62	17.40	159.0	9.84	-1.00
64748	79.9	81.1	1.2	75		3	-1.00	27.07	10.17	16.90	155.2	10.80	-1.00
64749	81.1	82.1	1.0	100		3	-1.00	24.81	8.61	16.20	118.8	6.09	-1.00
64750	82.1	83.1	1.0	100		3	-1.00	20.91	7.01	13.90	103.8	6.24	-1.00
64751	83.1	84.3	1.2	92		3	-1.00	19.76	7.46	12.30	105.7	8.28	-1.00
64752	84.3	85.5	1.2	100		3	-1.00	22.86	7.96	14.90	126.6	6.80	-1.00
64753	85.5	86.7	1.2	100		5	-1.00	24.62	8.62	16.00	90.3	16.51	-1.00
64754	86.7	88.2	1.5	93		2	-1.00	3.65	1.45	2.20	31.0	9.48	-1.00
64755	88.2	89.7	1.5	100		2	-1.00	.67	.31	.36	14.9	11.34	-1.00
64756	89.7	91.2	1.5	93		2	-1.00	.24	.09	.15	24.9	11.35	-1.00
64757	91.2	92.7	1.5	100		2	-1.00	.22	.10	.12	29.6	11.68	-1.00
64758	92.7	94.2	1.5	100		2	-1.00	2.64	1.32	1.32	36.4	9.86	-1.00
64759	94.2	95.7	1.5	100		2	-1.00	1.21	.51	.70	20.9	10.86	-1.00
64760	95.7	97.2	1.5	100		2	-1.00	2.40	1.32	1.08	25.5	8.85	-1.00
64761	97.2	98.7	1.5	73		2	-1.00	1.04	.49	.55	13.3	7.54	-1.00
0	98.7	99.1	.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G33 Section: W65
 Northing: 6124.6 Easting: 2704.3 Elevation: 1277.2
 Length: 79.9 Core: NQ Record: 553

ASSAYS

Sample #	---Depths---		Int	Rec	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To	m	%									
0	.0	40.5	40.5	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64462	40.5	42.2	1.7	65		52	-1.00	.24	.07	.17	.1	7.02	-1.00
64463	42.2	43.9	1.7	59		52	-1.00	.47	.26	.21	3.5	6.49	-1.00
0	43.9	55.9	12.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64464	55.9	56.1	.2	100		52	-1.00	.31	.09	.22	.1	7.38	-1.00
0	56.1	58.7	2.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64465	58.7	59.5	.8	75		5	-1.00	24.25	7.85	16.40	34.8	16.96	-1.00
64466	59.5	60.7	1.2	83		2	-1.00	2.83	1.20	1.63	134.4	13.51	-1.00
64467	60.7	61.5	.8	88		2	-1.00	5.47	1.87	3.60	40.5	14.12	-1.00
64468	61.5	61.8	.3	100		5	-1.00	20.38	7.48	12.90	126.9	14.03	-1.00
64469	61.8	63.1	1.3	77		2	-1.00	9.10	3.02	6.08	62.1	10.46	-1.00
0	63.1	69.5	6.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64470	69.5	70.9	1.4	100		52	-1.00	.34	.11	.23	1.8	6.91	-1.00
0	70.9	79.9	9.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G34 Section: W65
 Northing: 6121.6 Easting: 2641.5 Elevation: 1276.2
 Length: 93.9 Core: NQ Record: 554

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	41.8	41.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64488	41.8	43.2	1.4	43		5	-1.00	10.88	5.51	5.37	72.2	19.75	-1.00
64489	43.2	44.8	1.6	44		2	-1.00	11.96	5.10	6.86	65.5	7.45	-1.00
64490	44.8	45.7	.9	100		2	-1.00	5.83	2.55	3.28	33.1	5.05	-1.00
64491	45.7	47.7	2.0	75		2	-1.00	4.07	1.27	2.80	21.3	5.91	-1.00
64492	47.7	49.1	1.4	100		2	-1.00	2.52	1.11	1.41	15.1	6.78	-1.00
64493	49.1	50.3	1.2	92		2	-1.00	2.53	1.17	1.36	15.3	9.34	-1.00
64494	50.3	52.1	1.8	72		2	-1.00	3.04	1.04	2.00	16.6	6.69	-1.00
64495	52.1	53.9	1.8	78		2	-1.00	5.15	1.79	3.36	26.4	7.80	-1.00
64496	53.9	54.9	1.0	90		52	-1.00	7.76	2.52	5.24	36.9	4.83	-1.00
64497	54.9	55.4	.5	80		44	-1.00	3.63	.49	3.14	6.6	8.26	-1.00
64498	55.4	56.7	1.3	92		52	-1.00	2.20	.89	1.31	12.6	3.81	-1.00
64499	56.7	58.2	1.5	100		52	-1.00	1.54	.48	1.06	7.3	4.71	-1.00
64500	58.2	60.1	1.9	100		52	-1.00	1.36	.33	1.03	5.5	5.77	-1.00
64501	60.1	61.2	1.1	100		52	-1.00	.29	.01	.28	1.1	5.13	-1.00
64502	61.2	62.7	1.5	100		52	-1.00	.33	.07	.26	1.2	6.61	-1.00
64503	62.7	64.2	1.5	73		52	-1.00	.93	.01	.92	1.4	7.14	-1.00
64504	64.2	65.8	1.6	94		52	-1.00	.77	.32	.45	5.3	8.86	-1.00
64505	65.8	67.6	1.8	100		52	-1.00	.63	.33	.30	4.9	6.62	-1.00
64506	67.6	68.0	.4	100		52	-1.00	.36	.08	.28	1.9	7.72	-1.00
64507	68.0	68.6	.6	100		2	-1.00	1.76	.57	1.19	9.9	8.28	-1.00
64508	68.6	70.3	1.7	100		2	-1.00	2.16	.38	1.78	8.5	10.28	-1.00
64509	70.3	71.2	.9	100		60	-1.00	.87	.19	.68	4.3	6.34	-1.00
64510	71.2	71.6	.4	100		2	-1.00	17.66	4.76	12.90	77.8	22.74	-1.00
64511	71.6	73.1	1.5	100		5	-1.00	19.53	5.93	13.60	95.7	24.32	-1.00
64512	73.1	74.7	1.6	100		5	-1.00	9.21	3.55	5.66	50.1	31.77	-1.00
64513	74.7	75.9	1.2	100		5	-1.00	7.99	3.19	4.80	33.0	27.66	-1.00
64514	75.9	77.5	1.6	100		5	-1.00	8.85	3.20	5.65	42.4	29.79	-1.00
64515	77.5	78.3	.8	100		3	-1.00	21.60	6.60	15.00	114.2	13.89	-1.00
64516	78.3	79.4	1.1	100		5	-1.00	7.97	2.62	5.35	69.6	23.22	-1.00
64517	79.4	81.1	1.7	94		20	-1.00	.31	.07	.24	1.5	4.55	-1.00
64518	81.1	82.2	1.1	100		20	-1.00	.36	.09	.27	1.7	6.13	-1.00
64519	82.2	82.5	.3	100		7	-1.00	6.56	2.24	4.32	44.3	15.81	-1.00
0	82.5	93.9	11.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G35 Section: W64
 Northing: 6091.1 Easting: 2656.1 Elevation: 1276.1
 Length: 95.1 Core: NQ Record: 555

ASSAYS

Sample #	---Depths---		Int	Rec	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To	m	%									
0	.0	58.3	58.3	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64366	58.3	59.4	1.1	100		5	-1.00	11.08	4.12	6.96	73.3	32.70	-1.00
64367	59.4	60.6	1.2	83		5	-1.00	7.12	1.76	5.36	21.4	20.67	-1.00
64368	60.6	62.1	1.5	100		5	-1.00	7.34	2.49	4.85	32.7	33.46	-1.00
64369	62.1	63.6	1.5	100		3	-1.00	16.27	5.67	10.60	88.4	33.15	-1.00
64370	63.6	64.9	1.3	85		5	-1.00	11.19	4.09	7.10	69.9	37.47	-1.00
64371	64.9	66.0	1.1	100		5	-1.00	13.17	6.11	7.06	91.1	33.05	-1.00
0	66.0	92.7	26.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64372	92.7	93.6	.9	100		8	-1.00	15.67	6.30	9.37	92.7	24.55	-1.00
0	93.6	95.1	1.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G36 Section: W65
 Northing: 6121.9 Easting: 2580.6 Elevation: 1273.8
 Length: 74.1 Core: NQ Record: 556

ASSAYS

Sample #	---Depths---		Int	Rec	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To	m	%									
0	.0	55.5	55.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64460	55.5	56.8	1.3	100		5	-1.00	3.60	1.86	1.74	27.8	23.46	-1.00
64461	56.8	57.9	1.1	82		7	-1.00	13.33	5.35	7.98	76.8	10.36	-1.00
0	57.9	74.1	16.2	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G37 Section: W63
 Northing: 6060.9 Easting: 2642.2 Elevation: 1274.4
 Length: 84.1 Core: NQ Record: 557

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	44.5	44.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64239	44.5	45.9	1.4	100		7	-1.00	14.65	5.12	9.53	118.4	16.75	-1.00
64240	45.9	46.4	.5	100		7	-1.00	4.95	2.12	2.83	59.5	27.51	-1.00
64241	46.4	47.2	.8	100		7	-1.00	12.27	4.25	8.02	84.6	18.44	-1.00
64242	47.2	47.7	.5	100		5	-1.00	9.61	3.44	6.17	86.6	30.21	-1.00
64243	47.7	48.8	1.1	100		5	-1.00	9.64	3.67	5.97	90.9	30.06	-1.00
64244	48.8	49.5	.7	100		7	-1.00	11.72	4.24	7.48	26.1	17.79	-1.00
64245	49.5	50.5	1.0	100		5	-1.00	3.75	1.32	2.43	24.8	38.70	-1.00
64246	50.5	52.3	1.8	100		7	-1.00	5.09	1.61	3.48	24.2	22.53	-1.00
64247	52.3	54.3	2.0	100		5	-1.00	3.75	1.48	2.27	23.9 ?	27.19	-1.00
64248	54.3	56.2	1.9	100		5	-1.00	8.60	3.66	4.94	4.1	37.51	-1.00
64249	56.2	57.3	1.1	100		7	-1.00	9.50	3.45	6.05	79.7	28.08	-1.00
64250	57.3	58.6	1.3	100		5	-1.00	4.16	2.47	1.69	30.9	38.63	-1.00
64251	58.6	59.1	.5	100		44	-1.00	.85	.32	.53	7.4	9.90	-1.00
64252	59.1	60.7	1.6	100		5	-1.00	4.59	2.05	2.54	34.5	37.94	-1.00
64253	60.7	62.0	1.3	100		5	-1.00	3.46	1.85	1.61	31.2	38.76	-1.00
64254	62.0	62.7	.7	100		5	-1.00	7.88	3.29	4.59	41.7	27.74	-1.00
64255	62.7	64.3	1.6	100		5	-1.00	7.28	3.01	4.27	50.1	34.70	-1.00
64256	64.3	65.8	1.5	100		5	-1.00	5.81	2.72	3.09	38.3	36.27	-1.00
64257	65.8	67.3	1.5	100		5	-1.00	4.62	1.62	3.00	34.6	29.31	-1.00
64258	67.3	67.7	.4	100		7	-1.00	15.23	5.35	9.88	85.7	14.41	-1.00
64259	67.7	68.1	.4	100		44	-1.00	.83	.34	.49	6.7	7.85	-1.00
64260	68.1	69.2	1.1	100		7	-1.00	8.00	2.64	5.36	33.1	19.70	-1.00
64261	69.2	70.0	.8	100		54	-1.00	.11	.04	.07	1.9	4.89	-1.00
0	70.0	77.5	7.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64262	77.5	78.5	1.0	100		52	-1.00	.86	.15	.71	2.5	5.82	-1.00
64263	78.5	80.0	1.5	100		3	-1.00	4.73	2.14	2.59	20.9	19.29	-1.00
64264	80.0	81.4	1.4	100		3	-1.00	5.24	2.35	2.89	31.1	21.17	-1.00
64265	81.4	82.6	1.2	100		40	-1.00	.10	.08	.02	17.3	8.06	-1.00
64266	82.6	83.0	.4	100		3	-1.00	3.32	1.83	1.49	19.4	19.13	-1.00
0	83.0	84.1	1.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G38 Section: W63
 Northing: 6062.6 Easting: 2655.3 Elevation: 1275.3
 Length: 89.9 Core: NQ Record: 558

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	42.1	42.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64404	42.1	43.4	1.3	23		2	-1.00	8.61	8.17	.44	75.0	24.81	-1.00
64405	43.4	44.7	1.3	92		2	-1.00	.59	.37	.22	12.5	18.08	-1.00
64406	44.7	46.0	1.3	100		2	-1.00	11.75	3.93	7.82	73.0	8.24	-1.00
64407	46.0	47.1	1.1	100		2	-1.00	8.69	2.73	5.96	47.1	4.48	-1.00
64408	47.1	48.6	1.5	87		2	-1.00	12.72	4.30	8.42	66.9	4.06	-1.00
64409	48.6	49.5	.9	100		2	-1.00	15.88	5.28	10.60	74.4	6.20	-1.00
64410	49.5	51.0	1.5	87		60	-1.00	11.13	3.83	7.30	52.8	7.10	-1.00
64411	51.0	51.5	.5	100		5	-1.00	21.24	7.14	14.10	112.7	19.14	-1.00
64412	51.5	53.2	1.7	94		5	-1.00	5.21	2.13	3.08	23.3	26.41	-1.00
64413	53.2	54.0	.8	88		5	-1.00	12.69	3.59	9.10	66.6	23.10	-1.00
64414	54.0	55.0	1.0	60		5	-1.00	9.33	2.68	6.65	46.5	22.31	-1.00
64415	55.0	56.3	1.3	100		5	-1.00	5.52	1.82	3.70	37.7	24.92	-1.00
64416	56.3	57.9	1.6	100		7	-1.00	8.49	2.49	6.00	49.8	15.46	-1.00
64417	57.9	59.0	1.1	82		5	-1.00	8.26	2.67	5.59	50.9	20.02	-1.00
64418	59.0	60.0	1.0	100		5	-1.00	6.43	1.85	4.58	49.4	17.13	-1.00
64419	60.0	61.6	1.6	94		7	-1.00	11.05	3.63	7.42	53.2	18.42	-1.00
64420	61.6	62.1	.5	100		5	-1.00	9.46	3.06	6.40	24.2	24.78	-1.00
64421	62.1	62.8	.7	100		7	-1.00	7.92	2.03	5.89	37.3	16.40	-1.00
64422	62.8	64.4	1.6	94		7	-1.00	6.04	1.78	4.26	29.6	18.57	-1.00
64423	64.4	65.3	.9	100		7	-1.00	8.97	2.56	6.41	41.4	13.67	-1.00
64424	65.3	65.9	.6	100		52	-1.00	1.12	.34	.78	6.7	5.74	-1.00
0	65.9	74.5	8.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64425	74.5	75.2	.7	100		3	-1.00	30.30	10.20	20.10	174.5	12.67	-1.00
64426	75.2	77.1	1.9	89		52	-1.00	2.46	1.02	1.44	16.5	7.50	-1.00
64427	77.1	77.5	.4	100		8	-1.00	26.91	8.61	18.30	165.4	8.88	-1.00
64428	77.5	78.4	.9	100		7	-1.00	10.35	2.90	7.45	62.2	8.21	-1.00
64429	78.4	79.6	1.2	92		3	-1.00	33.50	10.10	23.40	179.6	7.44	-1.00
64430	79.6	80.9	1.3	92		3	-1.00	27.75	9.15	18.60	154.5	8.91	-1.00
64431	80.9	82.8	1.9	100		3	-1.00	5.37	3.95	1.42	57.8	18.15	-1.00
64432	82.8	84.3	1.5	93		3	-1.00	19.37	10.30	9.07	134.3	13.35	-1.00
64433	84.3	84.8	.5	100		3	-1.00	2.13	1.50	.63	23.4	17.68	-1.00
64434	84.8	85.9	1.1	100		3	-1.00	18.18	8.39	9.79	125.2	13.12	-1.00
0	85.9	89.9	4.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G39 Section: W63
 Northing: 6060.9 Easting: 2688.8 Elevation: 1277.1
 Length: 96.9 Core: NQ Record: 559

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	44.5	44.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64435	44.5	44.9	.4	-1		5	-1.00	22.49	8.79	13.70	95.0	15.27	-1.00
0	44.9	52.5	7.6	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64436	52.5	54.6	2.1	-1		3	-1.00	22.76	7.66	15.10	118.9	13.14	-1.00
64437	54.6	56.1	1.5	-1		3	-1.00	24.93	8.03	16.90	114.6	13.73	-1.00
64438	56.1	57.9	1.8	-1		3	-1.00	24.57	7.37	17.20	103.2	17.59	-1.00
64439	57.9	59.8	1.9	-1		4	-1.00	10.69	2.87	7.82	52.7	12.61	-1.00
64440	59.8	61.6	1.8	-1	5	4	-1.00	14.58	4.38	10.20	72.7	19.92	-1.00
64441	61.6	63.7	2.1	-1		5	-1.00	18.56	5.46	13.10	72.0	15.39	-1.00
64442	63.7	65.2	1.5	-1		5	-1.00	29.87	9.97	19.90	164.4	17.03	-1.00
64443	65.2	67.4	2.2	-1		5	-1.00	20.20	6.00	14.20	89.3	20.37	-1.00
64444	67.4	69.2	1.8	-1		3	-1.00	24.90	8.80	16.10	144.1	10.64	-1.00
64445	69.2	71.0	1.8	-1		3	-1.00	18.54	6.24	12.30	114.6	10.08	-1.00
64446	71.0	72.3	1.3	-1		2	-1.00	18.46	7.36	11.10	118.7	10.35	-1.00
64447	72.3	73.5	1.2	-1		2	-1.00	16.90	7.43	9.47	115.6	15.56	-1.00
64448	73.5	75.5	2.0	-1		2	-1.00	.77	.32	.45	11.2	16.71	-1.00
64449	75.5	77.5	2.0	-1		2	-1.00	.27	.07	.20	5.5	14.78	-1.00
64450	77.5	79.5	2.0	-1		2	-1.00	.18	.05	.13	8.6	15.70	-1.00
64451	79.5	81.5	2.0	-1		2	-1.00	1.57	.62	.95	12.9	11.44	-1.00
64452	81.5	82.5	1.0	-1		2	-1.00	7.39	3.09	4.30	43.3	15.27	-1.00
64453	82.5	84.5	2.0	-1		2	-1.00	1.46	.77	.69	16.8	13.11	-1.00
64454	84.5	86.5	2.0	-1		2	-1.00	.44	.07	.37	5.9	15.39	-1.00
64455	86.5	88.5	2.0	-1		2	-1.00	.86	.08	.78	4.9	14.95	-1.00
64456	88.5	90.5	2.0	-1		2	-1.00	2.08	.71	1.37	16.4	12.58	-1.00
64457	90.5	92.5	2.0	-1		2	-1.00	.74	.14	.60	10.6	10.54	-1.00
64458	92.5	94.5	2.0	-1		2	-1.00	1.19	.07	1.12	8.5	8.96	-1.00
64459	94.5	96.9	2.4	-1		2	-1.00	.92	.06	.86	8.6	9.16	-1.00

Drill Hole: 91G40 Section: W63
 Northing: 6060.2 Easting: 2702.9 Elevation: 1277.1
 Length: 93.0 Core: NQ Record: 560

ASSAYS

Sample #	---Depths---		Int	Rec	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To	m	%									
0	.0	36.9	36.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64539	36.9	39.9	3.0	20		4	-1.00	.64	.29	.35	12.8	23.40	-1.00
64540	39.9	42.2	2.3	30		52	-1.00	.60	.15	.45	4.3	6.32	-1.00
64541	42.2	43.7	1.5	53		2	-1.00	1.74	.55	1.19	14.1	10.08	-1.00
64542	43.7	45.7	2.0	85		2	-1.00	.46	.21	.25	10.7	15.60	-1.00
0	45.7	49.1	3.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64543	49.1	50.6	1.5	73		5	-1.00	12.20	5.75	6.45	73.5	21.82	-1.00
64544	50.6	52.4	1.8	50		2	-1.00	.26	.11	.15	14.8	11.15	-1.00
64545	52.4	53.8	1.4	100		2	-1.00	.34	.16	.18	16.2	14.83	-1.00
64546	53.8	55.3	1.5	93		2	-1.00	.14	.04	.10	8.6	14.40	-1.00
64547	55.3	56.8	1.5	67		2	-1.00	.57	.10	.47	11.0	12.11	-1.00
64548	56.8	58.2	1.4	50		2	-1.00	.21	.03	.18	9.4	14.24	-1.00
64549	58.2	59.9	1.7	100		2	-1.00	.06	.02	.04	4.3	9.17	-1.00
64550	59.9	61.7	1.8	100		2	-1.00	.33	.12	.21	8.3	12.75	-1.00
64551	61.7	63.0	1.3	85		2	-1.00	.52	.24	.28	8.7	10.99	-1.00
64552	63.0	64.3	1.3	100		2	-1.00	.31	.13	.18	11.0	10.37	-1.00
64553	64.3	65.5	1.2	100		2	-1.00	.14	.02	.12	14.9	17.80	-1.00
64554	65.5	67.1	1.6	94		2	-1.00	.30	.04	.26	11.0	13.13	-1.00
64555	67.1	68.6	1.5	100		2	-1.00	.13	.01	.12	6.9	9.57	-1.00
64556	68.6	69.5	.9	78		2	-1.00	1.08	.52	.56	11.5	8.88	-1.00
64557	69.5	70.9	1.4	100		44	-1.00	2.36	.60	1.76	9.0	9.07	-1.00
64558	70.9	72.3	1.4	100		52	-1.00	.94	.31	.63	6.9	6.80	-1.00
0	72.3	93.0	20.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G41 Section: W69
 Northing: 6243.9 Easting: 2757.7 Elevation: 1289.0
 Length: 100.6 Core: NQ Record: 561

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	53.7	53.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64665	53.7	55.2	1.5	80		4	-1.00	7.32	2.91	4.41	50.2	12.05	-1.00
64666	55.2	56.7	1.5	87	3	4	-1.00	5.08	1.71	3.37	23.7	15.78	-1.00
64667	56.7	58.5	1.8	83		4	-1.00	5.38	1.63	3.75	25.8	13.73	-1.00
0	58.5	63.3	4.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64668	63.3	64.5	1.2	58	3	20	-1.00	5.31	1.79	3.52	23.6	6.64	-1.00
64669	64.5	66.5	2.0	75		5	-1.00	20.71	6.71	14.00	96.2	11.31	-1.00
64670	66.5	67.6	1.1	82		5	-1.00	24.76	9.66	15.10	150.0	13.69	-1.00
64671	67.6	68.4	.8	100		2	-1.00	11.34	3.78	7.56	58.4	11.74	-1.00
64672	68.4	69.9	1.5	100		2	-1.00	3.32	1.44	1.88	20.5	7.14	-1.00
64673	69.9	71.4	1.5	100		2	-1.00	1.38	.51	.87	11.4	10.58	-1.00
64674	71.4	72.9	1.5	100		2	-1.00	1.43	.52	.91	11.6	9.13	-1.00
64675	72.9	74.4	1.5	100		2	-1.00	.42	.04	.38	10.7	12.65	-1.00
64676	74.4	75.3	.9	100		2	-1.00	.92	.27	.65	13.8	12.28	-1.00
64677	75.3	77.2	1.9	74		2	-1.00	.23	.06	.17	7.4	12.90	-1.00
64678	77.2	78.6	1.4	100		2	-1.00	.75	.21	.54	16.3	12.45	-1.00
64679	78.6	79.8	1.2	100		3	-1.00	26.50	9.60	16.90	179.8	8.94	-1.00
64680	79.8	80.7	.9	100		5	-1.00	25.32	9.72	15.60	140.7	14.80	-1.00
64681	80.7	81.3	.6	100		2	-1.00	21.37	7.67	13.70	128.5	4.66	-1.00
64682	81.3	82.3	1.0	100		2	-1.00	2.30	.98	1.32	20.6	10.81	-1.00
64683	82.3	82.8	.5	100		2	-1.00	24.98	10.08	14.90	172.6	7.62	-1.00
64684	82.8	84.0	1.2	100		2	-1.00	2.44	1.32	1.12	31.5	10.96	-1.00
64685	84.0	85.3	1.3	100		5	-1.00	26.88	8.98	17.90	126.4	12.15	-1.00
64686	85.3	86.5	1.2	92		5	-1.00	22.17	8.37	13.80	109.9	15.21	-1.00
64687	86.5	87.6	1.1	100		5	-1.00	22.42	6.82	15.60	104.9	14.87	-1.00
64688	87.6	87.8	.2	100		3	-1.00	14.63	4.81	9.82	74.4	8.26	-1.00
64689	87.8	88.4	.6	100		2	-1.00	3.63	.93	2.70	13.6	9.84	-1.00
0	88.4	100.6	12.2	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G42 Section: W69
 Northing: 6242.9 Easting: 2798.6 Elevation: 1292.9
 Length: 103.6 Core: NQ Record: 562

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To											
0	.0	54.8	54.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64762	54.8	55.3	.5	100		74	-1.00	4.50	2.06	2.44	31.2	9.09	-1.00
64763	55.3	56.1	.8	100		74	-1.00	.46	.21	.25	3.6	5.97	-1.00
64764	56.1	57.0	.9	100		52	-1.00	2.47	.71	1.76	17.1	4.10	-1.00
0	57.0	97.0	40.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64765	97.0	98.0	1.0	100		5	-1.00	23.32	13.90	9.42	172.8	11.69	-1.00
64766	98.0	98.8	.8	100		74	-1.00	6.91	2.04	4.87	37.1	5.32	-1.00
0	98.8	102.7	3.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64767	102.7	103.6	.9	100		20	-1.00	1.29	.55	.74	8.7	3.72	-1.00

Drill Hole: 91G43 Section: W67
 Northing: 6183.2 Easting: 2777.1 Elevation: 1287.4
 Length: 80.8 Core: NQ Record: 563

ASSAYS

Sample #	---Depths---		Int	Rec	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To	m	%									
0	.0	38.8	38.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64655	38.8	40.1	1.3	100		54	-1.00	.15	.06	.09	.6	6.31	-1.00
0	40.1	41.4	1.3	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64656	41.4	43.2	1.8	100		54	-1.00	.23	.22	.01	2.5	5.77	-1.00
64657	43.2	44.5	1.3	100		54	-1.00	.15	.14	.01	.9	5.04	-1.00
64658	44.5	44.8	.3	100		60	-1.00	.43	.42	.01	3.6	1.34	-1.00
0	44.8	47.2	2.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64659	47.2	48.3	1.1	100		60	-1.00	.05	.03	.02	.2	1.39	-1.00
64660	48.3	49.5	1.2	100		54	-1.00	.05	.02	.03	.1	5.89	-1.00
0	49.5	54.9	5.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64661	54.9	55.6	.7	100		20	-1.00	.89	.26	.63	2.6	5.33	-1.00
0	55.6	59.0	3.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64662	59.0	59.5	.5	100		20	-1.00	.12	.05	.07	.4	7.04	-1.00
0	59.5	60.5	1.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64663	60.5	62.6	2.1	100		54	-1.00	.25	.06	.19	.3	5.07	-1.00
0	62.6	64.3	1.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64664	64.3	65.4	1.1	100		54	-1.00	.04	.01	.03	.1	5.83	-1.00
0	65.4	80.8	15.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G44 Section: W71
 Northing: 6303.9 Easting: 2733.6 Elevation: 1283.7
 Length: 120.4 Core: NQ Record: 564

ASSAYS

Sample #	---Depths---		Int	Rec	Rock	Rock	Pulp	Pb+Zn	Pb	Zn	Ag	Fe tot	Ba
	From	To	m	%	Unit	Code	S.G.	%	%	%	g/t	%	%
0	.0	80.5	80.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64768	80.5	82.5	2.0	100		20	-1.00	.66	.25	.41	5.1	7.50	-1.00
64769	82.5	83.7	1.2	100		52	-1.00	.61	.18	.43	4.2	9.78	-1.00
64770	83.7	84.9	1.2	100		2	-1.00	9.27	2.67	6.60	48.6	5.74	-1.00
64771	84.9	85.3	.4	100		5	-1.00	21.84	6.64	15.20	86.3	13.69	-1.00
64772	85.3	86.1	.8	100		2	-1.00	5.65	1.85	3.80	30.1	6.21	-1.00
64773	86.1	86.7	.6	100		2	-1.00	.71	.26	.45	4.2	11.28	-1.00
64774	86.7	88.7	2.0	100		44	-1.00	1.67	.78	.89	9.4	6.17	-1.00
64775	88.7	90.5	1.8	100		5	-1.00	10.03	3.80	6.23	60.9	16.81	-1.00
64776	90.5	91.8	1.3	100		2	-1.00	12.65	3.39	9.26	45.2	4.58	-1.00
64777	91.8	93.1	1.3	100		2	-1.00	10.49	2.62	7.87	37.4	3.03	-1.00
64778	93.1	95.3	2.2	100		52	-1.00	4.27	.44	3.83	10.2	6.62	-1.00
64779	95.3	96.9	1.6	100		2	-1.00	8.33	2.67	5.66	42.9	1.77	-1.00
64780	96.9	98.5	1.6	100		2	-1.00	8.13	2.37	5.76	39.5	1.71	-1.00
64781	98.5	100.2	1.7	100		2	-1.00	3.53	.96	2.57	16.0	3.05	-1.00
64782	100.2	101.9	1.7	100		2	-1.00	5.56	1.72	3.84	25.6	3.16	-1.00
64783	101.9	103.4	1.5	100		52	-1.00	1.81	.54	1.27	10.3	3.71	-1.00
64784	103.4	104.9	1.5	100		52	-1.00	.32	.07	.25	2.1	5.86	-1.00
0	104.9	120.4	15.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G45 Section: W62
 Northing: 6033.7 Easting: 2699.3 Elevation: 1277.3
 Length: 67.1 Core: NQ Record: 565

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	45.7	45.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64389	45.7	47.4	1.7	18		2	-1.00	.55	.32	.23	13.8	11.77	-1.00
64390	47.4	49.2	1.8	100		2	-1.00	.88	.28	.60	12.9	17.05	-1.00
64391	49.2	50.7	1.5	100		2	-1.00	2.40	.94	1.46	23.8	13.54	-1.00
64392	50.7	53.0	2.3	91		2	-1.00	.65	.11	.54	9.2	15.83	-1.00
64393	53.0	55.2	2.2	100		2	-1.00	.36	.07	.29	7.5	15.84	-1.00
64394	55.2	56.7	1.5	100		2	-1.00	.47	.04	.43	8.6	14.40	-1.00
64395	56.7	58.2	1.5	100		2	-1.00	.80	.25	.55	9.1	15.89	-1.00
64396	58.2	59.1	.9	100		2	-1.00	4.09	1.66	2.43	24.0	14.27	-1.00
64397	59.1	59.7	.6	100		2	-1.00	7.14	3.05	4.09	43.0	16.36	-1.00
64398	59.7	60.7	1.0	90		4	-1.00	18.15	6.95	11.20	13.0	8.37	-1.00
64399	60.7	61.5	.8	63	5	4	-1.00	23.00	11.90	11.10	159.6	13.00	-1.00
64400	61.5	62.8	1.3	100		2	-1.00	10.86	5.18	5.68	75.6	12.15	-1.00
64401	62.8	63.7	.9	100		2	-1.00	3.91	1.80	2.11	27.5	16.13	-1.00
64402	63.7	65.2	1.5	100		2	-1.00	2.76	1.15	1.61	19.3	16.78	-1.00
64403	65.2	67.1	1.9	89		2	-1.00	.31	.05	.26	6.9	16.10	-1.00

Drill Hole: 91G46 Section: W71
 Northing: 6303.8 Easting: 2703.5 Elevation: 1283.6
 Length: 96.9 Core: NQ Record: 566

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To											
0	.0	96.9	96.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G47 Section: W63
 Northing: 6062.1 Easting: 2627.8 Elevation: 1273.8
 Length: 85.3 Core: NQ Record: 567

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
	From	To											
0	.0	48.6	48.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64321	48.6	49.2	.6	83		7	-1.00	23.32	7.52	15.80	79.4	20.99	-1.00
64322	49.2	50.4	1.2	100		7	-1.00	22.41	9.01	13.40	124.3	23.66	-1.00
64323	50.4	51.7	1.3	100		7	-1.00	36.60	13.20	23.40	179.2	17.91	-1.00
64324	51.7	52.8	1.1	100		5	-1.00	10.97	4.95	6.02	68.1	33.92	-1.00
64325	52.8	54.0	1.2	100		7	-1.00	28.10	10.20	17.90	127.5	19.68	-1.00
64326	54.0	55.3	1.3	100		7	-1.00	17.74	5.84	11.90	78.8	21.20	-1.00
64327	55.3	56.4	1.1	100		44	-1.00	5.06	2.29	2.77	27.5	8.25	-1.00
64328	56.4	58.5	2.1	33		7	-1.00	12.48	4.31	8.17	70.7	10.50	-1.00
64329	58.5	59.8	1.3	100		5	-1.00	10.62	3.75	6.87	43.3	30.42	-1.00
64330	59.8	61.0	1.2	100		7	-1.00	9.99	3.51	6.48	64.4	21.99	-1.00
64331	61.0	62.6	1.6	100		5	-1.00	9.98	4.51	5.47	52.3	37.20	-1.00
64332	62.6	63.7	1.1	82		7	-1.00	11.13	4.47	6.66	73.4	25.89	-1.00
64333	63.7	64.3	.6	83		5	-1.00	9.98	3.92	6.06	58.1	33.73	-1.00
64334	64.3	65.8	1.5	100		7	-1.00	13.53	5.57	7.96	88.1	28.03	-1.00
64335	65.8	67.5	1.7	100		7	-1.00	11.33	3.94	7.39	67.4	23.94	-1.00
64336	67.5	68.9	1.4	100		5	-1.00	10.78	5.33	5.45	63.0	34.17	-1.00
64337	68.9	70.4	1.5	100		5	-1.00	11.67	4.87	6.80	68.4	30.98	-1.00
64338	70.4	72.0	1.6	100		5	-1.00	9.12	3.93	5.19	50.2	32.33	-1.00
64339	72.0	72.6	.6	100		60	-1.00	1.34	.73	.61	8.7	12.23	-1.00
64340	72.6	73.8	1.2	83		7	-1.00	16.95	6.65	10.30	70.2	21.86	-1.00
0	73.8	78.0	4.2	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64341	78.0	79.3	1.3	100		3	-1.00	3.61	1.52	2.09	18.8	15.28	-1.00
64342	79.3	80.4	1.1	100		40	-1.00	.44	.21	.23	2.4	8.35	-1.00
0	80.4	85.3	4.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G48 Section: W69
 Northing: 6244.6 Easting: 2703.5 Elevation: 1280.5
 Length: 127.7 Core: NQ Record: 568

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	66.7	66.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64817	66.7	68.1	1.4	100		5	-1.00	26.42	8.32	18.10	122.5	16.31	-1.00
64818	68.1	68.9	.8	100		5	-1.00	4.96	1.69	3.27	20.9	30.37	-1.00
64819	68.9	69.7	.8	100		5	-1.00	16.82	4.52	12.30	98.6	24.69	-1.00
64820	69.7	71.2	1.5	100		2	-1.00	3.98	2.02	1.96	27.0	11.08	-1.00
64821	71.2	71.9	.7	100		2	-1.00	3.02	1.26	1.76	17.0	14.25	-1.00
64822	71.9	73.4	1.5	100		7	-1.00	28.60	10.50	18.10	207.0	15.02	-1.00
<u>64823</u>	73.4	74.6	1.2	100		7	-1.00	30.80	10.90	19.90	195.1	11.04	-1.00
64824	74.6	75.8	1.2	100		5	-1.00	34.30	12.60	21.70	220.0	17.42	-1.00
64825	75.8	76.4	.6	100		5	-1.00	35.30	11.60	23.70	167.4	16.86	-1.00
64826	76.4	77.4	1.0	100		5	-1.00	36.10	13.20	22.90	252.0	17.34	-1.00
64827	77.4	78.2	.8	100		5	-1.00	23.52	7.02	16.50	263.0	20.81	-1.00
64828	78.2	78.9	.7	100		5	-1.00	27.65	6.55	21.10	87.5	19.33	-1.00
64829	78.9	79.7	.8	100		5	-1.00	36.47	9.87	26.60	110.6	15.45	-1.00
64830	79.7	80.6	.9	100		5	-1.00	32.90	12.30	20.60	168.0	18.89	-1.00
64831	80.6	81.7	1.1	100		7	-1.00	32.40	11.40	21.00	166.3	14.32	-1.00
64832	81.7	82.8	1.1	100		5	-1.00	35.60	11.90	23.70	218.7	11.44	-1.00
<u>64833</u>	82.8	83.5	.7	100		5	-1.00	37.60	11.90	25.70	198.4	13.44	-1.00
64834	83.5	85.0	1.5	100		5	-1.00	34.70	12.10	22.60	150.0	18.25	-1.00
64835	85.0	85.9	.9	100		5	-1.00	37.70	15.30	22.40	153.3	16.57	-1.00
64836	85.9	87.3	1.4	100		5	-1.00	30.18	9.38	20.80	145.4	15.34	-1.00
64837	87.3	87.7	.4	100		2	-1.00	8.19	2.55	5.64	45.1	9.70	-1.00
64838	87.7	88.6	.9	100		2	-1.00	10.88	3.68	7.20	54.0	13.03	-1.00
64839	88.6	89.0	.4	100		5	-1.00	28.40	7.80	20.60	130.8	13.76	-1.00
64840	89.0	90.4	1.4	100		2	-1.00	11.18	3.77	7.41	61.3	3.76	-1.00
0	90.4	90.8	.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64841	90.8	92.4	1.6	100		2	-1.00	10.87	4.53	6.34	65.9	13.54	-1.00
64842	92.4	93.4	1.0	100		2	2.59	9.97	3.30	6.67	52.7	2.78	-1.00
0	93.4	119.8	26.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64843	119.8	120.4	.6	100		5	-1.00	8.28	2.42	5.86	42.8	23.25	-1.00
64844	120.4	122.0	1.6	100		5	-1.00	17.78	4.98	12.80	95.4	23.88	-1.00
64845	122.0	123.9	1.9	100		5	-1.00	15.09	4.29	10.80	86.7	18.68	-1.00
64846	123.9	125.3	1.4	100		5	-1.00	15.99	5.09	10.90	77.5	25.77	-1.00
64847	125.3	126.5	1.2	100		2	-1.00	1.96	.31	1.65	15.1	16.15	-1.00
64848	126.5	127.7	1.2	100		2	-1.00	.72	.18	.54	9.2	11.95	-1.00

74 ~~327~~

Drill Hole: 91G49 Section: W65
 Northing: 6122.4 Easting: 2625.6 Elevation: 1275.1
 Length: 93.0 Core: NQ Record: 569

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	59.8	59.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64471	59.8	60.7	.9	100		5	-1.00	19.92	7.02	12.90	111.1	15.05	-1.00
64472	60.7	62.0	1.3	100		5	-1.00	17.26	4.86	12.40	79.2	23.13	-1.00
64473	62.0	63.4	1.4	100		7	-1.00	22.75	7.45	15.30	116.2	20.88	-1.00
64474	63.4	65.1	1.7	100		7	-1.00	19.03	6.43	12.60	149.4	17.67	-1.00
64475	65.1	66.9	1.8	100		5	-1.00	19.39	7.79	11.60	112.1	23.97	-1.00
64476	66.9	68.6	1.7	100		7	-1.00	18.63	6.93	11.70	120.7	18.68	-1.00
64477	68.6	70.4	1.8	100		5	-1.00	19.26	7.26	12.00	126.2	18.59	-1.00
64478	70.4	71.9	1.5	73		7	-1.00	13.24	4.57	8.67	72.5	20.38	-1.00
64479	71.9	73.2	1.3	100		7	-1.00	8.17	2.41	5.76	40.0	21.02	-1.00
64480	73.2	75.3	2.1	76		5	-1.00	9.80	3.96	5.84	46.7	29.86	-1.00
64481	75.3	76.5	1.2	58		5	-1.00	8.23	3.03	5.20	36.8	25.21	-1.00
64482	76.5	77.4	.9	89		5	-1.00	7.97	3.18	4.79	45.3	30.07	-1.00
64483	77.4	79.6	2.2	100		5	-1.00	6.68	3.03	3.65	40.5	34.79	-1.00
64484	79.6	80.8	1.2	100		5	-1.00	2.14	.96	1.18	20.0	33.19	-1.00
64485	80.8	82.8	2.0	100		7	-1.00	13.08	4.50	8.58	71.3	21.86	-1.00
64486	82.8	83.4	.6	100		5	-1.00	4.44	1.58	2.86	21.0	17.01	-1.00
0	83.4	90.5	7.1	100		-1	-1.00	.00	.00	.00	.0	.00	-1.00
64487	90.5	92.0	1.5	100		5	-1.00	9.97	4.62	5.35	71.0	25.73	-1.00
0	92.0	93.0	1.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G50 Section: W67
 Northing: 6183.1 Easting: 2708.0 Elevation: 1278.4
 Length: 103.6 Core: NQ Record: 570

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	38.7	38.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64690	38.7	40.2	1.5	93		2	-1.00	6.26	1.65	4.61	27.0	2.77	-1.00
64691	40.2	41.7	1.5	100		2	-1.00	5.85	1.67	4.18	28.3	3.25	-1.00
64692	41.7	42.5	.8	88		2	-1.00	4.12	1.51	2.61	23.7	5.43	-1.00
64693	42.5	44.4	1.9	95		5	-1.00	8.12	3.40	4.72	47.1	15.01	-1.00
64694	44.4	46.3	1.9	89		5	-1.00	17.95	7.36	10.59	129.8	12.68	-1.00
64695	46.3	47.8	1.5	100		5 4	-1.00	19.53	4.63	14.90	88.9	12.79	-1.00
64696	47.8	49.4	1.6	81		3	-1.00	9.50	3.14	6.36	56.3	7.26	-1.00
64697	49.4	50.7	1.3	92		3 30	-1.00	2.34	.76	1.58	14.4	4.40	-1.00
64698	50.7	51.9	1.2	100		-1	-1.00	11.20	2.94	8.26	51.2	8.87	-1.00
64699	51.9	54.1	2.2	86		20	-1.00	1.93	.75	1.18	9.0	5.22	-1.00
0	54.1	68.1	14.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64700	68.1	69.1	1.0	60		20	-1.00	1.57	.52	1.05	11.7	8.02	-1.00
64701	69.1	70.6	1.5	47		20	-1.00	1.08	.21	.87	7.0	6.39	-1.00
64702	70.6	72.1	1.5	100		3 { 20	-1.00	4.05	1.70	2.35	28.0	6.69	-1.00
64703	72.1	73.5	1.4	100		20	-1.00	1.76	.69	1.07	13.6	9.19	-1.00
64704	73.5	74.4	.9	100		60	-1.00	21.33	9.53	11.80	176.6	8.51	-1.00
64705	74.4	76.5	2.1	95		20	-1.00	1.00	.44	.56	17.6	10.69	-1.00
64706	76.5	77.6	1.1	100		20	-1.00	19.50	7.30	12.20	109.7	10.86	-1.00
64707	77.6	78.8	1.2	100		3 { 20	-1.00	9.91	3.80	6.11	74.0	10.07	-1.00
64708	78.8	80.1	1.3	100		20	-1.00	4.78	1.77	3.01	45.0	10.17	-1.00
64709	80.1	81.7	1.6	94		20	-1.00	14.72	5.03	9.69	88.8	12.49	-1.00
0	81.7	103.6	21.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G51 Section: W65
 Northing: 6119.2 Easting: 2655.9 Elevation: 1276.1
 Length: 93.0 Core: NQ Record: 571

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	41.8	41.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64622	41.8	43.6	1.8	78		5	-1.00	36.60	13.00	23.60	181.2	11.23	-1.00
64623	43.6	44.5	.9	100		5	-1.00	25.18	9.88	15.30	115.6	12.95	-1.00
64624	44.5	45.7	1.2	92		5	-1.00	24.40	9.50	14.90	126.2	14.76	-1.00
64625	45.7	46.5	.8	100		5	-1.00	26.76	10.16	16.60	143.3	12.26	-1.00
64626	46.5	47.8	1.3	85		2	-1.00	8.89	3.04	5.85	62.0	7.17	-1.00
64627	47.8	49.1	1.3	85		2	-1.00	7.35	2.38	4.97	45.6	6.02	-1.00
64628	49.1	50.5	1.4	100		2	-1.00	11.34	3.38	7.96	66.2	6.64	-1.00
64629	50.5	52.1	1.6	100		5	-1.00	14.73	4.90	9.83	91.7	10.53	-1.00
0	52.1	61.7	9.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64630	61.7	62.8	1.1	100		3	-1.00	12.14	3.80	8.34	74.3	10.45	-1.00
64631	62.8	64.6	1.8	83		7	-1.00	13.11	4.41	8.70	73.8	12.74	-1.00
64632	64.6	65.5	.9	100		3	-1.00	27.48	7.88	19.60	129.7	7.29	-1.00
64633	65.5	67.0	1.5	93		5	-1.00	19.27	4.67	14.60	78.5	15.68	-1.00
64634	67.0	67.8	.8	75		3	-1.00	17.34	6.84	10.50	111.8	9.33	-1.00
64635	67.8	68.2	.4	100		5	-1.00	17.20	6.70	10.50	110.7	9.84	-1.00
64636	68.2	69.3	1.1	91		4	-1.00	19.11	5.01	14.10	74.3	7.68	-1.00
64637	69.3	70.4	1.1	91		3 { 4	-1.00	18.42	7.52	10.90	125.8	7.68	-1.00
64638	70.4	71.1	.7	100		7	-1.00	20.88	5.38	15.50	97.1	13.24	-1.00
64639	71.1	73.1	2.0	100		3 { 4	-1.00	17.13	6.73	10.40	104.6	8.24	-1.00
64640	73.1	75.1	2.0	100		3 { 4	-1.00	22.24	6.04	16.20	96.4	6.17	-1.00
64641	75.1	77.1	2.0	100		7	-1.00	20.04	4.74	15.30	82.9	12.14	-1.00
64642	77.1	79.1	2.0	95		7	4.54	10.14	3.20	6.94	43.4	11.44	-1.00
64643	79.1	81.1	2.0	95		7	-1.00	11.01	3.19	7.82	119.8	12.83	-1.00
64644	81.1	83.2	2.1	95		7	-1.00	16.03	5.73	10.30	79.7	12.23	-1.00
64645	83.2	84.1	.9	100		3	-1.00	12.41	3.92	8.49	81.7	10.67	-1.00
64646	84.1	87.1	3.0	27		20	-1.00	.39	.13	.26	1.3	4.87	-1.00
64647	87.1	89.3	2.2	86		52	-1.00	.04	.03	.01	.1	5.42	-1.00
64648	89.3	91.5	2.2	82		3	-1.00	17.48	5.78	11.70	92.0	13.32	-1.00
0	91.5	93.0	1.5	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G52 Section: W65
 Northing: 6123.1 Easting: 2689.6 Elevation: 1276.9
 Length: 93.0 Core: NQ Record: 572

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	42.7	42.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64520	42.7	45.7	3.0	17		2	-1.00	19.45	10.30	9.15	146.7	19.96	-1.00
64521	45.7	46.4	.7	86		2	-1.00	11.05	4.47	6.58	59.8	16.70	-1.00
0	46.4	46.8	.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64522	46.8	47.3	.5	80		2	-1.00	4.77	2.15	2.62	28.2	11.19	-1.00
0	47.3	48.3	1.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64523	48.3	49.5	1.2	83		30	-1.00	3.60	1.51	2.09	24.1	10.71	-1.00
0	49.5	65.2	15.7	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64524	65.2	67.0	1.8	89		52	-1.00	.10	.03	.07	.7	5.33	-1.00
64525	67.0	68.4	1.4	100		5	-1.00	23.99	7.19	16.80	104.0	19.76	-1.00
64526	68.4	69.8	1.4	93		2	-1.00	4.78	1.79	2.99	36.6	14.39	-1.00
64527	69.8	70.0	.2	100		44	-1.00	.94	.15	.79	2.4	7.77	-1.00
64528	70.0	70.4	.4	100		52	-1.00	.49	.18	.31	2.7	7.92	-1.00
64529	70.4	72.2	1.8	100		2	-1.00	2.62	.86	1.76	17.6	11.81	-1.00
64530	72.2	74.8	2.6	92		2	-1.00	1.73	.55	1.18	14.0	12.45	-1.00
64531	74.8	76.2	1.4	100		2	-1.00	.48	.12	.36	11.1	12.91	-1.00
64532	76.2	77.7	1.5	100		2	-1.00	1.08	.56	.52	14.4	11.96	-1.00
64533	77.7	78.1	.4	100		3	-1.00	1.74	.58	1.16	11.4	10.21	-1.00
0	78.1	85.0	6.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64534	85.0	85.7	.7	100		52	-1.00	.14	.07	.07	1.0	5.03	-1.00
64535	85.7	86.4	.7	86		30	-1.00	1.99	.56	1.43	12.7	7.22	-1.00
64536	86.4	86.9	.5	100		2	-1.00	1.11	.30	.81	6.5	7.27	-1.00
0	86.9	88.7	1.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64537	88.7	89.6	.9	89		2	-1.00	1.51	.46	1.05	10.9	8.04	-1.00
0	89.6	90.2	.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
64538	90.2	90.7	.5	100		2	-1.00	2.19	1.42	.77	23.8	8.93	-1.00
0	90.7	93.0	2.3	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00

Drill Hole: 91G53 Section: W79
 Northing: 6545.4 Easting: 2977.9 Elevation: 1277.8
 Length: 93.0 Core: NQ Record: 573

ASSAYS

Sample #	---Depths---		Int m	Rec %	Rock Unit	Rock Code	Pulp S.G.	Pb+Zn %	Pb %	Zn %	Ag g/t	Fe tot %	Ba %
0	.0	1.1	1.1	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63623	1.1	4.0	2.9	100		2	-1.00	5.83	1.75	4.08	97.5	3.80	-1.00
63624	4.0	7.6	3.6	100		2	-1.00	6.34	1.91	4.43	102.9	4.17	-1.00
63625	7.6	9.4	1.8	100		30	-1.00	2.70	.79	1.91	75.8	3.00	-1.00
0	9.4	13.2	3.8	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63626	13.2	15.8	2.6	77		2	-1.00	8.28	2.56	5.72	80.3	2.94	-1.00
63627	15.8	17.1	1.3	100		2	-1.00	3.83	2.08	1.75	73.1	4.59	-1.00
63628	17.1	18.6	1.5	100		2	-1.00	1.86	.56	1.30	54.4	8.37	-1.00
63629	18.6	21.9	3.3	55		2	-1.00	3.54	1.11	2.43	113.2	4.63	-1.00
0	21.9	35.3	13.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63630	35.3	36.7	1.4	100		7	-1.00	21.29	7.29	14.00	95.5	24.03	-1.00
0	36.7	42.6	5.9	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63631	42.6	43.8	1.2	100		2	-1.00	18.23	6.83	11.40	300.0	13.07	-1.00
0	43.8	45.1	1.3	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63632	45.1	45.6	.5	100		7	-1.00	16.51	6.76	9.75	65.6	25.86	-1.00
0	45.6	48.9	3.3	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63633	48.9	49.8	.9	67		2	-1.00	10.51	2.62	7.89	103.1	4.49	-1.00
63634	49.8	51.0	1.2	100		44	-1.00	2.28	.75	1.53	62.0	6.12	-1.00
63635	51.0	52.9	1.9	100		2	-1.00	6.90	1.92	4.98	24.4	4.08	-1.00
0	52.9	53.3	.4	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63636	53.3	53.8	.5	100		57	-1.00	6.63	2.54	4.09	23.2	22.51	-1.00
0	53.8	58.8	5.0	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00
63637	58.8	59.1	.3	100		57	-1.00	1.94	.50	1.44	38.6	21.72	-1.00
63638	59.1	62.8	3.7	43		30	-1.00	3.98	1.00	2.98	16.4	4.72	-1.00
63639	62.8	65.4	2.6	54		2 30	-1.00	5.00	2.11	2.89	51.1	2.38	-1.00
0	65.4	93.0	27.6	100		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00