



Chemex Labs Ltd.

004695

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Phone: (604) 984-1121
Telex: 043-52597

CERTIFICATE OF ANALYSIS

FILED
COPY
DO NOT
REMOVE

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

CERT. # : A8614328-001-
INVIGICE # : I8614328
DATE : 8-JUL-86
P.C. # : NONE
Y14-C-07

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
YZBL1050W 1000N	201	0.1	5	0.2	<5	--	--
YZ L1050W 1050N	201	0.1	6	0.4	<5	--	--
YZ L1050W 1100N	201	0.2	3	0.3	<5	--	--
YZ L1050W 1150N	201	0.1	4	0.2	<5	--	--
YZ L1050W 1200N	201	0.1	4	0.2	<5	--	--
YZ L1050W 1250N	201	0.1	4	0.5	<5	--	--
YZ L1050W 1300N	201	0.2	9	0.3	60	--	--
YZ L1050W 1350N	201	0.6	4	0.2	<5	--	--
YZ L1050W 1400N	201	0.3	4	0.2	<5	--	--
YZ L1050W 1500N	201	0.3	6	0.1	<5	--	--
YZ L1050W 1550N	201	0.1	5	0.4	<5	--	--
YZ L1050W 1600N	201	0.3	4	0.1	<5	--	--
YZ L1050W 1650N	201	0.1	4	0.1	<5	--	--
YZ L1050W 1700N	201	0.2	15	0.2	<5	--	--
YZ L1050W 1750N	201	0.2	6	0.1	<5	--	--
YZ L1050W 1800N	201	0.1	32	0.4	<5	--	--
YZ L1050W 1850N	201	0.1	5	0.1	<5	--	--
YZ L1050W 1900N	201	0.2	5	0.1	<5	--	--
YZBL1050W 2000N	201	0.1	5	0.1	<5	--	--
YZBL11W 1000N	201	0.1	6	0.2	<5	--	--
YZ L11W 1050N	201	0.1	4	0.2	<5	--	--
YZ L11W 1100N	201	0.1	5	0.4	<5	--	--
YZ L11W 1150N	201	0.1	6	0.4	<5	--	--
YZ L11W 1200N	201	0.1	5	0.2	<5	--	--
YZ L11W 1250N	201	0.1	5	0.4	<5	--	--
YZ L11W 1300N	201	0.1	4	0.2	<5	--	--
YZ L11W 1350N	201	0.1	5	0.4	<5	--	--
YZ L11W 1400N	201	0.1	6	0.2	<5	--	--
YZ L11W 1500N	201	0.1	6	0.4	<5	--	--
YZ L11W 1550N	201	0.1	5	0.4	<5	--	--
YZ L11W 1600N	201	0.1	10	0.2	<5	--	--
YZ L11W 1650N	201	0.1	9	0.2	<5	--	--
YZ L11W 1700N	201	0.1	32	0.4	<5	--	--
YZ L11W 1750N	201	0.2	7	0.1	<5	--	--
YZ L11W 1800N	201	0.1	24	0.2	<5	--	--
YZ L11W 1850N	201	0.1	11	0.1	<5	--	--
YZ L11W 1900N	201	0.1	5	0.1	<5	--	--
YZBL11W 2000N	201	0.1	7	0.1	<5	--	--
YZBL1150W 1000N	201	0.1	9	0.1	<5	--	--
YZ L1150W 1050N	201	0.1	9	0.4	<5	--	--

Haut-Bichler

Certified by



Chemex Labs Ltd.

212 Brooksbank Ave.
 North Vancouver, B.C.
 Canada V7J 2C1
 Phone: (604) 981-0221
 Telex: 043-52507

Analytical Chemists • Geochemists • Registered Assayers

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

CERT # : A8614328-002-A
 INVOICE # : I8614328
 DATE : 8-JUL-86
 P.O. # : NONE
 Y14 C-07

Sample description	Prep code	Ag ppr Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
YZ L1150W 1100N	201	0.1	5	0.4	<5	--	--
YZ L1150W 1150N	201	0.1	9	0.3	<5	--	--
YZ L1150W 1200N	201	0.1	3	0.2	<5	--	--
YZ L1150W 1250N	201	0.1	5	0.2	<5	--	--
YZ L1150W 1300N	201	0.1	6	0.2	<5	--	--
YZ L1150W 1350N	201	0.1	7	0.2	<5	--	--
YZ L1150W 1400N	201	0.1	6	0.3	<5	--	--
YZ L1150W 1500N	201	0.1	3	0.3	<5	--	--
YZ L1150W 1550N	201	0.1	15	0.4	<5	--	--
YZ L1150W 1600N	201	0.1	7	0.1	<5	--	--
YZ L1150W 1650N	201	0.1	7	0.2	<5	--	--
YZ L1150W 1700N	201	0.1	10	0.1	<5	--	--
YZ L1150W 1750N	201	0.1	10	0.2	<5	--	--
YZ L1150W 1800N	201	0.1	10	0.2	<5	--	--
YZ L1150W 1850N	201	0.1	3	0.2	<5	--	--
YZBL1150W 2000N	201	0.1	4	0.2	<5	--	--
YZBL12W 1000N	201	0.1	4	0.2	<5	--	--
YZ L12W 1050N	201	0.1	3	0.4	<5	--	--
YZ L12W 1100N	201	0.1	9	1.6	<5	--	--
YZ L12W 1150N	201	0.1	5	0.4	<5	--	--
YZ L12W 1200N	201	0.1	5	0.4	<5	--	--
YZ L12W 1250N	201	0.1	5	0.2	<5	--	--
YZ L12W 1300N	201	0.1	5	0.4	<5	--	--
YZ L12W 1350N	201	0.1	6	0.2	<5	--	--
YZ L12W 1400N	201	0.1	10	0.6	<5	--	--
YZ L12W 1500N	201	0.1	6	0.1	<5	--	--
YZ L12W 1550N	201	0.1	4	0.1	<5	--	--
YZ L12W 1600N	201	0.1	3	0.1	<5	--	--
YZ L12W 1650N	201	0.1	4	0.1	<5	--	--
YZ L12W 1700N	201	0.1	9	0.1	<5	--	--
YZ L12W 1750N	201	0.1	6	0.1	<5	--	--
YZ L12W 1800N	201	0.1	7	0.1	<5	--	--
YZ L12W 1850N	201	0.2	9	0.1	<5	--	--
YZBL12W 2000N	201	0.1	4	0.1	<5	--	--
YZBL1250W 1000N	201	0.1	6	0.9	<5	--	--
YZ L1250W 1150N	201	0.1	4	0.4	<5	--	--
YZ L1250W 1200N	201	0.1	6	0.3	<5	--	--
YZ L1250W 1250N	201	0.1	6	0.4	<5	--	--
YZ L1250W 1300NA	201	0.1	15	0.2	<5	--	--
YZ L1250W 1300NB	201	0.1	14	0.1	<5	--	--

Hart Buchler

Certified by



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

PHONE: (604) 841-2211
Telex: 404352597

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

CERT. # : A8614328-003-1
INVOICE # : I8614328
DATE : 8-JUL-86
P.O. # : NONE
Y14-C-07


REF.

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
YZ L1250W 1350N	201	0.1	5	0.2	<5	--	--
YZ L1250W 1400N	201	0.1	6	0.2	<5	--	--
YZ L1250W 1500N	201	0.1	9	0.2	<5	--	--
YZ L1250W 1550N	201	0.1	6	0.1	<5	--	--
YZ L1250W 1600N	201	0.1	3	0.1	<5	--	--
YZ L1250W 1650N	201	0.1	4	0.1	<5	--	--
YZ L1250W 1700N	201	0.1	4	0.1	<5	--	--
YZ L1250W 1750N	201	0.1	4	0.1	<5	--	--
YZ L1250W 1800N	201	0.1	3	0.9	<5	--	--
YZ L1250W 1850N	201	0.2	4	0.1	<5	--	--
YZ L1250W 1900N	201	0.1	11	25.0	(25)	--	--
YZ L1250W 1950N	201	0.3	7	0.1	15	--	--
YZBL1250W 2000N	201	0.2	4	0.1	<5	--	--
YZBL13W 1000N	201	0.1	5	0.2	<5	--	--
YZ L13W 1050N	201	0.1	3	0.4	<5	--	--
YZ L13W 1100N	201	0.1	2	0.2	<5	--	--
YZ L13W 1150N	201	0.1	7	0.2	<5	--	--
YZ L13W 1200N	201	0.1	7	0.2	<5	--	--
YZ L13W 1250N	201	0.1	6	0.1	<5	--	--
YZ L13W 1300N	201	0.1	12	0.1	<5	--	--
YZ L13W 1350N	201	0.1	16	0.2	<5	--	--
YZ L13W 1400N	201	0.1	14	0.2	<5	--	--
YZ L13W 1500N	201	0.1	11	0.2	<5	--	--
YZ L13W 1550N	201	0.2	6	0.1	<5	--	--
YZ L13W 1600N	201	0.1	3	0.2	<5	--	--
YZ L13W 1650N	201	0.1	11	0.2	<5	--	--
YZ L13W 1700N	201	0.1	2	0.1	<5	--	--
YZ L13W 1750N	201	0.1	5	0.1	<5	--	--
YZ L13W 1800N	201	0.1	6	0.2	<5	--	--
YZ L13W 1850N	201	0.1	9	0.1	<5	--	--
YZBL13W 2000N	201	0.1	7	0.1	<5	--	--
YZBL1350W 1000N	201	0.1	6	0.4	<5	--	--
YZ L1350W 1050N	201	0.1	2	0.2	<5	--	--
YZ L1350W 1100N	201	0.1	6	0.2	<5	--	--
YZ L1350W 1150N	201	0.1	4	0.2	<5	--	--
YZ L1350W 1200N	201	0.1	7	0.2	<5	--	--
YZ L1350W 1250N	201	0.1	6	0.8	<5	--	--
YZ L1350W 1300N	201	0.1	14	0.6	<5	--	--
YZ L1350W 1350N	201	0.1	9	0.4	<5	--	--
YZ L1350W 1400N	201	0.1	12	0.2	<5	--	--

Hart Buchler

VOI rev. 4/85

Certified by



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

RECEIVED
242 Brdoksbank Ave
North Vancouver, B.C.
Canada V7J 2C1
JUL - 9 1986
KERR ADDISON MINES LTD.
Telex: 043-52507
604) 984-0221

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

CERT. # : A8614328-004-A
INVOICE # : 18614328
DATE : 8-JUL-86
P.C. # : NONE
Y14-C-07

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
YZ L1350W 1500N	201	0.1	5	0.2	<5	--	--
YZ L1350W 1550N	201	0.1	9	0.3	<5	--	--
YZ L1350W 1600N	201	0.1	5	0.2	<5	--	--
YZ L1350W 1650N	201	0.1	6	0.2	<5	--	--
YZ L1350W 1700N	201	0.1	10	0.4	<5	--	--
YZ L1350W 1750N	201	0.1	14	0.2	<5	--	--
YZ L1350W 1800N	201	0.1	9	0.2	<5	--	--
YZBL1350W 2000N	201	0.1	12	0.2	<5	--	--
YZBL14W 1000N	201	0.1	7	0.3	<5	--	--
YZ L14W 1050N	201	0.1	5	0.2	<5	--	--
YZ L14W 1100N	201	0.1	4	0.1	<5	--	--
YZ L14W 1150N	201	0.1	6	0.2	<5	--	--
YZ L14W 1200N	201	0.1	4	0.2	<5	--	--
YZ L14W 1250N	201	0.1	11	0.1	<5	--	--
YZ L14W 1300N	201	0.1	9	0.4	<5	--	--
YZ L14W 1350N	201	0.1	5	0.2	<5	--	--
YZ L14W 1400N	201	0.1	12	0.6	<5	--	--
YZ L14W 1500N	201	0.1	7	0.4	<5	--	--
YZ L14W 1550N	201	0.1	9	0.2	<5	--	--
YZ L14W 1600N	201	0.1	5	0.2	<5	--	--
YZ L14W 1650N	201	0.1	6	0.3	<5	--	--
YZ L14W 1700N	201	0.1	7	0.2	<5	--	--
YZ L14W 1750N	201	0.1	11	0.2	<5	--	--
YZ L14W 1800N	201	0.1	9	0.1	<5	--	--
YZ L14W 1850N	201	0.1	9	0.1	<5	--	--
YZBL14W 2000N	201	0.1	5	0.2	25	--	--
YZBL1450W 1000N	201	0.1	10	0.4	<5	--	--
YZ L1450W 1150N	201	0.1	6	0.4	<5	--	--
YZ L1450W 1200N	201	0.1	7	0.2	<5	--	--
YZ L1450W 1250N	201	0.1	9	0.2	<5	--	--
YZ L1450W 1300N	201	0.1	9	0.2	<5	--	--
YZ L1450W 1350N	201	0.1	6	0.3	<5	--	--
YZ L1450W 1400N	201	0.1	9	0.3	<5	--	--
YZ L1450W 1450N	201	0.1	7	0.2	<5	--	--
YZ L1450W 1500N	201	0.1	17	0.3	<5	--	--
YZ L1450W 1550N	201	0.1	9	0.3	<5	--	--
YZ L1450W 1600N	201	0.1	9	0.2	<5	--	--
YZ L1450W 1650N	201	0.1	6	0.4	<5	--	--
YZ L1450W 1700N	201	0.1	7	0.3	<5	--	--
YZ L1450W 1750N	201	0.1	6	0.2	<5	--	--

VOI rev. 4/85

Certified by *Hart Bichler*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
V7J 2C1
Call 91986
Phone: (604) 981-7021
Telex: 043-52597

CERTIFICATE OF ANALYSIS


TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

CERT. # : A8614328-005-1
INVOICE # : I8614328
DATE : 8-JUL-86
P.O. # : NONE
Y14-C-07

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
YZ L1450W 1800N	201	0.1	9	0.2	<5	--	--
YZ L1450W 1850N	201	0.1	53	1.0	<5	--	--
YZ L1450W 1900N	201	0.1	7	0.1	<5	--	--
YZ L1450W 1950N	201	0.1	6	0.1	<5	--	--
YZBL1450W 2000N	201	0.1	7	0.2	<5	--	--
YZBL15W 1000N	201	0.1	17	1.0	<5	--	--
YZ L15W 1050N	201	0.1	5	0.4	<5	--	--
YZ L15W 1100N	201	0.1	5	0.2	<5	--	--
YZ L15W 1150N	201	0.1	5	0.3	<5	--	--
YZ L15W 1200N	201	0.1	7	0.4	<5	--	--
YZ L15W 1250N	201	0.1	3	0.2	<5	--	--
YZ L15W 1300N	201	0.2	6	0.3	<5	--	--
YZ L15W 1350N	201	0.1	4	0.6	<5	--	--
YZ L15W 1400N	201	0.1	12	0.6	<5	--	--
YZ L15W 1500N	201	0.1	4	0.4	<5	--	--
YZ L15W 1550N	201	0.1	11	0.6	10	--	--
YZ L15W 1600N	201	0.2	6	0.2	<5	--	--
YZ L15W 1650N	201	0.2	9	0.2	<5	--	--
YZ L15W 1700N	201	0.2	6	0.1	<5	--	--
YZ L15W 1750N	201	0.1	10	0.3	<5	--	--
YZ L15W 1800N	201	0.1	6	0.2	<5	--	--
YZBL15W 2000N	201	0.2	11	0.1	5	--	--
YZBL1550W 1000N	201	0.1	7	0.4	<5	--	--
YZ L1550W 1050N	201	0.1	9	0.3	<5	--	--
YZ L1550W 1100N	201	0.1	6	0.3	<5	--	--
YZ L1550W 1150N	201	0.1	6	0.2	5	--	--
YZ L1550W 1200N	201	0.1	1	0.1	<5	--	--
YZ L1550W 1250N	201	0.1	7	1.2	<5	--	--
YZ L1550W 1300N	201	0.3	7	0.4	<5	--	--
YZ L1550W 1400N	201	0.3	10	0.2	<5	--	--
YZ L1550W 1500N	201	0.1	9	0.4	<5	--	--
YZ L1550W 1550N	201	0.1	10	0.2	<5	--	--
YZ L1550W 1600N	201	0.1	4	0.1	<5	--	--
YZ L1550W 1650N	201	0.1	9	0.3	<5	--	--
YZ L1550W 1700N	201	0.2	10	0.3	<5	--	--
YZ L1550W 1750N	201	0.1	12	0.2	<5	--	--
YZ L1550W 1800N	201	0.1	6	0.1	<5	--	--
YZBL16W 1000N	201	0.1	6	0.2	<5	--	--
YZ L16W 1050N	201	0.1	5	0.4	<5	--	--
YZ L16W 1100N	201	0.1	3	0.3	<5	--	--

VOI rev. 4/85

Certified by *Hart Bichler*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave.
North Vancouver B.C.
Canada V7J 2C1
Phone: (604) 984-0221
Telex: KERRUN MINES LTD 2597

CERTIFICATE OF ANALYSIS


PER

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

CERT. # : A8614328-006-A
INVOICE # : I8614328
DATE : 8-JUL-86
P.O. # : NONE
Y14-C-07

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
YZ L16W 1150N	201	2.0	53	0.4	<5	--	--
YZ L16W 1200N	201	0.1	6	0.4	<5	--	--
YZ L16W 1250N	201	0.1	6	0.2	<5	--	--
YZ L16W 1300N	201	0.1	2	0.2	<5	--	--
YZ L16W 1350N	201	0.2	5	0.4	<5	--	--
YZ L16W 1400N	201	0.2	10	0.2	<5	--	--
YZ L16W 1500N	201	0.3	5	0.2	5	--	--
YZ L16W 1550N	201	0.1	11	0.4	<5	--	--
YZ L16W 1600N	201	0.1	4	0.2	<5	--	--
YZ L16W 1650N	201	0.1	9	10.0	<5	--	--
YZ L16W 1700N	201	0.1	7	0.6	<5	--	--
YZ L16W 1750N	201	0.1	25	0.4	<5	--	--
YZ L16W 1800N	201	0.1	9	0.4	<5	--	--
YZBL16W 2000N	201	0.1	7	9.0	<5	--	--
Y76A-6G1S	201	0.1	6	0.2	<5	--	--

Certified by Hart Bichler



Chemex Labs Ltd.

212 Brookbank Ave.
 North Vancouver, B.C.
 Canada V7J 2C1
 KERR ADDISON MINES LTD. 984-0221
 Telex: 043-52597

Analytical Chemists • Geochemists • Registered Assayers

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1

FILE
 / COPY /
 DO NOT
 REMOVE

CERT. # : A8614329-001-1
 INVOICE # : I8614329
 DATE : 8-JUL-86
 P.O. # : NONE
 Y14 + Y06

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
YZ-6G1R	205	0.1	2	0.4	400	--	--
YZ-6G2R	205	0.1	2	0.8	<5	--	--
YZ-6G3R	205	0.1	2	0.4	<5	--	--
YZ-6G4R	205	0.1	19	0.4	<5	--	--
YZ-6J1R	205	0.1	9	1.0	<5	--	--
YZ-6J2R	205	0.1	3	0.3	<5	--	--
YZ-6J3R	205	0.1	3	1.0	<5	--	--
YZ-6J4R	205	0.1	1	0.3	<5	--	--
Y76A-6J1R	205	0.1	1	0.2	<5	--	--
Y76A-6J2R	205	0.1	1	1.4	<5	--	--
Y76A-6J3R	205	0.1	1	0.3	<5	--	--
Y76A-6J4R	205	0.1	1	0.3	<5	--	--
Y76A-6G14	205	1.3	3	0.7	40	--	--

Hart Bichler

Certified by