



004713 Chemex Labs Ltd.

RECEIVED

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Analytical Chemists • Geochemists • Registered Assayers

SEP 24 1986

Phone: (604) 984-0221

Telex: 043-52597

MINES LTD.

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

FILE
COPY
DO NOT
REMOVE


CERT. # : A8617971-001-4
INVOICE # : I8617971
DATE : 23-SEP-86
P.O. # : NONE
Y06/Y06C-07
Y-152-07

ATTN: J. PAUTLER

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
YF-L37N/12+00W	201	0.1	60	0.8	<5	--	--
YF-L37N/12+25W	201	0.1	70	1.2	<5	--	--
YF-L37N/12+50W	201	0.1	70	1.1	<5	--	--
YF-L37N/12+75W	201	0.3	120	0.9	<5	--	--
YF-L37N/13+00W	201	0.3	32	1.4	15	--	--
YF-L37N/13+25W	201	0.2	90	1.6	10	--	--
YF-L37N/13+75W	201	0.1	12	1.4	<5	--	--
YF-L37N/14+75W	201	0.1	3	0.1	<5	--	--
YF-L37N/15+00W	201	0.1	17	0.4	<5	--	--
YF-L37N/15+25W	201	0.1	30	0.4	<5	--	--
YF-L37N/15+50W	201	0.1	2	0.1	<5	--	--
YF-L37N/15+75W	201	0.1	10	0.1	<5	--	--
YF-L37N/16+00W	201	0.1	14	0.2	<5	--	--
YF-L37N/16+25W	201	0.1	100	1.0	<5	--	--
YF-L37N/16+50W	201	0.1	15	0.4	<5	--	--
YF-L37N/16+75W	201	0.1	2	0.1	<5	--	--
YF-L37N/17+00W	201	0.1	22	0.2	<5	--	--
YF-L37N/17+25W	201	0.1	10	0.4	<5	--	--
YF-L37N/17+50W	201	0.1	11	0.2	<5	--	--
YF-L37N/17+75W	201	0.1	7	0.2	<5	--	--
YF-L37N/18+00W	201	0.1	9	0.2	25	--	--
YF-L37N/18+25W	201	0.1	22	1.2	<5	--	--
YF-L37N/18+50W	201	0.1	9	0.5	<5	--	--
YF-L37N/18+75W	201	0.1	10	0.2	<5	--	--
YF-L37N/19+00W	201	0.1	17	0.6	<5	--	--
YF-L37N/19+25W	201	0.1	20	0.6	<5	--	--
YF-L37N/19+50W	201	0.1	17	1.6	<5	--	--
YF-L37N/19+75W	201	0.8	1	1.2	<5	--	--
YF-L37N/20+00W	201	0.1	1	0.1	<5	--	--
YF-L38N/16+00W	201	0.1	12	0.3	<5	--	--
YF-L38N/16+25W	201	0.1	5	0.5	<5	--	--
YF-L38N/16+50W	201	0.1	19	0.4	<5	--	--
YF-L38N/16+75W	201	0.1	14	0.4	<5	--	--
YF-L38N/17+00W	201	0.1	30	0.6	<5	--	--
YF-L38N/17+25W	201	0.1	16	0.5	<5	--	--
YF-L38N/17+50W	201	0.1	15	0.2	<5	--	--
YF-L38N/17+75W	201	0.1	11	0.4	<5	--	--
YF-L38N/18+00W	201	0.1	32	0.6	<5	--	--
YF-L38N/18+25W	201	0.1	14	0.4	<5	--	--
YF-L38N/18+50W	201	0.5	20	0.5	<5	--	--

VOI rev. 4/85

Certified by Hart Biehler



Chemex Labs Ltd.

RECEIVED

2722 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Phone: (604) 984-0221
Telex: 043-52597

Analytical Chemists • Geochemists • Registered Assayers

SEP 24 1986

KERR ADDISON MINES LTD.

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

CERT. # : A8617971-002-
INVOICE # : I8617971
DATE : 23-SEP-86
P.O. # : NONE
Y06/Y06C-07


FILE
COPY
DO NOT
REMOVE

ATTN: J. PAUTLER

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
YF-L38N/18+75W	201	0.1	6	0.2	<5	--	--
YF-L38N/19+00W	201	0.1	22	1.0	<5	--	--
YF-L38N/19+25W	201	0.1	22	2.2	<5	--	--
YF-L38N/19+50W	201	0.1	14	0.5	<5	--	--
YF-L38N/19+75W	201	0.1	10	0.6	<5	--	--
YF-L39N/12+00W	201	0.1	4	0.3	<5	--	--
YF-L39N/12+25W	201	0.1	6	0.3	<5	--	--
YF-L39N/12+50W	201	0.1	10	0.8	<5	--	--
YF-L39N/12+75W	201	0.1	15	1.4	<5	--	--
YF-L39N/13+00W	201	0.1	17	1.0	<5	--	--
YF-L39N/13+25W	201	0.1	6	0.4	<5	--	--
YF-L39N/13+50W	201	0.1	9	0.5	<5	--	--
YF-L39N/13+75W	201	0.1	12	0.8	<5	--	--
YF-L39N/14+00W	201	0.1	5	0.4	<5	--	--
YF-L39N/14+25W	201	0.1	9	0.2	<5	--	--
YF-L39N/14+50W	201	0.1	7	0.4	<5	--	--
YF-L39N/14+75W	201	0.1	11	0.2	<5	--	--
YF-L39N/15+00W	201	0.1	15	0.6	<5	--	--
YF-L39N/15+50	201	0.1	3	0.1	<5	--	--
YF-L39N/15+75W	201	0.1	70	1.6	<5	--	--
YF-L39N/16+00W	201	0.1	70	0.2	<5	--	--
YF-L39N/16+25W	201	0.1	12	0.2	<5	--	--
YF-L39N/16+50W	201	0.1	9	0.2	<5	--	--
YF-L39N/16+75W	201	0.1	36	0.4	<5	--	--
YF-L39N/17+00W	201	0.1	17	0.4	<5	--	--
YF-L39N/17+25W	201	0.1	70	0.5	<5	--	--
YF-L39N/17+50W	201	0.1	38	0.2	<5	--	--
YF-L39N/17+75W	201	0.1	29	0.3	<5	--	--
YF-L39N/18+00W	201	0.1	14	0.1	<5	--	--
YF-L39N/18+25W	201	0.1	32	0.3	<5	--	--
YF-L39N/18+50W	201	0.1	33	0.2	<5	--	--
YF-L39N/18+75W	201	0.1	16	0.2	20	--	--
YF-L39N/19+00W	201	0.1	18	0.3	<5	--	--
YF-L39N/19+25W	201	0.1	10	0.4	<5	--	--
YF-L39N/19+50W	201	0.1	17	0.5	<5	--	--
YF-L39N/19+50WA	201	0.1	23	1.0	<5	--	--
YF-L39N/19+75W	201	0.1	22	1.2	<5	--	--
YF-L40N/12+00W	201	0.1	4	0.8	<5	--	--
YF-L40N/12+25W	201	0.1	5	0.6	<5	--	--
YF-L40N/12+50W	201	0.1	7	0.8	<5	--	--

VOI rev. 4/85

Certified by Hart Bichler



Chemex Labs Ltd. RECEIVED

2120 Woodbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Analytical Chemists • Geochemists • Registered Assayers
SEP 24 1986
Phone (604) 984-0221
KERR ADDISON MINES LTD. 043-52597

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

FILE
COPY
DO NOT
REMOVE

CERT. # : A8617971-003-
INVOICE # : I8617971
DATE : 23-SEP-86
P.O. # : NONE
Y06/Y06C-07

ATTN: J. PAUTLER

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
YF-L40N/12+75W	201	0.1	10	1.2	<5	--	--
YF-L40N/13+00W	201	0.1	6	1.0	<5	--	--
YF-L40N/13+25W	201	0.1	4	0.2	<5	--	--
YF-L40N/13+50W	201	0.1	9	0.8	<5	--	--
YF-L40N/13+75W	201	0.1	12	1.0	<5	--	--
YF-L40N/14+00W	201	0.1	6	0.9	<5	--	--
YF-L40N/14+50W	201	0.1	5	0.6	<5	--	--
YF-L40N/14+75W	201	0.1	11	0.9	<5	--	--
YF-L40N/15+00W	201	0.1	6	0.4	<5	--	--
YF-L40N/15+25W	201	0.1	7	0.5	<5	--	--
YF-L40N/15+50W	201	0.1	60	1.2	<5	--	--
YF-L40N/15+75W	201	0.1	100	1.0	<5	--	--
YF-L40N/16+00W	201	0.1	60	1.4	<5	--	--
YF-L40N/16+25W	201	0.1	12	0.6	<5	--	--
YF-L40N/16+50W	201	0.1	32	0.8	<5	--	--
YF-L40N/16+75W	201	0.1	38	0.8	<5	--	--
YF-L40N/17+00W	201	0.1	45	1.4	<5	--	--
YF-L40N/17+25W	201	0.1	7	0.7	<5	--	--
YF-L40N/17+50W	201	0.1	10	0.9	<5	--	--
YF-L40N/17+75W	201	0.1	9	0.6	<5	--	--
YF-L40N/18+00W	201	0.1	6	0.4	<5	--	--
YF-L40N/18+25W	201	0.1	39	1.6	<5	--	--
YF-L40N/18+50W	201	0.1	15	0.6	<5	--	--
YF-L40N/18+75W	201	0.1	15	0.8	<5	--	--
YF-L40N/19+00W	201	0.1	24	2.2	<5	--	--
YF-L40N/19+50W	201	0.1	7	0.7	<5	--	--
YF-L40N/19+75W	201	0.1	9	0.8	<5	--	--
YF-L40N/20+00W	201	0.1	14	1.0	<5	--	--
YF-L41N/12+00W	201	0.1	4	0.3	<5	--	--
YF-L41N/12+25W	201	0.1	7	0.6	<5	--	--
YF-L41N/12+50W	201	0.1	1	0.7	<5	--	--
YF-L41N/12+75W	201	0.1	7	0.7	<5	--	--
YF-L41N/13+00W	201	0.1	3	0.6	<5	--	--
YF-L41N/13+25W	201	0.1	6	1.4	<5	--	--
YF-L41N/14+25W	201	0.1	3	0.4	<5	--	--
YF-L41N/14+75W	201	0.1	11	0.3	<5	--	--
YF-L41N/15+00W	201	0.1	20	1.2	<5	--	--
YF-L41N/15+25W	201	0.1	12	1.0	<5	--	--
YF-L41N/16+50W	201	0.1	5	0.6	<5	--	--
YF-L41N/16+75W	201	0.1	14	1.0	<5	--	--

VOI rev. 4/85

Certified by ...*Hart Bickler*...



Chemex Labs Ltd.

RECEIVED

2120 Brubanksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

SEP 24 1986

Analytical Chemists • Geochemists • Registered Assayers

Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

FILE
COPY
DO NOT
REMOVE


CERT. # : A8617971-004-
INVOICE # : I8617971
DATE : 23-SEP-86
P.O. # : NONE
Y06/Y06C-07

ATTN: J. PAUTLER

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
YF-L41N/17+00W	201	0.1	33	2.2	5	--	--
YF-L41N/17+25W	201	0.1	7	1.0	5	--	--
YF-L41N/17+50W	201	0.1	2	0.8	<5	--	--
YF-L41N/17+75W	201	0.1	15	1.2	<5	--	--
YF-L41N/18+00W	201	0.1	12	0.5	<5	--	--
YF-L41N/18+25W	201	0.1	5	0.4	<5	--	--
YF-L41N/18+50W	201	0.1	3	0.4	<5	--	--
YF-L41N/18+75W	201	0.1	3	0.5	<5	--	--
YF-L41N/19+00W	201	0.1	12	0.8	<5	--	--
YF-L41N/19+25W	201	0.1	7	0.4	<5	--	--
YF-L41N/19+50W	201	0.1	6	0.4	<5	--	--
YF-L41N/20+00W	201	0.1	4	0.3	<5	--	--
YF-L42N/12+00W	201	0.1	2	0.2	<5	--	--
YF-L42N/12+25W	201	0.1	2	0.6	<5	--	--
YF-L42N/12+50W	201	0.1	3	0.5	<5	--	--
YF-L42N/12+73W	201	0.1	1	0.4	<5	--	--
YF-L42N/12+77W	201	0.1	5	0.8	<5	--	--
YF-L42N/13+00W	201	0.1	2	0.9	<5	--	--
YF-L42N/13+25W	201	0.1	3	0.6	<5	--	--
YF-L42N/13+50W	201	0.1	4	1.0	<5	--	--
YF-L42N/14+75W	201	0.1	24	1.0	<5	--	--
YF-L42N/15+25W	201	0.1	2	0.2	<5	--	--
YF-L42N/16+00W	201	0.1	2	0.4	<5	--	--
YF-L42N/16+75W	201	0.1	4	0.7	<5	--	--
YF-L42N/17+00W	201	0.1	17	1.6	<5	--	--
YF-L42N/17+25W	201	0.1	7	0.8	<5	--	--
YF-L42N/17+75W	201	0.1	14	2.6	<5	--	--
YF-L42N/18+00W	201	0.1	15	1.0	<5	--	--
YF-L42N/18+75W	201	0.1	5	0.2	<5	--	--
YF-L42N/19+00W	201	0.1	6	0.4	<5	--	--
YF-L42N/19+25W	201	0.1	6	0.3	<5	--	--
YF-L42N/19+50W	201	0.1	4	0.4	<5	--	--
YF-L42N/19+75W	201	0.1	3	0.5	<5	--	--
YF-L42N/20+00W	201	0.1	3	0.6	<5	--	--
YF-L43N/11+75W	201	0.1	4	0.7	<5	--	--
YF-L43N/12+00W	201	0.1	2	0.5	<5	--	--
YF-L43N/15+50W	201	0.1	5	1.8	<5	--	--
YF-L43N/15+75W	201	0.1	5	1.2	25	--	--
YF-L43N/16+00W	201	0.1	6	1.0	<5	--	--
YF-L43N/16+25W	201	0.1	2	0.3	<5	--	--

VOI rev. 4/85

Certified by Hart Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

SEP 24 1986

212 Brookbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

FILE
COPY
DO NOT
REMOVE

CERT. # : A8617971-005-
INVOICE # : I8617971
DATE : 23-SEP-86
P.O. # : NONE
Y06/Y06C-07

ATTN: J. PAUTLER

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
YF-L43N/16+50W	201	0.1	10	2.0	5	--	--
YF-L43N/16+75W	201	0.1	7	1.0	<5	--	--
YF-L43N/17+00W	201	0.1	1	0.2	<5	--	--
YF-L43N/18+00W	201	0.1	4	0.7	<5	--	--
YF-L43N/19+50W	201	0.1	3	0.5	<5	--	--
YF-L43N/19+75W	201	0.1	5	0.7	<5	--	--
YF-L43N/20+00W	201	0.1	4	0.6	<5	--	--

Certified by Hart Buchler