

# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.

(ATTN: RAY DUJARDIN)

703 - 1112 W. PENDER ST.

VANCOUVER, B.C.

V6E 2S1

KERR ADDISON MINES LTD.

Project: Y17

Comments: TOR BRULAND PER

Page No. : 1-A

Tot. Pages: 7

Date : 7-AUG-88

Invoice #: I-8819595

P.O. #: 67918


004717

## CERTIFICATE OF ANALYSIS A8819595

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L9200N 09500W	201 238	< 5	1.07	0.2	< 5	50	0.5	< 2	0.14	0.5	3	15	17	1.16	< 10	< 1	0.05	30	0.18	80
L9200N 09550W	201 238	< 5	1.19	0.4	5	50	0.5	2	0.12	< 0.5	6	19	10	2.55	< 10	1	0.07	20	0.25	168
L9200N 09600W	201 238	< 5	1.25	0.2	5	70	< 0.5	< 2	0.13	< 0.5	5	15	10	1.71	< 10	< 1	0.04	10	0.23	127
L9200N 09650W	201 238	< 5	1.42	< 0.2	< 5	70	< 0.5	< 2	0.15	< 0.5	8	24	10	2.22	< 10	< 1	0.04	10	0.37	303
L9200N 09700W	201 238	< 5	0.21	< 0.2	< 5	40	< 0.5	< 2	0.15	< 0.5	2	3	4	0.66	< 10	1	0.03	< 10	0.04	112
L9200N 09750W	201 238	< 5	0.54	0.2	15	20	< 0.5	< 2	0.06	< 0.5	2	8	6	1.08	< 10	1	0.03	< 10	0.10	94
L9200N 09800W	201 238	< 5	1.56	0.2	15	40	0.5	< 2	0.11	< 0.5	4	16	15	2.05	< 10	< 1	0.08	20	0.24	192
L9200N 09850W	201 238	< 5	1.08	< 0.2	10	50	< 0.5	< 2	0.11	< 0.5	4	16	12	1.88	< 10	< 1	0.05	10	0.24	197
L9200N 09900W	201 238	25	2.18	0.2	5	80	0.5	< 2	0.29	< 0.5	9	43	16	3.19	10	2	0.10	20	0.68	442
L9200N 09950W	201 238	< 5	1.13	< 0.2	10	40	< 0.5	< 2	0.18	< 0.5	4	29	10	2.43	< 10	1	0.07	10	0.37	176
L9200N 10000W	201 238	< 5	0.30	< 0.2	5	30	< 0.5	< 2	0.08	< 0.5	3	3	4	0.64	< 10	< 1	0.03	< 10	0.05	74
L9200N 10050W	201 238	< 5	0.44	0.2	< 5	30	< 0.5	< 2	0.08	< 0.5	2	1	4	0.50	< 10	2	0.03	< 10	0.04	26
L9200N 10100W	201 238	< 5	0.73	< 0.2	10	50	< 0.5	< 2	0.11	< 0.5	4	11	8	1.42	< 10	< 1	0.04	< 10	0.15	264
L9200N 10150W	201 238	< 5	1.97	< 0.2	15	130	0.5	4	0.51	< 0.5	13	31	24	3.22	< 10	1	0.06	10	0.63	1015
L9200N 10200W	201 238	< 5	2.58	< 0.2	< 5	120	0.5	< 2	0.51	0.5	14	54	21	3.76	< 10	< 1	0.06	20	1.07	457
L9200N 10250W	201 238	< 5	0.36	0.2	< 5	20	< 0.5	2	0.13	< 0.5	1	1	3	0.62	< 10	1	0.03	< 10	0.05	34
L9200N 10300W	201 238	< 5	1.51	0.2	5	80	< 0.5	8	0.39	< 0.5	4	24	12	1.83	< 10	< 1	0.06	10	0.56	159
L9300N 09500W	201 238	< 5	0.66	< 0.2	< 5	30	< 0.5	< 2	0.09	< 0.5	3	11	9	1.33	< 10	2	0.04	< 10	0.15	105
L9300N 09550W	201 238	< 5	1.39	0.4	< 5	80	0.5	< 2	0.42	< 0.5	3	22	17	1.10	< 10	< 1	0.07	50	0.32	104
L9300N 09600W	201 238	< 5	1.62	0.6	5	80	0.5	4	0.19	< 0.5	5	18	16	1.82	< 10	1	0.07	40	0.21	247
L9300N 09650W	201 238	< 5	2.49	0.2	10	130	0.5	2	0.32	< 0.5	10	39	21	3.15	10	< 1	0.08	20	0.63	318
L9300N 09700W	201 238	< 5	0.70	0.2	< 5	40	< 0.5	< 2	0.10	< 0.5	4	7	4	1.09	< 10	2	0.05	10	0.10	58
L9300N 09750W	201 238	< 5	0.44	< 0.2	< 5	30	< 0.5	2	0.10	< 0.5	3	8	4	0.82	< 10	2	0.04	< 10	0.12	89
L9300N 09800W	201 238	< 5	1.45	0.4	< 5	70	< 0.5	2	0.18	< 0.5	5	16	11	1.94	< 10	1	0.07	10	0.22	135
L9300N 09850W	201 238	< 5	0.67	0.2	< 5	40	< 0.5	< 2	0.15	< 0.5	2	6	5	0.83	< 10	1	0.05	10	0.09	63
L9300N 09900W	201 238	< 5	0.22	0.2	< 5	20	< 0.5	< 2	0.07	< 0.5	2	3	1	0.62	< 10	< 1	0.03	< 10	0.03	29
L9300N 09950W	201 238	< 5	1.47	< 0.2	15	60	0.5	< 2	0.31	< 0.5	4	17	14	2.31	< 10	< 1	0.09	10	0.32	286
L9300N 10000W	201 238	< 5	0.95	< 0.2	5	60	< 0.5	2	0.15	< 0.5	4	15	14	2.11	< 10	< 1	0.04	< 10	0.20	240
L9300N 10050W	201 238	15	3.36	0.4	5	120	0.5	4	0.34	< 0.5	13	45	28	3.91	< 10	< 1	0.10	20	0.78	461
L9300N 10100W	201 238	< 5	2.80	< 0.2	30	120	0.5	2	0.34	< 0.5	13	58	24	4.26	< 10	2	0.08	10	0.77	447
L9300N 10150W	201 238	< 5	2.21	< 0.2	< 5	110	0.5	4	0.21	< 0.5	7	32	24	3.65	10	< 1	0.06	10	0.44	264
L9300N 10200W	201 238	< 5	0.41	< 0.2	< 5	20	< 0.5	4	0.09	< 0.5	1	3	1	0.50	< 10	< 1	0.04	< 10	0.04	68
L9300N 10250W	201 238	< 5	2.81	< 0.2	< 5	130	0.5	6	0.81	< 0.5	16	78	24	4.38	< 10	2	0.11	20	2.01	753
L9300N 10300W	201 238	< 5	3.13	< 0.2	< 5	150	1.0	2	0.86	0.5	20	85	27	4.72	10	< 1	0.11	20	2.22	789
L9400N 09500W	201 238	< 5	0.56	0.4	5	50	< 0.5	< 2	0.56	< 0.5	4	15	15	2.06	< 10	< 1	0.04	10	0.15	274
L9400N 09600W	201 238	< 5	0.53	0.2	< 5	30	< 0.5	2	0.10	< 0.5	2	1	5	0.64	< 10	1	0.03	< 10	0.05	98
L9400N 09650W	201 238	< 5	2.03	< 0.2	< 5	100	< 0.5	6	0.17	< 0.5	8	30	15	3.09	< 10	< 1	0.06	10	0.45	249
L9400N 09700W	201 238	< 5	0.92	0.4	< 5	40	< 0.5	< 2	0.09	< 0.5	4	9	6	1.24	< 10	< 1	0.04	10	0.11	106
L9400N 09750W	201 238	10	1.66	0.4	15	80	0.5	< 2	0.14	< 0.5	8	24	15	3.24	< 10	1	0.05	10	0.34	384
L9400N 09800W	201 238	< 5	1.37	0.4	< 5	70	< 0.5	6	0.15	< 0.5	4	17	15	2.02	< 10	2	0.05	10	0.32	237

CERTIFICATION :

*B. Coughlin*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.  
(ATTN: RAY DUJARDIN)  
703 - 1112 W. PENDER ST.  
VANCOUVER, B.C.  
V6E 2S1

Project: Y12

Comments: CC: TOR BRULAND


Page No. : 1-B  
Tot. Pages: 7  
Date : 7-AUG-88  
Invoice #: I-8819595  
P.O. #: 67918

## CERTIFICATE OF ANALYSIS A8819595

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L9200N 09500W	201 238	< 1	0.05	8	320	6	< 5	1	15	0.04	< 10	< 10	24	< 5	32
L9200N 09550W	201 238	1	0.07	11	220	4	< 5	2	12	0.12	< 10	< 10	79	< 5	49
L9200N 09600W	201 238	1	0.05	4	230	2	< 5	1	13	0.08	< 10	< 10	42	< 5	26
L9200N 09650W	201 238	1	0.02	12	290	8	< 5	1	13	0.08	< 10	< 10	52	< 5	37
L9200N 09700W	201 238	< 1	0.04	4	180	< 2	< 5	< 1	17	0.03	< 10	< 10	21	< 5	17
L9200N 09750W	201 238	< 1	0.02	1	140	< 2	< 5	< 1	6	0.05	< 10	< 10	30	< 5	19
L9200N 09800W	201 238	2	0.02	10	480	20	< 5	1	12	0.02	< 10	< 10	41	< 5	59
L9200N 09850W	201 238	1	0.03	3	240	4	< 5	1	11	0.07	< 10	< 10	44	< 5	39
L9200N 09900W	201 238	2	0.02	19	570	12	< 5	4	23	0.10	< 10	< 10	65	< 5	78
L9200N 09950W	201 238	1	0.04	10	260	< 2	< 5	2	16	0.09	< 10	< 10	58	< 5	48
L9200N 10000W	201 238	< 1	0.09	< 1	200	8	< 5	< 1	9	0.04	< 10	< 10	19	< 5	8
L9200N 10050W	201 238	< 1	0.11	3	150	8	< 5	< 1	12	0.03	< 10	< 10	14	< 5	6
L9200N 10100W	201 238	< 1	0.07	4	260	< 2	< 5	1	12	0.07	< 10	< 10	38	< 5	23
L9200N 10150W	201 238	2	0.04	18	960	2	< 5	4	41	0.14	< 10	< 10	76	< 5	71
L9200N 10200W	201 238	1	0.02	29	700	10	< 5	6	61	0.20	< 10	< 10	86	< 5	60
L9200N 10250W	201 238	< 1	0.10	3	330	< 2	< 5	< 1	9	0.04	< 10	< 10	19	< 5	8
L9200N 10300W	201 238	1	0.07	12	490	2	< 5	3	47	0.11	< 10	< 10	42	< 5	29
L9300N 09500W	201 238	< 1	0.05	6	210	< 2	< 5	1	9	0.06	< 10	< 10	36	< 5	25
L9300N 09550W	201 238	< 1	0.05	9	750	< 2	< 5	3	30	0.04	< 10	< 10	19	< 5	37
L9300N 09600W	201 238	1	0.05	6	360	16	< 5	3	17	0.05	< 10	< 10	43	< 5	51
L9300N 09650W	201 238	1	0.03	18	310	16	< 5	5	27	0.13	< 10	< 10	66	< 5	64
L9300N 09700W	201 238	< 1	0.10	3	430	6	< 5	1	10	0.06	< 10	< 10	31	< 5	16
L9300N 09750W	201 238	< 1	0.10	4	190	2	< 5	< 1	10	0.04	< 10	< 10	23	< 5	14
L9300N 09800W	201 238	1	0.08	5	240	< 2	< 5	2	18	0.08	< 10	< 10	46	< 5	29
L9300N 09850W	201 238	< 1	0.08	5	250	4	< 5	< 1	13	0.03	< 10	< 10	20	< 5	18
L9300N 09900W	201 238	< 1	0.07	1	210	2	< 5	< 1	7	0.03	< 10	< 10	20	< 5	9
L9300N 09950W	201 238	1	0.03	10	340	36	< 5	1	23	0.06	< 10	< 10	39	< 5	97
L9300N 10000W	201 238	2	0.06	11	270	6	< 5	1	13	0.10	< 10	< 10	53	< 5	42
L9300N 10050W	201 238	2	0.02	28	620	56	< 5	6	25	0.17	< 10	< 10	76	< 5	96
L9300N 10100W	201 238	2	0.02	30	670	4	< 5	5	24	0.15	< 10	< 10	84	< 5	78
L9300N 10150W	201 238	2	0.02	14	420	12	< 5	4	22	0.13	< 10	< 10	85	< 5	52
L9300N 10200W	201 238	< 1	0.12	1	190	6	< 5	< 1	10	0.03	< 10	< 10	14	< 5	6
L9300N 10250W	201 238	1	0.05	34	1200	8	< 5	6	200	0.17	< 10	< 10	87	< 5	70
L9300N 10300W	201 238	2	0.04	37	1290	10	< 5	6	208	0.17	< 10	< 10	92	< 5	78
L9400N 09500W	201 238	1	0.06	6	670	4	< 5	1	41	0.10	< 10	< 10	68	< 5	38
L9400N 09600W	201 238	< 1	0.09	3	290	< 2	< 5	< 1	9	0.03	< 10	< 10	17	< 5	11
L9400N 09650W	201 238	2	0.02	16	260	8	< 5	3	13	0.12	< 10	< 10	66	< 5	58
L9400N 09700W	201 238	< 1	0.06	4	300	6	< 5	1	11	0.05	< 10	< 10	31	< 5	18
L9400N 09750W	201 238	2	0.02	10	340	26	< 5	3	13	0.10	< 10	< 10	74	< 5	60
L9400N 09800W	201 238	< 1	0.04	10	390	2	< 5	1	13	0.08	< 10	< 10	43	< 5	33

CERTIFICATION :

*B. Cagli*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.  
(ATTN: RAY DUJARDIN)  
703 - 1112 W. PENDER ST.  
VANCOUVER, B.C.  
V6E 2S1

Project: Y12


Comments: CC: TOR BRULAND

Page No.: 2-A  
Tot. Pages: 7  
Date: 7-AUG-88  
Invoice #: I-8819595  
P.O. #: 67918

## CERTIFICATE OF ANALYSIS A8819595

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L9400N 09850W	201 238	< 5	2.34	0.2	15	100	0.5	< 2	0.31	< 0.5	13	37	22	3.18	< 10	< 1	0.07	10	0.69	361
L9400N 09900W	201 238	< 5	1.91	0.2	30	80	0.5	2	0.26	< 0.5	10	31	18	2.97	< 10	< 1	0.09	20	0.48	452
L9400N 09950W	201 238	< 5	0.53	0.2	< 5	30	< 0.5	4	0.06	< 0.5	2	2	4	0.70	< 10	< 1	0.03	< 10	0.05	46
L9400N 10000W	201 238	< 5	0.41	0.2	< 5	20	< 0.5	4	0.06	< 0.5	4	2	6	1.21	< 10	< 1	0.02	< 10	0.06	59
L9400N 10050W	201 238	< 5	2.80	< 0.2	45	100	1.0	2	0.26	< 0.5	16	45	23	4.17	< 10	< 1	0.11	20	0.78	1040
L9400N 10050A	201 238	< 5	2.31	< 0.2	25	80	1.0	< 2	0.24	< 0.5	9	30	15	3.07	< 10	2	0.11	10	0.54	413
L9400N 10100W	201 238	< 5	2.39	0.4	30	100	0.5	4	0.24	0.5	12	32	32	3.13	< 10	< 1	0.10	10	0.63	431
L9400N 10150W	201 238	< 5	2.11	0.2	35	100	< 0.5	2	0.21	< 0.5	8	30	16	4.03	10	< 1	0.04	10	0.47	431
L9400N 10200W	201 238	< 5	0.58	< 0.2	15	20	< 0.5	< 2	0.06	< 0.5	3	9	6	1.14	< 10	1	0.02	< 10	0.06	92
L9400N 10250W	201 238	< 5	0.81	< 0.2	10	40	< 0.5	< 2	0.07	< 0.5	3	13	13	1.73	< 10	1	0.03	< 10	0.11	102
L9400N 10300W	203 238	< 5	0.63	< 0.2	< 5	30	< 0.5	< 2	0.16	< 0.5	4	27	9	1.21	< 10	1	0.04	< 10	0.15	126
L9500N 09500W	203 238	< 5	0.99	0.2	5	80	0.5	< 2	1.49	< 0.5	6	24	23	1.01	< 10	1	0.04	60	0.27	331
L9500N 09550W	201 238	< 5	2.49	0.6	40	160	1.0	< 2	0.96	< 0.5	4	40	25	2.40	10	2	0.14	110	0.55	553
L9500N 09600W	201 238	< 5	0.60	< 0.2	10	30	< 0.5	2	0.08	< 0.5	2	7	8	0.89	< 10	< 1	0.03	< 10	0.09	55
L9500N 09650W	201 238	< 5	0.59	0.2	< 5	20	< 0.5	4	0.05	< 0.5	3	7	5	0.88	< 10	1	0.03	< 10	0.08	82
L9500N 09700W	201 238	< 5	0.27	< 0.2	5	10	< 0.5	2	0.03	< 0.5	2	5	3	0.50	< 10	< 1	0.02	< 10	0.03	26
L9500N 09750W	201 238	< 5	0.19	< 0.2	< 5	10	< 0.5	2	0.03	< 0.5	3	7	3	1.10	< 10	< 1	0.02	< 10	0.04	52
L9500N 09800W	201 238	< 5	0.72	< 0.2	10	50	< 0.5	< 2	0.12	< 0.5	2	12	8	1.35	< 10	< 1	0.04	< 10	0.13	110
L9500N 09850W	201 238	< 5	1.99	< 0.2	30	90	< 0.5	< 2	0.35	< 0.5	9	37	15	3.38	< 10	< 1	0.09	10	0.67	346
L9500N 10000W	217 238	< 5	2.56	< 0.2	90	120	0.5	8	0.27	< 0.5	11	96	20	4.18	10	< 1	0.18	10	0.78	598
L9500N 10050W	201 238	< 5	0.99	< 0.2	20	60	< 0.5	< 2	0.16	< 0.5	3	18	14	2.83	< 10	1	0.04	< 10	0.25	251
L9500N 10100W	203 238	< 5	0.94	< 0.2	15	60	< 0.5	< 2	0.20	< 0.5	5	37	11	2.04	< 10	< 1	0.05	< 10	0.21	871
L9500N 10150W	203 238	< 5	0.62	< 0.2	5	30	< 0.5	4	0.15	< 0.5	2	29	8	1.38	< 10	1	0.04	< 10	0.14	94
L9500N 10200W	201 238	< 5	0.48	0.2	< 5	30	< 0.5	2	0.07	< 0.5	1	7	7	0.69	< 10	< 1	0.03	< 10	0.06	80
L9500N 10250W	203 238	< 5	0.45	0.2	< 5	20	< 0.5	4	0.16	< 0.5	4	22	8	1.21	< 10	< 1	0.04	< 10	0.11	65
L9500N 10300W	201 238	< 5	0.49	< 0.2	10	20	< 0.5	< 2	0.07	< 0.5	3	7	8	1.05	< 10	< 1	0.02	< 10	0.06	51
L9600N 09500W	201 238	< 5	1.61	0.4	< 5	80	0.5	2	0.25	< 0.5	4	29	14	2.01	10	< 1	0.05	50	0.35	163
L9600N 09550W	201 238	< 5	1.08	0.4	< 5	60	< 0.5	4	0.18	< 0.5	4	21	9	2.05	< 10	< 1	0.04	10	0.24	134
L9600N 09600W	201 238	< 5	1.20	0.2	5	50	< 0.5	2	0.18	< 0.5	5	22	9	1.74	< 10	< 1	0.05	< 10	0.33	132
L9600N 09650W	201 238	< 5	1.99	0.2	5	70	0.5	4	0.24	< 0.5	9	42	14	3.01	10	1	0.06	20	0.57	347
L9600N 09700W	201 238	15	2.48	0.6	15	170	1.0	< 2	0.98	0.5	10	59	29	2.63	10	< 1	0.12	100	0.67	433
L9600N 09750W	201 238	< 5	0.35	< 0.2	< 5	20	< 0.5	< 2	0.06	< 0.5	2	4	4	0.69	< 10	< 1	0.03	< 10	0.06	48
L9600N 09800W	201 238	5	2.29	0.2	45	140	0.5	< 2	0.62	< 0.5	4	35	20	2.65	10	< 1	0.15	40	0.55	352
L9600N 09850W	201 238	< 5	0.80	< 0.2	10	40	< 0.5	< 2	0.14	< 0.5	3	12	8	1.47	< 10	< 1	0.07	< 10	0.16	120
L9600N 09900W	201 238	90	0.86	0.4	30	60	< 0.5	< 2	0.59	< 0.5	4	13	10	1.25	< 10	< 1	0.08	10	0.20	195
L9600N 09950W	201 238	< 5	0.39	0.2	< 5	10	< 0.5	< 2	0.06	< 0.5	2	2	3	0.39	< 10	< 1	0.02	< 10	0.03	100
L9600N 10000W	201 238	< 5	0.96	< 0.2	< 5	50	< 0.5	2	0.09	< 0.5	6	13	17	1.40	< 10	< 1	0.03	< 10	0.10	1045
L9600N 10050W	201 238	< 5	2.03	< 0.2	15	80	0.5	< 2	0.21	< 0.5	9	24	20	2.68	< 10	< 1	0.06	20	0.57	468
L9600N 10100W	201 238	< 5	1.94	< 0.2	30	90	< 0.5	< 2	0.25	< 0.5	10	39	19	4.02	< 10	< 1	0.06	10	0.55	614
L9600N 10150W	201 238	< 5	0.54	< 0.2	5	30	< 0.5	< 2	0.06	< 0.5	5	7	6	1.23	< 10	1	0.02	< 10	0.09	181

CERTIFICATION: *B. Coughlin*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.  
(ATTN: RAY DUJARDIN)  
703 - 1112 W. PENDER ST.  
VANCOUVER, B.C.  
V6E 2S1

Project: Y12

Comments: CC: TOR BRULAND

Page No. : 2-B  
Tot. Pages: 7  
Date : 7-AUG-88  
Invoice #: I-8819595  
P.O. #: 67918


## CERTIFICATE OF ANALYSIS A8819595

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L9400N 09850W	201 238	1	0.02	23	460	18	< 5	4	21	0.12	< 10	< 10	58	< 5	59
L9400N 09900W	201 238	2	0.03	19	370	14	< 5	3	21	0.10	< 10	< 10	61	< 5	61
L9400N 09950W	201 238	< 1	0.08	3	250	< 2	< 5	< 1	7	0.04	< 10	< 10	18	< 5	10
L9400N 10000W	201 238	< 1	0.07	1	150	4	< 5	< 1	7	0.07	< 10	< 10	35	< 5	18
L9400N 10050W	201 238	2	0.02	27	820	32	< 5	4	19	0.12	< 10	< 10	78	< 5	97
L9400N 10050A	201 238	2	0.01	16	300	40	< 5	4	16	0.09	< 10	< 10	49	< 5	90
L9400N 10100W	201 238	1	0.01	24	380	44	< 5	4	16	0.10	< 10	< 10	55	< 5	122
L9400N 10150W	201 238	< 1	0.01	12	300	26	< 5	4	15	0.10	< 10	< 10	68	< 5	75
L9400N 10200W	201 238	< 1	0.07	< 1	160	< 2	< 5	< 1	7	0.05	< 10	< 10	31	< 5	17
L9400N 10250W	201 238	< 1	0.04	7	230	18	< 5	1	7	0.07	< 10	< 10	44	< 5	33
L9400N 10300W	203 238	< 1	0.08	4	250	10	< 5	1	16	0.07	< 10	< 10	33	< 5	20
L9500N 09500W	203 238	1	0.05	13	940	4	< 5	3	81	0.03	< 10	< 10	21	< 5	31
L9500N 09550W	201 238	2	0.03	18	910	20	< 5	8	57	0.04	< 10	< 10	43	5	81
L9500N 09600W	201 238	< 1	0.06	5	220	< 2	< 5	< 1	9	0.05	< 10	< 10	26	< 5	15
L9500N 09650W	201 238	< 1	0.07	5	180	8	< 5	< 1	6	0.04	< 10	< 10	22	< 5	13
L9500N 09700W	201 238	< 1	0.07	< 1	90	4	< 5	< 1	5	0.03	< 10	< 10	14	< 5	6
L9500N 09750W	201 238	< 1	0.04	2	120	< 2	< 5	< 1	3	0.06	< 10	< 10	37	< 5	16
L9500N 09800W	201 238	1	0.07	8	250	< 2	< 5	1	12	0.08	< 10	< 10	38	< 5	21
L9500N 09850W	201 238	2	0.01	17	480	14	< 5	4	21	0.11	< 10	< 10	65	< 5	60
L9500N 10000W	217 238	3	0.04	24	900	26	< 5	4	28	0.10	< 10	< 10	77	< 5	99
L9500N 10050W	201 238	2	0.05	6	300	2	< 5	1	13	0.13	< 10	< 10	77	< 5	61
L9500N 10100W	203 238	1	0.07	10	490	< 2	< 5	1	18	0.08	< 10	< 10	49	< 5	55
L9500N 10150W	203 238	< 1	0.09	4	340	4	< 5	1	16	0.07	< 10	< 10	38	< 5	21
L9500N 10200W	201 238	1	0.08	4	280	< 2	< 5	< 1	7	0.03	< 10	< 10	17	< 5	13
L9500N 10250W	203 238	< 1	0.09	< 1	350	< 2	< 5	1	15	0.07	< 10	< 10	36	< 5	19
L9500N 10300W	201 238	< 1	0.07	5	380	< 2	< 5	< 1	7	0.05	< 10	< 10	28	< 5	23
L9600N 09500W	201 238	1	0.08	14	400	< 2	< 5	5	19	0.09	< 10	< 10	46	< 5	32
L9600N 09550W	201 238	1	0.08	7	180	< 2	< 5	1	16	0.11	< 10	< 10	55	< 5	31
L9600N 09600W	201 238	< 1	0.06	12	170	4	< 5	1	13	0.08	< 10	< 10	41	< 5	31
L9600N 09650W	201 238	1	0.02	19	350	10	< 5	3	16	0.10	< 10	< 10	59	< 5	85
L9600N 09700W	201 238	< 1	0.04	25	980	< 2	< 5	9	58	0.07	< 10	< 10	54	< 5	73
L9600N 09750W	201 238	1	0.08	1	170	< 2	< 5	< 1	6	0.03	< 10	< 10	19	< 5	15
L9600N 09800W	201 238	1	0.04	19	860	< 2	< 5	5	39	0.05	< 10	< 10	46	5	83
L9600N 09850W	201 238	< 1	0.06	3	290	4	< 5	1	12	0.06	< 10	< 10	38	< 5	36
L9600N 09900W	201 238	< 1	0.09	7	600	< 2	< 5	2	35	0.05	< 10	< 10	29	< 5	30
L9600N 09950W	201 238	< 1	0.11	3	180	< 2	< 5	< 1	6	0.02	< 10	< 10	9	< 5	4
L9600N 10000W	201 238	2	0.02	5	540	< 2	< 5	< 1	9	0.03	< 10	< 10	30	< 5	36
L9600N 10050W	201 238	< 1	0.01	20	220	64	< 5	3	15	0.08	< 10	< 10	47	< 5	98
L9600N 10100W	201 238	2	0.01	18	750	4	< 5	2	24	0.07	< 10	< 10	73	5	94
L9600N 10150W	201 238	< 1	0.04	5	170	< 2	< 5	< 1	7	0.05	< 10	< 10	31	< 5	23

REP  
KERR  
AUG 8 1988  
RAY DUJARDIN

CERTIFICATION :

*B. Coughlin*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-1C1  
 PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.  
 (ATTN: RAY DUJARDIN)  
 703 - 1112 W. PENDER ST.  
 VANCOUVER, B.C.  
 V6E 2S1

Project: Y12  
 Comments: CC: TOR BRULAND


Page No. : 3-A  
 Tot. Pages: 7  
 Date : 7-AUG-88  
 Invoice #: I-8819595  
 P.O. #: 67918

## CERTIFICATE OF ANALYSIS A8819595

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L9600N 10200W	217 238	< 5	1.92	0.2	15	80	0.5	2	0.28	< 0.5	4	183	21	2.54	10	< 1	0.16	20	0.52	472
L9600N 10250W	201 238	< 5	0.21	< 0.2	< 5	10	< 0.5	< 2	0.04	< 0.5	3	7	3	0.54	< 10	< 1	0.01	< 10	0.03	26
L9600N 10300W	201 238	< 5	0.76	< 0.2	< 5	40	< 0.5	< 2	0.06	< 0.5	2	14	7	1.24	< 10	< 1	0.03	< 10	0.12	86
L9700N 09500W	201 238	< 5	0.70	< 0.2	< 5	20	< 0.5	< 2	0.06	< 0.5	2	14	5	1.09	< 10	< 1	0.03	< 10	0.14	74
L9700N 09550W	201 238	15	3.06	< 0.2	30	120	0.5	< 2	0.21	< 0.5	13	61	23	3.77	< 10	1	0.05	10	0.89	399
L9700N 09600W	201 238	< 5	0.26	< 0.2	< 5	10	< 0.5	< 2	0.11	< 0.5	2	13	3	0.63	< 10	< 1	0.02	< 10	0.10	38
L9700N 09650W	201 238	< 5	1.68	< 0.2	< 5	80	< 0.5	< 2	0.21	< 0.5	8	32	14	2.70	< 10	< 1	0.06	10	0.47	356
L9700N 09700W	201 238	< 5	2.31	< 0.2	< 5	110	0.5	< 2	0.37	< 0.5	9	64	19	2.86	10	< 1	0.09	20	0.78	544
L9700N 09750W	201 238	< 5	0.57	< 0.2	< 5	20	< 0.5	< 2	0.07	< 0.5	2	7	5	1.20	< 10	< 1	0.03	< 10	0.10	77
L9700N 09800W	201 238	< 5	0.25	< 0.2	< 5	20	< 0.5	< 2	0.10	< 0.5	2	5	3	0.75	< 10	< 1	0.03	< 10	0.04	119
L9700N 09850W	201 238	10	0.18	< 0.2	< 5	10	< 0.5	< 2	0.04	< 0.5	< 1	< 1	1	0.54	< 10	< 1	0.02	< 10	0.03	31
L9700N 09900W	201 238	10	1.73	0.6	15	90	< 0.5	< 2	0.58	< 0.5	4	24	14	1.76	< 10	< 1	0.17	20	0.30	240
L9700N 09950W	201 238	< 5	2.65	< 0.2	35	210	< 0.5	< 2	0.22	< 0.5	10	43	15	4.00	< 10	< 1	0.24	10	0.57	536
L9700N 10000W	201 238	< 5	1.80	< 0.2	15	100	< 0.5	< 2	0.27	< 0.5	7	24	14	2.76	< 10	1	0.11	10	0.52	450
L9700N 10050W	201 238	< 5	1.62	< 0.2	10	80	< 0.5	< 2	0.25	< 0.5	7	24	13	2.72	< 10	< 1	0.07	10	0.43	287
L9700N 10100W	201 238	< 5	0.43	< 0.2	5	20	< 0.5	< 2	0.07	< 0.5	2	7	5	1.06	< 10	1	0.02	10	0.06	53
L9700N 10150W	201 238	< 5	2.08	< 0.2	25	90	< 0.5	< 2	0.20	0.5	5	24	15	3.50	< 10	< 1	0.05	10	0.39	284
L9700N 10200W	201 238	< 5	0.68	< 0.2	< 5	30	< 0.5	< 2	0.07	< 0.5	2	7	6	0.90	< 10	< 1	0.03	< 10	0.07	88
L9700N 10250W	201 238	< 5	0.62	< 0.2	< 5	30	< 0.5	< 2	0.08	< 0.5	2	7	3	0.57	< 10	< 1	0.03	< 10	0.04	96
L9700N 10300W	201 238	< 5	0.65	< 0.2	< 5	20	< 0.5	< 2	0.10	< 0.5	4	13	7	1.35	< 10	< 1	0.03	< 10	0.11	107
L9800N 09500W	201 238	< 5	1.10	< 0.2	15	50	< 0.5	< 2	0.16	< 0.5	4	15	10	1.69	< 10	< 1	0.06	10	0.26	336
L9800N 09550W	201 238	< 5	0.52	< 0.2	< 5	40	< 0.5	< 2	0.07	< 0.5	2	10	4	1.25	< 10	1	0.03	< 10	0.10	88
L9800N 09600W	201 238	< 5	0.82	< 0.2	< 5	40	< 0.5	< 2	0.10	< 0.5	2	12	6	1.45	< 10	< 1	0.04	< 10	0.14	89
L9800N 09650W	203 238	< 5	2.51	< 0.2	< 5	100	0.5	< 2	0.37	0.5	10	150	16	2.94	10	< 1	0.15	20	0.69	491
L9800N 09700W	201 238	< 5	2.30	< 0.2	25	110	0.5	< 2	0.31	< 0.5	10	39	19	3.01	10	1	0.09	20	0.66	387
L9800N 09750W	201 238	< 5	2.77	< 0.2	< 5	90	0.5	< 2	0.31	< 0.5	12	45	20	3.60	10	< 1	0.12	30	0.78	502
L9800N 09800W	201 238	< 5	2.81	< 0.2	< 5	70	0.5	< 2	0.34	< 0.5	11	54	23	3.28	10	< 1	0.06	20	0.91	443
L9800N 09850W	201 238	< 5	0.57	0.6	< 5	40	< 0.5	< 2	0.16	< 0.5	2	9	8	0.84	< 10	1	0.03	20	0.11	74
L9800N 09900W	201 238	< 5	0.44	< 0.2	10	30	< 0.5	< 2	0.08	< 0.5	4	15	4	1.50	< 10	< 1	0.05	< 10	0.11	98
L9800N 09950W	201 238	< 5	1.35	< 0.2	55	70	< 0.5	< 2	0.14	< 0.5	7	34	15	3.14	< 10	1	0.15	10	0.34	478
L9800N 10000W	201 238	< 5	2.05	< 0.2	5	90	< 0.5	< 2	0.19	< 0.5	8	34	18	3.07	< 10	1	0.10	20	0.57	436
L9800N 10050W	201 238	< 5	0.71	< 0.2	15	30	< 0.5	< 2	0.06	< 0.5	2	7	5	0.78	< 10	< 1	0.03	< 10	0.06	86
L9800N 10100W	201 238	< 5	0.42	< 0.2	5	30	< 0.5	< 2	0.06	< 0.5	2	5	7	0.91	< 10	< 1	0.02	< 10	0.04	74
L9800N 10150W	201 238	< 5	0.32	< 0.2	25	10	< 0.5	< 2	0.06	< 0.5	1	5	3	0.74	< 10	2	0.02	< 10	0.04	101
L9800N 10200W	201 238	< 5	0.26	< 0.2	5	10	< 0.5	< 2	0.06	< 0.5	1	7	2	0.60	< 10	< 1	0.03	< 10	0.04	34
L9800N 10250W	201 238	< 5	0.36	< 0.2	10	20	< 0.5	< 2	0.04	< 0.5	2	2	3	0.80	< 10	< 1	0.02	< 10	0.04	38
L9800N 10300W	201 238	< 5	0.52	< 0.2	15	30	< 0.5	< 2	0.09	< 0.5	3	13	8	1.37	< 10	< 1	0.03	< 10	0.10	85
L9900N 09500W	201 238	< 5	0.72	0.4	10	80	< 0.5	< 2	0.22	< 0.5	3	12	13	1.38	< 10	2	0.06	10	0.17	121
L9900N 09550W	201 238	< 5	2.00	< 0.2	5	100	< 0.5	< 2	0.25	< 0.5	6	41	14	3.16	< 10	< 1	0.07	10	0.45	269
L9900N 09600W	201 238	< 5	0.80	< 0.2	5	40	< 0.5	< 2	0.13	< 0.5	3	7	7	1.10	< 10	1	0.03	< 10	0.10	200

CERTIFICATION :

*B. Campbell*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.  
 (ATTN: RAY DUJARDIN)  
 703 - 1112 W. PENDER ST.  
 VANCOUVER, B.C.  
 V6E 2S1

Project: Y12  
 Comments: CC: TOR BRULAND


Page No. : 3-B  
 Tot. Pages: 7  
 Date : 7-AUG-88  
 Invoice #: I-8819595  
 P.O. #: 67918

## CERTIFICATE OF ANALYSIS A8819595

SAMPLE DESCRIPTION	PREP CODE	Mb ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L9600N 10200W	217 238	1	0.08	12	580	24	< 5	3	24	0.06	< 10	< 10	44	< 5	139
L9600N 10250W	201 238	< 1	0.05	3	80	8	< 5	< 1	5	0.03	< 10	< 10	17	< 5	8
L9600N 10300W	201 238	1	0.04	7	200	< 2	< 5	1	8	0.05	< 10	< 10	35	5	21
L9700N 09500W	201 238	< 1	0.03	9	160	< 2	< 5	1	7	0.05	< 10	< 10	27	5	15
L9700N 09550W	201 238	< 1	0.01	36	320	22	< 5	4	21	0.12	< 10	< 10	75	5	85
L9700N 09600W	201 238	< 1	0.04	6	200	4	< 5	< 1	8	0.03	< 10	< 10	19	5	10
L9700N 09650W	201 238	< 1	0.01	26	300	22	< 5	3	17	0.10	< 10	< 10	57	< 5	66
L9700N 09700W	201 238	< 1	0.02	37	470	10	< 5	5	30	0.11	< 10	< 10	61	< 5	58
L9700N 09750W	201 238	< 1	0.05	9	190	< 2	< 5	< 1	8	0.07	< 10	< 10	35	5	18
L9700N 09800W	201 238	1	0.06	4	500	< 2	< 5	< 1	9	0.04	< 10	< 10	22	< 5	14
L9700N 09850W	201 238	< 1	0.05	4	130	< 2	< 5	< 1	5	0.03	< 10	< 10	16	< 5	7
L9700N 09900W	201 238	1	0.06	13	930	4	< 5	4	30	0.02	< 10	< 10	34	< 5	39
L9700N 09950W	201 238	1	0.13	21	630	10	5	4	29	0.22	< 10	< 10	91	< 5	59
L9700N 10000W	201 238	2	0.01	20	550	18	< 5	3	18	0.08	< 10	< 10	50	< 5	54
L9700N 10050W	201 238	1	0.02	20	360	8	< 5	3	17	0.09	< 10	< 10	52	< 5	63
L9700N 10100W	201 238	< 1	0.05	9	400	4	< 5	< 1	8	0.05	< 10	< 10	31	5	14
L9700N 10150W	201 238	1	0.02	16	310	4	< 5	3	18	0.12	< 10	< 10	68	< 5	69
L9700N 10200W	201 238	< 1	0.08	4	90	< 2	< 5	< 1	9	0.04	< 10	< 10	23	< 5	14
L9700N 10250W	201 238	1	0.08	3	200	8	< 5	< 1	9	0.03	< 10	< 10	12	< 5	7
L9700N 10300W	201 238	< 1	0.05	9	310	8	< 5	< 1	9	0.06	< 10	< 10	35	< 5	27
L9800N 09500W	201 238	1	0.05	7	430	14	< 5	1	16	0.05	< 10	< 10	34	< 5	52
L9800N 09550W	201 238	1	0.07	8	160	2	< 5	1	9	0.08	< 10	< 10	39	< 5	22
L9800N 09600W	201 238	< 1	0.07	7	190	< 2	< 5	1	12	0.08	< 10	< 10	39	< 5	25
L9800N 09650W	203 238	1	0.09	24	500	< 2	< 5	4	32	0.11	< 10	< 10	64	< 5	76
L9800N 09700W	201 238	1	0.01	27	270	20	< 5	4	22	0.16	< 10	< 10	60	< 5	67
L9800N 09750W	201 238	1	0.01	24	380	24	< 5	6	23	0.11	< 10	< 10	61	5	96
L9800N 09800W	201 238	1	0.02	27	400	60	< 5	4	25	0.06	< 10	< 10	61	5	109
L9800N 09850W	201 238	< 1	0.08	7	350	< 2	< 5	1	15	0.04	< 10	< 10	23	< 5	12
L9800N 09900W	201 238	< 1	0.07	9	240	12	< 5	1	9	0.09	< 10	< 10	49	5	24
L9800N 09950W	201 238	3	0.01	23	510	18	< 5	1	15	0.06	< 10	< 10	60	< 5	96
L9800N 10000W	201 238	3	0.01	28	410	6	< 5	4	14	0.11	< 10	< 10	55	< 5	74
L9800N 10050W	201 238	< 1	0.08	4	200	< 2	< 5	< 1	8	0.03	< 10	< 10	17	< 5	12
L9800N 10100W	201 238	< 1	0.06	3	200	< 2	< 5	< 1	8	0.04	< 10	< 10	26	< 5	14
L9800N 10150W	201 238	< 1	0.06	5	180	< 2	< 5	< 1	6	0.04	< 10	< 10	23	< 5	12
L9800N 10200W	201 238	< 1	0.09	3	230	< 2	< 5	< 1	6	0.03	< 10	< 10	18	5	10
L9800N 10250W	201 238	< 1	0.09	2	120	< 2	< 5	< 1	6	0.05	< 10	< 10	25	< 5	9
L9800N 10300W	201 238	< 1	0.07	6	220	4	< 5	1	8	0.08	< 10	< 10	45	< 5	24
L9900N 09500W	201 238	< 1	0.06	9	560	4	< 5	< 1	24	0.06	< 10	< 10	36	< 5	26
L9900N 09550W	201 238	< 1	0.02	11	270	8	< 5	3	23	0.11	< 10	< 10	71	< 5	58
L9900N 09600W	201 238	< 1	0.07	3	420	< 2	< 5	< 1	13	0.05	< 10	< 10	28	< 5	23

CERTIFICATION :

*B. Coughlin*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.  
(ATTN: RAY DUJARDIN)  
703 - 1112 W. PENDER ST.  
VANCOUVER, B.C.  
V6E 2S1

Project: Y12

Comments: CC: TOR BRULAND


Page No.: 4-A  
Tot. Pages: 7  
Date: 7-AUG-88  
Invoice #: I-8819595  
P.O. #: 67918

## CERTIFICATE OF ANALYSIS A8819595

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L9900N 09650W	201 238	< 5	1.29	< 0.2	< 5	80	< 0.5	< 2	0.19	< 0.5	3	27	11	2.27	< 10	< 1	0.05	10	0.38	410
L9900N 09700W	203 238	< 5	1.48	< 0.2	< 5	60	0.5	2	0.29	< 0.5	4	101	11	1.93	< 10	< 1	0.17	10	0.29	393
L9900N 09750W	201 238	< 5	1.77	< 0.2	< 5	90	0.5	< 2	0.29	< 0.5	7	45	13	2.89	< 10	< 1	0.07	10	0.61	390
L9900N 09800W	203 238	< 5	1.94	< 0.2	< 5	150	0.5	< 2	0.28	< 0.5	8	127	25	2.93	< 10	< 1	0.13	20	0.49	906
L9900N 09850W	201 238	< 5	0.83	< 0.2	< 5	40	< 0.5	< 2	0.16	< 0.5	3	7	8	1.03	< 10	< 1	0.04	< 10	0.13	141
L9900N 09900W	201 238	< 5	1.76	< 0.2	130	90	< 0.5	< 2	0.14	< 0.5	10	58	19	3.54	< 10	2	0.07	10	0.47	474
L9900N 09950W	201 238	< 5	1.52	< 0.2	40	60	0.5	< 2	0.14	< 0.5	2	27	15	2.61	< 10	< 1	0.08	20	0.42	352
L9900N 10000W	201 238	< 5	2.20	< 0.2	35	80	< 0.5	< 2	0.12	< 0.5	9	38	18	3.62	< 10	1	0.07	10	0.55	406
L9900N 10000A	201 238	< 5	1.73	< 0.2	15	100	< 0.5	< 2	0.20	< 0.5	8	36	19	3.27	< 10	< 1	0.10	10	0.49	557
L9900N 10050W	201 238	< 5	2.34	< 0.2	35	90	0.5	< 2	0.21	< 0.5	12	50	20	3.86	< 10	< 1	0.08	20	0.50	538
L9900N 10100W	201 238	< 5	1.21	< 0.2	15	70	< 0.5	< 2	0.14	< 0.5	1	23	17	2.90	< 10	< 1	0.04	10	0.20	245
L9900N 10150W	201 238	< 5	0.22	< 0.2	< 5	10	< 0.5	< 2	0.04	< 0.5	1	5	3	1.16	< 10	< 1	0.02	< 10	0.04	54
L9900N 10200W	201 238	< 5	0.17	< 0.2	< 5	10	< 0.5	< 2	0.05	< 0.5	1	5	2	0.82	< 10	< 1	0.02	< 10	0.04	38
L9900N 10250W	201 238	< 5	0.64	< 0.2	25	40	< 0.5	< 2	0.07	< 0.5	2	15	7	1.43	< 10	< 1	0.02	< 10	0.14	196
L9900N 10300W	201 238	< 5	0.46	0.2	5	30	< 0.5	< 2	0.07	< 0.5	< 1	5	3	0.66	< 10	< 1	0.03	< 10	0.04	37
L1000N 09500W	201 238	< 5	1.28	< 0.2	15	60	< 0.5	< 2	0.11	< 0.5	3	23	14	2.36	< 10	< 1	0.05	< 10	0.24	328
L1000N 09550W	201 238	< 5	2.06	< 0.2	45	110	0.5	< 2	0.16	< 0.5	9	46	21	3.91	10	< 1	0.08	10	0.61	688
L1000N 09600W	201 238	< 5	1.87	< 0.2	< 5	120	0.5	< 2	0.29	< 0.5	12	61	19	3.45	< 10	< 1	0.04	10	0.78	827
L1000N 09650W	201 238	< 5	2.10	< 0.2	5	100	0.5	< 2	0.29	< 0.5	9	51	20	3.24	< 10	< 1	0.05	20	0.77	613
L1000N 09700W	217 238	< 5	1.43	< 0.2	< 5	50	0.5	< 2	0.07	< 0.5	1	114	4	1.46	< 10	< 1	0.41	10	0.23	273
L1000N 09750W	201 238	< 5	2.58	< 0.2	< 5	110	1.0	< 2	0.21	< 0.5	10	26	20	4.11	10	< 1	0.11	20	0.57	1455
L1000N 09800W	201 238	< 5	2.55	< 0.2	20	80	0.5	< 2	0.23	< 0.5	8	44	18	3.69	< 10	< 1	0.08	20	0.68	443
L1000N 09850W	201 238	< 5	2.01	< 0.2	20	80	1.0	2	0.29	< 0.5	13	71	17	3.05	< 10	< 1	0.05	20	0.92	848
L1000N 09900W	201 238	< 5	1.74	< 0.2	10	90	0.5	< 2	0.20	< 0.5	1	43	16	3.09	< 10	< 1	0.05	10	0.51	365
L1000N 09950W	201 238	15	2.16	< 0.2	680	130	1.0	< 2	1.64	< 0.5	19	273	25	2.73	< 10	< 1	0.50	30	0.44	621
L1000N 10000W	201 238	< 5	1.57	< 0.2	175	100	0.5	< 2	0.21	< 0.5	9	59	20	3.72	< 10	< 1	0.07	10	0.41	398
L1000N 10050W	201 238	< 5	1.84	< 0.2	30	80	< 0.5	< 2	0.19	< 0.5	10	46	21	3.78	< 10	< 1	0.08	10	0.55	411
L1000N 10100W	201 238	< 5	2.01	< 0.2	10	100	0.5	< 2	0.22	< 0.5	9	36	16	3.18	< 10	< 1	0.07	10	0.52	425
L1000N 10150W	201 238	< 5	1.16	< 0.2	20	70	< 0.5	< 2	0.12	< 0.5	2	21	16	2.42	< 10	< 1	0.04	10	0.16	272
L1000N 10200W	201 238	< 5	1.80	< 0.2	70	100	1.0	< 2	0.22	< 0.5	9	36	14	2.69	< 10	< 1	0.08	30	0.47	447
L1000N 10250W	201 238	< 5	1.29	< 0.2	15	60	< 0.5	< 2	0.16	< 0.5	3	23	13	2.27	< 10	< 1	0.04	20	0.28	419
L1000N 10300W	201 238	< 5	1.72	< 0.2	80	100	0.5	< 2	0.34	< 0.5	1	30	17	2.80	< 10	< 1	0.06	40	0.51	383
L1010N 09500W	201 238	< 5	0.43	< 0.2	10	20	< 0.5	< 2	0.09	< 0.5	1	5	1	1.38	< 10	< 1	0.02	< 10	0.05	65
L1010N 09550W	201 238	25	0.34	< 0.2	5	10	< 0.5	< 2	0.08	< 0.5	2	5	5	1.08	< 10	< 1	0.02	< 10	0.04	48
L1010N 09600W	201 238	< 5	1.50	< 0.2	25	100	0.5	< 2	0.40	< 0.5	3	36	17	2.35	< 10	1	0.05	10	0.46	647
L1010N 09650W	201 238	< 5	0.83	< 0.2	< 5	60	< 0.5	< 2	0.13	< 0.5	2	12	10	1.50	< 10	< 1	0.03	< 10	0.12	322
L1010N 09700W	201 238	< 5	2.41	< 0.2	10	100	1.0	2	0.33	< 0.5	8	40	16	3.90	10	< 1	0.08	20	0.65	436
L1010N 09750W	201 238	< 5	2.33	< 0.2	< 5	110	1.0	< 2	0.16	< 0.5	9	46	22	3.80	10	< 1	0.10	10	0.59	766
L1010N 09800W	201 238	< 5	2.27	< 0.2	< 5	100	0.5	< 2	0.24	< 0.5	7	38	22	3.43	< 10	< 1	0.08	20	0.57	448
L1010N 09850W	201 238	< 5	1.42	< 0.2	< 5	70	< 0.5	< 2	0.17	0.5	1	28	13	2.80	< 10	< 1	0.06	10	0.37	281

CERTIFICATION :

*B. Coughlin*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.  
(ATTN: RAY DUJARDIN)  
703 - 1112 W. PENDER ST.  
VANCOUVER, B.C.  
V6E 2S1

Project: Y12

Comments: CC: TOR BRULAND

Page No. : 4-B  
Tot. Pages: 7  
Date : 7-AUG-88  
Invoice #: I-8819595  
P.O. #: 67918

## CERTIFICATE OF ANALYSIS A8819595

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L9900N 09650W	201 238	< 1	0.04	12	430	12	< 5	1	20	0.08	< 10	< 10	50	5	62
L9900N 09700W	203 238	< 1	0.09	12	440	48	< 5	1	27	0.06	< 10	< 10	30	5	99
L9900N 09750W	201 238	< 1	0.02	15	420	22	< 5	3	24	0.08	< 10	< 10	61	5	88
L9900N 09800W	203 238	< 1	0.07	16	970	26	< 5	2	29	0.07	< 10	< 10	62	< 5	110
L9900N 09850W	201 238	< 1	0.03	6	450	6	< 5	< 1	14	0.03	< 10	< 10	21	< 5	28
L9900N 09900W	201 238	2	0.01	43	690	12	< 5	2	16	0.06	< 10	< 10	76	5	81
L9900N 09950W	201 238	1	0.01	18	310	22	< 5	2	11	0.06	< 10	< 10	45	< 5	85
L9900N 10000W	201 238	1	0.01	16	360	8	< 5	3	12	0.11	< 10	< 10	76	5	75
L9900N 10000A	201 238	2	0.01	20	630	14	< 5	3	17	0.10	< 10	< 10	68	5	82
L9900N 10050W	201 238	3	0.01	23	640	18	< 5	5	19	0.06	< 10	< 10	63	< 5	82
L9900N 10100W	201 238	< 1	0.03	7	530	6	< 5	1	14	0.12	< 10	< 10	80	< 5	45
L9900N 10150W	201 238	< 1	0.07	1	110	< 2	< 5	< 1	5	0.07	< 10	< 10	42	5	14
L9900N 10200W	201 238	< 1	0.07	1	160	2	< 5	< 1	6	0.05	< 10	< 10	28	< 5	10
L9900N 10250W	201 238	< 1	0.04	7	350	6	< 5	< 1	9	0.05	< 10	< 10	37	< 5	32
L9900N 10300W	201 238	< 1	0.06	2	90	10	< 5	< 1	10	0.04	< 10	< 10	18	< 5	8
L1000N 09500W	201 238	1	0.03	11	370	44	< 5	1	14	0.08	< 10	< 10	47	< 5	64
L1000N 09550W	201 238	2	0.01	16	690	16	< 5	2	18	0.06	< 10	< 10	74	5	116
L1000N 09600W	201 238	< 1	0.03	19	680	24	< 5	3	27	0.07	< 10	< 10	77	< 5	68
L1000N 09650W	201 238	< 1	0.02	20	580	14	< 5	4	26	0.10	< 10	< 10	70	< 5	58
L1000N 09700W	217 238	< 1	0.03	5	210	16	< 5	1	6	< 0.01	< 10	< 10	11	< 5	74
L1000N 09750W	201 238	1	0.01	17	1430	56	< 5	1	18	0.03	< 10	< 10	53	< 5	132
L1000N 09800W	201 238	< 1	0.01	19	490	18	< 5	4	18	0.13	< 10	< 10	76	< 5	102
L1000N 09850W	201 238	1	0.03	17	630	8	< 5	5	20	0.06	< 10	< 10	65	< 5	58
L1000N 09900W	201 238	< 1	0.03	13	540	2	< 5	3	18	0.08	< 10	< 10	65	< 5	53
L1000N 09950W	201 238	2	0.02	105	1490	26	45	9	77	0.06	< 10	< 10	66	5	110
L1000N 10000W	201 238	1	0.01	39	430	12	< 5	4	25	0.08	< 10	< 10	78	< 5	65
L1000N 10050W	201 238	< 1	0.01	25	470	10	< 5	4	16	0.11	< 10	< 10	76	< 5	63
L1000N 10100W	201 238	1	0.01	16	330	4	< 5	4	17	0.12	< 10	< 10	61	< 5	65
L1000N 10150W	201 238	1	0.04	9	280	14	< 5	1	16	0.12	< 10	< 10	72	< 5	44
L1000N 10200W	201 238	2	0.02	17	450	30	< 5	3	19	0.09	< 10	< 10	51	< 5	75
L1000N 10250W	201 238	< 1	0.03	7	390	16	< 5	1	14	0.06	< 10	< 10	48	< 5	41
L1000N 10300W	201 238	< 1	0.02	12	460	20	< 5	3	24	0.08	< 10	< 10	58	< 5	56
L1010N 09500W	201 238	< 1	0.03	< 1	130	4	< 5	< 1	11	0.07	< 10	< 10	46	< 5	17
L1010N 09550W	201 238	< 1	0.03	3	260	< 2	< 5	< 1	8	0.06	< 10	< 10	36	< 5	13
L1010N 09600W	201 238	1	0.03	12	820	2	< 5	2	28	0.04	< 10	< 10	55	< 5	45
L1010N 09650W	201 238	< 1	0.04	4	570	16	< 5	< 1	13	0.05	< 10	< 10	39	< 5	27
L1010N 09700W	201 238	< 1	0.01	21	530	14	< 5	5	24	0.15	< 10	< 10	81	< 5	62
L1010N 09750W	201 238	< 1	0.01	20	730	20	< 5	3	17	0.07	< 10	< 10	63	< 5	101
L1010N 09800W	201 238	< 1	0.01	19	350	20	< 5	4	19	0.15	< 10	< 10	77	< 5	79
L1010N 09850W	201 238	< 1	0.03	13	540	12	< 5	2	15	0.10	< 10	< 10	61	< 5	62

CERTIFICATION :



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.  
(ATTN: RAY DUJARDIN)  
703 - 1112 W. PENDER ST.  
VANCOUVER, B.C.  
V6E 2S1

Project: Y12

Comments: CC: TOR BRULAND

Page No. : 5-A  
Tot. Pages: 7  
Date : 7-AUG-88  
Invoice #: I-8819595  
P.O. #: 67918

## CERTIFICATE OF ANALYSIS A8819595

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L10100N 09900W	201 238	< 5	0.42	< 0.2	10	20	< 0.5	< 2	0.06	< 0.5	< 1	13	10	3.10	< 10	< 1	0.02	< 10	0.09	156
L10100N 09950W	201 238	15	1.96	< 0.2	35	80	1.0	4	0.65	< 0.5	17	161	20	4.28	< 10	< 1	0.05	20	1.56	711
L10100N 10000W	201 238	10	0.71	< 0.2	70	50	< 0.5	< 2	0.20	< 0.5	3	27	12	1.23	< 10	< 1	0.06	10	0.12	137
L10100N 10050W	201 238	15	2.16	< 0.2	60	90	1.0	< 2	0.44	< 0.5	21	103	37	4.75	< 10	< 1	0.09	30	1.38	871
L10100N 10100W	201 238	< 5	1.70	< 0.2	20	60	0.5	< 2	0.15	< 0.5	6	28	14	3.39	< 10	< 1	0.05	10	0.38	356
L10100N 10150W	201 238	10	2.69	< 0.2	< 5	100	0.5	< 2	0.22	0.5	9	36	20	3.67	< 10	< 1	0.09	20	0.62	582
L10100N 10200W	201 238	15	2.01	< 0.2	15	110	0.5	< 2	0.18	< 0.5	8	36	19	3.92	< 10	< 1	0.06	10	0.48	435
L10100N 10250W	201 238	< 5	2.15	< 0.2	65	80	0.5	4	0.15	< 0.5	8	44	17	3.81	< 10	< 1	0.06	10	0.57	498
L10100N 10300W	201 238	< 5	1.93	< 0.2	60	90	0.5	< 2	0.20	< 0.5	7	46	15	3.45	< 10	< 1	0.04	10	0.64	321
L10200N 09500W	201 238	< 5	0.32	< 0.2	10	20	< 0.5	< 2	0.03	< 0.5	< 1	5	1	0.73	< 10	< 1	0.02	< 10	0.06	72
L10200N 09550W	201 238	< 5	0.70	0.2	5	40	< 0.5	< 2	0.10	< 0.5	2	12	8	1.05	< 10	< 1	0.04	10	0.08	246
L10200N 09600W	201 238	< 5	1.19	< 0.2	< 5	60	< 0.5	< 2	0.16	< 0.5	3	21	14	2.05	< 10	< 1	0.06	< 10	0.23	399
L10200N 09650W	201 238	< 5	0.59	< 0.2	5	30	< 0.5	< 2	0.12	< 0.5	< 1	7	7	1.18	< 10	< 1	0.05	< 10	0.09	150
L10200N 09700W	201 238	< 5	2.28	< 0.2	< 5	140	1.0	< 2	0.24	0.5	7	44	21	3.42	< 10	< 1	0.08	10	0.61	780
L10200N 09750W	201 238	< 5	2.60	< 0.2	< 5	100	1.0	4	0.25	< 0.5	10	38	19	4.95	10	< 1	0.10	10	0.73	774
L10200N 09800W	201 238	< 5	2.48	< 0.2	15	100	0.5	2	0.24	< 0.5	10	40	22	3.41	10	< 1	0.11	20	0.73	549
L10200N 09850W	201 238	< 5	1.41	< 0.2	< 5	70	< 0.5	< 2	0.16	< 0.5	1	23	18	3.04	< 10	< 1	0.05	10	0.26	202
L10200N 09900W	201 238	< 5	1.33	< 0.2	< 5	50	< 0.5	< 2	0.13	< 0.5	1	23	19	3.12	< 10	< 1	0.04	10	0.23	408
L10200N 09950W	201 238	< 5	0.97	< 0.2	30	70	< 0.5	< 2	0.19	< 0.5	4	21	15	1.65	< 10	< 1	0.08	20	0.18	371
L10200N 10000W	201 238	< 5	0.19	< 0.2	10	10	< 0.5	< 2	0.04	< 0.5	< 1	5	1	0.65	< 10	< 1	0.02	< 10	0.03	44
L10200N 10050W	201 238	< 5	0.77	< 0.2	25	50	< 0.5	< 2	0.14	< 0.5	2	15	9	1.36	< 10	< 1	0.05	10	0.15	142
L10200N 10100W	201 238	< 5	0.48	< 0.2	< 5	40	< 0.5	< 2	0.17	< 0.5	1	7	7	1.00	< 10	< 1	0.03	10	0.07	125
L10200N 10150W	201 238	< 5	0.69	< 0.2	5	30	< 0.5	< 2	0.07	< 0.5	1	7	13	1.33	< 10	< 1	0.03	< 10	0.06	82
L10200N 10200W	201 238	< 5	0.54	< 0.2	< 5	20	< 0.5	2	0.05	< 0.5	4	4	6	0.97	< 10	< 1	0.02	< 10	0.05	68
L10200N 10250W	201 238	< 5	0.53	0.2	< 5	20	< 0.5	2	0.06	< 0.5	3	6	7	1.33	< 10	< 1	0.03	< 10	0.06	74
L10200N 10300W	201 238	< 5	1.76	0.4	< 5	70	0.5	8	0.17	< 0.5	8	32	17	4.19	10	< 1	0.06	10	0.47	398
L10300N 09500W	201 238	< 5	0.51	0.4	< 5	20	< 0.5	< 2	0.08	< 0.5	2	4	1	0.69	< 10	< 1	0.03	< 10	0.04	43
L10300N 09550W	201 238	< 5	2.76	0.4	< 5	120	1.0	4	0.28	< 0.5	11	49	20	4.13	10	< 1	0.08	20	0.50	485
L10300N 09600W	201 238	< 5	1.27	0.4	< 5	40	< 0.5	2	0.16	< 0.5	4	26	13	2.59	< 10	< 1	0.05	10	0.39	309
L10300N 09650W	201 238	< 5	1.53	0.6	< 5	80	0.5	2	0.35	< 0.5	5	23	15	2.13	< 10	1	0.12	10	0.43	595
L10300N 09700W	201 238	< 5	1.98	0.4	< 5	110	0.5	6	0.29	< 0.5	11	41	23	3.77	< 10	2	0.08	10	0.60	500
L10300N 09750W	201 238	< 5	1.20	0.2	< 5	70	0.5	4	0.17	< 0.5	7	26	16	3.06	< 10	1	0.06	10	0.36	313
L10300N 09800W	201 238	< 5	1.29	< 0.2	< 5	100	< 0.5	2	0.17	< 0.5	4	29	27	2.54	< 10	1	0.05	10	0.20	159
L10300N 09850W	201 238	< 5	0.41	0.4	< 5	30	< 0.5	2	0.14	< 0.5	9	13	11	4.08	< 10	< 1	0.03	< 10	0.11	224
L10300N 09900W	201 238	< 5	0.46	0.2	5	20	< 0.5	< 2	0.07	< 0.5	1	6	4	0.75	< 10	< 1	0.02	< 10	0.04	40
L10300N 09950W	201 238	< 5	0.99	0.2	5	40	< 0.5	4	0.10	< 0.5	7	22	12	3.24	< 10	2	0.05	10	0.24	236
L10300N 10000W	201 238	< 5	1.72	0.2	80	140	0.5	6	0.31	< 0.5	10	29	18	2.93	< 10	1	0.17	30	0.28	466
L10300N 10050W	201 238	< 5	1.83	0.2	20	90	0.5	4	0.27	< 0.5	8	44	16	4.23	10	< 1	0.08	20	0.55	415
L10300N 10100W	201 238	< 5	1.33	< 0.2	10	70	< 0.5	< 2	0.18	< 0.5	4	31	13	2.49	< 10	1	0.10	10	0.38	524
L10300N 10150W	201 238	< 5	0.64	0.2	< 5	40	< 0.5	< 2	0.15	< 0.5	2	12	10	0.78	< 10	< 1	0.04	10	0.11	75

CERTIFICATION :

*B. Coughlin*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

To : KERR ADDISON MINES LTD.  
 (ATTN: RAY DUJARDIN)  
 703 - 1112 W. PENDER ST.  
 VANCOUVER, B.C.  
 V6E 2S1

Project : Y12  
 Comments : CC: TOR BRULAND

Page No. : 5-B  
 Tot. Pages: 7  
 Date : 7-AUG-88  
 Invoice # : I-8819595  
 P.O. # : 67918

## CERTIFICATE OF ANALYSIS A8819595

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L10100N 09900W	201 238	< 1	0.03	5	350	< 2	< 5	< 1	6	0.16	< 10	< 10	113	< 5	40
L10100N 09950W	201 238	< 1	0.02	27	1160	< 2	< 5	10	35	0.06	< 10	< 10	99	< 5	75
L10100N 10000W	201 238	< 1	0.07	21	560	4	< 5	1	23	0.02	< 10	< 10	22	< 5	27
L10100N 10050W	201 238	< 1	0.03	60	1040	14	< 5	15	29	0.03	< 10	< 10	115	< 5	78
L10100N 10100W	201 238	1	0.03	18	400	14	< 5	3	14	0.09	< 10	< 10	68	5	61
L10100N 10150W	201 238	< 1	0.01	26	670	18	< 5	4	17	0.13	< 10	< 10	61	< 5	84
L10100N 10200W	201 238	1	0.01	19	630	26	< 5	2	18	0.09	< 10	< 10	79	< 5	103
L10100N 10250W	201 238	1	0.01	19	670	16	< 5	2	14	0.07	< 10	< 10	68	< 5	64
L10100N 10300W	201 238	< 1	0.02	22	460	20	< 5	3	19	0.08	< 10	< 10	69	< 5	49
L10200N 09500W	201 238	< 1	0.04	3	130	6	< 5	< 1	5	0.03	< 10	< 10	22	< 5	12
L10200N 09550W	201 238	< 1	0.05	3	250	6	< 5	< 1	14	0.04	< 10	< 10	25	< 5	22
L10200N 09600W	201 238	< 1	0.05	8	470	8	< 5	1	17	0.07	< 10	< 10	48	< 5	58
L10200N 09650W	201 238	< 1	0.06	6	420	8	< 5	< 1	12	0.05	< 10	< 10	33	< 5	24
L10200N 09700W	201 238	1	0.03	17	1120	6	< 5	1	23	0.04	< 10	< 10	68	< 5	64
L10200N 09750W	201 238	1	0.01	16	970	16	< 5	3	18	0.05	< 10	< 10	79	5	83
L10200N 09800W	201 238	< 1	0.01	28	370	36	< 5	4	17	0.15	< 10	< 10	67	< 5	86
L10200N 09850W	201 238	1	0.04	6	520	4	< 5	1	17	0.12	< 10	< 10	84	< 5	44
L10200N 09900W	201 238	1	0.04	11	690	6	< 5	1	13	0.12	< 10	< 10	90	< 5	66
L10200N 09950W	201 238	1	0.06	11	660	8	< 5	1	16	0.05	< 10	< 10	38	< 5	49
L10200N 10000W	201 238	< 1	0.09	5	150	2	< 5	< 1	5	0.04	< 10	< 10	23	< 5	10
L10200N 10050W	201 238	< 1	0.06	5	440	4	< 5	1	13	0.05	< 10	< 10	39	< 5	24
L10200N 10100W	201 238	< 1	0.06	5	500	8	< 5	< 1	13	0.04	< 10	< 10	30	< 5	14
L10200N 10150W	201 238	< 1	0.06	2	390	2	< 5	< 1	9	0.06	< 10	< 10	41	< 5	23
L10200N 10200W	201 238	1	0.08	1	280	12	< 5	< 1	6	0.05	< 10	< 10	31	< 5	13
L10200N 10250W	201 238	1	0.08	4	220	10	< 5	< 1	7	0.07	< 10	< 10	45	5	19
L10200N 10300W	201 238	1	0.02	13	580	< 2	< 5	3	16	0.12	< 10	< 10	92	< 5	45
L10300N 09500W	201 238	< 1	0.10	6	220	< 2	< 5	< 1	11	0.04	< 10	< 10	18	< 5	8
L10300N 09550W	201 238	1	0.02	16	430	< 2	< 5	5	28	0.13	< 10	< 10	89	5	78
L10300N 09600W	201 238	< 1	0.05	10	400	6	< 5	2	16	0.08	< 10	< 10	70	< 5	35
L10300N 09650W	201 238	1	0.07	14	880	10	< 5	3	23	0.06	< 10	< 10	46	5	36
L10300N 09700W	201 238	1	0.01	16	770	< 2	< 5	3	20	0.07	< 10	< 10	81	< 5	50
L10300N 09750W	201 238	1	0.03	10	730	4	< 5	1	15	0.10	< 10	< 10	92	< 5	46
L10300N 09800W	201 238	2	0.01	15	770	4	< 5	1	20	0.08	< 10	< 10	87	< 5	37
L10300N 09850W	201 238	< 1	0.07	9	670	< 2	< 5	1	10	0.22	< 10	< 10	157	< 5	53
L10300N 09900W	201 238	< 1	0.08	3	230	6	< 5	< 1	7	0.04	< 10	< 10	22	< 5	10
L10300N 09950W	201 238	2	0.02	13	510	< 2	< 5	1	11	0.14	< 10	< 10	96	< 5	42
L10300N 10000W	201 238	1	0.03	14	1120	6	< 5	4	35	0.03	< 10	< 10	49	5	76
L10300N 10050W	201 238	2	0.01	19	490	4	< 5	4	22	0.14	< 10	< 10	95	< 5	63
L10300N 10100W	201 238	3	0.03	11	480	8	< 5	3	14	0.08	< 10	< 10	66	< 5	57
L10300N 10150W	201 238	1	0.06	8	570	12	< 5	< 1	14	0.03	< 10	< 10	18	< 5	18

CERTIFICATION :

*B. Coughlin*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.  
(ATTN: RAY DUJARDIN)  
703 - 1112 W. PENDER ST.  
VANCOUVER, B.C.  
V6E 2S1

Project: Y12  
Comments: CC: TOR BRULAND


Page No. : 6-A  
Tot. Pages: 7  
Date : 7-AUG-88  
Invoice #: I-8819595  
P.O. #: 67918

## CERTIFICATE OF ANALYSIS A8819595

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
L10300N 10200W	201 238	< 5	0.56	0.2	< 5	30	< 0.5	< 2	0.11	< 0.5	2	5	9	1.09	< 10	< 1	0.03	< 10	0.08	163
L10300N 10250W	201 238	< 5	0.98	0.2	25	50	0.5	< 2	0.10	< 0.5	2	13	17	1.51	< 10	2	0.04	10	0.13	174
L10300N 10300W	201 238	< 5	1.58	< 0.2	40	70	1.0	< 2	0.13	< 0.5	6	31	19	4.22	10	2	0.06	10	0.28	263
L10400N 09500W	201 238	< 5	1.19	0.2	< 5	70	0.5	< 2	0.21	< 0.5	5	13	10	1.76	< 10	< 1	0.07	10	0.26	252
L10400N 09550W	201 238	< 5	0.60	< 0.2	< 5	30	< 0.5	< 2	0.05	< 0.5	3	5	5	1.10	< 10	< 1	0.04	< 10	0.12	110
L10400N 09600W	201 238	< 5	0.22	0.4	< 5	10	< 0.5	< 2	0.18	< 0.5	3	2	3	0.97	< 10	1	0.03	< 10	0.07	60
L10400N 09650W	201 238	< 5	0.85	0.4	< 5	60	0.5	< 2	0.12	< 0.5	5	15	10	2.02	< 10	< 1	0.04	< 10	0.18	154
L10400N 09700W	201 238	< 5	1.42	< 0.2	< 5	110	0.5	< 2	0.18	< 0.5	6	25	13	2.53	< 10	< 1	0.05	10	0.41	259
L10400N 09750W	201 238	< 5	2.42	< 0.2	< 5	120	1.5	< 2	0.25	< 0.5	10	40	26	2.93	< 10	< 1	0.10	10	0.78	1720
L10400N 09800W	201 238	< 5	0.47	< 0.2	< 5	20	< 0.5	< 2	0.05	< 0.5	3	5	7	1.31	< 10	2	0.02	< 10	0.06	82
L10400N 09850W	201 238	< 5	0.84	< 0.2	< 5	40	< 0.5	< 2	0.07	< 0.5	3	10	11	1.95	< 10	1	0.04	< 10	0.12	125
L10400N 09900W	201 238	< 5	1.46	< 0.2	15	70	0.5	< 2	0.25	< 0.5	4	21	15	2.54	< 10	2	0.11	30	0.39	257
L10400N 09950W	201 238	< 5	1.27	< 0.2	10	120	1.5	< 2	0.31	< 0.5	11	13	18	3.10	< 10	2	0.14	30	0.19	1000
L10400N 10000W	201 238	< 5	1.24	< 0.2	5	90	0.5	< 2	0.29	< 0.5	5	20	11	2.06	< 10	< 1	0.09	20	0.34	262
L10400N 10050W	201 238	< 5	0.33	< 0.2	5	30	< 0.5	< 2	0.13	< 0.5	3	2	4	0.91	< 10	< 1	0.04	< 10	0.06	119
L10400N 10100W	201 238	< 5	1.53	< 0.2	< 5	130	0.5	< 2	0.31	< 0.5	5	21	13	1.76	< 10	< 1	0.10	20	0.35	493
L10400N 10150W	201 238	< 5	3.41	< 0.2	10	190	1.5	< 2	0.31	< 0.5	13	44	23	3.51	< 10	< 1	0.12	20	0.75	630
L10400N 10200W	201 238	< 5	1.84	0.2	10	140	1.0	< 2	0.35	< 0.5	7	32	15	2.11	< 10	< 1	0.09	20	0.43	538
L10400N 10250W	201 238	< 5	0.40	< 0.2	5	10	< 0.5	< 2	0.05	< 0.5	3	5	5	1.35	< 10	1	0.02	< 10	0.05	83
L10400N 10300W	201 238	< 5	0.31	< 0.2	5	20	< 0.5	< 2	0.05	< 0.5	1	8	6	0.92	< 10	< 1	0.02	< 10	0.06	78
L10500N 09500W	201 238	< 5	0.47	0.4	5	30	< 0.5	< 2	0.10	< 0.5	3	23	6	0.99	< 10	< 1	0.04	< 10	0.32	87
L10500N 09550W	201 238	< 5	0.69	0.6	10	40	< 0.5	< 2	0.08	< 0.5	3	12	10	1.54	< 10	< 1	0.04	< 10	0.14	184
L10500N 09600W	201 238	< 5	2.17	0.6	< 5	80	1.0	4	0.13	< 0.5	8	32	15	2.98	< 10	< 1	0.14	10	0.55	317
L10500N 09650W	201 238	< 5	2.60	< 0.2	< 5	90	1.5	< 2	0.27	< 0.5	15	65	20	4.11	< 10	< 1	0.14	20	1.10	972
L10500N 09700W	201 238	< 5	2.14	< 0.2	10	160	1.0	< 2	0.52	< 0.5	12	41	20	3.71	< 10	< 1	0.17	20	0.99	1045
L10500N 09750W	201 238	< 5	1.30	< 0.2	< 5	100	0.5	< 2	0.35	< 0.5	8	25	16	2.48	< 10	< 1	0.07	10	0.45	393
L10500N 09850W	201 238	< 5	0.75	< 0.2	< 5	30	< 0.5	< 2	0.08	< 0.5	2	12	8	1.82	< 10	< 1	0.03	< 10	0.13	122
L10500N 09900W	201 238	< 5	0.24	< 0.2	< 5	20	< 0.5	< 2	0.06	< 0.5	1	4	5	1.25	< 10	< 1	0.02	< 10	0.05	59
L10500N 09950W	201 238	< 5	0.54	0.4	< 5	20	< 0.5	< 2	0.10	< 0.5	4	3	8	1.14	< 10	< 1	0.03	< 10	0.07	114
L10500N 10000W	201 238	< 5	1.58	0.4	< 5	110	0.5	2	0.41	< 0.5	10	31	18	3.00	< 10	< 1	0.12	20	0.62	560
L10500N 10050W	201 238	< 5	0.34	0.2	5	10	< 0.5	< 2	0.04	< 0.5	3	3	5	1.03	< 10	< 1	0.02	< 10	0.05	53
L10500N 10100W	201 238	< 5	1.75	0.6	20	190	0.5	< 2	0.50	< 0.5	6	24	23	2.05	10	< 1	0.10	40	0.45	450
L10500N 10150W	201 238	< 5	1.19	0.4	< 5	110	0.5	< 2	0.41	< 0.5	7	15	14	1.59	< 10	< 1	0.07	20	0.26	484
L10500N 10200W	201 238	< 5	1.25	0.4	< 5	110	0.5	< 2	0.33	< 0.5	6	17	13	1.33	< 10	< 1	0.05	20	0.35	517
L10500N 10250W	201 238	< 5	1.12	0.4	10	70	0.5	< 2	0.16	< 0.5	3	13	12	0.84	< 10	< 1	0.05	20	0.19	50
L10500N 10300W	201 238	< 5	1.36	0.6	30	90	1.0	< 2	0.37	< 0.5	10	17	20	2.43	10	< 1	0.05	50	0.19	2060
L10600N 09500W	201 238	< 5	2.50	< 0.2	< 5	110	1.0	6	0.51	< 0.5	28	157	29	4.17	< 10	< 1	0.05	20	4.05	507
L10600N 09550W	201 238	< 5	2.37	< 0.2	< 5	70	1.5	< 2	0.40	< 0.5	27	364	28	4.00	< 10	< 1	0.02	20	2.84	1150
L10600N 09600W	201 238	< 5	0.70	0.4	10	20	< 0.5	< 2	0.07	< 0.5	5	13	7	1.86	< 10	< 1	0.05	< 10	0.22	135
L10600N 09650W	201 238	< 5	1.43	0.4	< 5	70	0.5	4	0.23	< 0.5	5	30	14	2.32	< 10	1	0.07	10	0.55	260

CERTIFICATION :

*B. Coughlin*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 BROOKSBANK AVE., NORTH VANCOUVER,  
 BRITISH COLUMBIA, CANADA V7J-2C1  
 PHONE (604) 984-0221

To : KERR ADDISON MINES LTD.  
 (ATTN: RAY DUJARDIN)  
 703 - 1112 W. PENDER ST.  
 VANCOUVER, B.C.  
 V6E 2S1

Project : Y12  
 Comments: CC: TOR BRULAND


Page No. : 6-B  
 Tot. Pages: 7  
 Date : 7-AUG-88  
 Invoice # : I-8819595  
 P.O. # : 67918

## CERTIFICATE OF ANALYSIS A8819595

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L10300N 10200W	201 238	< 1	0.08	7	370	6	< 5	< 1	12	0.05	< 10	< 10	36	< 5	17
L10300N 10250W	201 238	2	0.05	7	630	4	< 5	1	12	0.05	< 10	< 10	43	< 5	28
L10300N 10300W	201 238	1	0.01	13	500	16	< 5	3	16	0.13	< 10	< 10	108	< 5	50
L10400N 09500W	201 238	1	0.05	12	380	16	< 5	1	20	0.07	< 10	< 10	44	< 5	50
L10400N 09550W	201 238	< 1	0.07	4	190	< 2	< 5	< 1	6	0.04	< 10	< 10	31	< 5	27
L10400N 09600W	201 238	< 1	0.08	2	250	< 2	< 5	< 1	13	0.05	< 10	< 10	35	< 5	14
L10400N 09650W	201 238	1	0.05	6	590	< 2	< 5	1	12	0.07	< 10	< 10	66	< 5	29
L10400N 09700W	201 238	2	0.05	5	410	8	< 5	2	20	0.07	< 10	< 10	68	< 5	36
L10400N 09750W	201 238	1	0.01	17	850	14	< 5	3	18	0.01	< 10	< 10	68	< 5	48
L10400N 09800W	201 238	< 1	0.03	4	380	< 2	< 5	< 1	7	0.05	< 10	< 10	44	< 5	17
L10400N 09850W	201 238	2	0.02	8	400	20	< 5	1	8	0.06	< 10	< 10	61	< 5	33
L10400N 09900W	201 238	1	0.02	8	1000	18	< 5	2	14	0.04	< 10	< 10	50	< 5	76
L10400N 09950W	201 238	1	0.02	7	1310	12	< 5	4	21	0.01	< 10	< 10	32	< 5	64
L10400N 10000W	201 238	1	0.03	12	750	6	< 5	3	22	0.05	< 10	< 10	46	< 5	53
L10400N 10050W	201 238	< 1	0.07	< 1	370	< 2	< 5	< 1	12	0.04	< 10	< 10	31	< 5	16
L10400N 10100W	201 238	2	0.06	11	740	4	< 5	3	26	0.06	< 10	< 10	42	< 5	47
L10400N 10150W	201 238	1	0.03	25	620	14	< 5	6	28	0.12	< 10	< 10	73	< 5	66
L10400N 10200W	201 238	< 1	0.05	19	850	< 2	< 5	4	29	0.06	< 10	< 10	51	< 5	48
L10400N 10250W	201 238	< 1	0.07	3	290	< 2	< 5	< 1	6	0.07	< 10	< 10	49	< 5	19
L10400N 10300W	201 238	1	0.06	3	300	< 2	< 5	< 1	6	0.04	< 10	< 10	32	< 5	14
L10500N 09500W	201 238	< 1	0.07	19	290	< 2	< 5	< 1	11	0.05	< 10	< 10	31	< 5	16
L10500N 09550W	201 238	< 1	0.05	7	380	18	< 5	< 1	9	0.07	< 10	< 10	48	< 5	33
L10500N 09600W	201 238	1	0.01	21	500	26	< 5	2	12	0.04	< 10	< 10	53	< 5	70
L10500N 09650W	201 238	4	0.01	26	800	10	< 5	4	23	0.04	< 10	< 10	64	< 5	67
L10500N 09700W	201 238	2	0.02	24	1000	12	< 5	5	35	0.04	< 10	< 10	63	< 5	69
L10500N 09750W	201 238	1	0.04	12	740	2	< 5	2	23	0.07	< 10	< 10	56	< 5	42
L10500N 09850W	201 238	< 1	0.06	3	290	10	< 5	< 1	9	0.07	< 10	< 10	51	< 5	25
L10500N 09900W	201 238	< 1	0.07	2	220	< 2	< 5	< 1	6	0.06	< 10	< 10	42	< 5	16
L10500N 09950W	201 238	< 1	0.06	2	510	< 2	< 5	< 1	8	0.04	< 10	< 10	30	< 5	20
L10500N 10000W	201 238	2	0.02	23	980	2	< 5	4	24	0.10	< 10	< 10	61	< 5	71
L10500N 10050W	201 238	< 1	0.07	5	240	2	< 5	< 1	6	0.06	< 10	< 10	35	< 5	15
L10500N 10100W	201 238	1	0.06	14	1030	< 2	< 5	4	44	0.06	< 10	< 10	42	< 5	45
L10500N 10150W	201 238	< 1	0.07	9	1000	< 2	< 5	2	36	0.05	< 10	< 10	37	< 5	34
L10500N 10200W	201 238	1	0.06	14	900	< 2	< 5	1	30	0.05	< 10	< 10	28	< 5	30
L10500N 10250W	201 238	< 1	0.07	6	530	< 2	< 5	1	17	0.04	< 10	< 10	19	< 5	19
L10500N 10300W	201 238	3	0.04	9	1280	4	< 5	3	29	0.04	< 10	< 10	61	< 5	31
L10600N 09500W	201 238	< 1	0.02	174	990	< 2	< 5	5	47	0.13	< 10	< 10	82	< 5	55
L10600N 09550W	201 238	1	0.03	272	880	< 2	< 5	7	27	0.08	< 10	< 10	83	< 5	50
L10600N 09600W	201 238	< 1	0.04	10	330	< 2	< 5	1	6	0.05	< 10	< 10	43	< 5	28
L10600N 09650W	201 238	< 1	0.04	13	600	< 2	< 5	2	18	0.07	< 10	< 10	51	< 5	43

CERTIFICATION :

*B. Coughlin*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.  
(ATTN: RAY DUJARDIN)  
703 - 1112 W. PENDER ST.  
VANCOUVER, B.C.  
V6E 2S1

Project: Y12


Comments: CC: TOR BRULAND

Page No. : 7-A  
Tot. Pages: 7  
Date : 7-AUG-88  
Invoice #: I-8819595  
P.O. #: 67918

## CERTIFICATE OF ANALYSIS A8819595

SAMPLE DESCRIPTION	PREP CODE		Au ppb	Al	Ag	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
			FA+AA	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%
L10600N 09700W	201	238	< 5	1.82	0.2	10	160	1.0	< 2	0.65	< 0.5	12	30	18	3.12	10	< 1	0.20	20	0.75	589
L10600N 09750W	201	238	< 5	1.34	0.4	10	90	0.5	< 2	0.59	< 0.5	7	15	22	2.01	10	< 1	0.06	20	0.30	393
L10600N 09800W	201	238	< 5	0.41	0.4	< 5	40	< 0.5	< 2	0.27	< 0.5	2	5	10	1.22	< 10	< 1	0.04	10	0.09	75
L10600N 09850W	201	238	< 5	1.64	0.4	< 5	90	1.0	< 2	0.43	< 0.5	11	44	17	3.22	10	< 1	0.17	30	0.82	526
L10600N 09900W	201	238	< 5	0.58	0.4	< 5	30	< 0.5	< 2	0.11	< 0.5	3	11	10	1.35	< 10	< 1	0.04	< 10	0.11	76
L10600N 09950W	201	238	< 5	0.47	0.6	< 5	30	< 0.5	< 2	0.12	< 0.5	6	10	9	2.23	< 10	< 1	0.03	10	0.10	107
L10600N 10000W	201	238	< 5	1.44	0.2	15	110	1.0	< 2	0.47	< 0.5	7	21	22	1.66	10	< 1	0.08	50	0.28	490
L10600N 10050W	201	238	< 5	1.77	0.6	5	110	1.0	< 2	0.30	< 0.5	5	40	17	2.35	10	< 1	0.09	20	0.47	845
L10600N 10100W	201	238	< 5	0.58	0.6	< 5	30	< 0.5	< 2	0.19	< 0.5	5	10	6	1.00	< 10	1	0.04	10	0.13	68
L10600N 10200W	201	238	< 5	2.30	0.6	10	160	0.5	4	1.06	< 0.5	6	38	20	2.01	10	< 1	0.08	40	0.61	813
L10600N 10250W	201	238	< 5	0.26	0.4	< 5	10	< 0.5	< 2	0.16	< 0.5	1	3	1	0.36	< 10	1	0.03	< 10	0.05	40
L10700N 09500W	201	238	< 5	3.14	0.2	10	150	1.0	< 2	0.52	< 0.5	18	80	29	3.87	10	2	0.09	20	1.48	668
L10700N 09550W	201	238	< 5	0.39	0.4	5	20	< 0.5	< 2	0.14	< 0.5	2	3	6	0.32	< 10	< 1	0.02	< 10	0.06	45
L10700N 09600W	201	238	< 5	2.14	< 0.2	< 5	170	0.5	< 2	0.83	< 0.5	23	122	29	4.11	10	< 1	0.06	20	2.56	919
L10700N 09650W	201	238	< 5	0.88	0.2	< 5	50	< 0.5	< 2	0.23	< 0.5	5	19	10	0.87	< 10	< 1	0.03	10	0.24	298
L10700N 09700W	201	238	< 5	2.78	0.4	15	150	1.0	< 2	0.39	< 0.5	17	88	29	4.06	10	< 1	0.10	20	1.36	811
L10700N 09750W	201	238	< 5	0.89	0.6	< 5	50	< 0.5	< 2	0.20	< 0.5	6	22	9	1.45	< 10	< 1	0.03	10	0.40	163
L10700N 09800W	201	238	< 5	1.13	0.6	< 5	70	< 0.5	< 2	0.25	< 0.5	5	21	8	1.06	< 10	< 1	0.04	10	0.30	186
L10700N 09850W	201	238	< 5	1.86	0.4	< 5	140	< 0.5	< 2	0.47	< 0.5	5	49	12	2.39	10	< 1	0.05	10	0.72	436
L10700N 09900W	201	238	< 5	1.96	0.6	5	110	0.5	< 2	0.67	< 0.5	6	32	15	2.10	10	< 1	0.04	10	0.57	299
L10700N 09950W	201	238	< 5	0.30	0.2	< 5	20	< 0.5	< 2	0.12	< 0.5	2	3	3	0.41	< 10	< 1	0.03	< 10	0.05	39
L10700N 10000W	201	238	< 5	1.66	0.2	< 5	90	0.5	< 2	0.33	< 0.5	5	22	13	2.02	< 10	< 1	0.07	10	0.32	574
L10700N 10050W	201	238	< 5	0.37	0.2	< 5	20	< 0.5	< 2	0.16	< 0.5	4	6	4	0.77	< 10	< 1	0.03	< 10	0.05	41
L10700N 10100W	201	238	< 5	0.99	0.2	< 5	60	0.5	< 2	0.51	< 0.5	2	10	12	1.06	< 10	1	0.04	20	0.18	157
L10700N 10150W	201	238	< 5	0.39	0.2	5	20	< 0.5	< 2	0.14	< 0.5	4	2	7	1.42	< 10	< 1	0.03	< 10	0.07	95
L10700N 10200W	201	238	< 5	0.57	0.4	5	40	< 0.5	< 2	0.26	< 0.5	2	5	7	0.84	< 10	< 1	0.03	< 10	0.09	118
L10700N 10250W	201	238	< 5	2.03	< 0.2	10	140	0.5	< 2	0.64	< 0.5	12	50	18	2.49	< 10	< 1	0.07	20	0.87	253
L10700N 10300W	201	238	< 5	0.51	< 0.2	< 5	30	< 0.5	< 2	0.44	< 0.5	3	2	9	0.78	< 10	< 1	0.03	10	0.11	71

CERTIFICATION



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: KERR ADDISON MINES LTD.  
(ATTN: RAY DUJARDIN)  
703 - 1112 W. PENDER ST.  
VANCOUVER, B.C.  
V6E 2S1

Project: Y12

Comments: CC: TOR BRULAND

Page No. : 7-B  
Tot. Pages: 7  
Date : 7-AUG-88  
Invoice #: I-8819595  
P.O. #: 67918

## CERTIFICATE OF ANALYSIS A8819595

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
L10600N 09700W	201 238	1	0.02	23	1330	8	< 5	5	35	0.02	< 10	< 10	51	5	63
L10600N 09750W	201 238	2	0.04	7	1490	6	< 5	1	46	0.04	< 10	< 10	42	< 5	28
L10600N 09800W	201 238	1	0.04	3	890	4	< 5	< 1	20	0.05	< 10	< 10	36	< 5	23
L10600N 09850W	201 238	1	0.02	25	1050	6	< 5	3	25	0.08	< 10	< 10	66	< 5	97
L10600N 09900W	201 238	1	0.05	2	560	< 2	< 5	< 1	11	0.06	< 10	< 10	38	< 5	21
L10600N 09950W	201 238	< 1	0.05	4	540	< 2	< 5	1	12	0.11	< 10	< 10	78	< 5	31
L10600N 10000W	201 238	< 1	0.05	13	1190	2	< 5	5	41	0.03	< 10	< 10	30	5	29
L10600N 10050W	201 238	< 1	0.06	14	830	< 2	< 5	4	26	0.07	< 10	< 10	49	< 5	50
L10600N 10100W	201 238	< 1	0.07	< 1	840	2	< 5	2	12	0.09	< 10	< 10	34	< 5	17
L10600N 10200W	201 238	3	0.03	17	1460	8	< 5	5	111	0.06	< 10	< 10	43	< 5	106
L10600N 10250W	201 238	< 1	0.10	< 1	370	4	< 5	< 1	15	0.04	< 10	< 10	12	< 5	6
L10700N 09500W	201 238	2	0.01	45	1000	2	< 5	7	34	0.11	< 10	< 10	80	< 5	63
L10700N 09550W	201 238	< 1	0.10	1	320	< 2	< 5	< 1	10	0.02	< 10	< 10	9	< 5	6
L10700N 09600W	201 238	< 1	0.05	131	1250	< 2	< 5	8	51	0.11	< 10	< 10	82	5	65
L10700N 09650W	201 238	< 1	0.09	19	560	< 2	< 5	1	18	0.03	< 10	< 10	19	< 5	18
L10700N 09700W	201 238	1	0.02	69	1050	< 2	< 5	3	31	0.06	< 10	< 10	73	5	85
L10700N 09750W	201 238	< 1	0.07	20	640	8	< 5	1	15	0.05	< 10	< 10	37	< 5	23
L10700N 09800W	201 238	1	0.07	14	730	< 2	< 5	1	20	0.03	< 10	< 10	22	< 5	21
L10700N 09850W	201 238	< 1	0.04	28	1570	22	< 5	2	35	0.05	< 10	< 10	53	< 5	73
L10700N 09900W	201 238	< 1	0.05	20	1520	< 2	< 5	3	63	0.06	< 10	< 10	52	< 5	48
L10700N 09950W	201 238	< 1	0.11	< 1	330	8	< 5	< 1	11	0.02	< 10	< 10	12	< 5	6
L10700N 10000W	201 238	< 1	0.07	6	640	14	< 5	3	31	0.08	< 10	< 10	46	5	34
L10700N 10050W	201 238	< 1	0.10	1	310	12	< 5	< 1	17	0.04	< 10	< 10	25	< 5	11
L10700N 10100W	201 238	< 1	0.09	7	730	8	< 5	1	49	0.05	< 10	< 10	27	5	20
L10700N 10150W	201 238	1	0.08	< 1	480	4	< 5	< 1	12	0.09	< 10	< 10	50	< 5	20
L10700N 10200W	201 238	1	0.09	3	620	20	< 5	1	27	0.04	< 10	< 10	22	5	11
L10700N 10250W	201 238	1	0.03	25	970	12	< 5	5	49	0.14	< 10	< 10	54	5	63
L10700N 10300W	201 238	< 1	0.10	2	550	8	< 5	< 1	45	0.04	< 10	< 10	20	< 5	13

CERTIFICATION :

*B. Coughlin*