

PC-XPLOR VERSION 1.30 CURRASH RESOURCES IN
 Exploration Data Manager 15:26:29 Serial no: 20320
 By GEMCOM SERVICES INC. 20/ 3/91 Page : 1
 *** VANGORDA - Drill Hole Database ***
 *** ***

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

005008

HOLE-ID: 90V-01

EASTING: 9910.0 NORTHING: 9720.4 ELEVATION: 1148.7
 LENGTH: 22.3

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
22.3	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	3.0	#	
3.0	4.7	DB	
4.7	5.5	4L	
5.5	11.9	3G9	
11.9	13.2	4L0	
13.2	21.0	4A4	
21.0	22.3	4L0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZN	AS S/T	AU G/T	XFE	XBA	XCU
13.2	14.8	60175	4A4	20	3.09	2.96	2.60	3.62	30.9	.93	12.06	.38	.140
14.8	16.3	60176	4A4	20	2.97	2.89	1.82	2.80	21.7	1.01	10.37	.29	.130
16.3	17.9	60177	4A4	20	3.19	2.99	2.20	4.20	27.5	.98	13.88	1.03	.140
17.9	19.5	60178	4A4	20	3.15	3.32	3.37	7.71	31.2	.94	10.41	.73	.090
19.5	21.0	60179	4A4	20	3.12	3.01	3.40	5.64	34.7	.62	11.38	.12	.090

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-02

EASTING: 9925.9 NORTHING: 9720.7 ELEVATION: 1149.4
 LENGTH: 54.3

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
54.3	-90.0	.0	.0

```

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GENCOM SERVICES INC.
CURRAGH RESOURCES IN
15:26:31 Serial no: 20320
20/ 3/91 Page : 2
*** VANGORDA - Drill Hole Database ***
***

```

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
22.3	3.0	#	
3.0	4.0	OB	
4.0	5.5	OB	
5.5	11.6	5A6	
11.6	17.8	4A4	
17.8	19.8	4A4	
19.8	46.6	4L27	
46.6	47.6	4E64	
47.6	48.8	4LOBXA	
48.8	54.3	4L70	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	WPB	WZN	AG G/T	AU G/T	XFE	XBA	XCU
11.6	13.1	60164	4A4	20	3.20	3.18	2.21	3.47	25.8	.90	14.18	1.19	.140
13.1	14.7	60165	4A4	20	3.01	3.12	2.71	6.28	34.4	.84	8.86	.23	.120
14.7	16.3	60166	4A4	20	3.09	3.04	3.70	5.98	39.4	.87	10.17	.16	.130
16.3	17.8	60167	4A4	20	3.34	3.09	4.24	11.47	50.9	1.09	13.06	.09	.180
17.8	18.8	60168	4A4	20	3.05	.00	3.04	5.35	34.7	1.08	10.11	.13	.200
18.8	19.8	60169	4A44	20	3.20	3.22	4.18	10.02	50.0	2.11	10.29	.12	.110
46.6	47.7	60170	4E64	50	4.07	4.08	6.91	10.20	76.6	6.38	19.22	8.62	.170

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-03

EASTING: 9938.8 NORTHING: 9720.7 ELEVATION: 1149.3
LENGTH: 31.4

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
31.4	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	15.2	#	
15.2	5.5	OB	
5.5	9.4	3E0	
9.4	10.4	4L0	
10.4	11.6	4E06	
11.6	16.3	4A44	

```

PC-XPLOR VERSION 1.30
Exploration Data Manager
By SENCOM SERVICES INC.
CURRASH RESOURCES IN
15:26:33 Serial no: 20320
20/ 3/91 Page : 3
*** VANSORDA - Drill Hole Database ***
***

```

```

16.3 26.1 4L627
26.1 28.0 5C0
28.0 28.7 4L627
28.7 29.7 5C0
29.7 31.4 4L627

```

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AS G/T	AU G/T	%FE	%BA	%CU
10.4	11.6	60171	4E06	50	3.78	4.52	1.46	1.04	16.7	5.10	27.13	3.56	.230
11.6	13.2	60172	4A4	20	3.09	2.93	4.07	5.30	43.4	1.03	10.04	.16	.090
13.2	14.8	60173	4A44	20	3.20	3.09	4.88	8.89	59.3	1.15	9.94	.49	.090
14.8	16.3	60174	4A44	20	3.14	3.69	3.19	6.83	38.5	.67	9.93	1.54	.130

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-04

EASTING: 9969.3 NORTHING: 9721.0 ELEVATION: 1150.4
LENGTH: 40.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
40.2	-90.0	.0	.0

LITHOLGY DATA

FROM	TO	ROCK	REMARKS
.0	.6	#	
.6	2.4	08	
2.4	5.5	08	
5.5	15.2	3G0	
15.2	15.7	4A4	
15.7	16.1	4E4	
16.1	17.0	4E41	
17.0	18.6	4G48	
18.6	19.4	4G0	
19.4	21.2	4G4	
21.2	22.2	4D0	
22.2	26.4	4L0	
26.4	26.9	4G4	
26.9	27.3	4L0	
27.3	29.1	4G4	
29.1	29.9	4L0	
29.9	30.8	4G4	
30.8	34.2	3G49	
34.2	35.8	4E0	

35.8 40.2 369

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU S/T	XFE	XBA	XCU
15.2	15.7	60151	4A4	20	3.19	.00	2.05	4.40	24.3	.64	14.64	.31	.030
15.7	16.1	60152	4E4	50	3.87	.00	3.78	8.45	56.4	2.33	25.79	1.42	.120
16.1	17.0	60153	4E41	50	3.95	4.57	3.65	4.19	51.3	.96	29.82	1.39	.400
17.0	18.6	60154	4G4B	60	4.15	4.69	6.49	5.15	60.7	1.25	25.73	6.82	.170
18.6	19.4	60155	4G0	60	3.82	.00	3.12	5.47	36.7	.54	18.82	8.82	.050
19.4	20.3	60156	4G4	60	4.31	4.37	5.44	7.68	60.7	1.37	18.65	16.94	.080
20.3	21.2	60157	4G0	60	4.19	4.26	3.72	4.26	33.5	.64	25.05	11.11	.130
21.2	22.2	60158	4D0	80	3.33	.00	2.26	5.96	34.8	.25	16.28	.98	.130
22.2	26.9	60159	4G4	60	4.01	.00	3.97	7.43	40.8	.40	16.47	13.82	.070
26.9	28.2	60160	4G4	60	4.29	4.20	5.52	7.74	33.1	.24	19.33	15.80	.090
28.2	29.1	60161	4G4	60	4.16	.00	3.51	6.88	34.3	.21	16.39	17.95	.060
29.1	30.8	60162	4G4	60	3.77	3.93	4.26	7.73	57.0	.41	13.18	11.07	.040
30.8	35.8	60163	4E0	50	3.82	4.40	1.41	1.95	35.6	.30	27.56	3.63	.490

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-05

EASTING: 9999.2 NORTHING: 9721.5 ELEVATION: 1151.4
LENGTH: 36.0

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
36.0	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	.6	#	
.6	2.1	OB	
2.1	5.9	4L0	
5.9	6.3	4E46	
6.3	7.6	4L0	
7.6	10.8	4E4	
10.8	16.6	4L3	
16.6	19.6	4E0	
19.6	24.9	4C0	
24.9	31.2	4L0	
31.2	36.0	3G0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AS G/T	AU G/T	%FE	%BA	%CU
5.9	6.3	60139	4E46	50	4.21	.00	9.64	8.16	116.9	.74	20.60	8.76	.030
6.3	9.2	60140	4E46	50	3.82	4.12	5.97	7.51	70.9	1.03	20.59	3.70	.090
9.2	10.8	60141	4E46	50	3.80	3.53	3.56	5.27	41.4	.55	17.89	9.13	.130
16.6	17.6	60142	4E4	50	4.04	4.19	5.25	6.60	35.0	.45	29.01	1.47	.070
17.6	18.6	60143	4E0	50	3.80	4.34	1.50	1.92	12.6	1.69	30.63	.14	.190
18.6	19.6	60144	4E0	50	3.78	4.50	.33	.73	20.0	.60	31.90	.10	.360
19.6	20.9	60145	4C0	30	3.58	3.90	1.57	.45	18.5	1.38	26.02	.10	.290
20.9	22.3	60146	4C0	30	3.67	3.89	.78	.46	13.5	.77	26.21	2.82	.220
22.3	23.6	60147	4C0	30	3.54	3.79	1.36	.59	16.2	.61	24.76	.57	.410
23.6	24.9	60148	4C0	30	3.49	3.61	.62	.52	12.5	.43	23.95	1.02	.420
25.3	26.5	60149	4C0	30	3.32	3.18	.84	.74	13.0	.99	20.58	.24	.220
26.5	27.7	60150	4C0	30	3.51	3.65	.14	.38	5.0	.52	25.36	.60	.180

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-06

EASTING: 10029.6 NORTHING: 9718.7 ELEVATION: 1153.9
LENGTH: 25.3

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
25.3	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	2.1	#	
2.1	3.8	DB	
3.8	8.7	4L0	
8.7	10.7	4C3	
10.7	12.3	4E14	
12.3	13.6	4E4	
13.6	17.3	4E1	
17.3	25.3	4L0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AS G/T	AU G/T	%FE	%BA	%CU
8.7	10.0	60132	4C3	40	3.54	3.71	.49	.05	14.4	.69	26.44	.03	.320
10.0	10.7	60133	4C3	40	3.54	3.47	.25	.71	14.3	.51	26.08	.25	.290
10.7	12.3	60134	4E14	40	3.88	3.83	2.96	3.49	29.3	2.02	29.89	.65	.340
12.3	13.6	60135	4E4	50	4.03	4.15	1.71	3.36	19.0	.78	34.97	.27	.220
13.6	14.8	60136	4E14	40	3.43	3.06	1.60	2.64	18.7	2.63	21.06	.73	.300
14.8	16.1	60137	4E14	40	3.31	2.99	.46	1.53	23.0	.51	19.74	.64	.530

PC-XPLOR VERSION 1.30 CURRAGH RESOURCES IN
Exploration Data Manager 15:26:40 Serial no: 20320
By GEMCOM SERVICES INC. 20/ 3/91 Page : 6
*** VANGORDA - Drill Hole Database ***
*** ***

16.1 17.3 60138 4E1 40 3.52 3.35 .19 2.48 13.3 .37 24.58 .66 .340

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-07

EASTING: 10045.0 NORTHING: 9719.0 ELEVATION: 1155.3
LENGTH: 23.8

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
23.8	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	4.3	DB	
4.3	7.6	4L0	
7.6	8.2	4G4	
8.2	11.0	4E14	
11.0	13.6	4D4	
13.6	21.0	4L0	
21.0	23.8	3G0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
7.6	8.2	60001	4G4	60	4.25	.00	3.47	6.70	27.5	.33	5.60	30.25	1.000
8.2	9.1	60002	4E14	40	3.38	.00	1.93	1.42	36.1	.66	19.18	1.58	1.000
9.1	10.1	60003	4E14	40	3.53	.00	2.90	4.09	35.9	1.04	17.50	4.56	1.000
10.1	11.0	60004	4E146	40	3.32	.00	2.09	3.58	22.9	.46	16.52	1.61	1.000
11.0	11.7	60005	4E146	80	3.93	.00	11.60	14.90	96.4	.60	12.03	6.10	1.000
11.7	12.8	60006	4D4	80	3.90	.00	14.30	10.50	154.7	.50	16.87	.24	1.000
12.8	13.6	60007	4D41	80	3.34	.00	8.13	6.26	89.7	.78	11.61	.29	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-08

EASTING: 10058.3 NORTHING: 9659.2 ELEVATION: 1157.6
LENGTH: 29.9

SURVEY DATA

FROM	TO	AZIMUTH	DIP
------	----	---------	-----

PC-XPLOR VERSION 1.30 CURRASH RESOURCES IN
 Exploration Data Manager 15:26:42 Serial no: 20320
 By SEMCOM SERVICES INC. 20/ 3/91 Page : 7
 *** VANSORDA - Drill Hole Database ***
 *** ***

.0 -90.0 .0 .0
 29.9 -90.0 .0 .0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	.6	#	
.6	6.2	DB	
6.2	8.4	DB	
8.4	17.1	4E0	
17.1	19.5	4E4	
19.5	20.0	4C0	
20.0	21.0	4L0	
21.0	22.2	4E0	
22.2	22.6	4L0	
22.6	23.8	4D0	
23.8	29.9	4L0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	%FE	%BA	%CU
8.4	9.9	60097	4E0	50	3.66	.00	3.01	.61	33.3	1.27	23.47	3.06	.510
9.9	12.8	60098	4E0	50	3.23	.00	.81	.55	16.5	.64	16.58	2.09	.560
12.8	14.3	60099	4E0	50	3.61	.00	.62	.11	8.8	1.44	27.65	.33	.110
14.3	15.9	60100	4E0	50	3.29	.00	1.39	.28	13.9	1.86	18.78	.96	.530
15.9	17.1	60101	4E0	50	3.27	1.00	1.28	1.32	20.2	3.51	17.70	1.25	.730
17.1	18.1	60102	4E4	50	3.59	.00	5.82	4.08	54.7	1.02	18.56	2.08	.920
18.1	19.5	60103	4E4	50	3.72	.00	1.36	3.34	14.8	.55	27.20	1.17	.370
19.5	20.0	60104	4C0	30	3.43	.00	.85	1.73	20.5	.73	22.69	.10	.310
20.0	20.7	0	4L0	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
20.7	22.2	60105	4E4	50	3.86	3.47	7.48	15.10	78.7	1.24	16.09	4.20	.130
22.2	23.8	60106	4D0	80	3.54	3.26	3.60	5.27	36.0	.41	20.41	.63	.310

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-09

EASTING: 10045.2 NORTHING: 9658.7 ELEVATION: 1157.2
 LENGTH: 36.6

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
36.6	-90.0	.0	.0

LITHOLOGY DATA

```

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.
CURRAGH RESOURCES IN
15:26:44 Serial no: 20320
20/ 3/91 Page : B
*** VANGORDA - Drill Hole Database ***
***

```

FROM	TO	ROCK	REMARKS
.0	6.6	DB	
6.6	9.8	4G4	
9.8	12.7	4E0	
12.7	14.3	4E0	
14.3	15.8	4G4	
15.8	16.3	4L0	
16.3	20.1	4E1	
20.1	24.0	4E4	
20.1	29.9	4C3	
29.9	36.6	4L0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	ZPB	ZZN	AG G/T	AU G/T	%FE	%BA	%CU
6.6	7.8	60067	4G4	60	4.45	3.86	3.92	7.09	77.5	.41	7.07	32.78	.340
7.8	9.8	60068	4G4	60	4.48	3.94	5.32	7.36	84.1	1.03	11.27	28.16	.230
9.8	10.7	60069	4E0	50	4.17	.00	1.81	.58	17.8	1.02	38.19	1.43	.280
10.7	11.3	60070	4E0	50	3.85	3.79	1.21	.36	16.1	1.36	31.92	.95	.230
11.3	12.8	60071	4E0	50	3.59	.00	1.54	.08	17.8	.76	26.45	.31	.200
14.3	15.9	60072	4G4	60	3.83	3.22	7.70	10.49	99.5	1.24	14.33	7.06	.920
16.3	17.1	60073	4E14	40	3.53	.00	1.79	3.08	16.0	2.83	22.96	.59	.150
17.1	18.8	60074	4E1	40	3.54	.00	1.21	1.40	19.7	7.18	25.02	.19	.580
18.8	20.1	60075	4E1	40	3.46	3.19	1.15	2.24	17.0	.58	22.78	.18	.360
20.1	21.4	60076	4E4	50	3.99	3.71	3.19	3.73	20.1	.93	32.75	.04	.160
21.4	22.7	60077	4E4	50	4.01	4.22	6.62	5.00	41.1	1.37	29.33	.11	.230
22.7	24.0	60078	4E4	50	3.82	3.49	3.65	3.24	29.9	1.40	27.22	1.32	.220
24.0	25.5	60079	4C3	40	3.43	3.24	.54	2.00	10.8	.68	22.48	.55	.230
25.5	27.0	60080	4C3	40	3.48	3.38	.38	1.06	13.6	.27	24.44	.20	.380
27.0	28.4	60081	4C3	40	3.47	3.46	.10	.90	9.8	.42	24.56	.19	.290
28.4	29.9	60082	4C3	40	3.22	3.17	.13	.21	7.1	.19	19.00	.25	.190

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-10

EASTING: 10030.6 NORTHING: 9659.4 ELEVATION: 1156.3
 LENGTH: 38.4

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
38.4	-90.0	.0	.0

LITHOLGY DATA

FROM	TO	ROCK	REMARKS
------	----	------	---------

PC-XPLOR VERSION 1.30 CURRAGH RESOURCES IN
Exploration Data Manager 15:26:46 Serial no: 20320
By BEMCOM SERVICES INC. 20/ 3/91 Page : 9
*** VANGORDA - Drill Hole Database ***
*** ***

.0	1.2	#
1.2	1.8	OB
1.8	3.8	OB
3.8	9.7	4L6
9.7	18.7	4L0
18.7	25.5	4E14
25.5	31.9	4C0
31.9	33.7	4E1
33.7	34.6	4L26
34.6	38.4	4L0

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	ZPB	ZZN	AG G/T	AU G/T	%FE	%BA	%CU
-1.0	-1.0	-1		-1	-1.00	-1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	-1.000
18.7	20.1	60083	4E1	40	3.66	.00	.86	1.67	15.0	1.33	25.71	2.43	.190
20.1	21.4	60084	4E14	40	3.78	3.33	1.68	4.07	19.7	.69	26.17	2.86	.140
21.4	22.7	60085	4E1	40	3.74	3.75	.89	1.78	13.5	.87	29.47	.45	.290
22.7	24.1	60086	4E14	40	3.98	3.87	2.20	3.23	16.8	2.53	33.45	.24	.180
24.1	25.5	60087	4E14	40	3.43	3.49	2.51	2.67	31.8	1.58	20.41	.40	.150
25.5	26.8	60088	4C0	30	3.21	3.23	.77	1.25	9.9	1.67	17.81	.27	.400
26.8	28.2	60089	4C0	30	3.58	3.70	.27	.71	7.1	.69	27.10	.24	.380
28.2	30.8	60090	4C0	30	3.22	3.29	.24	.96	7.4	.55	18.53	.32	.230
30.8	32.0	60091	4C0	30	3.35	3.33	.12	1.26	6.6	.25	21.01	.71	.260
32.0	33.7	60092	4E1	40	3.50	3.38	1.96	3.37	18.7	.35	21.96	.76	.270

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-11

EASTING: 10016.5 NORTHING: 9657.3 ELEVATION: 1155.5
LENGTH: 45.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
45.1	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	.6	#	
.6	3.7	OB	
3.7	7.9	4L0	
7.9	11.3	4B0#	
11.3	13.0	4E14	
13.0	23.2	4L0	
23.2	24.7	4L0	

*** VANSORDA - Drill Hole Database ***

*** ***

24.7	27.0	4E1
27.0	28.0	4C3
28.0	34.4	4L0
34.4	40.8	4C3
40.8	45.1	4L0

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS G/T	AU G/T	XFE	XBA	XCU
7.9	9.6	60114	4G0	60	3.78	2.35	5.46	5.05	53.5	.83	22.97	2.18	.180
9.6	11.3	60115	4G0	60	4.00	3.81	4.99	5.76	53.0	1.00	24.41	5.68	.200
11.3	13.0	60116	4E14	40	3.44	3.23	2.63	4.10	27.0	.49	15.58	4.60	.120
24.7	25.9	60117	4E1	40	3.69	3.65	.65	2.07	13.8	.97	27.14	1.65	.200
25.9	27.0	60118	4E1	40	3.73	3.63	.39	1.74	10.7	.72	28.52	1.67	.180
28.0	29.1	60119	4E1	40	3.64	.00	1.44	2.52	22.0	1.27	25.62	1.21	.250
29.1	30.2	60120	4E1	40	3.47	.00	.07	.13	5.4	.54	25.00	.15	.160
30.2	30.3	60121	4E1	40	3.84	.00	.84	1.18	9.7	.68	32.43	.13	.180
30.3	31.4	60122	4E1	40	3.94	3.61	1.22	2.38	13.0	.60	32.87	1.17	.200
31.4	32.4	60123	4E1	40	3.77	3.56	.27	2.30	7.4	.50	30.20	.82	.180
32.4	33.5	60124	4E1	40	3.47	3.49	.27	.76	12.9	.60	24.49	.22	.350
33.5	34.5	60125	4E1	40	3.70	3.85	.13	.49	13.6	.67	30.41	.04	.500
34.5	35.7	60126	4C3	40	3.38	3.64	.12	.43	8.0	.84	22.90	.12	.570
35.7	37.0	60127	4C3	40	3.34	3.39	.18	.45	7.8	.50	21.55	.37	.390
37.0	38.3	60128	4C3	40	3.44	3.57	.69	1.39	13.1	.57	23.33	.07	.290
38.3	39.6	60129	4C3	40	3.37	3.67	.75	1.21	13.9	.45	21.56	.11	.290
39.6	40.6	60130	4C3	40	3.33	3.38	.71	1.81	10.4	.55	20.52	.14	.200
40.6	40.9	60131	4C3	40	3.30	.00	.45	.62	7.5	.78	20.41	.20	.140

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-12

EASTING: 9943.2 NORTHING: 9659.5 ELEVATION: 1152.3

LENGTH: 50.3

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
50.3	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	1.2	#	
1.2	6.7	OB	
6.7	11.8	4G4	
11.8	16.7	4E4	
16.7	19.0	4E476	

PC-XPLOR VERSION 1.30 CURRAGH RESOURCES IN
Exploration Data Manager 15:26:51 Serial no: 20320
By GEMCOM SERVICES INC. 20/ 3/91 Page : 11
*** VANGORDA - Drill Hole Database ***
*** ***

19.0 20.5 4E01
20.5 22.3 4G4
22.3 29.7 4A0
29.7 30.4 4L2
30.4 31.5 4E1
31.5 34.0 4A4
34.0 38.3 4A0
38.3 39.9 3G964
39.9 42.2 4L2
42.2 50.3 3G962

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
6.7	8.0	60043	4G4	60	4.36	.00	6.34	3.83	115.2	.69	7.26	29.92	.500
8.0	9.3	60044	4G4	60	4.45	.00	11.09	3.53	119.7	.89	7.88	27.28	.630
9.3	10.5	60045	4G4	60	4.58	.00	7.09	4.32	73.5	1.00	11.30	30.14	.560
10.5	11.8	60046	4G4	60	4.57	3.72	8.33	4.21	79.2	.98	18.28	22.13	.500
11.8	13.1	60047	4E46	50	4.37	.00	10.70	4.45	97.8	1.40	33.14	1.08	.840
13.1	14.3	60048	4E4	50	4.26	4.21	8.04	5.85	94.3	1.19	33.28	.33	.730
14.3	15.5	60049	4E4	50	4.06	4.29	5.00	4.60	46.2	.74	31.71	.63	.350
15.5	16.7	60050	4E46	50	3.97	4.13	3.53	6.38	40.2	1.14	28.23	2.44	.120
16.7	17.8	60051	4E476	50	4.17	4.50	6.92	6.23	63.2	1.91	28.36	3.76	.180
17.8	19.0	60052	4E476	50	3.54	4.31	6.04	7.31	53.7	2.97	17.21	.77	.060
19.0	20.5	60053	4E01	50	3.80	3.83	1.44	2.44	22.2	1.18	29.19	1.25	.310
20.5	21.3	60054	4G4	60	4.55	4.56	4.78	9.07	71.3	1.91	12.04	28.60	.050
21.3	22.3	60055	4G4	60	4.24	4.30	3.93	5.95	52.5	4.11	22.42	13.90	.160
22.3	23.8	60056	4A0	20	3.20	3.13	1.04	1.28	15.6	.63	16.45	.98	.120
23.8	25.2	60057	4A0	20	2.68	2.82	.16	.31	3.1	.33	5.92	.66	.040
25.2	26.7	60058	4A0	20	2.75	2.81	.17	.38	3.7	.30	7.78	.38	.020
26.7	28.2	60059	4A0	20	2.66	2.78	.25	.47	5.0	.19	5.84	.32	.010
28.2	29.7	60060	4A0	20	2.84	.00	.41	.95	7.8	.24	9.33	.45	.020
30.4	31.6	60061	4E1	40	3.83	4.10	.75	.94	14.2	.77	31.39	1.08	.160
31.6	32.8	60062	4A4	20	3.11	3.13	3.83	5.32	45.0	1.65	10.62	.29	.110
32.8	34.0	60063	4A4	20	2.95	1.00	1.91	3.44	25.3	.86	9.64	.23	.140
34.0	35.5	60064	4A0	20	3.13	1.00	.59	.75	8.8	.60	16.40	.15	.210
35.5	36.9	60065	4A0	20	2.74	1.00	.78	.89	12.3	.66	6.92	.24	.100
36.9	38.4	60066	4A0	20	2.71	1.00	.66	.69	8.8	.38	6.46	.38	.060

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-13

EASTING: 9955.7 NORTHING: 9659.9 ELEVATION: 1153.1
LENGTH: 50.6

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
50.6	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	1.5	#	
1.5	1.7	DB	
1.7	3.7	4L6	
3.7	6.6	4L6	
6.6	17.7	3G0	
17.7	22.2	4L4	
22.2	24.9	4E1B	
24.9	26.0	4A0	
26.0	27.8	4E1B	
27.8	33.4	4A0	
33.4	34.3	3G9	
34.3	39.7	4L2	
39.7	40.3	5C#	
40.3	42.0	3G9	
42.0	43.3	4L0	
43.3	50.6	5A16	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
22.2	23.5	60026	4E41B	50	3.43	3.23	2.61	4.31	28.3	.55	13.32	6.40	1.000
23.5	24.9	60027	4E41B	50	3.82	4.36	2.30	2.12	23.9	.71	25.11	5.08	1.000
24.9	26.0	60028	4A0	20	3.08	.00	.36	2.96	4.8	1.03	12.67	1.82	1.000
26.0	27.8	60029	4E1B	40	3.66	4.03	.92	1.00	17.1	3.04	23.33	4.84	1.000
27.8	29.2	60030	4A4	20	3.01	2.83	2.55	3.42	34.3	4.04	10.24	.37	1.000
29.2	30.6	60031	4A4	20	2.89	2.84	2.40	3.83	35.1	32.61	7.60	.32	1.000
30.6	32.0	60032	4A0	20	3.02	2.92	1.56	2.38	22.6	21.36	12.20	.11	1.000
32.0	33.4	60033	4A0	20	2.79	2.88	1.00	1.59	14.0	.88	7.70	.11	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-14

EASTING: 9969.7 NORTHING: 9660.8 ELEVATION: 1153.9
LENGTH: 46.3

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
46.3	-90.0	.0	.0

LITHOLOGY DATA

*** VANGORDA - Drill Hole Database ***

FROM	TO	ROCK	REMARKS
.0	.6	#	
.6	1.8	OB	
1.8	7.7	3G0	
7.7	21.4	3G9	
21.4	22.4	4J47B	
22.4	24.8	4G4	
24.8	26.5	3G9	
26.5	30.1	4A4	
30.1	32.6	3G94	
32.6	36.3	4L0	
36.3	41.8	3G9	
41.8	42.4	4L0	
42.4	43.3	4E4	
43.3	44.7	4L0	
44.7	46.3	5A0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
21.4	22.4	60107	4J47B	80	4.06	4.24	6.94	5.51	78.2	1.50	20.42	9.33	.180
22.4	23.6	60108	4G4	60	4.21	4.20	4.61	6.61	58.5	2.06	21.16	13.46	.170
23.6	24.8	60109	4G0	60	3.91	4.16	2.41	2.22	32.9	.54	26.13	5.98	.190
26.5	27.7	60110	4A4	20	3.38	3.29	2.45	4.30	26.4	.36	18.39	.59	.120
27.7	28.9	60111	4A0	20	2.95	3.07	1.28	1.68	16.7	.39	11.11	.25	.100
28.9	30.1	60112	4A4	20	2.98	.00	2.63	5.49	37.1	.92	8.77	.18	.160
42.4	43.3	60113	4E46	50	4.12	4.11	5.95	10.61	61.3	.56	28.37	1.51	.160

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-15

EASTING: 9986.0 NORTHING: 9658.9 ELEVATION: 1153.9

LENGTH: 46.3

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
46.3	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	1.2	#	
1.2	2.0	OB	
2.0	5.1	OB	
5.1	13.6	3G9	

13.6 14.5 4A4
14.5 15.8 4L0
15.8 24.8 4G4
24.8 26.3 4A44
26.3 27.5 4L2
27.5 28.5 4G4
28.5 30.5 4L2
30.5 32.6 4G64
32.6 39.6 4L2
39.6 41.1 4G4#
41.1 42.5 4E14
42.5 46.3 4L0

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	%FE	%BA	%CU
13.6	14.5	60013	4A4	20	2.80	.00	2.17	5.53	36.2	2.67	4.55	.58	1.000
15.9	17.3	60014	4A4	20	4.07	4.38	5.48	7.51	82.8	1.49	15.47	14.76	1.000
17.3	18.8	60015	4A4	20	4.01	4.20	5.28	7.51	69.8	1.41	14.46	14.56	1.000
18.8	20.3	60016	4A4	20	3.87	3.94	6.99	7.97	90.9	1.81	16.86	7.20	1.000
20.3	21.8	60017	4A4	20	3.69	4.35	6.35	7.51	66.7	1.38	15.81	5.14	1.000
21.8	23.3	60018	4A4	20	3.84	3.84	3.39	3.68	44.6	1.03	20.68	8.15	1.000
23.3	24.8	60019	4A0	20	3.65	.00	1.87	1.42	30.7	.47	21.05	5.92	1.000
24.8	26.3	60020	4A44	20	3.35	3.26	6.29	10.50	58.7	.59	11.26	.54	1.000
27.5	28.5	60021	4G4	60	4.07	4.04	3.37	7.16	46.6	.29	14.77	17.46	1.000
30.5	31.6	60022	4G4	60	4.30	4.42	4.28	9.87	77.5	.73	10.04	25.10	1.000
31.6	32.6	60023	4G4	60	4.33	3.94	3.88	10.60	57.7	.79	8.58	27.26	1.000
39.6	41.1	60024	4G4#	60	3.97	3.82	4.42	8.74	51.0	.67	18.31	10.20	1.000
41.1	42.5	60025	4E14	40	3.58	3.66	1.64	3.95	18.5	.71	23.59	.96	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-16

EASTING: 9897.9 NORTHING: 9720.1 ELEVATION: 1148.0
LENGTH: 25.9

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
25.9	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	.6	#	
.6	1.6	DB	
1.6	3.8	4L0	

PC-XPLOR VERSION 1.30 CURRAGH RESOURCES IN
 Exploration Data Manager 15:27: 0 Serial no: 20320
 By GEMCOM SERVICES INC. 20/ 3/91 Page : 15
 *** VANGORDA - Drill Hole Database ***
 *** ***

3.8 9.1 3E0
 9.1 24.2 4L0
 24.2 15.7 4E0
 15.7 19.8 4A44
 19.8 21.1 4A0
 21.1 25.9 4L0

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
15.0	15.7	60008	4E0	50	3.88	4.05	1.48	1.67	23.4	1.90	30.35	2.28	1.000
15.7	17.0	60009	4A4	20	3.05	3.13	2.57	5.53	34.0	.90	10.24	.33	1.000
17.0	18.4	60010	4A4	20	2.97	3.02	2.85	9.40	42.5	.72	6.48	.20	1.000
18.4	19.8	60011	4A4	20	3.06	3.13	4.11	10.76	57.7	.68	6.24	.68	1.000
19.8	21.1	60012	4A0	20	2.79	2.99	.93	1.75	14.1	.57	7.70	.10	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-17

EASTING: 9923.5 NORTHING: 9659.9 ELEVATION: 1149.3
 LENGTH: 33.5

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
33.5	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	2.0	#	
2.0	5.2	OB	
5.2	11.3	4L0	
11.3	15.4	4G4	
15.4	15.9	4L0	
15.9	16.5	4E0	
16.5	17.4	4L24	
17.4	19.1	4G4	
19.1	21.4	4G44	
21.4	23.1	4L2	
23.1	25.7	4A0	
25.7	33.2	3E0	
33.2	33.5	4E0	

ASSAYS DATA

PC-XPLOR VERSION 1.30 CURRAGH RESOURCES IN
 Exploration Data Manager 15:27: 2 Serial no: 20320
 By SEMCOM SERVICES INC. 20/ 3/91 Page : 16
 *** VANSORDA - Drill Hole Database ***
 *** ***

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AS G/T	AU G/T	%FE	%BA	%CU
11.3	12.7	60093	464	60	4.62	4.00	5.24	6.89	79.2	.43	7.22	35.38	.290
12.7	14.1	60094	464	60	4.47	4.45	6.16	7.33	84.7	1.13	10.83	27.50	.230
14.1	15.4	60095	464	60	4.24	3.91	4.36	6.03	48.7	1.44	27.73	8.32	.170
15.4	15.9	60096	4L0	120	3.16	.00	.62	.91	8.8	.56	15.25	1.76	.050

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-18

EASTING: 9909.3 NORTHING: 9660.3 ELEVATION: 1148.3
 LENGTH: 40.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
40.2	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	5.2	#	
5.2	8.2	DB	
8.2	14.3	464	
14.3	15.8	#	
15.8	17.4	4L0	
17.4	18.9	4L24	
18.9	20.7	4E1	
20.7	21.3	4L0	
21.3	21.9	460	
21.9	25.1	4C0	
25.1	34.5	369	
34.5	35.7	4A0	
35.7	40.2	4L0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AS G/T	AU G/T	%FE	%BA	%CU
8.2	11.3	60397	464	60	4.21	1.00	5.78	5.60	63.9	.75	6.89	26.73	.070
11.3	14.3	60398	460	60	4.23	1.00	3.55	4.60	45.2	1.98	22.27	14.78	.150
18.9	20.7	60399	4E1	40	3.81	1.00	1.38	1.28	14.2	.67	28.68	2.68	.260
21.3	22.0	60400	460	60	4.16	1.00	3.34	5.56	37.4	1.21	22.65	12.54	.130
23.6	25.2	60401	4D0	80	3.52	1.00	2.28	3.78	33.0	.89	12.82	9.42	.110
34.5	35.7	60402	4A0	20	2.93	1.00	1.26	2.00	23.7	.51	9.77	.99	.280

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-19

EASTING: 9895.3 NORTHING: 9660.8 ELEVATION: 1147.4
LENGTH: 31.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
31.1	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	2.1	#	
2.1	9.8	DB	
9.8	10.5	4E4	
10.5	14.3	4L0	
14.3	17.1	4E1B\$	
17.1	20.4	4L2	
20.4	22.9	4A0B	
22.9	26.4	4G4	
26.4	31.1	3G9	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
9.8	10.5	60034	4E4	50	3.40	.00	2.05	5.54	18.4	.69	18.10	1.20	1.000
14.3	15.2	60035	4E1B\$	40	3.83	4.46	2.15	1.69	18.3	.72	28.50	2.34	1.000
15.2	16.2	60036	4E1B\$	40	3.76	4.78	1.87	.47	18.7	.93	29.30	.74	1.000
16.2	17.1	60037	4E1B\$	40	3.69	3.95	1.32	.65	13.2	.87	27.90	.97	1.000
20.4	21.6	60038	4AB	20	2.77	2.85	.57	1.11	10.6	6.98	7.20	.80	1.000
21.6	22.9	60039	4AB4	20	3.10	3.18	2.34	3.45	37.1	1.63	9.70	3.20	1.000
22.9	24.0	60040	4G4	60	4.07	3.95	7.50	10.06	132.1	2.84	14.70	12.56	1.000
24.0	25.2	60041	4G4	60	4.01	4.14	5.97	7.20	76.8	1.07	14.90	13.60	1.000
25.2	26.4	60042	4G0	60	3.85	3.77	3.33	5.25	45.4	.79	20.60	7.80	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-20

EASTING: 9909.5 NORTHING: 9602.4 ELEVATION: 1149.6
LENGTH: 34.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0

34.1 -90.0 .0 .0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	.6	#	
.6	8.2	DB	
8.2	11.0	4L0	
11.0	14.5	4G4	
14.5	16.4	4G087	
16.4	20.1	4L0	
20.1	23.2	4A4	
23.2	25.0	5A196	
25.0	34.1	5A96	

AGGAYG DATA

FROM	TO	GAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
11.0	12.1	60180	4G4	60	4.16	.00	4.95	7.03	51.9	1.02	18.60	14.32	1.000
12.1	13.3	60181	4G4	60	4.20	3.91	5.55	8.28	64.5	1.76	15.10	17.60	1.000
13.3	14.5	60182	4G0	60	3.68	3.51	3.52	5.87	39.6	.72	15.30	8.68	1.000
14.5	15.5	60183	4G087	60	4.03	4.35	2.64	3.00	28.1	.84	25.50	8.60	1.000
15.5	16.4	60184	4G087	60	4.11	4.50	1.82	3.47	31.2	.29	26.80	9.76	1.000
20.1	21.6	60185	4A4	20	3.51	3.42	4.57	1.05	9.7	.32	21.10	.45	1.000
21.6	23.2	60186	4A4	20	3.54	1.12	5.13	.86	14.4	.22	21.50	.28	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-21

EASTING: 9939.5 NORTHING: 9603.1 ELEVATION: 1151.2
 LENGTH: 30.5

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
30.5	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	1.7	#	
1.7	6.9	DB	
6.9	8.2	4G4??	
8.2	11.3	4G4	
11.3	11.6	4G4??	

```

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GENCOM SERVICES INC.
CURRASH RESOURCES IN
15:27:10 Serial no: 20320
20/ 3/91 Page : 20
*** VANSORDA - Drill Hole Database ***
***

```

13.7	15.2	60244	4E46	50	3.19	.00	2.20	4.34	29.8	.61	13.10	1.66	1.000
15.2	16.5	60245	4E0	50	3.66	2.23	2.13	1.88	16.8	.94	20.90	5.70	1.000
20.6	22.3	60246	4C0	30	3.51	.00	1.58	1.62	20.6	.40	23.50	.44	1.000
22.3	24.1	60247	4C0	30	3.22	.00	.75	1.30	9.7	.20	17.50	.76	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-23

EASTING: 9969.6 NORTHING: 9602.8 ELEVATION: 1154.4
LENGTH: 38.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
38.1	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	2.0	#	
2.0	5.2	DB	
5.2	8.5	DB	
8.5	11.3	4E461#	
11.3	14.6	3E0	
14.6	15.8	4E0	
15.8	20.5	3E2	
20.5	22.3	4E0	
22.3	25.1	4A4	
25.1	31.3	4L2	
31.3	34.0	4L26	
34.0	36.6	5C6	
36.6	38.1	3G0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AS G/T	AU S/T	%FE	%BA	%CU
8.5	11.3	60392	4E1#	60	3.35	3.73	7.20	5.67	79.7	.44	12.70	.49	1.000
14.6	15.8	60393	4E0	50	3.65	.00	1.73	.71	25.2	.67	28.70	-1.00	1.000
20.5	22.3	60394	4E0	50	3.27	3.50	.86	.96	13.5	.28	20.50	-1.00	1.000
22.3	23.7	60395	4A4	20	2.84	2.88	2.37	2.12	22.7	.46	8.60	-1.00	1.000
23.7	25.1	60396	4A4	20	2.81	2.91	2.22	1.97	20.6	.39	8.10	-1.00	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-24

EASTING: 10015.9 NORTHING: 9604.1 ELEVATION: 1157.6

PC-XPLOR VERSION 1.30 CURRASH RESOURCES IN
Exploration Data Manager 15:27:12 Serial no: 20320
By SEMCON SERVICES INC. 20/ 3/91 Page : 21
*** VANSORDA - Drill Hole Database ***

LENGTH: 29.4

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
29.6	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	1.5	#	
1.5	11.3	OB	
11.3	12.2	3G6	
12.2	13.0	4L0	
13.0	20.7	3G6	
20.7	23.8	4L2	
23.8	24.8	3G0	
24.8	25.5	3G0	
25.5	29.6	4L2	
29.6	31.9	4G4	
31.9	32.9	4E486	
32.9	34.9	4E1	
34.9	35.8	4E1	
35.8	42.7	4L0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AS G/T	AU G/T	%FE	%BA	%CU
29.6	30.7	60187	4G4	60	3.90	3.73	4.59	10.98	48.6	.27	23.20	2.65	1.000
30.7	31.9	60188	4G4	60	3.88	3.59	5.21	8.27	53.0	.55	20.00	5.94	1.000
31.9	32.9	60189	4E486	50	3.95	4.53	6.26	5.43	36.6	.32	25.20	2.76	1.000
32.9	33.9	60190	4E1	40	3.66	4.50	.79	1.73	20.1	.53	28.10	.12	1.000
33.9	34.9	60191	4E1	40	3.52	4.01	.14	.59	21.6	.33	26.10	.10	1.000
34.9	35.9	60192	4E1	40	3.20	3.21	.05	.31	5.6	.69	18.00	.75	1.000
29.6	30.7	60187	4G4	60	3.90	3.73	4.59	10.98	48.6	.27	23.20	2.65	1.000
30.7	31.9	60188	4G4	60	3.88	3.59	5.21	8.27	53.0	.55	20.00	5.94	1.000
31.9	32.9	60189	4E486	50	3.95	4.53	6.26	5.43	36.6	.32	25.20	2.76	1.000
32.9	33.9	60190	4E1	40	3.66	4.50	.79	1.73	20.1	.53	28.10	.12	1.000
33.9	34.9	60191	4E1	40	3.52	4.01	.14	.59	21.6	.33	26.10	.10	1.000
34.9	35.9	60192	4E1	40	3.20	3.21	.05	.31	5.6	.69	18.00	.75	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-25

EASTING: 10012.2 NORTHING: 9784.1 ELEVATION: 1147.8
LENGTH: 19.2

11.6	16.1	369
16.1	17.0	4E0
17.0	23.5	3E1
23.5	25.0	3E1
25.0	26.4	3E1
26.4	28.6	4E0
28.6	30.5	4L2

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
8.2	9.9	60248	464	60	4.37	.00	6.25	7.51	74.4	1.01	9.60	26.40	1.000
9.9	11.3	60249	464	60	4.51	.00	7.95	9.24	84.8	.74	9.90	26.80	1.000
16.1	17.0	60250	4E0	50	3.77	.00	.44	.44	8.0	.57	31.20	.48	1.000
26.4	27.5	60251	4E06	50	3.24	1.19	.67	.54	15.2	.21	15.70	3.28	1.000
27.5	28.6	60252	4E0	50	3.53	3.70	1.98	1.97	18.5	.43	23.40	.50	1.000

STANDARD EXPERIENCE SPECIALIZED EXPERIENCE RELEVANT EDUCATION

TABLE 10. 10% 1994-95

LENGTH: 30.5

FROM	TO	AZIMUTH	DIP
----	----	-----	-----
.0	-90.0	.0	.0
30.5	-90.0	.0	.0

FROM	TO	ROCK	REMARKS
.0	.6	#	
.6	7.7	08	
7.7	12.2	464	
12.2	16.5	4E06	
16.5	20.6	360	
20.6	24.2	4C0	
24.2	30.5	4L0	

FRDM	TO	GAMP#	TYPE	CDDE	PULP	WR	XPB	ZN	AG G/T	AU G/T	ZFE	ZBA	ZCU
7.6	9.1	60240	464	60	4.40	4.30	7.35	3.76	57.3	.50	18.30	19.32	1.000
9.1	10.7	60241	464	60	4.21	4.04	7.97	3.37	77.6	.59	15.60	17.20	1.000
10.7	12.2	60242	460	60	4.19	3.86	6.84	3.15	62.1	2.99	18.10	15.60	1.000
12.2	13.7	60243	4E46	50	3.43	.00	3.83	1.40	40.8	1.00	14.70	5.20	1.000

*** VANSORDA - Drill Hole Database ***

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
19.2	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	1.8	#	
1.8	3.7	DB	
3.7	7.6	DB	
7.6	11.4	4E87	
11.4	13.1	4C375	
13.1	19.2	4E17	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	XFE	XBA	XCU
7.6	8.9	60289	4E87	50	4.02	.00	4.65	2.77	30.9	.96	30.85	1.68	.220
8.9	10.1	60290	4E87	50	3.80	3.78	1.89	1.77	9.1	.79	29.56	.82	.310
10.1	11.4	60291	4E87	50	3.62	3.63	2.30	1.21	12.2	1.38	25.62	.43	.380
11.4	11.6	60292	4C375	40	3.41	.00	1.22	1.02	5.8	1.24	22.01	.31	.190
11.6	13.1	60293	4C375	40	3.39	3.52	2.68	1.21	22.9	2.54	20.18	.18	.340
13.1	14.6	60294	4E17	40	3.70	3.92	.66	.94	11.5	.59	29.46	.10	.430
14.6	16.2	60295	4E17	40	3.67	3.72	2.79	.68	23.1	.62	27.05	.11	.260
17.7	19.2	60296	4E17	40	3.24	3.27	.24	.09	4.8	.64	19.58	.23	.270

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-26

EASTING: 10033.1 NORTHING: 10028.5 ELEVATION: 1161.5

LENGTH: 69.5

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
69.5	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	15.7	#	

--- --
.0 -90.0 .0 .0
70.7 -89.0 82.8 41.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	10.8	#	
10.8	34.0	DB	
34.0	36.9	369	
36.9	49.1	4A0	
49.1	55.4	369	
55.4	64.0	4C3	
64.0	66.6	4L0	
66.6	67.2	4D0	
67.2	70.7	4L0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	ZZN	AS G/T	AU G/T	%FE	%BA	%CU
36.9	38.4	60707	4A0	20	2.64	2.87	.38	1.22	8.3	.15	4.80	.22	.040
38.4	39.9	60708	4A0	20	2.60	2.62	.32	.84	5.3	.82	4.18	.34	.030
39.9	41.5	60709	4A0	20	2.63	2.79	.48	.97	6.0	.14	4.57	.29	.020
41.5	43.0	60710	4A0	20	2.66	2.71	.56	.94	7.3	.11	5.22	.25	.010
43.0	44.5	60711	4A0	20	2.62	2.72	.54	.67	7.2	.23	4.57	.14	.030
44.5	46.0	60712	4A0	20	2.68	2.71	.14	.62	3.2	.10	6.42	.16	.060
46.0	47.6	60713	4A0	20	2.78	3.23	.27	1.13	6.6	4.94	8.14	.28	.020
47.6	49.1	60714	4A0	20	2.71	2.70	.11	.86	3.4	1.08	7.05	.16	.010
55.4	56.9	60715	4C3	40	3.19	3.46	.40	.63	7.9	.44	17.90	.20	.130
56.9	58.2	60716	4C3	40	3.36	3.26	.06	.15	5.8	.61	22.44	.22	.260
58.2	59.7	60717	4C3	40	3.17	3.24	.08	.36	4.2	.32	17.90	.17	.170
59.7	61.1	60718	4C3	40	3.22	3.42	.03	.26	4.5	.74	19.14	.20	.210
61.1	62.5	60719	4C3	40	3.27	3.28	.09	.36	4.7	.83	20.32	.11	.170
62.5	64.0	60720	4C3	40	3.16	3.23	.06	.29	4.5	.51	17.71	.13	.160
66.6	67.2	60721	4D0	30	3.43	.00	2.47	5.65	26.3	.03	19.12	.26	.110

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-28

EASTING: 10045.9 NORTHING:10059.3 ELEVATION: 1158.2
LENGTH: 82.9

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
82.9	-89.0	257.8	216.0

15.7 27.4 08
27.4 31.1 4A4
31.1 35.3 4B4
35.3 36.8 4L2
36.8 39.8 4A0
39.8 47.4 4A4
47.4 51.7 4E0
51.7 55.6 4E148
55.6 69.5 4E1

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	%FE	%BA	%CU
27.4	29.6	60364	4A4	20	2.64	.00	1.99	2.04	18.5	.53	3.13	.19	.050
29.6	31.1	60365	4A4	20	2.98	.00	3.44	3.97	33.6	.74	8.23	.58	.040
31.1	32.5	60366	4B4	60	4.20	4.27	5.70	5.45	62.2	.38	20.78	13.29	.180
32.5	33.9	60367	4B4	60	4.32	4.30	5.49	5.21	44.0	.21	24.65	12.41	.150
33.9	35.3	60368	4B4	60	4.43	4.21	4.79	6.79	39.0	.33	15.22	23.94	.030
35.5	36.8	60369	4B4	60	4.02	.00	7.31	6.96	67.1	.15	18.35	9.35	.060
36.8	38.3	60370	4A0	20	2.76	.00	1.45	2.29	9.3	.25	5.18	1.30	.010
38.3	39.8	60371	4A0	20	2.66	2.68	.94	1.75	6.0	.27	4.46	.27	.020
39.8	41.2	60372	4A4	20	2.83	3.00	2.07	3.54	23.2	.60	6.74	.16	.030
41.2	43.5	60373	4A4	20	2.66	.00	1.60	2.66	14.7	.30	3.67	.22	.050
43.5	44.8	60374	4A4	20	2.75	.00	1.40	2.80	13.5	.27	5.55	.35	.050
44.8	46.3	60375	4A0	20	2.92	2.74	.58	2.45	8.3	.35	10.52	.25	.040
46.3	47.4	60376	4A4	20	3.12	.00	1.98	4.22	13.7	.31	13.00	.31	.060
47.4	48.8	60377	4E4	50	3.55	3.53	1.96	3.87	16.0	.49	23.29	.30	.090
48.8	50.3	60378	4E4	50	3.76	3.53	5.72	8.32	37.8	.26	22.36	.44	.040
50.3	51.7	60379	4E0	50	3.94	3.74	1.34	2.38	17.4	.60	33.82	.12	.190
51.7	53.0	60380	4E148	40	4.23	.00	9.95	7.36	43.7	1.10	30.15	.08	.150
53.0	54.3	60381	4E148	40	4.14	3.90	8.15	7.83	36.1	.92	29.66	.07	.100
54.3	55.6	60382	4E148	40	4.08	4.00	4.88	4.88	31.6	.61	32.46	.18	.240
55.6	57.2	60383	4E1	40	3.91	4.25	.30	.68	10.8	.74	34.85	.03	.250
57.2	58.7	60384	4E1	40	3.81	3.78	.36	.85	12.2	.38	32.36	.22	.310
58.7	60.2	60385	4E14	40	4.02	4.06	4.24	.85	42.6	.36	33.74	.09	.240
60.2	61.6	60386	4E1	40	3.81	3.79	.37	1.00	16.0	.49	32.07	.31	.320
61.6	63.3	60387	4E1	40	3.43	.00	.76	1.47	18.5	.39	22.76	.25	.350
63.3	64.9	60388	4E1	40	3.37	3.25	.62	1.55	15.9	.33	21.40	.32	.290
64.9	66.4	60389	4E1	40	3.90	4.13	.61	.78	23.1	.29	34.30	.08	.500
66.4	68.0	60390	4E1	40	3.62	3.44	.18	.89	19.4	.49	28.09	.13	.400
68.0	69.5	60391	4E1	40	3.83	3.88	.59	1.17	22.6	.57	32.48	.13	.670

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-27

EASTING: 10077.3 NORTHING:10059.9 ELEVATION: 1158.5
LENGTH: 70.7

SURVEY DATA

FROM	TO	AZIMUTH	DIP
------	----	---------	-----

LITHOLOGY DATA

FRDM	TO	ROCK	REMARKS
.0	9.1	#	
9.1	38.7	08	
38.7	45.6	3G0	
45.6	47.7	4A4	
47.7	55.4	4E14	
55.4	56.7	4A4	
56.7	59.0	4A0	
59.0	62.2	4C3	
62.2	63.9	4L0	
63.9	68.3	4C38	
68.3	74.0	4L2	
74.0	82.9	4L27	

ASSAYS DATA

FRDM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	XFE	XBA	XCU
45.6	46.6	60580	4A4	20	2.84	.00	1.76	2.83	17.4	.35	6.27	1.37	.050
46.6	47.7	60581	4A4	20	2.86	.00	1.93	4.46	26.8	.39	6.29	.86	.030
47.7	49.2	60582	4E14	40	3.85	4.01	3.96	6.01	43.0	.47	22.93	4.63	.080
49.2	50.8	60583	4E14	40	3.80	4.00	8.96	7.21	83.8	.98	21.10	.28	.130
50.8	52.3	60584	4E14	40	3.56	3.67	4.74	2.80	46.0	1.13	21.59	.14	.160
52.3	53.9	60585	4E1	40	3.58	3.68	.81	1.00	15.1	1.05	26.42	.24	.180
53.9	55.4	60586	4E14	40	3.63	3.73	1.54	2.59	20.3	.52	26.03	.29	.150
55.4	56.7	60587	4A4	20	3.18	3.22	3.01	4.76	28.6	.60	12.97	.49	.100
56.7	57.9	60588	4A0	20	3.25	3.53	2.50	3.35	35.0	.91	16.14	.23	.100
57.9	59.1	60589	4A0	20	3.27	.00	1.79	1.61	26.6	1.15	18.11	.16	.160
59.1	60.6	60590	4C3	40	3.32	3.29	.16	.60	10.0	.42	21.07	.37	.240
60.6	62.3	60591	4C3	40	3.42	3.45	.12	.55	9.7	.55	23.03	.72	.190
63.9	65.4	60592	4D38	40	3.66	3.64	1.14	3.00	10.2	.64	27.07	.17	.150
65.4	66.9	60593	4C38	40	3.48	3.57	.95	1.16	7.6	.73	24.02	.19	.180
66.9	68.4	60594	4C38	40	3.11	3.20	.54	1.01	4.8	.42	15.91	.19	.090

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-29

EASTING: 10012.8 NORTHING:10060.6 ELEVATION: 1157.3
LENGTH: 87.5

SURVEY DATA

FRDM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
87.5	-88.0	37.8	356.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	12.2	#	
12.2	37.3	D8	
37.3	46.7	464#	
46.7	60.5	4E1	
60.5	64.3	464	
64.3	72.2	4C3	
72.2	78.1	4E1	
78.1	87.5	4L0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	%FE	%BA	%CU
37.3	38.7	60529	464	60	4.38	4.41	8.77	9.28	95.9	.41	19.99	13.56	.590
38.7	40.4	60530	460	60	3.88	3.60	4.09	5.72	51.5	.53	19.16	8.95	.130
40.4	41.9	60532	464	60	4.33	4.24	9.06	9.71	132.2	.55	21.81	10.20	.080
41.9	43.3	60533	464	60	4.12	4.23	7.97	9.13	96.3	.82	16.99	11.44	.040
43.3	44.8	60534	464	60	3.97	3.36	5.22	7.88	98.1	.20	22.92	5.28	.100
44.8	46.7	60535	464	60	4.37	3.95	7.21	9.24	101.5	.40	15.13	19.36	.080
46.7	48.2	60536	4E41	50	4.14	4.05	3.62	4.29	54.5	.64	33.54	2.01	.200
48.2	49.8	60537	4E41	50	4.17	3.81	2.99	4.19	34.7	.95	34.69	2.20	.230
49.8	51.3	60538	4E1	40	4.06	3.43	.30	1.82	14.6	.99	35.49	2.25	.270
51.3	52.5	60539	4E41	50	3.89	3.41	5.52	8.90	75.7	.54	20.93	4.62	.240
52.5	54.0	60540	4E1	40	3.91	3.80	.29	2.01	8.5	1.11	32.90	1.40	.280
54.0	55.5	60541	4E14	40	4.02	3.97	1.53	3.28	22.8	6.89	35.02	.20	.250
55.5	57.1	60542	4E1	40	4.04	4.39	.78	1.25	15.9	.01	37.29	.08	.200
57.1	58.6	60543	4E14	40	3.98	3.77	1.69	2.66	22.0	1.05	34.17	.12	.210
58.6	59.5	60544	4E14	40	4.05	3.80	2.40	2.16	21.2	.76	35.28	.23	.110
59.5	60.5	60545	4E41	50	4.05	3.58	2.42	4.45	27.9	.74	34.17	.44	.160
60.5	61.8	60546	464	60	4.27	3.94	5.79	10.69	82.5	1.62	25.82	7.40	.170
61.8	63.1	60547	464	60	4.40	4.36	7.32	9.69	78.8	2.08	29.66	5.80	.230
63.1	64.4	60548	464	60	4.42	4.71	4.74	8.63	15.5	2.33	24.54	13.92	.180
64.4	65.7	60549	4C3	40	3.80	3.47	.42	.92	13.2	.47	32.17	.11	.220
65.7	67.0	60550	4C3	40	3.46	3.50	.25	.36	10.6	.77	24.48	.19	.190
67.0	68.3	60551	4C3	40	3.49	3.46	.22	.57	17.2	.86	25.09	.20	.410
68.3	69.6	60552	4C3	40	3.73	3.68	.20	.84	21.1	.74	30.62	.20	.340
69.6	70.9	60553	4C3	40	3.79	3.85	1.08	1.96	26.0	1.60	30.85	.10	.290
70.9	72.4	60554	4C3	40	3.90	3.97	.29	1.37	29.6	.47	34.49	.04	.390
72.4	73.7	60555	4E1	40	3.98	4.27	.88	2.25	22.2	1.00	34.94	.30	.340
73.7	75.1	60556	4E1	40	4.21	4.51	.81	1.38	18.7	.65	41.12	.12	.310
75.1	76.6	60557	4E1	40	4.03	3.92	.37	.31	14.1	4.86	37.87	.10	.450
76.6	78.1	60558	4E1	40	4.02	4.38	.16	.54	24.8	.56	37.44	.38	.440

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HDLE-ID: 90V-30

EASTING: 10074.0 NDRTHING: 9601.7 ELEVATION: 1160.1
LENGTH: 25.0

SURVEY DATA

FROM	TD	AZIMUTH	DIP
.0	-90.0	.0	.0
25.0	-90.0	.0	.0

LITHDLOGY DATA

FROM	TD	ROCK	REMARKS
.0	.8	#	
.8	1.4	DB	
1.4	11.3	DB	
11.3	13.9	4C0	
13.9	14.9	4D0	
14.9	16.3	4C0	
16.3	17.1	4E1	
17.1	18.9	4C0	
18.9	25.0	4L672	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	XFE	%BA	%CU
11.3	12.6	60233	4C0	30	3.16	.00	.07	.12	7.6	1.62	18.00	.03	1.000
12.6	13.9	60234	4C0	30	3.32	.00	.09	.09	9.5	1.37	21.70	.02	1.000
13.9	14.9	60235	4D0	30	3.49	.00	3.48	1.04	32.4	.45	22.00	.10	1.000
14.9	16.3	60236	4C0	30	3.62	.00	1.67	1.55	15.7	.74	26.40	.05	1.000
16.3	17.1	60237	4E1	40	3.59	.00	1.22	1.22	14.3	.73	26.20	.13	1.000
17.1	18.0	60238	4C0	30	3.19	.00	.20	.44	10.7	1.23	18.30	.10	1.000
18.0	18.9	60239	4C0	30	3.00	.00	.15	.62	11.2	.16	13.40	.48	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-31

EASTING: 10059.8 NDRTHING: 9603.4 ELEVATION: 1159.3
LENGTH: 29.3

SURVEY DATA

FROM	TD	AZIMUTH	DIP
.0	-90.0	.0	.0
29.3	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
------	----	------	---------

.0 2.0 #
2.0 6.7 DB
6.7 9.1 4C0
9.1 10.2 4H314
10.2 14.9 4C3
14.9 21.0 4E14
21.0 22.6 4E4
22.6 26.8 4C7
26.8 29.3 4L672

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
6.7	7.9	60205	4D0	80	3.38	1.24	3.88	.46	42.1	1.72	18.60	.89	1.000
7.9	9.1	60206	4D0	80	3.43	.00	6.14	1.99	49.8	.63	12.90	4.76	1.000
9.1	10.2	60207	4H314	70	3.41	3.58	3.40	2.17	27.0	.69	19.40	.37	1.000
10.2	11.8	60208	4C3	40	3.17	3.49	1.01	.43	12.3	.92	17.20	.09	1.000
11.8	13.4	60209	4C3	40	3.08	3.46	.65	.04	10.0	.52	15.50	.04	1.000
13.4	14.9	60210	4C3	40	3.09	3.54	.40	.15	8.6	.88	16.00	.06	1.000
14.9	16.5	60211	4E14	40	3.19	3.80	2.35	1.77	22.4	1.22	15.70	.20	1.000
16.5	18.0	60212	4E14	40	3.28	3.83	2.93	2.16	28.8	3.11	17.10	.15	1.000
18.0	19.5	60213	4E41	50	3.43	5.05	5.70	3.49	48.5	.93	17.40	.07	1.000
19.5	21.0	60214	4E41	50	3.41	4.31	3.75	3.43	33.4	3.33	18.90	.03	1.000
21.0	22.7	60215	4E4	50	3.29	4.29	1.90	2.14	18.6	1.08	18.40	.03	1.000
22.7	24.1	60216	4C7	30	2.97	3.55	.22	.48	10.2	.34	12.90	.38	1.000
24.1	25.4	60217	4C7	30	2.86	3.26	.06	.28	2.3	.40	10.80	.10	1.000
25.4	26.8	60218	4C7	30	2.98	2.97	.14	.96	4.1	.42	13.10	.22	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-32

EASTING: 10043.8 NORTHING: 9602.3 ELEVATION: 1158.6
LENGTH: 31.6

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
31.6	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	.3	#	
.3	1.8	DB	
1.8	7.6	DB	
7.6	10.4	4L0	

*** VANGORDA - Drill Hole Database ***

10.4	12.6	3E0
12.6	14.1	4E0
14.1	15.4	4E8
15.4	22.6	4E0
22.6	23.2	4E4
23.2	26.4	4E0
26.4	31.6	4C37

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	WPB	ZN	AS G/T	AU G/T	ZFE	ZBA	ZCU
12.7	14.1	60219	4E4	60	4.33	4.44	5.49	8.45	70.1	1.50	11.00	24.40	1.000
14.1	15.4	60220	4E84	50	3.80	.00	2.08	2.21	19.6	1.06	26.80	3.04	1.000
15.4	16.8	60221	4E4	50	3.68	4.04	1.83	2.50	24.2	.07	23.10	4.00	1.000
16.8	18.3	60222	4E4	50	3.65	3.85	1.52	2.58	23.1	.81	23.70	3.16	1.000
18.3	19.7	60223	4E0	50	3.49	3.85	.47	.27	6.8	.74	25.10	.07	1.000
19.7	21.1	60224	4E0	50	3.53	3.74	.80	.35	8.5	.95	25.80	.06	1.000
21.1	22.6	60225	4E0	50	3.94	1.00	.87	1.23	12.0	.65	34.30	.65	1.000
22.6	23.2	60226	4E4	60	3.86	1.00	5.93	7.07	44.3	1.15	15.90	9.40	1.000
23.2	24.8	60227	4E0	50	3.72	1.00	.62	.57	15.7	.76	30.30	.10	1.000
24.8	26.4	60228	4E0	50	3.68	1.00	.21	.55	11.3	.70	29.70	.07	1.000
26.8	28.0	60229	4C37	40	3.55	1.00	.50	1.07	10.8	11.09	26.20	.10	1.000
28.0	29.1	60230	4C37	40	3.62	1.00	1.14	1.26	10.9	3.41	27.10	.07	1.000
29.1	30.3	60231	4C37	40	3.48	1.00	.17	.36	5.2	.74	25.30	.05	1.000
30.3	31.6	60232	4C37	40	3.38	1.00	.47	.28	9.4	.57	22.60	.07	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-33

EASTING: 10029.4 NORTHING: 9603.1 ELEVATION: 1158.3

LENGTH: 40.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
40.2	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	1.8	#	
1.8	2.3	OB	
2.3	8.2	4L0?	
8.2	14.3	4L62	
14.3	18.7	5C0	
18.7	26.2	4E0	
26.2	31.4	4C0	

PC-XPLOR VERSION 1.30 CURRAGH RESOURCES IN
Exploration Data Manager 15:27:33 Serial no: 20320
By BENCOM SERVICES INC. 20/ 3/91 Page : 30
*** VANSORDA - Drill Hole Database ***
*** ***

31.4 34.1 4C3
34.1 40.2 4L62

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS G/T	AU G/T	XFE	XBA	XCU
18.8	20.0	60193	4E0	50	3.44	3.85	.36	.91	9.3	.18	23.60	.21	1.000
20.0	21.1	60194	4E0	50	3.53	4.08	.64	.95	12.2	.92	25.60	.12	1.000
21.1	22.5	60195	4E4	50	3.85	4.34	3.48	5.12	31.1	.79	23.70	4.72	1.000
22.5	23.8	60196	4E0	50	3.74	4.02	1.55	1.76	16.2	1.64	29.30	.06	1.000
23.8	25.0	60197	4E0	50	3.61	4.37	.25	.11	11.0	.67	28.30	.06	1.000
25.0	26.3	60198	4E0	50	3.30	3.68	.44	.18	9.8	.42	20.70	.09	1.000
26.3	27.5	60199	4C0	30	3.22	3.42	.19	1.00	5.0	.63	18.80	.09	1.000
27.5	28.8	60200	4C0	30	3.30	3.51	.38	1.59	6.5	.92	20.20	.10	1.000
28.8	30.1	60201	4C0	30	3.14	3.36	.14	.29	3.3	.94	17.40	.06	1.000
30.1	31.4	60202	4C0	30	3.25	3.75	.09	.20	3.9	.69	20.00	.06	1.000
31.4	32.6	60203	4C3	30	3.32	4.34	.55	.26	12.9	.63	21.10	.05	1.000
32.6	34.1	60204	4C3	30	3.30	4.02	.25	.67	11.3	.33	20.80	.16	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-34

EASTING: 9878.3 NORTHING: 9663.2 ELEVATION: 1146.9
LENGTH: 28.7

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
28.7	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	.6	#	
.6	1.2	DB	
1.2	1.4	DB	
1.4	6.6	DB	
6.6	14.8	4L2	
14.8	17.1	369	
17.1	21.2	4L0	
21.2	23.2	369	
23.2	24.7	3692	
24.7	25.8	4L7	
25.8	28.7	369	

ASSAYS DATA

PC-XPLOR VERSION 1.30 CURRAGH RESOURCES IN
 Exploration Data Manager 15:27:35 Serial no: 20320
 By GEMCOM SERVICES INC. 20/ 3/91 Page : 31
 *** VANGORDA - Drill Hole Database ***
 *** ***

FROM TO SAMP# TYPE CODE PULP WR %PB %ZN AG G/T AU G/T %FE %BA %CU

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-35

EASTING: 9908.2 NORTHING: 9785.7 ELEVATION: 1146.9
 LENGTH: 22.0

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
22.0	-90.0	.0	.0

LITHOLOGY DATA

FROM	TD	ROCK	REMARKS
.0	1.5	#	
1.5	1.6	DB	
1.6	6.5	DB	
6.5	10.5	4E0	
10.5	15.0	4G0	
15.0	15.5	4L62	
15.5	16.5	4G0	
16.5	17.5	4L2	
17.5	18.1	3G94	
18.1	18.7	4EB	
18.7	19.6	3G94	
19.6	21.9	3G9	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
6.5	7.8	60253	4E0	50	3.67	3.78	1.36	1.60	13.7	1.08	26.61	1.40	.410
7.8	9.1	60254	4E0	50	3.78	.00	1.07	1.05	10.1	.70	28.66	2.40	.480
9.1	10.5	60255	4E0	50	3.71	.00	2.57	1.69	21.2	.62	26.07	1.72	.310
10.5	12.0	60256	4G4	60	4.56	4.41	5.44	6.71	62.0	1.90	16.31	25.19	.140
12.0	13.5	60257	4G4	60	3.44	4.53	5.12	7.11	56.4	1.08	15.74	.84	.090
13.5	15.1	60258	4G0	60	3.91	4.23	3.72	4.72	37.7	1.01	22.32	7.35	.150
15.5	16.5	60259	4G0	60	4.06	4.40	2.40	1.84	21.9	.70	26.74	8.98	.190
18.1	18.7	60260	4EB	50	3.74	.00	1.01	1.11	17.8	.69	24.52	5.37	.220

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-36

EASTING: 9924.3 NORTHING: 9785.0 ELEVATION: 1146.0

LENGTH: 27.7

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
27.7	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	1.8	#	
1.8	6.8	08	
6.8	11.2	4E4	
11.2	12.8	4G4	
12.8	14.1	4E4	
14.1	16.8	4C3	
16.8	18.1	4E0	
18.1	19.4	4E0	
19.4	24.9	4E0	
24.9	27.7	4L0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	%FE	%BA	%CU
6.9	8.2	60297	4E0	50	4.11	4.17	1.53	1.79	18.6	4.98	37.92	.15	.410
8.2	9.7	60298	4E4	50	4.12	3.43	3.93	3.26	29.5	2.37	34.23	1.11	.260
9.7	11.2	60299	4E4	50	4.07	4.00	2.14	2.01	17.5	1.52	35.19	1.21	.320
11.2	12.8	60300	4G4	60	4.49	4.87	5.53	8.18	61.5	.99	14.30	24.86	.090
12.8	14.1	60301	4E4	50	3.71	3.78	4.76	4.86	36.8	1.27	22.54	1.73	.080
14.1	15.3	60302	4C3	40	3.84	4.03	.73	.50	9.8	.79	32.51	.52	.340
15.3	16.8	60303	4C3	40	4.07	3.95	1.15	1.13	9.7	.70	31.01	6.34	.190
16.8	18.1	60304	4EA	50	3.36	3.64	.46	.49	5.5	.64	21.70	.53	.160
18.1	19.5	60305	4E0	50	3.93	3.99	2.24	1.54	22.1	1.16	32.82	.31	.270
19.5	20.8	60306	4E1	40	3.33	3.44	.88	1.15	11.2	.43	20.17	.48	.060
20.8	22.1	60307	4E1	40	3.79	4.39	.31	.73	4.0	7.52	31.64	.49	.020
22.1	23.4	60308	4E1	40	3.65	4.34	.21	.66	4.8	3.04	27.37	1.61	.060
23.4	24.9	60309	4E1	40	3.75	3.68	.38	.97	5.3	1.36	30.96	.14	.080

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-37

EASTING: 9937.2 NORTHING: 9785.5 ELEVATION: 1146.9
LENGTH: 40.5

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
40.5	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	.6	#	
.6	2.7	DB	
2.7	9.8	DB	
9.8	10.8	4L6B	
10.8	13.0	4G4	
13.0	15.3	4L2	
15.3	16.6	4E6B4	
16.6	20.6	4E0B	
20.6	21.7	4A44	
21.7	26.8	4L62	
26.8	28.2	5C#	
28.2	31.5	4L62	
31.5	33.1	4L0	
33.1	36.0	4E6B4	
36.0	37.5	5C#	
37.5	40.5	4L62	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS G/T	AU G/T	XFE	XBA	XCU
10.8	11.9	60280	4G4	60	3.93	3.70	6.05	6.05	39.8	.93	22.79	4.55	.160
11.9	13.0	60281	4G4	60	3.94	.00	6.46	6.84	55.9	.84	18.79	8.01	.090
15.3	16.6	60282	4E6B	50	4.12	4.00	4.57	5.26	41.4	1.09	22.07	11.33	.230
16.6	17.9	60283	4E6B4	50	4.09	3.98	2.14	1.29	16.2	.75	31.71	5.35	.370
17.9	19.2	60284	4E6B	50	4.04	3.78	1.94	1.11	17.2	1.09	31.32	4.84	.320
19.2	20.6	60285	4E6B	50	3.98	4.10	1.11	.95	13.1	.39	34.60	1.18	.190
20.6	21.7	60286	4A44	20	3.10	3.15	5.21	6.73	44.3	.67	8.60	.27	.120
33.1	34.5	60287	4E6B4	50	4.21	4.69	5.65	3.84	29.7	.76	30.82	4.55	.230
34.5	36.0	60288	4E1B	40	4.16	4.42	1.65	1.41	15.9	.80	38.94	.16	.340

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-38

EASTING: 9953.4 NORTHING: 9786.1 ELEVATION: 1145.9
LENGTH: 39.9

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0

39.9 -90.0 .0 .0

LITHOLDGY DATA

FROM	TO	ROCK	REMARKS
.0	2.6	#	
2.6	3.8	DB	
3.8	5.3	460	
5.3	7.2	4L0	
7.2	8.5	464	
8.5	9.1	5C9	
9.1	10.6	460#	
10.6	12.8	4A47	
12.8	18.1	4L0	
18.1	23.3	5834	
23.3	25.9	5832	
25.9	30.3	4L6	
30.3	31.1	464	
31.1	32.9	4E64	
32.9	34.0	4L6	
34.0	39.9	3661	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
3.8	5.3	60272	460	60	4.05	4.19	3.80	3.20	35.4	1.17	26.98	6.62	.330
5.3	8.6	60273	464	60	3.74	3.40	5.08	5.58	33.6	.48	11.68	12.23	.070
8.6	10.6	60274	460#	60	4.05	4.05	3.25	3.01	31.0	.78	26.74	7.44	.260
10.6	11.7	60275	4A07	20	2.96	3.02	.73	1.35	7.4	.39	11.45	.81	.130
11.7	12.8	60276	4A47	20	3.09	3.03	3.82	6.60	37.8	.40	9.09	.81	.100
30.3	31.1	60277	464	60	3.69	3.55	4.60	6.50	52.2	.81	16.16	6.71	.120
31.1	31.1	60278	4E64	50	4.08	4.52	5.27	4.65	28.3	.32	27.62	4.64	.180
31.1	32.9	60279	4E4	50	4.00	4.00	2.46	2.26	13.5	.69	33.98	.32	.330

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-39

EASTING: 9985.0 NORTHING: 9787.0 ELEVATION: 1146.0
LENGTH: 35.7

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
35.7	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	.3	#	
.3	2.1	DB	
2.1	3.7	DB	
3.7	5.2	DB	
5.2	7.3	3892	
7.3	12.5	3892	
12.5	18.9	464	
18.9	20.5	4C3B	
20.5	22.9	4E1B	
22.9	26.7	4C3	
26.7	29.6	4E0	
29.6	34.2	4C3	
34.2	35.7	4L62	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS	B/T	AU	S/T	XFE	XBA	XCU
12.5	13.8	61735	4B4	60	3.48	4.19	5.09	7.40	.0	-1.00	18.40	-1.00	1.000		
13.8	15.1	61736	4B4	60	3.13	4.17	5.28	8.49	90.0	-1.00	9.61	-1.00	1.000		
15.1	16.3	61737	4B4	60	3.26	3.85	5.24	8.50	95.0	-1.00	12.60	-1.00	1.000		
16.3	17.6	61738	4B4	60	3.34	3.62	3.72	6.43	10.0	-1.00	17.00	-1.00	1.000		
17.6	18.9	61739	4B4	60	3.42	3.70	5.21	6.72	15.0	-1.00	17.30	-1.00	1.000		
18.9	20.5	60261	4C3B	40	3.60	3.77	.94	1.01	6.0	.94	25.97	.97	.160		
20.5	21.7	60262	4E1B	40	3.76	4.30	1.24	.23	7.5	1.09	30.19	.53	.280		
21.7	22.9	60263	4E1B	40	3.74	4.40	.34	.32	3.7	1.02	31.12	.09	.280		
22.9	24.1	60264	4C3	40	3.52	3.82	.11	.12	3.5	.86	26.24	.08	.230		
24.1	25.4	60265	4C3	40	3.45	3.41	.24	.17	6.1	.77	24.55	.08	.170		
25.4	26.6	60266	4C3	40	3.40	3.57	.19	.23	5.3	.70	23.27	.05	.210		
26.6	28.1	60267	4E4	50	4.06	4.19	4.18	5.70	39.5	1.29	25.03	7.13	.140		
28.1	29.6	60268	4E0	50	3.74	3.87	.89	1.66	10.4	2.25	29.80	.15	.100		
29.6	31.2	60269	4C3	40	3.36	3.65	1.05	.36	13.8	.75	21.32	.34	.170		
31.2	32.7	60270	4C3	40	3.47	3.51	.71	.72	10.3	.82	24.01	.29	.250		
32.7	34.2	60271	4C3	40	3.40	3.45	.50	1.24	13.9	.65	22.57	.13	.430		

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HDLE-ID: 90V-40

EASTING: 10045.8 NORTHING: 9846.6 ELEVATION: 1160.7
LENGTH: 30.8

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
30.8	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	.6	#	
.6	12.8	OB	
12.8	14.5	OB	
14.5	17.5	4E1	
17.5	19.2	4EB	
19.2	25.0	4C7	
25.0	30.8	4L2	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG B/T	AU B/T	%FE	%BA	%CU
14.5	16.0	60310	4E1	40	3.41	.00	.69	.20	25.6	2.80	23.22	.09	.940
16.0	17.5	60311	4E1	40	4.09	.00	.49	.42	13.3	1.35	25.09	13.55	.650
17.5	19.2	60312	4EB	50	3.66	3.52	1.75	1.43	59.6	3.74	26.13	1.36	.310
19.2	20.7	60313	4C7	30	3.29	3.39	.11	.16	11.1	.36	20.75	.16	.370
20.7	22.1	60314	4C7	30	3.24	3.41	.19	.39	13.6	.65	19.48	.15	.570
22.1	23.6	60315	4C7	30	3.32	3.26	.47	.97	8.8	.40	20.39	.65	.470
23.6	25.0	60316	4C7	30	3.06	3.04	.34	.68	5.2	.32	14.89	.18	.190

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-41

EASTING: 10060.7 NORTHING: 9907.5 ELEVATION: 1167.8
LENGTH: 31.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
31.1	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	.8	#	
.8	18.4	OB	
18.4	20.6	3E0	
20.6	21.5	4E0	
21.5	22.2	4L0	
22.2	28.0	4E1B	
28.0	31.1	4C0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	%FE	%BA	%CU
20.6	21.4	60357	4E0	50	3.51	3.65	.97	.52	16.0	1.01	24.96	.12	.390
21.4	23.6	60358	4E1B	40	3.38	3.58	.27	.45	8.1	1.25	22.64	.18	.390
23.6	25.1	60359	4E1B	40	3.47	3.54	.15	.56	9.1	.76	24.83	.05	.410
25.1	26.6	60360	4E1B	40	3.36	3.44	.09	.40	8.3	.61	22.52	.04	.340
26.6	28.0	60361	4E1B	40	3.38	3.70	.11	.25	14.3	1.30	22.89	.07	.490
28.0	29.6	60362	4C0	30	3.33	3.37	.12	.14	11.0	.44	21.93	.05	.390
29.6	31.1	60363	4C0	30	3.14	3.46	.94	.31	15.8	.25	16.48	.18	.360

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-42

EASTING: 10045.1 NORTHING: 9907.6 ELEVATION: 1166.0
LENGTH: 39.3

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
39.3	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	.6	#	
.6	17.9	08	
17.9	20.9	464	
20.9	26.1	4C37	
26.1	34.1	4C73	
34.1	36.4	4C7	
36.4	39.3	4L72	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	%FE	%BA	%CU
17.9	19.4	60343	464	60	4.27	3.94	6.85	8.20	93.4	.91	20.17	12.98	.140
19.4	20.7	60344	464	60	4.45	4.22	5.52	8.61	64.9	.62	13.96	24.20	.090
20.7	22.2	60345	4C37	40	3.61	3.79	.81	.84	15.5	1.91	27.19	.23	.320
22.2	23.5	60346	4C37	40	3.58	4.00	.23	.26	9.4	1.70	27.31	.21	.500
23.5	24.8	60347	4C37	40	3.48	3.91	.21	.10	8.4	2.71	25.35	.05	.330
24.8	26.1	60348	4C37	40	3.46	3.63	.35	.29	13.5	1.28	24.61	.05	.380
26.1	27.4	60349	4C73	30	3.30	3.41	.32	.39	15.9	.98	20.89	.10	.460
27.4	28.8	60350	4C73	30	3.53	3.77	.72	1.06	14.2	1.09	25.45	.10	.380
28.8	30.1	60351	4C73	30	3.51	3.76	.85	.75	13.0	4.29	25.12	.10	.310
30.1	31.4	60352	4C73	30	3.48	3.75	1.73	1.41	20.8	1.10	23.29	.05	.220
31.4	32.8	60353	4C73	30	3.36	3.20	.48	.49	7.9	1.96	21.94	.11	.350
32.8	34.1	60354	4C73	30	3.35	3.55	.19	.44	3.9	.53	22.21	.04	.350

PC-XPLOR VERSION 1.30 CURRAGH RESOURCES IN
 Exploration Data Manager 15:27:50 Serial no: 20320
 By GENCOM SERVICES INC. 20/ 3/91 Page : 38
 *** VANGOROA - Drill Hole Database ***

34.1	35.3	60355	4C07	30	3.23	3.27	.27	.47	4.9	.44	19.13	.12	.320
35.3	36.4	60356	4C07	30	3.08	3.08	.12	.40	2.3	.35	15.59	.29	.200

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-43

EASTING: 10044.1 NORTHING: 9968.3 ELEVATION: 1164.8
 LENGTH: 50.9

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
50.9	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	1.2	#	
1.2	25.3	DB	
25.3	33.4	4G4B	
33.4	34.5	4E1B	
34.5	38.6	4E417	
38.6	40.2	4D7B	
40.2	43.6	3G9	
43.6	46.9	4D7	
46.9	50.9	4E1B	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	%FE	%BA	%CU
25.3	26.5	60595	4G4B	60	4.37	.00	7.97	9.26	112.0	.63	8.67	24.90	.110
26.5	27.8	60596	4G4B	60	4.24	.00	8.32	9.30	73.2	1.43	20.77	10.04	.240
27.8	29.3	60597	4G4B	60	3.77	4.16	3.75	10.21	60.5	.36	10.46	13.04	.030
29.3	30.7	60598	4G4B	60	4.28	4.28	6.62	13.00	75.4	.49	14.34	16.96	.050
30.7	32.0	60599	4G4B	60	4.45	4.54	4.73	8.91	71.7	.48	10.18	28.30	.030
32.0	33.4	60600	4E46B	50	3.99	4.32	6.53	7.42	58.8	.85	26.24	1.62	.120
33.4	34.5	60601	4E1B	40	4.01	4.26	1.03	1.34	16.9	1.49	33.58	2.68	.300
34.5	35.9	60602	4E417	50	4.08	3.94	3.38	5.29	34.3	.49	32.25	1.58	.250
35.9	37.2	60603	4G417	60	3.94	4.29	5.07	8.02	58.1	1.26	20.69	6.78	.110
37.2	38.6	60604	4G0	60	3.73	3.97	5.21	4.35	53.6	.84	11.42	12.68	.080
38.6	40.2	60605	4D7B	80	3.57	3.67	1.37	4.35	17.6	.51	18.36	5.68	.090
43.6	45.3	60606	4D7	80	3.47	3.35	4.26	4.70	26.7	4.06	18.80	.34	.260
45.3	47.0	60607	4D7	80	3.31	3.21	3.27	3.12	21.0	4.36	17.02	.18	.260
47.0	48.3	60608	4E1B	40	3.64	3.67	.71	1.25	12.4	2.41	27.97	.08	.580
48.3	49.6	60609	4E1B	40	3.63	3.61	1.34	2.09	11.1	.95	26.71	.14	.390
49.6	50.9	60610	4E1B	40	3.91	4.19	.55	1.18	6.4	.66	34.33	.08	.260

PC-XPLOR VERSION 1.30 CURRASH RESOURCES IN
 Exploration Data Manager 15:27:52 Serial no: 20320
 By SEMCOM SERVICES INC. 20/ 3/91 Page : 39
 *** VANGORDA - Drill Hole Database ***
 *** ***

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-44

EASTING: 10029.9 NORTHING: 9968.2 ELEVATION: 1164.7
 LENGTH: 58.8

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
58.8	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	7.7	#	
7.7	24.2	OB	
24.2	28.5	4E4	
28.5	29.6	4E46	
29.6	31.9	4E8	
31.9	34.9	4D74	
34.9	38.7	4648	
38.7	43.3	4D73	
43.3	49.4	4C0	
49.4	55.9	4C3	
55.9	58.8	4E1	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZN	AG G/T	AU G/T	ZFE	ZBA	ZCU
24.2	25.0	60611	4E4	50	4.45	.00	14.40	5.28	63.0	1.47	30.46	1.70	.550
25.0	26.5	60612	4E4	50	4.19	.00	9.38	8.25	43.4	2.17	27.52	1.98	.230
26.5	27.7	60613	4E4	50	3.74	.00	6.31	1.81	35.9	1.28	23.84	1.08	.250
27.7	28.5	60614	4E4	50	3.98	.00	6.12	5.69	43.8	1.18	28.15	.70	.110
28.5	29.6	60615	4E46	50	4.00	4.45	5.59	5.95	30.4	6.66	27.53	2.06	.120
29.6	30.8	60616	4E48	50	4.08	4.09	1.55	2.45	11.3	1.61	35.91	.97	.260
30.8	31.7	60617	4E48	50	4.20	4.53	8.46	9.61	47.4	2.32	28.51	1.49	.110
31.7	33.4	60618	4D74	80	4.21	4.10	2.71	3.53	19.4	.96	37.10	1.16	.160
33.4	34.9	60619	4D74	80	3.94	3.81	2.96	2.64	16.1	.92	32.23	.14	.100
34.9	36.2	60620	4648	60	4.41	4.32	5.41	10.68	53.9	.79	20.32	16.36	.130
36.2	37.4	60621	4648	60	4.13	4.20	5.73	5.81	48.9	1.09	21.86	10.30	.120
37.4	38.7	60622	4648	60	4.21	4.37	5.42	9.09	43.9	.71	21.24	11.60	.150
38.7	40.2	60623	4D73	80	3.89	3.67	2.92	5.74	19.3	.87	29.10	.69	.260
40.2	41.7	60624	4D73	80	3.79	3.57	3.68	3.40	27.5	1.68	27.65	.22	.290
41.7	43.3	60625	4C73	80	3.63	3.65	1.81	1.26	14.0	.86	26.43	.27	.200
43.3	44.8	60626	4C0	30	3.33	3.38	.90	.61	10.3	.80	20.80	.25	.360
44.8	47.9	60627	4C0	30	3.43	3.66	1.13	1.55	12.0	.67	22.50	.11	.420
47.9	49.4	60628	4C0	30	3.40	3.48	.27	.91	5.9	.67	22.92	.06	.420

49.4	50.8	60629	4D0	40	3.37	3.22	.86	3.29	7.9	.84	20.59	.12	.260
50.8	52.0	60630	4C3	40	3.38	3.66	.06	.62	2.7	1.17	22.82	.05	.290
52.0	54.5	60631	4C3	40	3.34	3.61	.16	.68	2.8	.46	21.74	.11	.250
54.5	55.9	60632	4D3	40	3.31	3.26	1.24	2.98	8.8	.34	18.77	.20	.130
55.9	57.1	60633	4E14	40	3.32	3.02	1.77	2.66	11.4	.41	18.80	.07	.140
57.1	58.8	60634	4E1	40	3.32	3.61	1.29	1.63	12.1	.89	19.90	.03	.430

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-45

EASTING: 10014.9 NORTHING: 9968.2 ELEVATION: 1164.6
LENGTH: 66.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
66.2	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	14.0	#	
14.0	23.3	DB	
23.3	27.1	DB	
27.1	30.8	464	
30.8	36.1	464	
36.1	42.2	4E1	
42.2	42.9	464	
42.9	54.8	4E1	
54.8	57.6	4E1	
57.6	63.4	4L2	
63.4	66.1	4L27	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AS S/T	AU G/T	%FE	%BA	%CU
27.1	28.7	60559	464	60	3.90	.00	6.92	4.17	81.0	.53	15.29	11.20	.240
28.7	30.8	60560	460	60	4.18	.00	3.73	3.98	41.4	.71	29.64	6.56	.240
30.8	32.1	60561	464	60	4.20	4.21	5.24	7.23	67.6	.51	23.09	10.56	.150
32.1	33.4	60562	460	60	4.04	4.00	3.24	6.38	37.8	.87	25.47	6.88	.160
33.4	34.8	60563	460	60	4.10	4.50	3.34	4.20	29.2	.55	32.33	2.62	.170
34.8	36.1	60564	464	60	4.06	3.97	4.11	9.01	36.8	.75	13.70	16.80	.070
36.1	37.7	60565	4E1	40	3.77	4.05	.48	.87	12.1	1.56	30.77	.76	.070
37.7	39.2	60566	4E1	40	3.52	3.65	.40	.26	24.7	.97	25.69	.34	.610
39.2	40.7	60567	4E1	40	3.57	3.68	.94	.47	20.1	.37	25.68	.78	.850
40.7	42.2	60568	4E1	40	3.84	3.78	.32	1.98	9.5	.70	30.71	1.87	.200
42.2	42.9	60569	464	60	4.20	4.62	4.65	10.47	63.4	.42	11.29	21.12	.080

42.9	44.4	60570	4E1	40	4.04	4.44	.17	.51	16.6	.39	37.61	.47	.310
44.4	45.9	60571	4E1	40	3.86	4.11	.20	1.00	13.9	.63	33.74	.06	.290
45.9	47.4	60572	4E1	40	3.84	4.05	1.86	1.75	29.1	.91	31.30	.20	.230
47.4	48.9	60573	4E1	40	3.73	3.88	.50	.37	14.5	.59	30.27	.44	.250
48.9	50.4	60574	4E1	40	3.67	3.84	.14	.21	12.1	.77	29.77	.05	.260
50.4	51.9	60575	4E1	40	3.86	4.16	.07	.30	6.1	.84	34.16	.04	.350
51.9	53.4	60576	4E1	40	3.74	3.65	.66	.34	13.6	1.26	30.73	.06	.230
53.4	54.8	60577	4E1	40	3.88	4.16	.15	.38	7.3	1.10	34.47	.03	.310
54.8	56.2	60578	4E1	40	3.52	3.59	.05	.57	5.3	.31	26.06	.12	.390
56.2	57.6	60579	4E1	40	3.59	.00	.41	3.48	11.1	.39	25.17	1.00	.310

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-46

EASTING: 10076.4 NORTHING: 9998.2 ELEVATION: 1163.7
LENGTH: 54.0

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
54.0	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	13.7	#	
13.7	28.0	DB	
28.0	33.0	4E1	
33.0	36.4	4C3	
36.4	44.0	4C37	
44.0	48.8	4C7	
48.8	53.9	3G61	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
28.0	29.3	60478	4E41	50	3.73	.00	3.55	3.12	31.7	.21	19.66	6.78	.410
29.3	31.1	60479	4E1	40	3.39	.00	.39	.43	10.7	1.41	21.92	.86	.370
31.1	32.0	60480	4E1	40	3.43	.00	.25	.13	17.5	.45	23.72	.39	.590
32.0	33.0	60481	4E1	40	3.49	.00	.07	.08	18.4	1.08	24.93	.83	.530
33.0	34.7	60482	4C3	40	3.33	3.75	.23	.55	11.0	.72	21.47	.18	.310
34.7	36.4	60483	4C3	40	3.37	3.90	2.06	2.04	19.5	1.11	19.99	.14	.320
36.4	37.7	60484	4C37	40	3.30	.00	1.97	2.62	15.6	.80	17.94	.46	.240
37.7	38.9	60485	4D37	40	3.27	3.56	2.12	2.79	22.4	.57	17.04	.28	.230
38.9	40.2	60486	4C37	40	3.18	3.44	.05	.20	3.5	.41	18.37	.18	.230
40.2	41.4	60487	4C37	40	3.20	3.39	.22	.23	4.7	.47	18.57	.21	.250
41.4	42.7	60488	4C37	40	3.32	3.61	.25	.55	4.8	.41	21.11	.16	.310

PC-XPLOR VERSION 1.30
Exploration Data Manager
By BENCOM SERVICES INC.

CURRABH RESOURCES IN
15:28: 0 Serial no: 20320
20/ 3/91 Page : 42

*** VANBORDA - Drill Hole Database ***

42.7	43.9	60489	4C37	40	3.24	3.28	.13	.34	6.7	.06	18.75	.89	.320
43.9	45.2	60490	4C7	30	2.98	3.17	.09	.20	3.3	.12	13.29	.53	.250
45.2	46.4	60491	4C7	30	2.99	3.05	.25	.60	4.9	.07	13.03	.73	.230
46.4	48.8	60492	4C7	30	2.94	.00	.21	.56	5.7	.21	11.62	.82	.190

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-47

EASTING: 10045.5 NORTHING: 9999.0 ELEVATION: 1163.8
LENGTH: 67.7

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
67.7	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	13.7	#	
13.7	28.8	08	
28.8	38.9	4648	
38.9	44.5	4E74	
44.5	55.9	4E17	
55.9	63.4	4C7	
63.4	66.1	4D7	
66.1	67.7	4L67	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	ZPB	ZZN	AB G/T	AU G/T	ZFE	ZBA	ZCU
28.8	30.2	60317	4648	60	4.50	4.39	5.73	5.58	76.8	.31	18.40	22.11	.170
30.2	31.7	60318	4648	60	4.62	4.47	3.82	7.27	46.5	.26	11.90	31.90	.060
31.7	33.1	60319	4648	60	4.28	4.04	4.44	6.44	42.6	.30	16.57	19.62	.100
33.1	34.6	60320	4648	60	4.17	4.35	5.16	6.10	46.9	.36	19.26	14.08	.150
34.6	36.0	60321	4648	60	4.23	4.29	4.97	7.42	48.6	.21	14.21	19.98	.050
36.0	37.5	60322	4648	60	4.55	4.45	5.50	7.24	39.8	.19	13.08	27.83	.040
37.5	38.9	60323	4648	60	4.19	4.34	6.84	4.97	53.0	1.08	22.24	10.80	.160
38.9	40.2	60324	4E74	50	3.93	4.08	3.02	2.73	39.9	.72	29.69	2.11	.250
40.2	41.6	60325	4E74	50	3.58	3.69	2.06	2.76	25.7	.46	22.42	2.29	.220
41.6	43.0	60326	4E7	50	3.31	3.21	2.05	1.30	26.3	1.08	18.11	.97	.230
43.0	44.5	60327	4E74	50	3.49	3.64	3.08	1.86	28.2	1.56	21.66	.48	.190
44.5	45.9	60328	4E17	40	3.45	3.33	1.47	1.29	11.1	4.10	22.72	.14	.240
45.9	47.3	60329	4E17	40	3.38	3.50	.54	.53	7.1	4.56	22.17	.34	.300
47.3	48.8	60330	4E17	40	3.47	3.62	.88	1.11	10.1	1.02	23.80	.25	.440
48.8	50.3	60331	4E17	40	3.45	3.66	.22	.63	14.7	.57	24.09	.21	.470
50.3	51.7	60332	4E17	40	3.46	3.81	.15	.25	14.7	.41	24.58	.16	.460

*** VANGORDA - Drill Hole Database

51.7	53.1	60333	4E17	40	3.44	3.57	.31	.20	16.5	.42	23.94	.22	.270
53.1	54.5	60334	4E17	40	3.52	3.93	.67	.43	18.4	.41	25.71	.04	.440
54.5	55.9	60335	4E17	40	3.45	3.57	.21	.24	8.5	1.08	24.60	.03	.490
55.9	57.4	60336	4C7	30	3.30	3.40	2.66	.19	18.5	.93	18.85	.07	.540
57.4	58.9	60337	4C7	30	3.30	3.43	.04	.06	7.0	.59	21.16	.08	.440
58.9	60.4	60338	4C7	30	3.34	3.46	.03	.04	7.8	.27	22.17	.16	.320
60.4	61.9	60339	4C7	30	3.25	3.14	.09	.12	5.0	.51	19.86	.13	.190
61.9	63.4	60340	4C7	30	3.30	3.33	.79	.65	15.3	2.23	20.37	.05	.320
63.4	64.8	60341	4D7	80	3.42	3.47	1.52	3.22	14.8	1.15	21.19	.14	.280
64.8	66.2	60342	4C7	30	3.19	3.16	.38	.60	5.3	.56	18.05	.07	.220

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-4B

EASTING: 10013.6 NORTHING: 9998.3 ELEVATION: 1163.4

LENGTH: 72.6

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
72.6	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	14.3	#	
14.3	31.1	DB	
31.1	43.3	464	
43.3	52.6	4E1	
52.6	56.2	4E14	
56.2	61.9	4E1	
61.9	63.0	4L0	
63.0	64.9	4E41	
64.9	72.5	4L0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	%FE	%BA	%CU
31.1	32.6	60442	460	60	4.23	.00	5.61	3.47	58.6	.71	25.73	10.10	.270
32.6	34.1	60443	464	60	4.11	4.12	5.84	5.24	83.0	1.12	24.39	7.68	.200
34.1	36.3	60444	460	60	4.07	4.30	5.41	4.06	58.1	1.70	25.56	6.54	.200
36.3	37.2	60445	464	60	4.20	4.50	8.37	7.83	110.4	.70	17.46	12.92	.170
37.2	38.7	60446	464	60	4.98	4.56	11.80	4.06	113.7	.91	30.23	16.80	.360
38.7	40.2	60447	464	60	4.12	4.32	6.38	6.73	58.3	.71	20.76	10.16	.210
40.2	41.8	60448	464	60	4.16	4.07	6.11	5.78	52.7	.61	21.11	11.56	.210
41.8	43.3	60449	464	60	4.02	4.32	4.49	5.65	49.5	.87	22.70	8.34	.180
43.3	44.8	60450	4E1	40	3.95	3.93	1.85	1.53	13.1	1.01	33.61	.37	.180

*** VANGORDA - Drill Hole Database ***

44.8	46.4	60451	4E1	40	4.20	3.94	.80	1.72	9.0	1.27	40.52	.35	.110
46.4	47.9	60452	4E1	40	3.81	3.92	2.39	1.43	14.0	1.20	27.66	2.52	.200
47.9	49.5	60453	4E1	40	3.73	4.23	.46	.20	13.3	1.47	30.08	.69	.340
49.5	51.0	60454	4E4	40	4.12	3.99	3.81	.64	14.9	.70	35.11	1.44	.290
51.0	52.6	60455	4E1	40	3.95	3.78	.07	.36	8.2	1.21	26.57	9.30	.370
52.6	53.8	60456	4E41	50	3.58	4.22	4.67	5.85	34.9	.68	20.29	.48	.140
53.8	55.1	60457	4G4	60	4.08	4.29	6.83	8.11	38.0	.35	18.86	10.20	.130
55.1	56.3	60458	4E41	50	3.81	4.23	9.94	8.25	49.0	.28	19.93	.24	.140
56.3	57.7	60459	4E4	40	3.81	4.37	2.90	2.20	27.6	.87	29.31	.23	.280
57.7	59.1	60460	4E1	40	3.94	4.07	1.22	2.27	23.5	.50	33.84	.26	.430
59.1	60.5	60461	4E1	40	3.56	4.29	1.03	1.13	23.3	.53	25.87	.09	.340
60.5	61.9	60462	4E1	40	3.71	3.94	1.42	1.77	25.4	.57	28.60	.18	.400
61.9	64.0	60463	4E41	50	3.60	4.11	6.27	8.33	38.8	.37	18.37	.24	.130
64.0	64.9	60464	4E41	50	3.46	3.68	6.19	9.83	39.9	.66	14.53	.25	.060

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-49

EASTING: 9998.8 NORTHING:10030.5 ELEVATION: 1160.0

LENGTH: 84.5

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
84.5	-90.0	.0	.0

LITHDLOGY DATA

FROM	TO	ROCK	REMARKS
.0	16.8	#	
16.8	19.8	DB	
19.8	25.2	DB	
25.2	30.0	369	
30.0	31.2	4E46	
31.2	32.3	4G4	
32.3	33.5	4L0	
33.5	39.0	4G4	
39.0	42.5	4L2	
42.5	43.8	369	
43.8	46.8	4L0	
46.8	50.0	4G4	
50.0	51.4	4L0	
51.4	55.6	4E46B	
55.6	56.7	4A4	
56.7	76.0	4L2	
76.0	77.8	4G4	
77.8	83.3	4L7	
83.3	84.4	5C0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AS G/T	AU G/T	%FE	%BA	%CU
30.0	31.3	60635	4E46	50	3.91	4.48	5.34	4.13	47.9	1.16	28.61	.07	.200
31.3	32.3	60636	464	60	4.14	4.00	5.47	6.37	71.7	.97	16.40	15.76	.130
32.3	34.9	60637	464	60	4.39	.00	6.29	7.53	77.0	.90	9.11	27.30	.030
34.9	36.3	60638	464	60	4.41	4.42	9.37	7.98	92.4	.75	18.45	15.80	.040
36.3	37.7	60639	464	60	4.19	4.15	6.90	7.59	71.4	.64	15.85	15.72	.070
37.7	39.0	60640	464	60	4.12	4.12	9.08	8.40	86.2	1.38	19.40	8.36	.230
39.0	48.4	60641	464	60	3.83	3.90	4.76	5.39	42.5	6.48	16.39	10.10	.040
48.4	50.0	60642	460	60	4.28	4.80	3.55	3.72	39.5	.64	14.66	23.60	.050
50.0	51.4	60643	4E64	120	3.25	.00	2.81	3.79	29.6	.47	8.96	6.56	.050
51.4	52.8	60644	4E46B	50	3.88	4.03	5.67	10.25	71.0	.53	20.32	4.40	.150
52.8	54.2	60645	4E46B	50	3.87	4.13	3.31	3.68	38.7	.56	21.34	8.26	.300
54.2	55.6	60646	4E46B	50	3.72	3.18	2.85	3.86	26.4	.37	22.03	4.62	.210
55.6	56.7	60647	4A4	20	3.10	.00	3.94	8.46	32.7	.65	8.88	.23	.090
76.0	76.9	60648	464	60	4.24	4.42	6.97	9.58	92.1	1.51	9.09	22.40	.050
76.9	77.8	60649	464	60	4.01	3.83	5.71	7.80	107.8	.69	11.04	17.20	.080
77.8	79.4	60650	4E64	60	3.06	3.12	2.54	3.74	17.0	.10	8.40	3.28	.070

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-50

EASTING: 10078.8 NORTHING: 10027.9 ELEVATION: 1162.7
LENGTH: 63.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
---	---	---	---
.0	-90.0	.0	.0
63.1	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
---	---	---	---
.0	16.8	#	
16.8	27.7	08	
27.7	35.8	08	
35.8	37.3	08	
37.3	47.4	3694	
47.4	51.1	4D05	
51.1	52.4	4E1	
52.4	55.0	4E1	
55.0	57.1	4E1	
57.1	63.1	4L2	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZN	AS G/T	AU G/T	%FE	%BA	%CU
47.4	48.6	60651	4D05	80	3.45	3.54	2.80	3.21	22.2	.31	20.71	.12	.070
48.6	49.8	60652	4D05	80	3.23	.00	3.14	6.24	24.1	.38	13.72	.14	.130
49.8	51.1	60653	4D05	80	3.22	.00	2.51	4.06	23.9	.44	15.20	.13	.120
51.1	52.4	60654	4E1	40	3.53	.00	.98	1.70	19.6	.51	25.06	.08	.330
52.4	53.7	60655	4E1	40	3.20	.00	.70	1.79	15.4	.26	17.22	.27	.180
53.7	55.0	60656	4E1	40	3.89	.00	.85	1.68	7.9	.11	33.16	.36	.460
55.0	56.1	60657	4E1	40	3.39	3.74	.13	.26	9.4	.52	23.14	.06	.170
56.1	57.1	60658	4E1	40	3.43	3.89	.14	.25	4.4	.57	24.10	.11	.170

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-51

EASTING: 10107.6 NORTHING:10059.7 ELEVATION: 1159.2
LENGTH: 68.6

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
68.6	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	#	
9.1	27.5	OB	
27.5	28.3	4L7	
28.3	34.3	4A7	
34.3	39.1	4L6	
39.1	44.8	5B0	
44.8	47.9	5A0	
47.9	56.9	4A7	
56.9	59.1	4L7	
59.1	65.5	4L72	
65.5	68.6	3GB	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZN	AS G/T	AU G/T	%FE	%BA	%CU
28.4	29.8	60503	4A7	20	2.86	3.14	.77	1.11	9.5	.41	9.57	.38	.120
29.8	31.3	60504	4A7	20	2.66	2.90	.73	.90	8.2	.30	4.78	.57	.070
31.3	32.8	60505	4A7	20	2.71	2.83	.32	.49	6.3	.13	6.70	.51	.100
32.8	34.3	60506	4A7	20	2.70	2.90	.35	.40	4.3	.10	6.42	.56	.090
47.9	49.4	60507	4A7	20	2.92	3.03	.31	.50	3.0	.01	12.09	.06	.070
49.4	50.9	60508	4A7	20	2.78	3.03	.14	.17	2.6	.04	9.13	.07	.100

PC-XPLOR VERSION 1.30
Exploration Data Manager
By SEMCOM SERVICES INC.

CURRASH RESOURCES IN
15:28:11 Serial no: 20320
20/ 3/91 Page : 47

*** VANSORDA - Drill Hole Database ***

50.9	52.4	60509 4A7	20	2.88	2.91	.11	.20	2.7	.11	11.25	.27	.120
52.4	53.9	60510 4A7	20	2.76	2.90	.31	.45	6.5	.35	8.38	.06	.170
53.9	55.4	60511 4A7	20	2.69	2.87	.06	.11	1.8	.09	7.04	.12	.070
55.4	56.9	60512 4A7	20	2.66	.00	.05	.06	.9	.11	5.87	.65	.040

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-52

EASTING: 10091.8 NORTHING: 10090.6 ELEVATION: 1156.5
LENGTH: 64.9

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
64.9	-88.0	53.8	12.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	#	
9.1	23.8	DB	
23.8	26.1	4A0	
26.1	30.5	4C05	
30.5	34.1	4A4	
34.1	41.7	4A0	
41.7	45.0	4C3	
45.0	52.5	4C3B	
52.5	53.4	3C#	
53.4	56.2	4C3B	
56.2	57.1	3C#	
57.1	58.9	4C5	
58.9	61.4	3S96	
61.4	64.9	4L72	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AS S/T	AU S/T	%FE	%BA	%CU
23.8	24.9	60722	4A4	20	2.81	2.60	2.02	3.94	27.6	.29	6.05	.32	.020
24.9	26.1	60723	4A0	20	2.75	2.62	.20	.77	4.0	.01	7.70	.43	.000
26.1	27.6	60724	4D05	80	2.90	2.57	2.13	4.79	31.1	.13	7.36	.59	.030
27.6	29.0	60725	4C05	30	3.33	2.89	.89	.91	11.1	.74	20.60	.30	.140
29.0	30.5	60726	4C05	30	3.44	2.83	.46	.51	8.1	.73	23.77	.11	.270
30.5	31.7	60727	4A4	20	3.42	3.87	4.10	7.30	46.0	.75	15.85	1.01	.070
31.7	32.9	60728	4A4	20	3.27	3.23	3.39	7.25	42.4	1.45	14.06	.14	.090
32.9	34.1	60729	4A4	20	3.14	3.23	2.45	4.67	34.9	.69	13.15	.18	.150
34.1	35.7	60730	4A0	20	2.93	3.21	1.17	1.57	19.3	.28	10.90	.17	.190
35.7	37.2	60731	4A0	20	3.10	2.26	1.20	1.88	15.7	.49	14.42	.22	.170

PC-XPLOR VERSION 1.30
Exploration Data Manager
By SEMCOM SERVICES INC.

CURRASH RESOURCES IN
15:28:14 Serial no: 20320
20/ 3/91 Page : 48

*** VANSORDA - Drill Hole Database ***

37.2	38.7	60732	4A0	20	3.42	2.91	1.48	2.22	22.4	.89	21.70	.17	.320
38.7	40.2	60733	4A0	20	3.12	2.43	.94	1.33	19.9	1.11	15.43	.29	.220
40.2	41.7	60734	4A0	20	3.14	4.10	.99	1.30	17.8	1.33	15.52	.56	.170
41.7	43.4	60735	4C3	40	3.25	3.41	.86	.27	12.6	1.10	18.18	.98	.160
43.4	45.1	60736	4C3	40	3.24	3.29	.32	.03	8.3	.38	19.01	.74	.190
45.1	46.6	60737	4C3B	40	3.24	3.71	.03	.02	11.6	.31	19.71	.17	.320
46.6	48.0	60738	4C3B	40	3.20	3.45	.03	.01	17.5	.37	18.72	.22	.520
48.0	49.5	60739	4C3B	40	3.20	4.32	.04	.02	9.4	.20	18.92	.13	.350
49.5	51.0	60740	4C3B	40	3.22	3.35	.04	.02	9.1	.42	19.29	.13	.330
51.0	52.5	60741	4C3B	40	3.17	3.86	.03	.02	7.3	.38	17.95	.31	.370
53.4	54.8	60742	4C3B	40	3.29	3.59	.05	.01	7.7	.64	20.56	.62	.290
54.8	56.2	60743	4C3B	40	3.43	3.90	.05	.01	6.9	.74	24.10	.18	.290
57.1	58.0	60744	4C5	30	3.21	3.49	.06	.05	9.2	.60	19.03	.08	.290
58.0	59.0	60745	4C5	30	3.14	3.16	.11	.09	8.9	1.21	17.31	.19	.290

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-53

EASTING: 10013.9 NORTHING: 10091.6 ELEVATION: 1155.0
LENGTH: 66.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
66.2	-88.0	151.8	110.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	#	
9.1	34.2	DB	
34.2	36.3	4C0	
36.3	38.3	4E0	
38.3	41.8	4G4B	
41.8	48.2	4G0B	
48.2	54.7	4C7	
54.7	66.1	4C07	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS G/T	AU G/T	%FE	%BA	%CU
34.2	36.3	60659	4C0	30	2.85	.00	.78	2.13	10.4	.23	6.59	2.44	.010
38.4	39.5	60660	4G0B	60	3.93	3.81	3.82	6.17	50.6	.38	8.73	20.16	.030
39.5	40.6	60661	4G0B	60	3.73	3.18	2.90	5.05	33.9	.17	8.00	17.60	.020
40.6	41.8	60662	5C1	100	2.79	2.71	.17	.70	2.3	.14	5.61	3.24	.010
41.8	42.8	60663	4G4B	60	4.21	4.12	5.63	7.70	71.3	.74	14.00	18.96	.070
42.8	43.9	60664	4G4B	60	4.42	4.48	4.77	7.34	60.0	.41	9.64	28.80	.040

43.9	45.0	60665	4648	60	4.49	4.54	4.64	7.76	65.3	.33	9.55	30.50	.030
45.0	46.0	60666	4648	60	4.35	4.54	6.05	8.36	77.9	.10	8.95	26.40	.040
46.0	47.0	60667	4648	60	4.17	3.94	5.96	8.91	68.8	.64	11.04	20.08	.050
47.0	48.2	60668	4648	60	3.90	3.93	6.22	10.65	54.6	.45	11.80	12.40	.040
48.2	49.3	60669	4C7	30	3.36	3.33	2.27	1.79	28.4	1.89	18.05	1.71	.190
49.3	50.3	60670	4C7	30	3.54	3.12	1.01	.76	12.3	.93	24.80	.76	.270
50.3	51.4	60671	4C7	30	3.77	4.09	1.61	1.70	11.0	.69	29.90	.08	.220
51.4	52.5	60672	4C7	30	3.54	3.65	1.49	1.45	13.7	.53	24.73	.22	.460
52.5	53.6	60673	4C7	30	3.42	3.46	.89	1.29	11.4	.97	22.47	.34	.430
53.6	54.7	60674	4C7	30	3.56	3.77	.31	.91	6.1	.72	26.60	.20	.280
54.7	56.1	60675	4C7	30	3.38	3.59	.06	.30	5.8	.62	22.87	.12	.350
56.1	57.6	60676	4C7	30	3.31	3.02	.21	.19	5.5	.71	21.36	.08	.420
57.6	59.0	60677	4C7	30	3.49	3.48	.39	.65	6.3	.77	24.93	.12	.310
59.0	60.4	60678	4D7	30	3.70	3.85	5.55	.38	37.6	1.17	25.08	.22	.290
60.4	61.9	60679	4C7	30	3.48	3.63	.28	.15	4.0	.69	25.21	.11	.430
61.9	63.3	60680	4D7	30	3.43	3.47	5.57	7.57	69.9	.56	15.30	.44	.070
63.3	64.7	60681	4C7	30	3.36	3.55	.53	.31	5.8	.46	22.11	.10	.280
64.7	66.2	60682	4C7	30	3.26	3.39	.64	.30	3.7	.66	19.46	.22	.210

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-54

EASTING: 10001.2 NORTHING:10092.0 ELEVATION: 1155.0
LENGTH: 85.4

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
85.4	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	#	
9.1	41.8	DB	
41.8	47.0	464#B	
47.0	52.4	4EB	
52.4	67.5	4C3B	
67.5	.0	4DB	
71.9	80.6	4CB	
80.6	84.8	4L2	
84.8	85.3	4E0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS G/T	AU G/T	XFE	XBA	XCU
41.8	43.1	60945	464#B	60	4.58	4.23	6.86	7.26	70.2	.44	17.91	22.55	.030

*** VANGORDA - Drill Hole Database ***

43.1	44.4	60946	464#8	60	4.54	4.28	9.23	7.79	98.4	.35	17.85	19.36	.060
44.4	45.7	60947	46#	60	4.04	4.20	4.08	2.76	72.3	.23	6.48	25.96	.010
45.7	47.0	60948	464#	60	4.27	4.18	6.08	5.48	60.8	.36	13.11	21.89	.040
47.0	48.4	60949	4E8	50	4.25	4.44	2.01	1.93	25.6	1.00	38.09	2.57	.290
48.4	49.7	60950	4E8	50	4.14	4.44	1.18	1.67	13.6	1.08	38.81	.24	.290
49.7	51.0	60951	4E84	50	4.25	4.20	1.81	2.68	21.1	.63	40.39	.27	.260
51.0	52.4	60952	4E8	50	4.14	4.21	.58	1.01	10.0	1.15	39.82	.14	.170
52.4	53.9	60953	4C38	40	3.87	3.67	.78	1.03	12.2	1.06	33.11	.22	.230
53.9	55.4	60954	4C38	40	3.54	3.52	.28	.70	9.6	.87	26.21	.22	.250
55.4	56.9	60955	4C38	40	3.55	3.48	.08	.17	5.5	.86	26.89	.13	.290
56.9	58.4	60956	4C38	40	3.60	3.60	.04	.07	5.8	.83	28.15	.10	.340
58.4	60.0	60957	4C38	40	3.26	3.30	.15	.13	4.9	.71	19.99	.24	.190
60.0	61.5	60958	4C38	40	3.50	3.45	.15	.19	4.3	1.00	25.70	.09	.320
61.5	63.0	60959	4C38	40	3.60	3.67	.12	.12	3.1	.75	28.19	.07	.240
63.0	64.5	60960	4D38	40	3.68	3.79	5.68	.17	26.7	.59	24.83	.10	.270
64.5	66.0	60961	4C38	40	3.45	3.43	.13	.13	2.5	.45	24.55	.04	.290
66.0	67.6	60962	4C38	40	3.45	3.49	.45	.54	6.0	.40	23.32	.84	.240
67.6	69.0	60963	4D8	30	3.73	3.50	2.63	5.13	24.5	.42	26.40	.11	.260
69.0	70.5	60964	4D8	30	3.53	3.52	2.15	6.50	21.0	.35	21.68	.05	.150
70.5	71.9	60965	4D8	30	3.34	3.37	4.54	7.70	39.1	.46	14.23	.29	.080
71.9	73.3	60966	4D8	80	3.34	3.34	5.26	2.48	23.4	.62	16.19	.10	.180
73.3	74.8	60967	4D8	30	3.38	3.34	3.16	1.06	21.8	.95	19.68	.24	.340
74.8	76.2	60968	4C8	30	3.63	3.69	.72	2.16	8.1	.79	27.31	.04	.450
76.2	77.6	60969	4C8	30	3.46	3.35	.98	1.44	11.0	5.20	23.42	.09	.320
77.6	79.1	60970	4C8	30	3.52	3.44	1.00	1.77	14.1	.97	24.64	.08	.440
79.1	80.6	60971	4C8	30	3.34	3.44	.80	1.34	8.7	.64	20.25	.64	.140
84.8	85.4	60972	4E0	50	3.50	4.45	.14	.21	12.7	.45	25.70	.04	.330

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-55

EASTING: 9924.0 NORTHING:10059.6 ELEVATION: 1156.2

LENGTH: 50.6

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
50.6	-87.5	88.8	47.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	#	
9.1	27.1	DB	
27.1	36.7	360	
36.7	39.4	3E0	
39.4	42.8	4E1B	
42.8	47.6	4L27	

47.6 50.6 4E814

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS S/T	AU S/T	XFE	XBA	XCU
39.4	40.5	60493	4E18	40	3.86	3.96	1.26	.74	13.1	.27	30.41	2.30	.260
40.5	41.7	60494	4E18	40	3.69	4.02	1.62	1.34	15.1	.32	25.30	2.98	.230
41.7	42.8	60495	4E184	40	4.03	4.48	3.10	2.66	28.5	.54	29.93	4.16	.380
47.7	49.1	60496	4E184	40	4.07	4.17	2.79	2.61	16.5	.40	32.69	2.64	.240
49.1	50.6	60497	4E184	40	4.02	4.06	3.11	2.52	19.5	.51	31.01	2.88	.320

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-56

EASTING: 10108.2 NORTHING: 10121.6 ELEVATION: 1152.7
LENGTH: 58.5

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
58.5	-85.0	182.8	141.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	6.7	#	
6.7	17.1	DB	
17.1	22.6	3S7	
22.6	32.1	4A7	
32.1	51.3	3S96	
51.3	52.4	4A7	
52.4	54.6	3G9	
54.6	56.1	4A7	
56.1	58.5	4L7	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS S/T	AU S/T	XFE	XBA	XCU
22.7	24.2	60760	4A74	20	2.75	2.77	2.96	3.31	121.8	.33	4.14	.12	.020
24.2	25.8	60761	4A7	20	2.65	2.69	.38	.59	14.5	.20	5.29	.25	.010
25.8	27.3	60762	4A74	20	2.71	2.77	2.38	2.64	69.9	.31	4.01	.15	.030
27.3	28.9	60763	4A7	20	2.74	2.83	.85	1.41	13.0	.28	6.68	.26	.040
28.9	30.4	60764	4A7	20	2.75	2.90	.45	.57	8.8	.17	7.73	.19	.020
30.4	32.1	60765	4A7	20	2.99	3.12	.81	2.97	13.7	.40	12.00	.16	.020
51.3	52.4	60766	4A7	20	3.30	2.88	.40	.07	10.3	.33	20.71	.18	.090
54.8	56.1	60767	4A7	20	3.03	2.92	.18	.02	3.1	.20	14.69	.22	.040

```

PC-XPLOR VERSION 1.30
Exploration Data Manager
By SEMCOM SERVICES INC.
CURRASH RESOURCES IN
15:28:24 Serial no: 20320
20/ 3/91 Page : 52
*** VANSORDA - Drill Hole Database ***
***

```

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-57

EASTING: 10080.4 NORTHING:10121.8 ELEVATION: 1154.4
LENGTH: 70.7

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
70.7	-89.0	332.8	291.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	#	
9.1	20.4	OB	
20.4	23.8	3B9	
23.8	28.3	4E4B	
28.3	30.1	4A4	
30.1	33.2	4E1B	
33.2	37.9	4A4	
37.9	39.3	4C0	
39.3	40.3	5C#	
40.3	64.2	4C7	
64.2	65.4	5C#	
65.4	70.7	4C57	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AS G/T	AU G/T	%FE	%BA	%CU
23.8	25.3	607B4	4E4B	50	3.90	4.00	3.69	6.15	50.9	.33	26.88	2.18	.040
25.3	26.8	607B5	4E4B	50	4.02	4.40	3.52	3.99	32.2	.86	32.37	.54	.050
26.8	28.3	607B6	4E4B	50	4.03	4.60	6.09	6.23	57.8	.67	29.50	.26	.020
28.3	29.2	607B7	4A4	20	3.85	3.18	7.96	8.42	80.7	1.09	21.04	1.78	.090
29.2	30.1	607B8	4A4	20	3.28	.00	3.65	3.92	37.5	.95	15.41	.31	.070
30.1	31.7	607B9	4E1B	40	3.61	3.33	.53	.88	11.0	1.42	27.65	.13	.190
31.7	33.2	60790	4E1B	40	3.61	3.85	.51	.82	10.1	1.10	27.62	.10	.240
33.2	34.8	60791	4A4	20	3.50	3.40	5.24	8.81	82.9	2.47	16.97	.16	.120
34.8	36.3	60792	4A4	20	3.17	2.74	3.05	4.55	52.3	1.15	13.20	.15	.110
36.3	37.9	60793	4A0	20	3.23	3.25	1.68	1.97	30.0	1.10	17.13	.18	.170
37.9	39.4	60794	4C0	30	3.56	3.58	1.27	.76	28.2	1.60	25.75	.18	.330
40.3	41.8	60795	4C7	30	3.61	3.69	.20	.81	9.7	.66	27.96	.05	.350
41.8	43.3	60796	4C7	30	3.57	3.60	.21	.74	9.2	.62	27.13	.04	.350
43.3	44.8	60797	4C7	30	3.43	3.50	.16	.30	11.5	.67	23.96	.07	.450
44.8	46.3	60798	4C7	30	3.39	3.26	.11	.48	10.8	1.14	23.06	.09	.370
46.3	47.7	60799	4C7	30	3.41	3.20	.04	.18	8.5	.76	23.73	.16	.290

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

CURRASH RESOURCES IN

15:28:26 Serial no: 20320

20/ 3/91 Page : 53

*** VANSORDA - Drill Hole Database ***

47.7	49.2	60800	4C7	30	3.59	3.61	.05	.38	10.6	1.22	27.41	.53	.500
49.2	50.7	60801	4C7	30	3.55	3.27	.02	.52	6.4	.99	26.83	.09	.330
50.7	52.2	60802	4C7	30	3.43	3.31	.13	.52	7.4	1.05	24.02	.14	.310
52.2	53.7	60803	4C7	30	3.40	3.28	.16	.27	10.8	.95	23.38	.12	.400
53.7	55.2	60804	4C7	30	3.62	3.63	.03	.17	6.7	.50	28.59	.12	.360
55.2	56.7	60805	4C7	30	3.40	3.22	.04	.03	5.1	.79	23.15	.46	.380
56.7	58.2	60806	4C7	30	3.58	3.56	.01	.06	5.6	.51	27.86	.08	.360
58.2	59.7	60807	4C7	30	3.44	3.26	.01	.04	10.8	.83	24.61	.07	.570
59.7	61.2	60808	4C7	30	3.50	3.23	.10	.04	9.4	.65	25.66	.24	.310
61.2	62.7	60809	4C7	30	3.39	3.25	.07	.17	6.6	.34	22.65	.58	.340
62.7	64.2	60810	4C7	30	3.09	2.89	.02	.10	7.7	.42	16.25	.22	.500
65.4	66.5	60811	4C57	30	3.26	.00	.04	.31	6.5	.47	19.88	.34	.270
66.5	67.6	60812	4C57	30	3.14	.00	.01	.37	7.6	.36	17.41	.18	.250
67.6	68.6	60813	4C57	30	3.06	.00	.01	.30	3.6	.37	15.55	.21	.140
68.6	69.7	60814	4C57	30	2.93	.00	.06	.10	4.7	.36	12.30	.27	.260
69.7	70.8	60815	4C57	30	3.28	.00	.56	.05	10.0	.21	20.09	.37	.170

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-58

EASTING: 10091.9 NORTHING:10152.6 ELEVATION: 1149.4
LENGTH: 73.8

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
73.8	-85.5	67.8	26.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	#	
9.1	18.9	DB	
18.9	21.1	3G0	
21.1	28.3	3G0	
28.3	31.6	3E6	
31.6	32.4	4A4	
32.4	35.7	4C37	
35.7	38.4	4A4	
38.4	41.0	4A0	
41.0	43.6	3C3	
43.6	47.4	4A0	
47.4	59.7	3G9	
59.7	66.2	4C35	
66.2	73.8	4L72	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	%FE	%BA	%CU
31.6	32.4	60746	4A4	20	2.89	.00	1.42	4.13	26.7	.47	8.39	.22	.040
32.4	34.0	60747	4C37	40	3.40	3.49	1.08	1.43	20.1	.80	21.86	.14	.160
34.0	35.7	60748	4C37	40	3.57	3.72	.25	.65	6.2	1.09	27.13	.12	.180
35.7	37.0	60749	4A4	20	3.39	3.29	4.90	7.41	68.3	.81	15.40	.10	.080
37.0	38.4	60750	4A4	20	3.31	3.25	3.48	8.43	61.1	.83	14.17	.29	.090
38.4	39.7	60751	4A4	20	3.05	2.80	1.61	3.20	29.7	.72	12.24	.26	.110
39.7	41.0	60752	4A0	20	3.23	.00	1.15	2.41	26.9	.70	17.52	.08	.190
43.6	44.9	60753	4A4	20	3.61	4.13	3.42	1.56	49.8	1.04	24.62	.12	.200
44.9	46.2	60754	4A4	20	3.24	3.20	2.76	2.35	34.0	.33	16.32	.08	.170
46.2	47.4	60755	4A0	20	2.91	2.97	.24	1.37	5.2	.25	10.88	.54	.040
59.8	61.4	60756	4C35	40	3.60	3.49	.31	.45	11.2	.83	27.46	.40	.220
61.4	63.0	60757	4C35	40	3.31	3.33	.20	.16	10.7	.99	21.01	.44	.230
63.0	64.6	60758	4C35	40	3.57	3.50	.17	.06	9.5	1.40	27.28	.18	.250
64.6	66.2	60759	4C35	40	3.46	3.27	.12	.22	6.4	1.07	24.43	.55	.220

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-59

EASTING: 10106.3 NORTHING:10150.5 ELEVATION: 1149.2
LENGTH: 72.0

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
72.0	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	#	
9.1	22.8	OB	
22.8	23.7	3C0	
23.7	28.3	4A47	
.0	29.8	4A07	
29.8	31.3	4A47	
31.3	33.8	3G92	
33.8	34.4	4A47	
34.4	36.9	3E86	
36.9	37.9	4A47	
37.9	62.1	3G96	
62.1	65.2	3G4	
65.2	71.9	4L72	

ASSAYS DATA

*** VANSORDA - Drill Hole Database ***

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS S/T	AU S/T	%FE	%BA	%CU
23.7	25.2	60973	4A47	20	2.86	2.83	2.88	4.78	46.1	.55	6.00	.24	.030
25.2	26.7	60974	4A47	20	2.94	2.93	4.06	6.25	67.7	.64	6.27	.11	.040
26.7	28.3	60975	4A47	20	2.65	2.59	1.81	3.25	30.1	.46	2.81	.26	.030
28.3	29.8	60976	4A07	20	2.60	2.76	.99	2.02	18.0	.30	3.06	.16	.030
29.8	31.3	60977	4A47	20	2.70	2.72	2.49	1.04	7.7	.36	4.34	.24	.030
33.9	34.5	60978	4A47	20	3.08	3.03	2.90	4.03	112.4	.51	11.61	.13	.170
37.0	37.9	60979	4A47	20	2.80	2.63	.42	1.05	10.3	.18	8.80	.19	.050

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-60

EASTING: 10043.1 NORTHING: 10154.6 ELEVATION: 1152.3

LENGTH: 63.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
63.1	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	#	
9.1	22.1	OB	
22.1	26.8	4S4B	
26.8	33.8	3B9	
33.8	43.8	4A4	
43.8	44.8	4G4B	
44.8	50.9	4C3	
50.9	51.6	4H0	
51.6	59.0	4D0	
59.0	63.1	4C7	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS S/T	AU S/T	%FE	%BA	%CU
22.1	23.7	60843	4S4B	60	4.36	3.73	8.97	8.45	95.7	.49	16.40	16.80	.090
23.7	25.2	60844	4S4B	60	4.51	4.29	6.01	7.60	78.0	.12	14.97	24.48	.070
25.2	26.8	60845	4S4B	60	4.54	4.47	7.72	8.72	89.6	.19	16.40	21.84	.100
33.8	35.2	60846	4A4	20	2.83	2.90	1.26	3.09	20.5	.36	7.37	.47	.040
35.2	36.6	60847	4A4	20	2.90	2.70	1.67	2.74	19.3	.49	8.82	.46	.030
36.6	38.0	60848	4A0	20	2.80	2.90	.90	1.87	13.0	.50	7.81	.30	.030
38.0	39.5	60849	4A4	20	3.52	3.40	3.46	4.78	43.3	.49	9.94	10.68	.030
39.5	40.9	60850	4A0	20	2.89	3.10	1.06	1.85	22.9	.44	8.24	1.75	.090
40.9	42.3	60851	4A4	20	3.10	3.05	1.23	3.12	17.4	.50	13.56	.59	.010
42.3	43.8	60852	4A4	20	3.57	3.73	2.19	4.46	24.7	.46	23.31	.30	.010

PC-XPLOR VERSION 1.30

Exploration Data Manager

By SENCOM SERVICES INC.

CURRASH RESOURCES IN

15:28:33 Serial no: 20320

20/ 3/91 Page : 56

*** VANSORDA - Drill Hole Database ***

43.8	44.8	60853	4648	60	4.65	4.53	5.02	7.69	76.2	.49	13.57	29.88	.070
44.8	46.3	60854	4C3	40	3.83	3.83	1.33	1.53	23.1	1.11	27.49	4.15	.210
46.3	47.9	60855	4C3	40	3.71	3.88	1.27	1.39	19.2	1.21	28.83	.22	.220
47.9	49.4	60856	4C3	40	3.71	3.76	2.12	1.35	27.2	1.89	27.48	.86	.250
49.4	50.9	60857	4C3	40	3.66	3.63	.94	.66	16.9	1.10	28.44	.12	.370
50.9	51.6	60858	4H0	70	3.84	3.53	.85	.63	16.2	.44	32.73	.12	.470
51.6	53.1	60859	4C3	40	3.50	3.66	.49	1.33	9.2	1.24	24.75	.17	.280
53.1	54.6	60860	4D0	80	3.87	2.23	2.75	3.43	30.9	1.14	28.88	1.58	.140
54.6	56.1	60861	4D4	80	3.76	3.77	8.61	4.88	71.9	1.64	20.48	1.24	.120
56.1	57.6	60862	4D0	80	3.69	4.16	5.78	.69	10.0	1.27	18.32	6.29	.130
57.6	59.1	60863	4D0	80	3.65	3.66	4.00	2.99	24.5	.92	19.48	4.78	.100
59.1	60.4	60864	4C7	30	3.44	3.41	2.63	.87	15.2	.67	21.03	.74	.290
60.4	61.7	60865	4C7	30	3.45	3.40	1.11	.27	5.3	1.40	23.36	.40	.210
61.7	63.1	60866	4C7	30	3.36	3.38	1.06	.32	5.8	1.67	20.79	.77	.260

```

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.
CURRASH RESOURCES IN
15:58:12 Serial no: 20320
20/ 3/91 Page : 1
*** VANGORDA - Drill Hole Database ***
***

```

STANDARD DATABASE - DETAILED DRILLHOLE REPDR

HOLE-ID: 90V-61

EASTING: 10048.5 NORTHING: 10027.8 ELEVATION: 1162.7
LENGTH: 86.0

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
79.3	-87.0	75.8	34.0
86.0	-87.0	75.8	34.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	#	
9.1	26.5	DB	
26.5	32.6	DB	
32.6	37.8	4S4	
37.8	38.7	4A4	
38.7	43.3	SOUSE	
43.3	45.4	4A4	
45.4	46.2	4S4#	
46.2	56.5	4A4	
56.5	58.0	4E41	
58.0	63.6	4E1	
63.6	66.8	4E41	
66.8	74.7	4G0\$	
74.7	75.9	3G6	
75.9	76.7	4E4\$	
76.7	82.7	4L0	
82.7	86.0	3G6	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZN	AS G/T	AU G/T	XFE	XBA	XCU
32.8	33.9	60871	4G4	60	4.57	4.10	8.61	7.35	92.6	.69	14.79	23.76	.130
33.9	35.2	60872	4G4	60	4.56	4.22	8.17	8.36	76.2	.25	14.52	23.76	.060
35.2	36.5	60873	4G4	60	4.47	3.66	7.78	6.14	54.0	.20	13.31	24.36	.010
36.5	37.8	60874	4G4	60	4.38	4.05	5.07	8.22	109.5	.47	14.63	22.56	.030
37.8	38.7	60875	4A4	20	2.91	.00	2.17	4.78	41.0	.37	6.66	1.34	.040
38.7	44.4	60876	4A4	20	2.83	.00	3.21	2.05	13.0	.40	5.55	.96	.030
44.4	45.4	60877	4A4	20	3.31	.00	8.06	3.91	29.4	.24	9.28	2.95	.040
45.4	46.2	60878	4G4#	60	3.94	3.74	2.15	11.51	121.8	.44	16.75	11.81	.110
46.2	47.3	60879	4A4	20	2.86	2.89	2.28	2.63	21.7	.34	7.16	.62	.060
47.3	49.1	60880	4A4	20	3.04	2.78	5.39	3.19	15.2	.23	8.35	.48	.040

49.1	52.7	60881	4A4	20	3.20	2.84	3.02	6.78	87.9	.21	10.86	2.18	.030
52.7	54.3	60882	4A4	20	3.15	2.76	2.66	5.95	22.9	.21	10.83	1.75	.010
54.3	56.6	60883	4A4	20	3.43	.00	3.92	5.27	19.8	.24	17.82	.41	.030
56.6	58.0	60884	4E41	50	3.83	3.76	1.50	5.74	34.2	.45	28.78	.89	.150
58.0	59.5	60885	4E1	40	3.82	4.03	1.05	1.53	29.4	1.18	31.79	.07	.380
59.5	60.8	60886	4E1	40	3.82	3.75	1.40	.06	22.6	.75	32.04	.17	.450
60.8	61.9	60887	4E1	40	3.67	.00	1.44	.09	20.4	.70	27.18	1.31	.310
61.9	63.6	60888	4E1	40	3.88	3.68	1.83	.64	13.9	.94	31.88	.89	.230
63.6	64.6	60889	4E41	50	3.91	3.72	5.59	3.21	52.4	.76	28.62	.31	.160
64.6	66.9	60890	4E41	50	4.01	3.86	4.96	3.10	49.4	1.23	28.64	3.02	.320
66.9	68.4	60891	4E0*	60	4.02	4.45	3.82	2.57	43.2	.47	27.88	5.40	.200
68.4	70.0	60892	4E0*	60	3.97	3.35	3.16	4.08	15.3	.63	23.08	8.80	.160
70.0	71.5	60893	4E0*	60	3.98	3.62	2.71	4.01	25.7	.23	24.70	7.74	.250
71.5	73.1	60894	4E0*	60	3.91	3.83	2.81	3.46	25.8	.40	28.71	2.55	.210
73.1	74.7	60895	4E0*	60	3.41	3.97	1.98	2.78	31.9	.67	18.01	2.73	.170
75.9	76.7	60896	4E4*	50	3.70	3.48	2.39	3.29	39.3	.63	26.62	.24	.310

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-62

EASTING: 10063.5 NORTHING:10027.8 ELEVATION: 1162.8
LENGTH: 73.8

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
73.8	-89.0	42.8	1.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.2	#	
9.2	28.0	OB	
28.0	34.1	OB	
34.1	35.7	OB	
35.7	49.2	3B9	
49.2	54.6	4A4	
54.6	56.7	4E4	
56.7	57.0	4C3	
57.0	64.0	4C3	
64.0	69.7	4C3	
69.7	72.0	4E7	
72.0	73.8	4L2	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	%FE	%BA	%CU
------	----	-------	------	------	------	----	-----	-----	--------	--------	-----	-----	-----

PC-XPLOR VERSION 1.30
Exploration Data Manager
By SEMCOM SERVICES INC.

CURRASH RESOURCES IN
15:58:17 Serial no: 20320
20/ 3/91 Page : 3

VANGORDA - Drill Hole Database

49.2	52.4	60897	4A0	20	2.87	.00	1.01	2.66	12.8	.25	8.92	.29	.030
52.4	54.6	60898	4A4	20	3.14	2.85	2.17	4.79	34.8	.49	12.28	1.21	.040
54.6	55.6	60899	4E4	50	3.96	3.71	5.17	6.38	60.1	.74	26.77	2.13	.210
55.6	56.7	60900	4E4	50	3.95	.00	5.79	6.41	62.0	.90	25.72	2.44	.170
56.7	58.4	60901	4C3	40	3.78	.00	.60	1.07	19.2	.74	31.26	.20	.280
58.4	59.6	60902	4C3	40	3.63	.00	1.57	1.86	24.6	1.40	26.58	.18	.250
59.6	64.0	60903	4C3	40	3.47	2.63	.60	.83	22.2	.88	24.22	.18	.320
64.0	65.4	60904	4C3	40	3.72	3.15	.22	.54	11.2	.47	30.74	.05	.460
65.4	66.8	60905	4C3	40	3.75	3.77	.30	.57	24.0	.38	31.24	.05	.440
66.8	68.1	60906	4C3	40	3.63	3.20	.22	.24	24.7	.47	28.59	.19	.740
68.1	69.5	60907	4C3	40	3.88	3.52	.73	1.16	18.1	.51	33.54	.04	.580
69.5	71.0	60908	4E7	50	4.10	3.94	.95	.98	20.4	.39	38.62	.07	.430
71.0	72.0	60909	4E7	50	4.03	3.56	.84	.84	19.4	.39	37.05	.10	.420

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-63

EASTING: 9924.8 NORTHING:10090.0 ELEVATION: 1154.9
LENGTH: 96.6

SURVEY DATA

FROM	TD	AZIMUTH	DIP
.0	-50.0	90.0	48.2
45.7	-50.0	90.8	49.0
96.6	-52.0	92.8	51.0

LITHOLOGY DATA

FROM	TD	ROCK	REMARKS
.0	10.4	#	
10.4	44.8	DB	
44.8	55.5	4L6	
55.5	61.6	4L6	
61.6	63.3	4EB4	
63.3	63.8	3C#	
63.8	68.5	4G4	
68.5	72.3	4L27	
72.3	73.6	4E0#	
73.6	75.5	4GB1#4	
75.5	76.9	4E0#	
76.9	80.7	4E1	
80.7	84.7	4G4	
84.7	90.4	4C0	
90.4	91.7	4E0	
91.7	96.6	4E1	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AS G/T	AU G/T	%FE	%BA	%CU
61.6	63.3	61502	4EB4	50	4.21	4.22	8.38	5.66	104.8	.66	33.18	-1.00	.140
63.8	65.4	61503	4B4	60	3.54	4.23	7.37	7.90	96.6	.23	17.60	-1.00	.090
65.4	66.9	61504	4B4	60	3.29	4.19	5.48	8.00	80.3	.94	13.47	-1.00	.060
66.9	68.5	61505	4B4	60	3.43	3.92	4.26	6.98	68.4	.55	18.28	-1.00	.140
72.3	73.7	61506	4E4*	50	3.85	3.84	2.10	2.98	16.4	1.20	31.83	-1.00	.130
73.7	74.6	61507	4B84	60	3.41	4.56	5.50	7.10	89.2	1.21	16.61	-1.00	.150
74.6	75.5	61508	4B81	60	3.61	4.05	3.47	4.24	36.3	1.59	24.35	-1.00	.130
75.5	76.9	61509	4E0*	50	3.88	3.88	1.97	1.71	14.3	1.12	33.31	-1.00	.080
76.9	78.2	61510	4E1	40	3.52	3.73	1.15	1.79	10.2	1.00	25.63	-1.00	.200
78.2	79.4	61511	4E1	40	3.51	3.64	1.33	.44	10.3	1.21	25.98	-1.00	.210
79.4	80.7	61512	4E1	40	3.60	3.77	2.39	1.44	20.0	1.38	26.43	-1.00	.140
80.7	82.0	61513	4B4	60	3.28	4.11	5.49	6.93	61.8	.65	13.67	-1.00	.060
82.0	83.4	61514	4B4	60	3.55	4.29	5.44	6.56	69.4	1.33	20.14	-1.00	.160
83.4	84.7	61515	4B4	60	3.11	4.29	4.71	7.16	55.4	.92	10.21	-1.00	.110
84.7	86.1	61516	4C0	30	3.49	3.93	.40	.44	8.4	.57	26.28	-1.00	.260
86.1	87.5	61517	4C0	30	3.44	3.51	.72	.28	15.4	.55	24.89	-1.00	.320
87.5	89.0	61518	4C0	30	3.41	3.70	.24	.51	18.1	.35	24.53	-1.00	.610
89.0	90.4	61519	4C0	30	3.30	3.48	.12	.56	14.1	.72	22.08	-1.00	.360
90.4	91.6	61520	4E0	50	3.80	4.67	.40	.45	21.9	.31	33.40	-1.00	.440
91.6	92.9	61521	4E1	40	3.51	4.04	.41	.69	20.4	.61	26.65	-1.00	.440
92.9	94.1	61522	4E1	40	3.50	3.75	1.47	2.01	28.2	1.28	24.84	-1.00	.400
94.1	95.4	61523	4E1	40	3.45	.00	.82	1.60	15.7	1.43	24.34	-1.00	.340
95.4	96.6	61524	4E1	40	3.40	.00	.71	2.82	13.9	.59	22.86	-1.00	.230

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-64

EASTING: 10060.5 NORTHING:10093.7 ELEVATION: 1156.4
LENGTH: 47.9

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
47.9	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	12.2	#	
12.2	27.3	DB	
27.3	29.9	4L0	
29.9	34.9	4A4	
34.9	36.5	4E0*	
36.5	44.8	4C3B	
44.8	46.4	4D3B	
46.4	47.9	4DB	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	ZBA	%CU
29.9	31.1	61647	4A4	20	3.04	.00	1.66	3.03	29.1	.40	9.52	2.84	.030
31.1	32.4	61648	4A4	20	2.94	.00	1.73	3.16	29.3	.30	9.03	.85	.030
32.4	33.6	61649	4A4	20	3.24	2.98	1.81	3.98	24.4	.59	15.90	.63	.030
33.6	34.9	61650	4A4	20	3.92	3.38	3.55	3.30	33.3	.41	29.56	1.34	.120
34.9	36.5	61651	4E0#	50	3.68	4.08	.56	.82	12.6	.96	29.13	.20	.220
36.5	37.9	61652	4C3B	40	3.48	3.97	.71	.38	10.1	1.24	25.70	-1.00	.330
37.9	39.3	61653	4C3B	40	3.40	3.67	.17	.11	6.2	2.41	24.65	-1.00	.310
39.3	40.6	61654	4C3B	40	3.50	3.70	.27	.31	6.3	1.55	26.66	-1.00	.330
40.6	42.0	61655	4C3B	40	3.41	3.79	.14	.09	6.7	.86	24.71	-1.00	.310
42.0	43.4	61656	4C3B	40	3.46	3.69	.15	.10	6.4	.79	26.03	-1.00	.320
43.4	44.8	61657	4C3B	40	3.46	3.78	.61	.71	11.4	1.76	25.25	-1.00	.310
46.4	47.9	61659	4D0B	80	3.79	3.84	3.61	5.41	47.9	.87	28.02	-1.00	.220

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-65

EASTING: 10044.9 NORTHING: 10091.7 ELEVATION: 1156.2
LENGTH: 60.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
60.1	-89.0	42.8	1.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	11.3	#	
11.3	27.4	QB	
27.4	37.3	4A0	
37.3	38.8	4G0	
38.8	43.6	4C3	
43.6	46.1	4C7	
46.1	47.5	4H14	
47.5	58.7	4C7B	
58.7	.0	4G47B	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	ZBA	%CU
27.4	28.8	61617	4A0	20	2.77	.00	1.31	2.33	17.1	.47	7.75	-1.00	.050
28.8	30.2	61618	4A0	20	2.87	3.11	1.95	3.15	29.1	.39	9.20	-1.00	.040

30.2	31.6	61619	4A0	20	2.69	.00	.50	.81	8.3	.45	7.45	-1.00	.020
31.6	33.0	61620	4A0	20	2.77	.00	.63	.76	10.6	.45	9.24	-1.00	.020
33.0	34.4	61621	4A0	20	2.73	2.84	.83	1.28	11.7	.35	7.81	-1.00	.010
34.4	35.8	61622	4A0	20	2.84	3.03	.55	1.08	9.7	.36	10.73	-1.00	.020
35.8	37.3	61623	4A0	20	3.01	3.12	1.00	2.25	17.3	.51	13.79	-1.00	.020
37.3	38.8	61624	4B0	60	3.15	4.19	3.26	5.59	50.0	.32	13.24	-1.00	.040
38.8	40.4	61625	4C3	40	3.57	3.71	.68	1.04	14.3	1.11	27.54	-1.00	.250
40.4	42.0	61626	4C3	40	3.56	3.55	.43	.50	9.6	.81	27.85	-1.00	.200
42.0	43.6	61627	4C3	40	3.65	3.54	.34	.31	11.4	.38	30.03	-1.00	.450
43.6	44.9	61628	4C7	30	3.58	3.51	.12	.11	6.3	.86	28.78	-1.00	.370
44.9	46.1	61629	4C7	30	3.94	3.59	1.73	2.46	19.8	.57	34.52	-1.00	.200
46.1	47.5	61630	4H14	70	3.33	3.59	2.77	3.44	29.9	.70	18.88	-1.00	.150
47.5	48.9	61631	4C7B	30	3.58	3.78	.61	.53	8.0	.48	28.20	-1.00	.150
48.9	50.3	61632	4C7B	30	3.43	3.37	.27	.51	4.5	1.96	24.90	-1.00	.220
50.3	51.7	61633	4C7B	30	3.38	3.39	.25	.59	4.3	1.57	22.33	.37	.240
51.7	53.1	61634	4C7B	30	3.29	3.10	.41	.82	5.0	.25	20.09	.41	.160
53.1	54.5	61635	4C7B	30	3.35	3.25	.92	2.24	12.7	.21	20.02	.59	.280
54.5	55.9	61636	4C7B	30	3.31	3.18	.45	1.27	11.1	.35	20.16	.51	.680
55.9	57.3	61637	4C7B	30	3.27	3.24	.24	.52	8.7	.24	19.85	.33	.830
57.3	58.7	61638	4C7B	30	3.30	3.07	.52	1.88	6.4	.17	19.90	.19	.350
58.7	60.1	61639	4B47B	80	4.14	3.24	4.65	6.41	59.4	.82	17.00	15.95	.110

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-66

EASTING: 10044.4 NORTHING: 10183.6 ELEVATION: 1148.7
LENGTH: 90.5

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
90.5	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	14.3	Cas	
14.3	22.4	OB	
22.4	24.7	4B4	
24.7	31.0	4A4	
31.0	36.9	3B0	
36.9	38.0	4L0	
38.0	39.6	3B0	
39.6	42.3	4A0	
42.3	45.0	4A4	
45.0	46.9	4B4	
46.9	53.4	4C3B	
53.4	55.5	4D3B	

*** VANGORDA - Drill Hole Database ***

*** ***

55.5 58.2 4JB47
 58.2 62.5 4DB47
 62.5 67.1 4CB37
 67.1 70.6 4H1
 70.6 75.4 4C73B
 75.4 81.8 4C7
 81.8 88.1 4A7#
 88.1 90.5 4L6#

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	XFE	XBA	XCU
22.4	23.5	62345	4B4	60	4.40	4.32	6.70	9.07	107.2	.71	13.26	22.33	.090
23.5	24.7	62346	4B4	60	4.10	3.82	7.47	7.70	97.0	.30	17.67	11.44	.140
24.7	26.2	62347	4A4	20	2.83	2.86	1.70	3.02	25.6	.36	6.44	1.03	.030
26.2	27.8	62348	4A4	20	2.76	2.77	2.38	4.81	28.6	.37	3.93	.46	.040
27.8	29.4	62349	4A4	20	3.22	3.06	3.65	4.22	49.9	.20	12.15	2.03	.030
29.4	31.0	62350	4A0	20	2.75	2.80	1.32	2.35	14.4	.28	5.51	.75	.030
31.0	41.0	62351	4A0	20	2.62	.00	.95	1.62	13.9	.27	3.86	.18	.020
41.0	42.3	62352	4A0	20	2.73	2.92	1.15	2.46	17.5	.31	4.57	1.35	.020
42.3	43.6	62353	4A4	20	2.91	2.97	1.80	2.87	21.7	.29	6.51	2.71	.060
43.6	45.0	62354	4A4	20	3.20	3.41	1.79	4.27	30.8	.40	15.09	.33	.040
45.0	46.0	62355	4B4	60	4.40	4.60	4.36	8.20	63.9	.33	13.96	24.20	.080
46.0	46.9	62356	4B4	60	4.42	4.83	5.83	8.56	84.4	.41	13.66	23.43	.070
46.9	48.2	62357	4C3B	30	3.48	3.68	.84	1.17	16.0	1.24	23.77	.52	.160
48.2	49.4	62358	4C3B	30	3.53	3.88	.26	.34	9.2	1.42	26.02	.34	.300
49.4	50.7	62359	4C3B	30	3.53	3.88	.31	.30	10.3	1.44	25.39	.84	.310
50.7	52.0	62360	4C3B	30	3.56	4.02	.42	.39	10.2	2.46	26.39	.35	.360
52.0	53.3	62361	4C3B	30	3.65	4.17	1.93	1.50	23.0	1.18	26.98	.11	.260
53.3	54.4	62362	4D3B	80	3.94	3.91	6.56	5.06	73.6	.85	27.43	.32	.360
54.4	55.5	62363	4D3B	80	3.81	4.05	4.61	4.04	42.5	.76	26.16	.81	.190
55.5	56.8	62364	4JB47	80	3.88	4.34	6.69	7.22	72.5	.55	16.21	8.71	.050
56.8	58.2	62365	4JB47	80	4.38	4.50	8.89	8.90	94.8	.67	25.38	8.36	.080
58.2	59.6	62366	4DB47	80	4.05	4.06	9.31	10.70	104.0	.46	18.49	6.42	.090
59.6	61.1	62367	4DB47	80	4.04	4.15	6.55	9.50	64.0	.73	18.81	8.87	.080
61.1	62.5	62368	4DB47	80	4.10	4.00	12.90	9.90	126.7	2.23	17.60	5.52	.080
62.5	64.0	62369	4CB37	30	3.46	3.70	1.44	1.60	26.3	2.20	22.31	.75	.260
64.0	65.5	62370	4CB37	30	3.56	3.62	1.98	2.69	24.8	1.28	23.64	.77	.240
65.5	67.1	62371	4CB37	30	3.55	3.57	1.33	1.03	24.2	2.02	25.07	.35	.230
67.1	68.2	62372	4H1	70	3.71	3.66	.75	1.72	10.9	.57	29.31	.15	.220
68.2	69.4	62373	4H1	70	3.81	3.69	1.22	1.91	17.1	.46	30.56	.65	.330
69.4	70.6	62374	4H1	70	3.64	3.62	.67	1.11	9.8	.16	26.83	1.26	.290
70.6	72.1	62375	4C73B	30	3.44	3.34	1.21	1.89	17.2	.54	22.07	.46	.280
72.1	73.7	62376	4C73B	30	3.41	3.39	1.13	1.33	22.1	.81	21.50	.70	.270
73.7	75.3	62377	4D73	30	3.58	3.56	1.61	2.82	18.2	.61	24.23	.86	.250
75.3	76.9	62378	4C7	30	3.46	3.44	.16	.20	5.8	.16	24.30	.64	.340
76.9	78.5	62379	4C7	30	3.59	2.99	5.08	4.12	27.4	1.26	14.51	6.82	.110
78.5	80.1	62380	4C7	30	3.10	3.24	.08	.22	3.6	.04	16.01	.56	.400
80.1	81.7	62381	4C7	30	2.98	3.02	.17	.20	3.1	.04	13.44	.33	.290
81.7	83.3	62382	4A7#	20	2.97	2.97	.09	.37	2.3	.06	13.06	.29	.160
83.3	84.9	62383	4A7#	20	2.84	3.01	.09	.18	1.7	.12	10.22	.35	.110
84.9	86.5	62384	4A7#	20	2.77	2.89	.11	.07	2.1	.11	8.68	.34	.060
86.5	88.1	62385	4A7#	20	2.77	3.00	.09	.05	2.1	.10	8.04	.81	.060

```

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.
CURRAGH RESOURCES IN
15:58:31 Serial no: 20320
20/ 3/91 Page : 8
*** VANGORDA - Drill Hole Database ***
***                                     ***

```

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-67

EASTING: 9900.6 NORTHING:10181.4 ELEVATION: 1148.3
LENGTH: 121.0

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-50.0	90.0	48.2
44.8	-51.0	94.8	53.0
121.0	-57.0	93.8	52.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	12.8	#	
12.8	30.9	DB	
30.9	42.0	3G0	
42.0	43.9	3E0	
43.9	50.7	4L2	
50.7	51.8	3E0	
51.8	53.2	4L2	
53.2	54.3	3B0	
54.3	58.5	3G9	
58.5	68.0	3G0	
68.0	73.2	4L27	
73.2	79.8	4G4	
79.8	82.2	4C1	
82.2	86.9	4G0	
86.9	88.2	4D4	
88.2	93.6	4G0	
93.6	94.8	4D#86	
94.8	97.8	4G4B	
97.8	101.8	4EB	
101.8	103.2	4G4	
103.2	112.1	4C7B	
112.1	112.9	4DB	
112.9	121.0	4C4B	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
73.2	74.5	62092	4E0	60	3.84	4.11	1.26	.29	24.7	1.48	32.19	.53	.290
74.5	75.9	62093	4G4	60	4.42	4.47	8.63	6.78	112.9	.95	13.28	22.08	.050
75.9	77.2	62094	4G4	60	4.53	4.39	11.69	9.91	175.5	1.30	10.36	23.28	.100
77.2	78.5	62095	4G4	60	4.24	4.39	10.32	8.85	126.5	.68	11.50	17.28	.090

*** VANGORDA - Drill Hole Database ***

78.5	79.8	62096	464	60	4.62	4.49	8.26	9.63	104.2	.73	8.02	30.72	.070
82.2	83.8	62097	464	60	4.29	4.04	7.26	8.79	90.6	1.27	12.35	20.52	.260
83.8	85.3	62098	460	60	4.11	4.47	3.67	3.92	53.8	.68	20.44	13.92	.270
85.3	86.9	62099	460	60	3.73	4.30	1.27	1.32	29.9	.73	21.16	8.18	.310
86.9	88.2	62100	4D4	80	3.57	3.51	5.74	10.90	86.2	3.74	14.63	2.52	.150
88.2	89.5	62101	460	60	3.60	4.35	2.54	3.75	50.2	1.26	14.70	9.24	.180
89.5	90.9	62102	464	60	4.27	4.36	4.95	5.73	52.0	1.61	21.49	14.64	.170
90.9	92.2	62103	460	60	3.96	4.12	4.47	4.36	43.1	1.42	20.87	9.41	.210
92.2	93.6	62104	460	60	3.62	4.37	3.57	4.33	40.5	1.29	21.93	1.46	.210
93.6	94.8	62105	4D186	80	4.06	4.40	5.22	4.55	44.9	1.04	23.30	8.38	.170
94.8	96.3	62106	464B	60	4.27	4.26	4.88	6.14	54.9	1.02	16.92	18.84	.110
96.3	97.9	62107	464B	60	4.32	4.54	8.32	6.71	61.3	2.48	21.21	12.48	.180
97.9	99.2	62108	4EB	60	3.79	4.47	.58	.84	11.2	1.41	31.63	.16	.320
99.2	100.5	62109	4EB	60	4.02	4.00	2.47	1.04	32.5	1.88	34.82	.54	.280
100.5	101.8	62110	4EB	60	4.10	4.61	2.06	1.54	24.2	2.47	37.13	.14	.370
101.8	103.2	62111	464	60	3.70	4.51	5.40	6.19	70.6	1.87	22.69	.00	.120
103.2	104.7	62112	4C7B	30	3.63	3.88	1.47	1.21	32.0	1.34	26.09	.94	.270
104.7	106.1	62113	4C7B	30	3.54	3.65	.10	.21	21.1	1.21	26.56	.26	.290
106.1	107.6	62114	4C7B	30	3.67	4.12	.11	.37	18.8	1.07	27.99	1.75	.470
107.6	109.1	62115	4C7B	30	3.43	3.75	.10	.21	10.3	.85	23.65	.50	.310
109.1	110.5	62116	4C7B	30	3.30	3.60	.19	.23	9.7	.99	20.81	.26	.300
110.5	112.1	62117	4C7B	30	3.56	3.78	.72	.57	18.3	1.68	25.14	1.40	.220
112.1	113.0	62118	4DB	80	3.54	3.79	2.09	2.59	17.7	1.55	22.90	.84	.110
113.0	114.6	62119	4C4B	30	3.69	3.99	.99	1.53	20.5	1.22	28.33	.59	.310
114.6	116.2	62120	4C4B	30	3.52	3.90	1.29	1.11	5.4	.91	24.14	.64	.290
116.2	117.8	62121	4C4B	30	3.65	3.82	.33	.46	9.5	1.31	28.95	.13	.350
117.8	119.4	62122	4C4B	30	3.65	3.64	.39	.75	11.3	.99	28.37	.37	.490
119.4	121.0	62123	4C4B	30	3.68	3.92	.23	.32	9.0	.81	29.69	.11	.450

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-68

EASTING: 9901.0 NDRTHING:10181.4 ELEVATION: 1148.3

LENGTH: 127.7

SURVEY DATA

FROM	TD	AZIMUTH	DIP
.0	-61.0	90.0	48.2
30.5	-64.0	92.8	51.0
76.2	-65.0	92.8	51.0
126.5	-66.0	82.8	41.0

LITHOLOGY DATA

FROM	TD	ROCK	REMARKS
-1.0	-1.0		
.0	14.3	Cas	
14.3	30.6	DB	

30.6	38.4	360
38.4	39.8	4L2
39.8	47.3	3604
47.3	53.3	383
53.3	54.6	4L2
54.6	57.9	36094
57.9	59.2	383
59.2	60.8	4L2
60.8	61.3	4644
61.3	63.0	36094
63.0	68.9	4L2
68.9	69.7	4644
69.7	70.7	36409
70.7	71.9	4644
71.9	73.4	4664
73.4	75.5	4L446
75.5	77.0	464
77.0	78.4	4L446
78.4	79.9	4646
79.9	82.6	4L046
82.6	83.4	369
83.4	85.6	4L06
85.6	88.3	4E648
88.3	88.9	3C4
88.9	89.5	360
89.5	91.2	46644
91.2	97.0	3609
97.0	101.6	4A7
101.6	102.6	3609
102.6	106.4	4L6
106.4	122.2	4644
122.2	123.4	4C7
123.4	127.7	3609

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
60.7	61.3	62702	4644	60	3.95	1.00	6.90	4.55	83.5	1.11	25.05	2.84	.070
64.6	65.2	62703	4644	60	4.16	1.00	10.61	8.68	121.0	1.01	11.60	15.29	.100
68.9	69.7	62704	4644	60	4.20	1.00	15.10	15.00	173.3	1.47	20.84	.54	.010
70.7	71.9	62705	4644	60	3.87	1.00	6.53	10.30	74.8	1.21	22.84	.97	.040
71.9	73.4	62706	4664	60	4.53	1.00	11.90	9.50	125.2	.89	14.72	19.14	.100
75.5	76.9	62707	464	60	4.25	1.00	14.10	12.50	149.4	1.45	14.89	9.35	.070
78.4	79.9	62708	4646	60	3.87	1.00	7.85	11.10	95.2	1.00	12.69	9.24	.110
85.6	86.9	62709	4E648	40	4.12	1.00	3.23	3.12	31.3	.61	24.91	10.67	.230
86.9	88.2	62710	4E648	40	3.69	1.00	2.65	3.17	26.1	.37	21.49	4.95	.300
89.5	91.2	62711	46644	60	3.86	1.00	4.05	5.81	53.4	.49	9.32	17.93	.100
96.9	98.5	62712	4A7	20	2.64	1.00	.40	.55	5.7	.20	4.60	.81	.020
98.5	100.0	62713	4A7	20	2.67	1.00	.54	.67	5.8	.21	5.02	.79	.020
100.0	101.6	62714	4A7	20	2.64	1.00	.40	.58	5.7	.16	4.18	1.19	.010
102.7	103.3	62715	4D08	80	3.55	1.00	3.67	5.31	62.6	.51	14.13	6.82	.040
105.5	106.3	62716	4D08	80	2.77	1.00	.65	1.18	6.1	.31	5.93	2.00	.020
106.3	107.9	62717	4644	60	4.40	1.00	3.62	6.96	53.7	.44	8.71	30.58	.040

*** VANGORDA - Drill Hole Database ***
*** ***

107.9	109.5	62718	460#	60	4.23	1.00	3.83	4.25	54.9	1.53	21.65	15.18	.230
109.5	111.1	62719	460#	60	3.94	1.00	2.69	2.88	26.1	1.16	24.64	7.59	.230
111.1	112.7	62720	464#	60	4.37	1.00	4.43	5.67	60.2	.83	17.30	21.45	.140
112.7	114.3	62721	464#	60	4.46	1.00	5.55	6.90	70.0	1.22	16.79	22.33	.220
114.3	115.9	62722	464#	60	4.08	1.00	4.46	6.01	60.2	1.48	12.15	19.69	.150
115.9	117.4	62723	464#	60	4.45	1.00	8.48	7.64	108.4	1.34	13.98	21.78	.100
117.4	119.0	62724	464#	60	4.40	1.00	7.25	9.18	103.6	1.67	13.50	21.56	.120
119.0	120.6	62725	464#	60	3.96	1.00	4.15	6.17	50.8	.93	17.63	11.99	.210
120.6	122.2	62726	460#	60	3.81	1.00	2.44	3.37	36.4	1.79	28.86	.59	.310
122.2	123.3	62727	4C7	40	3.55	1.00	.17	.15	4.7	.29	26.47	.40	.350

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-69

EASTING: 10074.6 NORTHING:10181.3 ELEVATION: 1145.9
LENGTH: 81.4

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
81.4	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	14.3	#	
14.3	14.7	OB	
14.7	34.1	3609	
34.1	38.3	4A0	
38.3	39.5	464	
39.5	46.4	4C38	
46.4	47.9	4D53	
47.9	55.3	4C38	
55.3	57.1	3C#	
57.1	65.1	38#	
65.1	73.0	4C37B	
73.0	75.2	4C35	
75.2	76.9	3C#	
76.9	77.6	4C05	
77.6	79.1	3696	
79.1	80.4	38#6	
80.4	81.4	38#	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
34.1	35.5	61970	4A0	20	2.75	2.90	1.53	2.41	22.9	.36	5.68	.28	.030

*** VANGORDA - Drill Hole Database ***

35.5	37.0	61971	4A0	20	2.75	2.49	.70	1.63	10.7	.34	6.35	.84	.040
37.0	38.4	61972	4A4	20	3.10	3.00	2.18	3.38	28.9	.60	12.38	.75	.070
38.4	39.5	61973	4B4	50	4.20	4.55	5.17	5.59	51.3	1.16	21.50	13.00	.090
39.5	40.9	61974	4D38	80	3.78	3.81	6.91	5.92	70.5	1.25	22.93	.34	.120
40.9	42.3	61975	4C38	40	3.76	3.68	2.17	1.81	24.6	1.30	28.91	.29	.260
42.3	43.7	61976	4C38	40	3.76	4.11	.39	.51	7.9	1.59	31.25	.20	.210
43.7	45.1	61977	4C38	40	3.80	3.71	.56	.49	9.3	2.01	30.16	2.10	.270
45.1	46.4	61978	4D38	40	3.75	3.86	3.49	1.67	38.2	2.11	27.36	.45	.330
46.4	47.9	61979	4D53	80	3.65	3.51	8.94	5.60	100.2	1.99	18.52	.09	.140
47.9	49.4	61980	4C38	40	3.49	3.56	.45	.42	10.6	1.59	24.96	.30	.310
49.4	50.9	61981	4C38	40	3.50	3.47	.17	.27	8.3	.78	25.73	.09	.570
50.9	52.3	61982	4C38	40	3.53	3.60	.15	.28	7.0	.60	26.33	.07	.350
52.3	53.8	61983	4C38	40	3.76	3.97	.22	.33	8.1	.71	31.45	.22	.340
53.8	55.3	61984	4C38	40	3.52	3.65	.31	.45	13.3	1.11	25.02	.86	.320
55.3	58.4	61985	4C3	40	3.28	3.21	.13	.12	8.4	1.12	19.99	.67	.240
58.4	59.8	61986	4C3	40	3.49	3.67	.10	.25	13.6	1.71	25.42	.10	.310
59.8	61.1	61987	4C3	40	3.29	3.23	.13	.21	8.8	1.01	20.91	.11	.310
61.1	62.5	61988	4C3	40	3.06	3.32	.09	.18	6.2	.23	15.47	.13	.240
62.5	63.8	61989	4C3	40	3.29	3.52	.20	.45	10.3	.46	19.81	.84	.350
63.8	65.2	61990	4C3	40	3.17	3.54	.10	.27	7.8	.57	18.15	.10	.330
65.2	66.7	61991	4C378	40	3.27	3.10	.11	.68	8.9	1.29	20.28	.10	.380
66.7	68.3	61992	4C378	40	3.33	3.59	.16	.26	7.7	1.10	21.68	.13	.250
68.3	69.9	61993	4C378	40	3.39	3.48	.40	.18	12.4	.91	22.95	.12	.390
69.9	71.5	61994	4C378	40	3.34	3.32	.12	.07	8.7	.58	22.10	.12	.320
71.5	73.0	61995	4C378	40	3.14	3.25	.08	.23	7.9	.58	17.42	.11	.210
73.0	74.1	61996	4C35	40	3.00	3.16	.03	.16	7.2	.41	13.97	.29	.210
74.1	75.2	61997	4C35	40	3.31	3.68	.03	.07	7.3	.33	21.37	.12	.330
75.2	77.6	61998	4C5	30	3.11	.00	.03	.21	3.7	.21	16.50	.24	.230

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-70

EASTING: 10015.1 NORTHING:10183.5 ELEVATION: 1149.6

LENGTH: 92.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
92.1	-88.5	357.8	316.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	12.8	#	
12.8	23.0	OB	
23.0	24.5	4J487	
24.5	25.8	4B0	
25.8	28.4	4EB	

*** VANGORDA - Drill Hole Database ***

28.4 30.9 4EB4
 30.9 32.0 4GB
 32.0 33.1 4GB7
 33.1 39.4 4G4B
 39.4 41.5 5C4#
 41.5 49.5 4A4
 49.5 52.1 3G0
 52.1 54.7 4A4
 54.7 58.9 4G4B#
 58.9 59.6 4J43B
 59.6 60.7 4G4B#
 60.7 64.7 4H41
 64.7 66.2 4EB
 66.2 70.1 4C73
 70.1 71.7 4EB
 71.7 85.8 4C73
 85.8 92.0 4C3

ASSAYS DATA

FROM	TD	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	XFE	XBA	XCU
23.0	24.5	61809	4J4B7	80	4.26	4.08	6.09	7.02	50.0	.70	34.64	.19	.140
24.5	25.8	61810	4B0	60	3.93	4.30	5.20	1.03	58.1	1.05	16.36	13.86	.080
25.8	27.1	61811	4EB	40	4.12	4.50	1.11	.34	13.0	1.18	38.88	.47	.340
27.1	28.4	61812	4EB	40	4.13	4.13	.66	.91	8.1	1.79	39.13	.52	.250
28.4	29.7	61813	4EB4	40	4.09	4.05	2.09	2.42	17.4	.89	36.50	.29	.280
29.7	30.9	61814	4EB4	40	3.90	3.62	4.69	6.66	29.4	.87	26.66	1.10	.330
30.9	32.0	61815	4B8	60	4.10	4.12	5.55	3.34	62.7	.49	12.35	20.13	.100
32.0	33.1	61816	4B87	40	4.32	4.02	3.25	6.04	33.9	.68	30.97	8.10	.210
33.1	34.4	61817	4B4B	60	4.35	4.19	4.78	7.13	46.4	.57	17.68	19.58	.070
34.4	35.6	61818	4B4B	60	3.98	4.03	4.12	7.65	42.7	.36	12.01	17.16	.060
35.6	36.9	61819	4B0B	60	3.99	4.04	4.14	1.53	44.3	.84	21.79	10.65	.090
36.9	38.2	61820	4B4B	60	4.36	4.37	6.03	7.36	72.5	.49	19.42	16.94	.060
38.2	39.4	61821	4B4B	60	4.36	4.21	5.81	6.83	80.0	.47	17.31	19.36	.060
41.5	42.8	61822	4A0	20	2.86	2.80	1.66	2.66	20.3	.28	7.70	.73	.050
42.8	44.1	61823	4A4	20	2.78	.00	2.19	3.81	29.8	.24	5.17	.38	.030
44.1	45.5	61824	4A4	20	2.91	2.88	2.88	4.28	29.7	.34	7.26	.41	.020
45.5	46.8	61825	4A0	20	2.72	.00	1.33	2.00	17.0	.24	5.58	.22	.050
46.8	48.2	61826	4A0	20	2.72	2.87	1.48	1.94	18.2	.21	5.38	.30	.040
48.2	49.5	61827	4A4	20	2.83	.00	1.73	2.44	23.4	.22	7.20	.40	.040
52.1	53.4	61828	4A4	20	3.28	3.16	2.67	4.63	32.3	.25	13.85	2.24	.060
53.4	54.7	61829	4A4	20	3.96	4.03	2.39	3.41	32.1	.46	31.89	1.02	.080
54.7	56.1	61830	4B4B#	60	4.41	4.34	6.02	7.01	74.9	.43	16.92	20.57	.050
56.1	57.5	61831	4B4B#	60	4.35	4.10	9.29	6.85	91.1	.49	18.04	15.40	.040
57.5	58.9	61832	4B4B#	60	4.20	3.76	8.89	5.90	91.8	.45	16.52	14.30	.040
58.9	59.6	61833	4J43B	80	4.15	.00	5.88	3.87	35.9	.97	33.12	.79	.070
59.6	60.7	61834	4B4B#	60	4.17	4.02	5.97	4.89	54.0	.86	23.14	10.36	.070
60.7	61.9	61835	4H41	70	4.49	3.84	6.45	4.92	51.2	1.24	39.25	1.52	.180
61.9	63.1	61836	4H41	70	4.04	3.35	2.84	1.53	24.6	.46	30.67	4.49	.250
63.1	64.8	61837	4H41	70	4.11	3.48	2.99	2.36	27.6	3.42	35.90	.46	.370
64.8	66.2	61838	4EB	40	3.97	3.89	.87	.82	11.8	1.20	35.53	.30	.270
66.2	67.5	61839	4D73	30	3.64	3.50	5.02	.94	33.7	.48	22.82	1.31	.160
67.5	68.8	61840	4C73	30	3.56	3.37	.35	.42	8.5	.43	26.81	.20	.390

*** VANGORDA - Drill Hole Database ***

68.8	70.1	61841	4C73	30	3.63	3.42	.38	.36	7.8	.92	27.92	.54	.420
70.1	71.7	61842	4EB	40	3.92	3.84	.71	1.04	8.0	.48	34.60	.11	.460
71.7	73.1	61843	4C73	30	3.81	3.31	.84	.42	8.4	.49	31.87	.32	.720
73.1	74.4	61844	4C73	30	3.80	3.30	.15	.16	4.1	.44	32.69	.14	.630
74.4	75.8	61845	4C73	30	3.80	3.35	.35	.19	5.8	.54	32.49	.13	.870
75.8	77.1	61846	4C73	30	3.97	3.53	.42	.31	5.6	3.42	36.37	.05	.610
77.1	78.5	61847	4D73	80	3.76	3.48	1.93	2.20	15.5	1.64	29.09	.18	.490
78.5	79.9	61848	4C73	30	3.52	3.47	.41	.84	6.8	.77	25.59	.23	.520
79.9	81.4	62189	4D73	80	3.55	3.59	5.55	1.69	41.4	.66	21.10	.08	.570
81.4	82.8	62190	4C73	30	3.57	3.57	1.28	.87	8.5	.31	25.94	.12	.140
82.8	84.3	62191	4C73	30	3.45	3.46	.79	.65	7.5	1.21	23.09	.77	.190
84.3	85.8	62192	4C73	30	3.41	3.41	.59	.92	8.5	.57	22.67	.23	.270
85.8	87.4	62193	4C3	30	3.14	3.19	.45	.38	5.1	.39	16.99	.17	.130
87.4	88.9	62194	4C3	30	3.12	3.11	.71	.54	6.3	.44	16.32	.08	.140
88.9	90.5	62195	4C3	30	2.95	2.94	.33	.48	3.1	.27	12.42	.22	.100
90.5	92.0	62196	4C3	30	2.86	2.85	.23	.12	4.9	.47	10.25	.53	.450

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-71

EASTING: 9954.6 NORTHING: 9845.8 ELEVATION: 1144.4

LENGTH: 35.7

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
35.7	-81.0	189.8	148.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	3.7	#	
3.7	6.7	08	
6.7	10.2	369	
10.2	11.3	4L0	
11.3	14.3	4E64	
14.3	17.1	4L0	
17.1	20.3	4G4	
20.3	21.6	4L26	
21.6	23.8	4A44	
23.8	25.8	4G4	
25.8	27.1	4E46	
27.1	32.1	4EB	
32.1	35.7	4L2	

ASSAYS DATA

*** VANSORDA - Drill Hole Database ***

*** ***

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AS G/T	AU G/T	%FE	%BA	%CU
11.3	12.8	60428	4G4	60	3.98	4.39	5.19	5.31	59.4	.62	19.11	10.40	.120
12.8	14.3	60429	4E64	60	3.86	4.00	5.03	3.05	53.2	1.65	23.95	4.20	.160
16.0	17.1	60430	4LG	120	3.27	.00	2.57	3.16	27.6	.41	7.24	9.20	.010
17.1	18.7	60431	4G0	60	3.69	3.75	3.84	5.95	48.3	2.37	16.63	7.14	.130
18.7	20.3	60432	4G0	60	3.93	4.32	4.44	5.22	54.1	1.93	17.82	11.24	.220
21.6	22.7	60433	4A44	20	3.11	3.32	5.71	8.76	70.7	.83	7.57	.00	.100
22.7	23.8	60434	4A44	20	3.00	3.15	3.88	7.97	52.7	.64	6.87	.29	.090
23.8	24.8	60435	4G4	60	3.92	3.98	5.48	8.87	78.9	.86	8.08	17.80	.080
24.8	25.8	60436	4G4	60	4.45	4.55	7.10	9.62	105.6	1.11	8.39	27.60	.090
25.8	27.1	60437	4E46	50	4.07	4.30	4.48	5.38	48.4	3.13	24.57	7.76	.150
27.1	28.4	60438	4EB	50	3.89	4.47	2.58	.81	50.7	3.53	31.96	.29	.330
28.4	29.6	60439	4EB	50	3.82	4.18	.93	1.67	14.9	2.34	31.75	.12	.360
29.6	30.8	60440	4EB	50	3.88	4.32	1.08	1.21	17.3	.75	33.28	.10	.380
30.8	32.1	60441	4EB	50	4.04	4.82	1.69	1.89	22.3	.80	33.59	2.38	.280

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-72

EASTING: 9985.5 NORTHING: 9846.7 ELEVATION: 1149.4

LENGTH: 29.9

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
29.9	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	3.7	#	
3.7	10.4	OB	
10.4	17.9	4G4	
17.9	21.9	4E18	
21.9	25.0	4C35	
25.0	29.0	4C3	
29.0	29.9	4L67	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AS G/T	AU G/T	%FE	%BA	%CU
10.4	11.9	60465	4G0	60	3.99	3.86	4.27	3.72	42.5	.28	24.48	7.04	.210
11.9	13.4	60466	4G4	60	4.09	4.11	6.31	5.63	46.4	.79	26.05	5.08	.140
13.4	14.9	60467	4G4	60	3.95	4.07	6.40	7.48	72.3	1.12	16.35	10.40	.130
14.9	16.4	60468	4G4	60	4.08	3.63	5.60	7.76	71.3	1.75	12.87	17.28	.820
16.4	17.9	60469	4G4	60	4.05	4.24	4.00	7.73	51.9	.81	14.20	16.68	.110
17.9	19.3	60470	4E18	40	3.65	3.84	2.28	1.33	15.6	.93	25.14	1.58	.200

PC-XPLOR VERSION 1.30 CURRAGH RESOURCES IN
 Exploration Data Manager 15:58:52 Serial no: 20320
 By SEMCOM SERVICES INC. 20/ 3/91 Page : 16
 *** VANSORDA - Drill Hole Database ***
 *** ***

19.3	20.6	60471	4E18	40	3.57	3.68	1.30	2.12	16.3	.98	23.37	2.12	.240
20.6	22.0	60472	4E184	40	3.71	3.77	2.34	2.00	16.9	1.66	27.13	.64	.190
22.0	23.5	60473	4C35	40	3.27	3.53	.48	.65	9.8	.73	19.74	.30	.350
23.5	25.0	60474	4C35	40	3.13	3.48	.17	.27	7.1	.54	16.61	.45	.280
25.0	26.3	60475	4C3	40	3.32	3.58	.21	.57	10.3	.78	21.31	.19	.440
26.3	27.6	60476	4C3	40	3.34	3.72	.14	.40	9.8	.73	21.97	.11	.510
27.6	29.0	60477	4C3	40	3.35	3.55	1.29	1.06	22.0	1.32	20.69	.11	.450

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-73

EASTING: 10042.1 NORTHING: 9784.6 ELEVATION: 1149.9
 LENGTH: 20.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
20.1	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	5.2	#	
5.2	9.8	DB	
9.8	13.3	4C7	
13.3	15.6	4C7	
15.6	20.1	4L672	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS G/T	AU S/T	XFE	XBA	XCU
9.8	10.9	60403	4C7	30	3.20	3.12	.49	1.38	6.1	.44	17.64	.26	.370
10.9	12.1	60404	4C7	30	3.20	3.12	.49	1.38	6.1	.44	17.64	.26	.370
12.1	13.3	60405	4C7	30	3.19	3.18	.53	1.10	8.0	.32	17.57	.18	.460
13.3	14.5	60406	4C7	30	2.86	2.96	.04	.83	1.5	.30	10.64	.20	.090
14.5	15.6	60407	4C7	30	2.80	2.92	.11	.49	.8	.31	9.26	.16	.060

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-74

EASTING: 9953.4 NORTHING: 9907.3 ELEVATION: 1152.5
 LENGTH: 50.0

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
50.0	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	8.8	#	
8.8	11.3	OB	
11.3	13.1	389	
13.1	21.3	389	
21.3	27.2	4L6	
27.2	34.8	369	
34.8	36.5	4L24	
36.5	38.7	4E64	
38.7	42.9	4L0	
42.9	45.5	389	
45.5	50.0	4L2	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS G/T	AU B/T	XFE	XBA	XCU
21.3	22.3	60513	46L	60	3.26	3.29	2.88	3.99	47.3	.59	10.67	5.08	.050
36.5	37.6	60514	4E64	60	3.76	4.33	1.99	2.23	22.6	.18	27.45	1.79	.180
37.6	38.7	60515	4E64	62	3.54	3.38	2.27	3.92	24.7	.16	19.94	2.94	.080

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-75

EASTING: 10015.8 NORTHING: 9907.0 ELEVATION: 1163.4
LENGTH: 36.0

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
36.0	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	8.2	#	
8.2	17.8	OB	
17.8	20.5	369	
20.5	27.4	4E148	

27.4 30.9 4E46B
30.9 32.6 4E14
32.6 36.0 4D0

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AS G/T	AU G/T	XFE	ZBA	%CU
20.6	23.5	61564	4E14B	40	1.00	4.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
23.5	24.5	61565	4E14B	40	1.00	4.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
24.5	25.5	61566	4E14B	40	1.00	4.11	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
25.5	26.5	61567	4E14B	40	1.00	4.08	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
26.5	27.4	61568	4E14B	40	1.00	4.11	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
27.4	28.6	61569	4E46B	60	1.00	4.28	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
28.6	29.8	61570	4E46B	60	1.00	3.79	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
29.8	30.9	61571	4E46B	60	1.00	4.01	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
30.9	32.6	61572	4E14	40	1.00	3.84	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
32.6	33.8	61573	4D0	80	3.49	3.48	1.93	2.74	24.2	.45	22.00	.82	.220
33.8	35.1	61574	4D0	30	3.29	2.88	2.06	2.95	24.0	.77	17.46	.48	.240
35.1	36.0	61575	4C0	30	3.41	3.29	1.77	1.65	15.6	.73	21.31	.23	.190

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-76

EASTING: 9984.7 NORTHING: 9968.4 ELEVATION: 1161.7
LENGTH: 60.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
60.1	-90.0	.0	.0

LITHDLOS Y DATA

FROM	TO	ROCK	REMARKS
.0	11.3	#	
11.3	25.3	OB	
25.3	27.1	3G0	
27.1	33.2	3G0	
33.2	37.9	4B0	
37.9	42.5	4L6	
42.5	43.3	4L0	
43.3	48.7	4E41	
48.7	49.2	3E0	
49.2	53.5	3G4	
53.5	58.5	4E64	
58.5	59.1	4H41	
59.1	60.0	3G4	

AGGAYG DATA

FROM	TO	GAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
33.2	34.8	60516	4G4	60	4.23	3.97	7.82	6.17	69.9	.93	32.45	.51	.110
34.8	36.4	60517	4G4	60	4.24	4.57	4.15	6.87	55.1	.69	17.10	18.40	.040
36.4	38.0	60518	4G0	60	4.10	4.33	4.66	3.84	55.4	1.23	29.17	4.48	.150
43.3	44.6	60519	4E41	50	3.74	3.68	2.23	3.77	23.0	1.36	23.01	4.66	.020
44.6	46.0	60520	4E41	50	3.90	3.89	3.29	2.16	31.0	.57	25.46	5.70	.240
46.0	47.3	60521	4E1	40	4.06	4.46	1.72	1.53	22.6	.49	31.72	4.88	.210
47.3	48.7	60522	4E41	50	3.72	3.84	2.88	4.35	29.6	.49	22.23	4.02	.160
48.7	49.2	60523	4A4	20	3.05	.00	1.53	4.09	15.4	.13	8.64	3.54	.020
53.5	54.8	60524	4G4	60	4.22	4.18	5.66	8.13	66.0	.53	14.23	18.72	.110
54.8	56.0	60525	4E64	60	4.10	4.48	3.28	3.92	45.9	.63	34.27	.87	.200
56.0	57.3	60526	4E0	50	4.02	4.32	1.31	2.04	28.9	1.37	35.86	.09	.320
57.3	58.5	60527	4E64	60	3.98	3.85	2.60	3.60	45.0	.76	28.66	4.38	.230
58.5	59.1	60528	4H41	70	4.34	4.15	2.18	3.22	35.4	.27	41.84	.16	.330

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-77

EASTING: 9968.9 NORTHING: 9968.3 ELEVATION: 1158.0
LENGTH: 53.0

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
53.0	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	11.3	#	
11.3	18.3	DB	
18.3	25.6	3G6	
25.6	26.5	3E6	
26.5	27.1	3G6	
27.1	29.4	4E64	
29.4	30.7	3G61	
30.7	32.4	4E64	
32.4	43.6	3G9	
43.6	45.4	4E41	
45.4	45.9	4E4	
45.9	47.1	3G0	
47.1	48.6	4E41	
48.6	53.0	4L4	

```

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.
CURRAGH RESOURCES IN
15:59: 1 Serial no: 20320
20/ 3/91 Page : 20
*** VANGORDA - Drill Hole Database ***
***

```

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	NR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
27.1	28.2	61559	4E64	60	4.30	4.62	11.80	7.31	155.3	1.23	23.12	6.91	.150
28.2	29.4	61560	4E64	60	4.05	4.48	5.41	4.93	5.2	.75	29.43	2.07	.150
29.4	32.4	61561	4E64	60	4.27	4.44	4.74	9.45	71.9	.45	18.88	15.56	.090
32.4	45.9	61562	4E41	50	3.55	3.28	3.23	5.80	27.5	.19	16.61	4.82	.050
45.9	48.6	61563	4E41	50	3.37	3.13	2.83	6.27	29.4	.20	15.51	1.85	.120

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-78

EASTING: 9986.7 NORTHING: 9906.6 ELEVATION: 1157.3
LENGTH: 36.3

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
36.3	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.8	#	
9.8	19.1	DB	
19.1	21.9	4G4	
21.9	25.6	4A4	
25.6	30.5	3G9	
30.5	31.9	4L0	
31.9	32.9	4G4B	
32.9	34.7	4L0	
34.7	36.3	4G4	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
19.1	20.5	60498	4G4	60	4.52	4.80	8.69	8.67	69.2	1.43	17.39	19.52	.260
20.5	22.0	60499	4G4	60	4.39	4.95	8.45	7.66	82.4	.99	23.81	11.16	.180
22.0	25.6	60500	4A4	20	2.96	.00	2.29	3.10	31.7	.16	5.81	3.98	.050
31.9	32.9	60501	4G4B	60	4.07	4.51	7.09	5.72	71.0	.84	21.57	8.10	.110
34.8	36.3	60502	4G4	60	3.98	4.13	7.17	4.53	58.1	1.36	24.50	3.84	.090

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-79

EASTING: 10015.3 NORTHING: 9847.4 ELEVATION: 1155.3
LENGTH: 29.9

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
29.9	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	6.7	#	
6.7	16.4	OB	
16.4	17.2	4E7B4	
17.2	20.8	464	
20.8	29.9	4C0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
16.2	17.2	60418	4E7B4	50	3.91	4.04	3.01	3.17	29.3	.31	28.17	2.98	.190
17.2	18.4	60419	464	60	4.01	4.31	5.25	5.21	53.8	.60	21.90	8.30	.160
18.4	19.6	60420	460	60	4.14	4.07	4.02	4.10	50.3	.64	24.34	10.52	.160
19.6	20.9	60421	464	60	3.98	4.19	5.98	5.01	41.1	.44	17.19	11.76	.150
20.9	22.3	60422	4D0	30	3.53	3.71	2.17	2.65	24.4	.65	22.57	.84	.230
22.3	23.8	60423	4C0	30	3.36	3.44	1.22	2.72	19.9	.29	19.81	.45	.220
23.8	25.3	60424	4D0	30	3.30	3.23	2.62	2.13	30.8	.62	17.46	.56	.220
25.3	26.8	60425	4C0	30	3.18	.00	2.47	1.39	22.7	1.50	15.40	.20	.200
26.8	28.4	60426	4C0	30	3.40	3.62	1.41	.53	12.3	.63	22.07	.12	.460
28.4	29.9	60427	4C0	30	3.19	3.36	.73	1.24	10.9	.44	17.31	.29	.150

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-80

EASTING: 10029.3 NORTHING: 9848.0 ELEVATION: 1157.8
LENGTH: 33.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
33.2	-90.0	.0	.0

LITHOLOGY DATA

```

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GENCOM SERVICES INC.
CURRAGH RESOURCES IN
15:59: 5 Serial no: 20320
20/ 3/91 Page : 22
*** VANGORDA - Drill Hole Database ***
***                                     ***

```

FROM	TO	ROCK	REMARKS
.0	6.7	#	
6.7	15.9	DB	
15.9	23.1	4644	
23.1	30.7	4C7	
30.7	31.3	4L0	
31.3	33.2	366	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	%FE	%BA	%CU
15.9	17.4	60408	464	60	4.48	3.96	9.09	9.18	101.4	.43	17.45	17.92	.070
17.4	18.8	60409	464	60	4.34	4.39	5.90	7.90	60.9	.46	12.06	23.40	.040
18.8	20.2	60410	464	60	3.64	3.09	3.83	6.48	44.1	.63	12.10	10.32	.040
20.2	21.7	60411	464	60	3.94	4.03	4.83	7.53	60.4	.69	15.48	12.40	.060
21.7	23.1	60412	464	60	3.72	3.98	7.28	5.24	87.3	.82	21.75	.26	.190
23.1	24.6	60413	4C7	30	3.06	2.99	.37	1.28	8.9	.37	14.65	.20	.440
24.6	26.2	60414	4C7	30	2.94	3.07	.24	.40	7.8	.10	12.04	.48	.120
26.2	27.7	60415	4C7	30	2.92	3.01	.03	.87	6.6	.13	11.95	.26	.160
27.7	29.2	60416	4C7	30	3.07	2.99	.01	.53	6.2	.16	14.61	1.22	.140
29.2	30.7	60417	4C7	30	3.16	3.16	.92	1.68	7.5	.55	16.38	.12	.130

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-B1

EASTING: 10076.3 NORTHING: 10091.5 ELEVATION: 1155.9
LENGTH: 72.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
72.2	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	7.3	#	
7.3	26.7	DB	
26.7	31.4	4A0	
31.4	33.9	4E641	
33.9	36.5	4E1	
36.5	39.7	4D5	
39.7	56.7	4CB7	
56.7	60.0	4C779	
60.0	61.7	3C3	

61.7 63.3 4C75
63.3 64.4 4C7
64.4 72.2 4L71

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
26.7	28.2	60683	4A0	20	2.80	.00	.67	2.07	8.8	.35	7.81	.29	.020
28.2	29.8	60684	4A0	20	2.73	2.86	.96	1.65	13.3	.47	5.30	1.24	.030
29.8	31.4	60685	4A4	20	2.90	3.03	1.42	3.33	22.0	.63	8.64	.49	.040
31.4	32.7	60686	4E641	60	3.94	4.03	5.91	6.09	58.8	1.09	21.66	6.02	.040
32.7	33.9	60687	4E641	50	3.70	3.60	7.06	4.50	61.7	1.34	21.83	.18	.130
33.9	35.2	60688	4E1	40	3.62	3.47	.47	.95	5.8	1.63	27.68	.28	.170
35.2	36.5	60689	4E1	40	3.56	.00	.81	.70	11.8	2.69	26.12	.17	.240
36.5	38.1	60690	4D5	80	3.30	3.06	3.13	4.24	49.1	1.29	16.37	.12	.120
38.1	39.8	60691	4D5	80	3.27	3.80	2.89	1.70	43.7	1.59	16.97	.13	.180
39.8	41.3	60692	4C87	30	3.34	3.31	.60	.42	11.6	1.43	21.38	.26	.180
41.3	42.9	60693	4C87	30	3.61	3.32	.28	.54	9.9	.28	27.93	.10	.520
42.9	44.4	60694	4C87	30	3.43	4.16	.12	.44	8.9	.44	23.75	.36	.540
44.4	46.0	60695	4C87	30	3.37	4.02	.06	.13	10.2	.97	22.86	.12	.530
46.0	47.5	60696	4C87	30	3.44	3.60	.07	.49	8.7	.84	24.24	.14	.440
47.5	49.1	60697	4C87	30	3.44	4.32	.02	.23	8.0	.69	24.23	.31	.740
49.1	50.6	60698	4C87	30	3.47	3.95	.01	.16	6.6	.56	24.04	1.08	.840
50.6	52.1	60699	4C87	30	3.49	3.44	.01	.14	6.9	.41	25.35	.38	.120
52.1	53.6	60700	4C87	30	3.17	3.03	.77	.11	10.7	.39	17.37	.26	.300
53.6	55.2	60701	4C87	30	3.12	3.05	1.48	.18	19.6	.42	15.49	.34	.230
55.2	56.7	60702	4C87	30	3.24	3.18	.06	.20	6.7	.62	19.45	.36	.600
56.7	58.4	60703	4C779	30	3.63	4.69	.22	.40	10.5	.15	28.42	.24	.490
58.4	60.0	60704	4C779	30	3.71	4.54	.29	.54	11.0	.21	30.23	.26	.360
61.7	63.3	60705	4C75	30	2.96	2.62	.18	.27	6.5	.18	12.71	.42	.160
63.3	64.4	60706	4C7	30	3.33	3.42	.33	.08	8.6	.34	21.38	.35	.750

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-82

EASTING: 10042.5 NORTHING:10120.2 ELEVATION: 1154.4
LENGTH: 50.9

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
50.9	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	6.1	#	

PC-XPLOR VERSION 1.30

Exploration Data Manager

By GENCOM SERVICES INC.

CURRAGH RESOURCES IN

15:59: 9 Serial no: 20320

20/ 3/91 Page : 24

*** VANGORDA - Drill Hole Database ***

6.1	27.3	08
27.3	28.4	3G9
28.4	32.1	4A0
32.1	32.6	4L0
32.6	40.4	4A0
40.4	41.7	4G4
41.7	43.3	4E1
43.3	47.9	4C7B
47.9	49.1	4H1
49.1	50.9	4D87

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	%FE	%BA	%CU
28.4	29.7	60910	4A4	20	2.83	2.74	1.51	3.31	22.9	.40	7.35	.14	.060
29.7	30.9	60911	4A0	20	2.75	2.53	1.12	2.12	13.9	.41	6.53	.15	.040
30.9	32.1	60912	4A0	20	2.68	2.85	1.15	2.74	16.2	.31	4.29	.23	.030
32.1	34.1	60913	4A4	20	2.75	2.59	1.72	3.00	23.1	.47	5.26	.26	.040
34.1	35.7	60914	4A0	20	2.80	2.77	1.26	2.63	17.9	.43	7.22	.22	.030
35.7	37.2	60915	4A4	20	3.25	2.99	2.68	4.50	32.8	.22	9.25	6.18	.040
37.2	38.8	60916	4A0	20	2.79	2.91	.61	1.49	10.5	.32	7.63	.59	.020
38.8	40.4	60917	4A0	20	2.94	3.00	.81	1.74	13.0	.46	10.13	1.32	.020
40.4	41.7	60918	4G4	60	4.48	4.15	6.90	12.00	86.0	.56	11.23	24.75	.160
41.7	43.4	60919	4E1	40	4.15	4.55	.61	2.01	13.4	.63	39.15	.41	.000
43.4	44.8	60920	4C7B	30	3.74	3.54	.80	.85	16.0	1.11	29.98	.49	.230
44.8	46.3	60921	4C7B	30	3.86	3.60	.66	.38	13.1	1.11	33.39	.16	.300
46.3	47.9	60922	4C7B	30	3.78	3.56	.50	.44	9.9	1.20	31.65	.12	.300
47.9	49.1	60923	4H1	70	4.00	3.38	1.80	2.42	18.3	.77	34.79	.19	.330
49.1	50.0	60924	4D7B	80	3.58	3.09	3.93	2.90	37.8	.69	18.75	3.92	.120
50.0	50.9	60925	4D7B	80	4.05	3.81	5.27	4.23	51.0	1.37	24.25	7.44	.150

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-83

EASTING: 9984.3 NORTHING:10001.8 ELEVATION: 1160.5

LENGTH: 53.0

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
53.0	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	6.7	#	
6.7	29.0	08	

*** VANGORDA - Drill Hole Database ***

29.0 33.8 4L0
 33.8 35.1 4L0
 35.1 35.2 4A0
 35.2 36.6 4A0
 36.6 37.5 4L0
 37.5 38.3 4B4#
 38.3 41.2 4A0
 41.2 43.2 4L6
 43.2 45.7 4A4
 45.7 53.0 4L6#

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	XFE	XBA	XCU
33.8	35.1	60984	4L0	120	3.31	3.56	1.99	1.75	20.8	.24	16.59	2.33	.340
35.1	36.6	60985	4A0	20	2.91	2.88	2.09	1.62	33.8	.62	6.98	2.46	.140
36.6	38.4	60986	4B4#	60	4.02	4.07	4.30	6.29	57.4	.80	16.65	13.97	.070
38.4	39.8	60987	4A0	20	3.21	3.17	.48	.54	10.6	.31	16.67	1.76	.080
39.8	41.3	60988	4A0	20	3.21	3.16	1.61	2.55	25.1	.62	15.55	1.07	.120
43.2	44.5	60989	4A4	20	3.54	3.61	4.86	8.95	50.5	.31	16.45	1.85	.160
44.5	45.7	60990	4A4	20	3.27	2.98	2.72	3.60	27.6	.25	15.87	.49	.170

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-84

EASTING: 10029.5 NDRTHING:10149.4 ELEVATION: 1152.6

LENGTH: 74.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
74.1	-88.5	107.8	66.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	6.7	#	
6.7	22.3	DB	
22.3	24.7	DB	
24.7	26.3	4B4	
26.3	28.5	4D6B	
28.5	37.7	4B4B	
37.7	44.5	4A0#	
44.5	45.8	4E4	
45.8	51.0	4B874	
51.0	55.4	4CB	
55.4	58.4	4HB4	

58.4 74.1 4C7B9

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
24.7	26.3	61680	464	60	4.44	4.45	5.57	7.57	69.9	.56	15.30	22.99	.070
26.3	27.4	61681	4D6B	80	4.19	4.34	3.38	3.35	30.7	.56	32.99	4.16	.110
27.4	28.5	61682	4D6B	80	4.29	4.43	3.30	3.91	38.0	.45	27.93	11.15	.090
28.5	30.0	61683	464B	60	4.44	4.52	6.81	7.58	70.8	.67	20.66	16.72	.030
30.0	31.5	61684	464B	60	4.40	4.57	6.94	7.32	134.0	.94	19.10	17.38	.050
31.5	33.0	61685	464B	60	4.38	4.49	6.30	6.87	69.3	.06	16.00	20.68	.070
33.0	34.6	61686	464B	60	4.38	4.48	4.12	6.98	50.4	.41	16.40	22.22	.070
34.6	36.1	61687	464B	60	4.46	4.45	7.59	7.43	76.6	.59	17.53	19.47	.060
36.1	37.7	61688	46B	60	4.34	4.32	3.91	5.22	46.8	.47	22.91	16.06	.170
37.7	39.1	61689	4A4*	20	4.48	2.76	4.44	6.61	52.2	.43	17.47	23.32	.080
39.1	40.4	61690	4A*	20	2.84	2.87	.55	1.16	7.2	.22	9.11	.45	.030
40.4	41.8	61691	4A4*	20	3.38	3.48	2.49	4.00	35.3	.11	13.17	5.70	.030
41.8	43.2	61692	4A0*	20	3.08	3.14	.21	.58	5.0	.45	15.49	.38	.030
43.2	44.5	61693	4A0*	20	3.23	3.21	1.11	2.35	14.9	.61	17.14	.46	.030
44.5	45.9	61694	4E0	50	4.01	4.23	.75	2.41	12.7	.80	35.82	.22	.010
45.9	47.1	61695	464B7	60	4.41	4.30	4.36	7.71	52.8	.41	11.64	26.84	.030
47.1	48.4	61696	464B7	60	4.31	4.46	5.68	6.05	47.0	.74	26.58	9.75	.110
48.4	49.7	61697	4607	60	4.44	4.55	4.37	3.23	55.4	.52	27.66	14.19	.080
49.7	51.0	61698	4647	60	4.64	4.47	4.02	7.73	57.3	.45	13.75	30.25	.030
51.0	52.5	61699	4DB	80	3.91	3.82	2.16	2.76	22.5	.99	22.00	9.86	.200
52.5	54.0	61700	4CB	30	3.37	3.33	.75	2.61	10.5	.76	16.53	4.47	.160
54.0	55.4	61701	4CB	30	2.92	2.89	.36	2.01	5.2	.60	10.36	.98	.110
55.4	57.0	61702	4HB4	70	3.85	3.76	4.70	2.93	59.7	1.91	28.12	.33	.450
57.0	58.4	61703	4HB	70	4.15	4.09	1.72	1.37	23.6	3.26	38.12	.87	.540
58.4	59.7	61704	4C7B9	30	3.56	3.44	.32	.35	6.7	1.78	26.64	.22	.480
59.7	62.3	61705	4C7B9	30	3.49	3.29	.74	.72	7.4	5.00	24.49	.23	.280
62.3	63.7	61707	4C7B9	30	1.00	3.16	-1.00	-1.00	-1.0	-1.00	-1.00	.30	1.000
63.7	65.0	61708	4C7B9	30	3.26	3.57	.33	.35	8.3	1.71	19.76	.22	.610
65.0	66.3	61709	4C7B9	30	3.50	3.65	.79	.76	8.4	4.39	24.71	.29	.380
66.3	67.6	61710	4C7B9	30	3.55	3.63	.37	.66	6.5	8.08	26.55	.10	.820
67.6	68.9	61711	4C7B9	30	3.63	3.18	.13	.31	4.7	4.59	28.70	.09	.830
68.9	70.2	61712	4C7B9	30	3.29	3.45	.24	.61	4.8	1.19	20.45	.14	.590
70.2	71.5	61713	4C7B9	30	3.50	3.23	.64	.95	6.7	2.37	24.91	.10	.260
71.5	72.8	61714	4C7B9	30	3.49	3.53	.58	.78	10.9	4.84	24.68	.27	.560
72.8	74.1	61715	4C7B9	30	3.81	3.20	.87	1.53	9.9	2.17	31.36	.29	.250

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-B5

EASTING: 10106.8 NORTHING: 10090.6 ELEVATION: 1156.4

LENGTH: 90.5

SURVEY DATA

FROM	TO	AZIMUTH	DIP
---	---	-----	---

PC-XPLDR VERSION 1.30 CURRAGH RESOURCES IN
 Exploration Data Manager 15:59:17 Serial no: 20320
 By GENCOM SERVICES INC. 20/ 3/91 Page : 27
 *** VANGORDA - Drill Hole Database ***
 *** ***

.0 -90.0 .0 .0
 90.5 -90.0 .0 .0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	2.1	#	
2.1	23.6	OB	
23.6	27.3	3G9	
27.3	46.7	3G9	
46.7	52.6	4A0	
52.6	57.5	3G9	
57.5	90.5	4L7	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
46.9	48.4	60867	4A0	20	3.29	3.41	1.33	.84	19.9	2.50	19.53	.11	.260
48.4	49.9	60868	4A0	20	3.29	3.41	1.04	.20	18.6	.93	20.07	.07	.290
49.9	51.5	60869	4A0	20	3.39	3.35	.08	.25	6.6	.71	23.28	.03	.300
51.5	52.9	60870	4A0	20	3.28	3.37	.16	.22	8.0	.48	20.74	.05	.280

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-86

EASTING: 10029.6 NORTHING: 10091.5 ELEVATION: 1156.3
 LENGTH: 79.8

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
79.8	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	4.6	#	
4.6	29.6	OB	
29.6	35.4	4A4	
35.4	39.9	4A0	
39.9	41.9	4G4B	
41.9	44.1	4G4B	
44.1	45.8	4D7	
45.8	46.8	3H6	
46.8	47.7	4G4B	

47.7 52.1 4D7
52.1 73.6 4C7
73.6 79.9 4L72

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AS G/T	AU G/T	%FE	%BA	%CU
29.6	31.1	61525	4A4	20	2.98	3.12	1.63	4.05	27.5	.37	11.56	-1.00	.030
31.1	32.6	61526	4A4	20	2.99	3.02	1.59	3.85	25.5	.31	11.85	-1.00	.020
32.6	34.1	61527	4A4	20	3.02	3.15	1.66	4.11	24.1	.24	12.53	-1.00	.020
34.1	35.4	61528	4A4	20	2.83	2.90	1.59	3.80	26.6	.61	8.26	-1.00	.020
35.4	36.9	61529	4A0	20	2.96	3.05	.60	1.48	14.7	.45	13.32	-1.00	.030
36.9	38.1	61530	4A0	20	2.93	3.12	.58	.93	12.9	.46	12.88	-1.00	.030
38.1	39.8	61531	4A0	20	3.00	3.11	.90	2.35	18.5	.51	13.42	-1.00	.020
39.8	42.0	61532	4B8	60	3.89	4.36	2.26	4.14	30.5	.31	28.57	2.53	.030
42.0	42.8	61533	4B84	60	4.31	4.14	4.51	7.34	69.5	.26	11.61	24.75	.040
42.8	44.1	61534	4B8	60	4.23	4.38	4.21	5.20	66.6	.73	16.71	19.14	.060
44.1	45.8	61535	4D47	80	4.21	4.17	5.08	6.16	62.3	.69	23.46	11.16	.100
45.8	47.8	61536	4B48	60	4.50	4.23	4.16	6.67	46.0	2.05	9.73	31.46	.020
47.8	49.4	61537	4D7	80	3.64	4.17	2.38	2.65	27.5	.86	21.19	4.60	.240
49.4	50.6	61538	4D47	80	4.29	3.84	6.65	8.22	73.4	.75	19.30	14.46	.030
50.6	52.1	61539	4D7	80	3.34	3.28	3.39	1.69	40.0	2.64	17.96	.44	.300
52.1	53.4	61540	4C7	30	3.36	3.14	1.53	1.39	19.4	3.09	20.43	.24	.300
53.4	54.8	61541	4C7	30	3.56	3.44	.34	.59	7.5	1.96	26.60	.14	.340
54.8	56.4	61542	4C7	30	3.57	3.51	.40	.59	6.5	1.04	26.78	.15	.620
56.4	57.9	61543	4C7	30	3.42	3.39	.16	.30	4.5	.77	23.85	.15	.520
57.9	59.7	61544	4C7	30	3.50	3.42	.45	.41	6.2	.36	25.23	.12	.350
59.7	61.3	61545	4C7	30	3.64	3.45	.28	.77	4.6	.33	28.47	.13	.240
61.3	62.8	61546	4C7	30	3.57	3.45	.33	.88	5.7	.26	26.93	.13	.250
62.8	63.5	61547	4C7	30	3.42	3.30	.30	.55	6.1	.24	23.14	.52	.210
63.5	65.0	61548	4C7	30	3.30	3.27	.10	.22	5.2	.34	21.01	.20	.310
65.0	66.3	61549	4C7	30	3.50	3.41	.16	.62	3.4	.85	25.51	.08	.280
66.3	67.7	61550	4C7	30	3.44	3.63	.23	.75	82.1	.57	24.11	.09	.200
67.7	69.2	61551	4C7	30	3.29	3.26	.12	.49	4.8	.37	20.79	.10	.210
69.2	70.7	61552	4C7	30	3.27	3.23	.03	.07	2.1	.23	20.43	.12	.200
70.7	72.4	61553	4C7	30	3.25	3.06	.30	.14	5.6	.15	19.63	.25	.160
72.4	73.6	61554	4C7	30	3.00	2.95	.30	.11	3.5	.10	14.02	.15	.140
73.6	75.1	61555	4L724	120	3.13	2.96	.40	.21	2.7	.04	16.83	.15	.250
75.1	76.8	61556	4L724	120	3.02	3.01	.01	.16	1.9	.13	14.77	.12	.260
76.8	78.0	61557	4L724	120	2.95	2.87	.02	.09	1.9	.15	13.07	.10	.220
78.0	79.9	61558	4L724	120	2.84	2.84	.03	.13	1.6	.07	10.56	.12	.130

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-87

EASTING: 10015.6 NORTHING: 9484.5 ELEVATION: 1159.2
LENGTH: 35.1

SURVEY DATA

FROM TO AZIMUTH DIP

--- --
.0 -90.0 .0 .0
35.1 -90.0 .0 .0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	.6	#	
.6	11.3	OB	
11.3	20.4	4E64	
20.4	24.4	4E4	
24.4	27.9	4D6B	
27.9	31.4	4E14	
31.4	35.1	4A4	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZN	AG G/T	AU G/T	XFE	XBA	XCU
11.3	17.4	60B16	4E64	60	4.40	.00	6.95	6.48	50.2	.50	30.57	6.58	1.340
17.4	20.4	60B17	4B0	60	4.34	.00	3.59	2.99	40.2	1.71	35.19	5.50	1.260
20.4	23.5	60B18	4B0	60	4.25	4.24	2.47	2.52	23.0	1.49	39.26	.66	1.020
23.5	24.4	60B19	4E44	50	4.58	4.56	15.39	6.99	88.8	.79	33.19	.28	1.240
24.4	25.5	60B20	4D6B	80	3.99	3.92	5.93	4.01	58.0	1.41	25.92	3.96	.290
25.5	26.7	60B21	4D46B	80	4.05	4.04	6.19	6.32	43.0	.71	27.16	2.83	.620
26.7	27.9	60B22	4D6B	80	3.49	3.49	1.01	6.25	15.7	.79	21.59	.30	.130
27.9	29.1	60B23	4E14	40	3.46	3.55	.11	4.58	9.3	.67	22.69	.25	.220
29.1	30.2	60B24	4E14	40	3.79	3.96	1.44	5.37	24.6	.84	28.76	.11	.220
30.2	31.4	60B25	4E14	40	3.70	3.82	.09	4.64	7.8	.69	27.17	1.14	.130
31.4	32.6	60B26	4A4	20	3.06	2.95	.06	4.44	6.7	.24	13.35	.26	.130
32.6	33.8	60B27	4A4	20	3.20	3.22	.43	5.68	12.0	.40	15.33	.60	.180
33.8	35.1	60B28	4A4	20	3.76	3.89	1.56	7.97	22.7	1.12	26.62	.23	.200

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-88

EASTING: 10017.0 NORTHING: 9544.4 ELEVATION: 1159.1
LENGTH: 30.5

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
30.5	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
------	----	------	---------

*** VANGORDA - Drill Hole Database ***

*** ***

.0	5.0	#
5.0	5.2	DB
5.2	13.9	4L0
13.9	14.3	4G0
14.3	20.5	4C0
20.5	23.8	4C3
23.8	25.5	4C0
25.5	27.1	4C0
27.1	30.5	4E1

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	%FE	%BA	%CU
13.9	14.3	60991	4G0	60	4.24	.00	6.54	9.13	130.0	1.68	13.45	18.79	.850
14.3	15.9	60992	4C0	80	3.59	3.61	.23	.43	9.7	.88	27.48	.23	.320
15.9	17.4	60993	4C0	80	3.43	3.54	.86	.20	12.2	.90	23.40	.19	.380
17.4	18.9	60994	4C0	80	3.31	3.31	.88	.64	13.9	1.02	20.30	.16	.370
18.9	20.5	60995	4C0	80	3.26	3.29	.19	.33	9.0	.23	20.08	.08	.180
20.5	22.1	60996	4C3	40	3.43	3.50	.20	.24	7.9	.58	24.12	.09	.430
22.1	23.8	60997	4C3	40	3.39	3.47	.17	.12	8.5	.84	23.27	.11	.490
23.8	25.5	60998	4C0	30	3.41	3.57	2.64	.65	33.4	.88	21.17	.09	.400
25.5	27.1	60999	4C0	80	3.32	3.28	.13	.34	24.9	.19	21.52	.11	.710
27.1	28.8	61500	4E1	40	3.49	1.00	.06	.55	10.4	.21	26.48	-1.00	.280
28.8	30.5	61501	4E1	40	3.61	3.85	.05	.21	11.1	.29	29.46	-1.00	.280

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-89

EASTING: 9984.7 NORTHING: 9540.9 ELEVATION: 1154.1

LENGTH: 36.6

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
36.6	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	6.1	#	
6.1	8.5	DB	
8.5	16.7	4A0	
16.7	20.1	4L0	
20.1	22.9	4E6	
22.9	24.2	4E8	
24.2	28.1	4L2	

```

-----
PC-XPLOR VERSION 1.30                      CURRAGH RESOURCES IN
Exploration Data Manager                    15:59:26  Serial no: 20320
By GENCOM SERVICES INC.                    20/ 3/91  Page :    31
***          VANGORDA - Drill Hole Database          ***
***          ***
-----

```

```

28.1  32.8  364
32.8  36.6  366

```

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
8.5	16.7	60980	4A0	20	2.77	2.80	1.18	1.58	26.7	.46	6.81	.37	1.130
20.1	21.6	60981	4E6	60	2.72	.00	.19	.58	4.1	.11	6.52	.81	.200
21.6	22.9	60982	4E6	60	2.68	1.00	.03	.22	.8	.06	5.33	1.47	.020
22.9	24.2	60983	4EB	50	4.14	1.00	1.25	1.11	16.8	.76	37.59	1.51	.400

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-90

EASTING: 10031.0 NORTHING: 9485.3 ELEVATION: 1161.1
 LENGTH: 38.7

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
38.7	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	4.1	#	
4.1	8.2	OB	
8.2	12.2	OB	
12.2	29.3	4C3	
29.3	31.7	4D3	
31.7	35.1	4C0	
35.1	36.0	4L2	
36.0	37.6	4L0	
37.6	38.7	3G0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
12.2	13.8	60768	4C3	40	3.49	.00	.12	.01	8.6	.69	25.71	.08	.470
13.8	15.3	60769	4C3	40	3.35	.00	.09	.01	12.0	1.19	22.37	.05	.270
15.3	16.9	60770	4C3	40	3.37	3.21	.33	.28	7.1	.57	22.46	.05	.190
16.9	18.4	60771	4C3	40	3.31	3.09	.23	.16	4.4	.49	21.22	.05	.210
18.4	20.0	60772	4C3	40	3.28	3.22	1.30	.04	9.7	.66	19.02	.70	.190
20.0	21.5	60773	4C3	40	3.08	3.04	.43	.26	8.5	.85	15.70	.12	.220
21.5	23.1	60774	4C3	40	3.37	3.33	.27	.21	8.3	.75	22.65	.13	.350
23.1	24.6	60775	4C3	40	3.25	3.23	1.11	.42	22.3	.74	18.67	.26	.450

*** VANGORDA - Drill Hole Database ***
*** ***

24.6	26.2	60776	4C3	40	3.34	3.31	.15	.08	8.1	.48	22.14	.10	.370
26.2	27.7	60777	4C3	40	3.38	3.33	.07	.02	10.7	.42	22.96	.11	.540
27.7	29.3	60778	4C3	40	3.35	3.32	.15	.12	9.9	.38	22.20	.12	.320
29.3	30.5	60779	4C3	40	3.34	4.12	.77	2.76	15.6	.97	20.27	.13	.110
30.5	31.7	60780	4D3	40	3.12	3.16	.69	3.92	8.3	.16	14.45	.19	.050
31.7	33.4	60781	4C0	30	3.15	3.11	.35	1.51	8.6	.22	16.69	.15	.250
33.4	35.1	60782	4C0	30	3.40	3.32	.62	1.87	9.2	.45	22.14	.15	.170
35.1	36.0	60783	4L2	120	3.04	.00	1.04	2.14	13.7	4.58	13.06	.21	.300

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-91

EASTING: 10106.7 NORTHING:10180.3 ELEVATION: 1142.3
LENGTH: 65.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
65.5	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	6.4	#	
6.4	15.6	DB	
15.6	24.1	4L6	
24.1	31.3	4A4	
31.3	35.9	4A7	
35.9	42.6	4A7	
42.6	55.9	3B9	
55.9	62.2	4A7	
62.2	64.0	4L71	
64.0	65.5	4A7	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
24.1	25.5	60926	4A4	20	2.88	3.05	2.49	1.57	23.7	.35	7.86	.79	.030
25.5	27.0	60927	4A0	20	2.66	2.76	1.40	.14	4.7	.22	3.56	1.49	.010
27.0	28.4	60928	4A4	20	2.66	2.77	2.27	2.55	19.2	.41	2.69	.54	.020
28.4	29.8	60929	4A4	20	2.70	2.83	2.78	3.06	28.6	.50	2.44	.86	.030
29.8	31.3	60930	4A4	20	2.83	2.87	3.97	2.47	41.9	.89	4.91	.64	.030
31.3	32.8	60931	4A7	20	2.71	2.82	1.70	.60	8.1	.17	5.58	.26	.030
32.8	34.4	60932	4A7	20	2.79	2.76	1.42	.59	3.4	.35	7.27	.62	.040
34.4	35.9	60933	4A7	20	2.76	2.89	1.40	.48	3.9	.21	7.01	.26	.050
35.9	37.0	60934	4A7	20	2.86	2.96	1.45	.41	5.3	.20	9.30	.40	.040
37.0	38.2	60935	4A7	20	2.71	2.78	1.36	.22	2.8	.11	6.01	.29	.040

38.2	39.3	60936	4A7	20	2.82	2.67	2.01	1.05	12.3	.49	7.60	.18	.040
39.3	40.4	60937	4A7	20	2.74	2.65	1.42	1.12	6.9	.45	6.36	.24	.030
40.4	41.5	60938	4A7	20	2.68	2.61	1.27	.08	1.3	.22	4.67	1.02	.000
41.5	42.6	60939	4A7	20	2.70	2.84	1.42	.91	5.7	.23	5.54	.25	.010
55.9	57.5	60940	4A7	20	2.90	2.94	1.36	.17	1.6	.20	9.92	.63	.040
57.5	59.1	60941	4A7	20	2.75	2.86	1.33	.14	1.9	.21	6.67	.58	.020
59.1	60.6	60942	4A7	20	2.63	2.82	1.36	.19	2.3	.39	6.63	.47	.060
60.6	62.2	60943	4A7	20	2.88	2.85	1.39	.27	3.4	.44	9.82	.43	.070
64.0	65.2	60944	4A7	20	2.98	2.86	1.46	.53	6.7	.12	11.40	.62	.070

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-92

EASTING: 10075.3 NORTHING:10153.9 ELEVATION: 1150.0
LENGTH: 55.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
55.2	-88.0	42.8	1.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	#	
9.1	29.4	DB	
29.4	39.5	4L43	
39.5	40.5	4A47	
40.5	41.7	4G4	
41.7	46.3	4D0	
46.3	47.8	4D0	
47.8	55.2	4C3B	

ASSAYS DATA

FROM	TD	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
32.9	34.1	60829	4L437	120	2.76	3.08	.21	4.05	.3	15.80	6.45	.28	.000
34.1	35.2	60830	4L437	120	2.80	3.13	.19	3.97	.2	2.48	7.64	.18	.010
35.2	36.4	60831	4L437	120	2.76	2.94	.20	3.99	.8	.24	6.51	.17	.020
39.5	40.5	60832	4A47	20	2.94	2.86	1.54	7.38	20.4	.47	7.15	.92	.030
40.5	41.7	60833	4G4	60	4.35	4.46	2.74	9.62	34.0	1.93	22.12	16.13	.030
41.7	43.2	60834	4D4	80	3.64	3.88	5.50	7.71	53.2	1.64	24.92	.22	.160
43.2	44.6	60835	4D3G	80	3.84	4.78	.85	4.75	12.5	1.53	30.63	.22	.220
44.8	46.3	60836	4D3B	80	3.81	3.75	1.42	4.85	18.7	2.30	28.36	1.25	.250
46.3	47.8	60837	4D4	80	3.66	3.53	6.56	11.49	66.9	2.15	16.66	.16	.190
47.8	49.3	60838	4D0	80	3.75	3.73	.83	5.06	16.7	1.03	28.49	.13	.380
49.3	50.7	60839	4D0	80	4.01	4.13	.76	4.79	13.2	1.01	33.02	1.85	.290

PC-XPLOR VERSION 1.30 CURRAGH RESOURCES IN
 Exploration Data Manager 15:59:34 Serial no: 20320
 By GEMCOM SERVICES INC. 20/ 3/91 Page : 34
 *** VANGORDA - Drill Hole Database ***
 *** ***

50.7	52.2	60840	4D0	80	3.60	3.56	.32	4.07	11.4	.97	26.01	.07	.580
52.2	53.7	60841	4D0	80	3.51	3.55	.49	4.64	10.2	.92	23.39	.18	.320
53.7	55.2	60842	4C0	30	3.38	3.41	.21	.28	9.9	1.01	22.87	.12	.470

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-93

EASTING: 9981.5 NORTHING:10183.8 ELEVATION: 1149.6
 LENGTH: 96.6

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
96.6	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	#	
9.1	26.2	DB	
26.2	34.0	3G9	
34.0	38.3	4A0	
38.3	46.9	4A4	
46.9	52.1	4E46	
52.1	53.8	4GB	
53.8	55.6	4E1	
55.6	62.5	4EB	
62.5	63.3	4L6	
63.3	65.9	4E46	
65.9	69.2	4D34#	
69.2	69.3	60UGE	
69.3	72.3	4D34#	
72.3	73.6	4E0B	
73.6	93.6	4C3	
93.6	96.6	4L0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	ZPB	ZZN	AS G/T	AU G/T	%FE	%BA	%CU
34.0	35.4	61576	4A0	20	2.89	.00	1.40	2.96	17.5	.24	8.72	.36	.030
35.4	36.9	61577	4A0	20	2.84	.00	.73	1.15	7.9	.21	8.75	.70	.020
36.9	38.3	61578	4A0	20	2.96	2.85	1.25	2.01	14.6	.49	10.96	.52	.020
38.3	39.7	61579	4A4	20	3.12	3.01	3.78	4.14	46.4	.36	10.86	.81	.070
39.7	41.2	61580	4A0	20	2.92	.00	1.66	1.65	19.0	.34	9.65	.65	.050
41.2	44.4	61581	4A4	20	3.18	.00	3.88	3.50	46.7	.27	12.80	.57	.010
44.4	46.0	61582	4A4	20	2.92	.00	1.84	4.22	20.6	.18	8.20	.59	.040
46.0	47.0	61583	4A4	20	3.04	.00	2.01	3.75	22.1	.30	11.40	.37	.020

*** VANGORDA - Drill Hole Database ***

47.0	48.2	61584	4E46	50	3.91	.00	6.35	7.41	69.1	.20	25.09	1.12	.060
48.2	49.5	61585	4E46	50	4.26	.00	8.35	9.66	78.1	.31	29.44	1.87	.020
49.5	51.2	61586	4E46	60	4.15	.00	6.43	6.47	66.7	.56	28.46	3.56	.090
51.2	52.1	61587	4E4	60	4.20	.00	4.72	8.41	69.9	.63	11.91	21.34	.080
52.1	52.9	61588	4E8	60	4.17	.00	4.59	3.05	49.1	.37	34.63	1.32	.110
52.9	53.8	61589	4E84	60	3.27	.00	4.59	6.20	61.7	.48	13.38	.25	.080
53.8	55.6	61590	4E1	40	4.35	.00	1.58	1.97	13.0	.78	24.72	17.98	.200
55.6	57.0	61591	4E8	50	4.12	3.75	1.82	1.80	14.4	1.10	29.32	8.19	.230
57.0	58.4	61592	4E48	50	4.21	4.26	2.60	3.46	24.5	1.07	33.46	4.91	.500
58.4	59.8	61593	4E48	50	4.20	4.30	2.04	3.31	20.5	.99	35.45	3.34	.380
59.8	61.1	61594	4E48	50	3.99	3.94	4.15	4.20	44.0	1.08	31.04	.58	.260
61.1	62.6	61595	4E08	50	3.99	3.93	1.05	2.49	23.9	1.19	32.17	3.08	.070
62.6	64.6	61596	4E0	50	4.24	4.45	1.73	1.95	22.1	1.04	40.30	.35	.280
64.6	65.9	61597	4E4	50	4.01	3.64	3.02	2.53	15.1	1.14	33.90	.09	.150
65.9	67.2	61598	4C3#	40	3.30	3.29	1.81	.57	11.7	8.91	19.02	.31	.130
67.2	68.4	61599	4D3#	80	3.32	3.43	6.07	4.01	26.2	.90	13.17	1.10	.290
68.4	69.7	61600	4D3#	80	3.92	3.28	4.57	1.47	19.2	1.04	21.59	8.98	.120
69.7	71.0	61601	4D3#	80	3.92	3.72	5.91	1.52	18.8	2.93	27.07	2.51	.250
71.0	72.3	61602	4D3#	80	3.96	4.06	3.20	3.07	29.9	1.59	28.15	3.96	.130
72.3	73.5	61603	4E08	50	4.23	4.00	2.21	.60	22.7	1.33	34.69	5.76	.330
73.5	75.2	61604	4C3	40	3.56	3.74	.19	.21	8.4	1.34	26.93	.27	.440
75.2	76.7	61605	4C3	40	3.62	3.55	.10	.12	5.0	.84	28.55	.08	.480
76.7	78.2	61606	4C3	40	3.41	3.41	.07	.09	4.8	.79	23.73	.13	.500
78.2	79.7	61607	4C3	40	3.49	3.48	.39	.39	8.2	.92	25.13	.16	.500
79.7	81.3	61608	4C3	40	3.43	3.60	.06	.22	4.9	2.39	24.07	.19	.420
81.3	82.8	61609	4C3	40	3.44	3.30	.15	.44	5.5	.70	24.00	.40	.420
82.8	84.3	61610	4C3	40	3.45	3.51	2.83	.05	27.2	.64	22.02	.10	.260
84.3	85.8	61611	4C3	40	3.45	3.46	.66	.91	8.6	.44	23.88	.07	.200
85.8	87.3	61612	4C3	40	3.36	3.50	.39	.70	8.4	.51	21.67	.37	.370
87.3	88.9	61613	4C3	40	3.26	3.33	.30	.34	8.7	.62	20.97	-1.00	.310
88.9	90.4	61614	4C3	40	3.18	3.31	.17	.26	12.8	.57	19.39	-1.00	.350
90.4	91.9	61615	4C3	40	3.47	3.63	1.16	.96	25.0	1.40	24.84	-1.00	.360
91.9	93.8	61616	4C3	40	3.50	1.00	.59	1.18	15.3	1.90	25.89	-1.00	.310

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-94

EASTING: 9999.8 NORTHING:10153.0 ELEVATION: 1151.8

LENGTH: 92.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
92.1	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
---	---	---	---

.0 13.7 #
13.7 34.4 08
34.4 36.7 4L0
36.7 55.8 4648
55.8 64.0 4E1
64.0 64.6 3C3
64.6 72.8 4C14
72.8 86.8 4CB
86.8 88.5 4DB
88.5 92.0 4C18

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AB B/T	AU G/T	%FE	%BA	%CU
36.7	38.3	62055	4648	60	4.35	4.06	4.45	6.43	67.7	.90	19.39	18.60	.100
38.3	39.8	62056	4648	60	4.50	4.25	4.70	8.70	56.7	.66	14.03	25.92	.070
39.8	41.4	62057	4648	60	4.16	4.04	5.36	7.53	54.6	.71	19.91	12.48	.090
41.4	43.0	62058	468	60	4.23	4.22	3.24	6.26	41.2	.57	17.95	18.48	.090
43.0	44.6	62059	4648	60	4.32	3.95	3.90	7.25	50.7	.31	17.07	20.28	.030
44.6	46.2	62060	468	60	4.11	4.17	2.68	4.40	40.6	.54	20.87	14.16	.050
46.2	47.8	62061	4648	60	4.35	4.26	7.94	7.33	88.8	.36	16.29	18.12	.050
47.8	49.4	62062	4648	60	4.52	4.25	4.23	7.80	57.6	.18	18.55	22.80	.040
49.4	50.9	62063	468	60	4.02	3.66	3.82	2.80	48.0	.20	16.38	16.32	.040
50.9	52.5	62064	4648	60	4.30	4.19	4.29	5.92	65.9	.20	15.86	21.12	.040
52.5	54.1	62065	4648	60	4.23	4.05	3.95	6.41	63.2	.30	13.39	22.20	.050
54.1	55.9	62066	4648	60	4.24	4.23	4.21	7.46	64.5	.63	12.57	22.32	.050
55.9	57.2	62067	4E10	50	4.01	4.67	.82	.76	15.1	1.33	35.74	.94	.240
57.2	58.5	62068	4E01	50	4.11	4.40	2.20	.41	34.5	1.83	37.59	.42	.310
58.5	59.9	62069	4E01	50	4.01	4.29	1.13	.31	16.7	.86	36.52	.23	.220
59.9	61.2	62070	4E01	50	3.87	4.34	.56	.25	15.6	.85	33.90	.16	.300
61.2	62.6	62071	4E01	50	3.62	4.14	.08	.03	10.9	.58	28.46	.17	.370
62.6	64.0	62072	4E01	50	3.49	4.16	.09	.10	9.8	.94	24.55	1.16	.440
64.6	65.9	62073	4C1	30	3.20	3.71	.04	.12	5.6	.67	18.75	.14	.270
65.9	67.3	62074	4C1	30	3.17	3.51	.04	.01	5.3	.74	18.24	.17	.210
67.3	68.6	62075	4C1	30	3.66	3.25	.19	.01	5.8	.84	29.38	.30	.100
68.6	70.0	62076	4C1	30	3.75	3.15	.23	.06	5.7	.69	31.35	.17	.220
70.0	71.3	62077	4C1	30	3.66	3.79	.09	.12	3.9	.98	29.59	.11	.440
71.3	72.8	62078	4C1	30	3.64	3.77	.01	.02	3.2	.71	29.25	.07	.310
72.8	74.4	62079	4CB	30	3.70	3.37	.05	.10	4.4	.78	30.64	.07	.500
74.4	75.9	62080	4CB	30	3.51	3.73	.76	.89	9.9	.57	25.04	.04	.430
75.9	77.5	62081	4CB	30	3.50	3.88	.59	.56	10.7	.65	25.16	.10	.390
77.5	79.0	62082	4CB	30	3.42	3.75	.09	.16	4.3	.27	23.51	.52	.160
79.0	80.6	62083	4CB	30	3.45	3.68	.71	.72	12.4	.38	23.53	.25	.220
80.6	82.1	62084	4CB	30	3.17	3.53	.33	.18	5.6	.29	17.95	.10	.200
82.1	83.7	62085	4CB	30	3.78	3.53	.72	.16	7.9	.46	31.69	.12	.260
83.7	85.2	62086	4CB	30	3.72	3.44	.74	1.20	8.2	.57	29.33	.58	.210
85.2	86.8	62087	4DB	30	3.84	3.33	2.09	2.71	22.7	.42	30.71	.11	.210
86.8	88.5	62088	4DB	30	3.35	3.44	3.13	6.84	38.4	.60	16.36	.07	.240
88.5	89.8	62089	4C1	30	3.20	3.34	1.37	.67	13.5	1.39	17.00	.40	.190
89.8	91.0	62090	4C1	30	3.21	3.21	.41	.10	6.0	.71	18.71	.08	.520
91.0	92.1	62091	4C1	30	3.32	3.44	.49	.54	7.1	.70	21.04	.11	.390

HDLE-ID: 90V-95

EAGTING: 10059.3 NDRTHING:10154.9 ELEVATION: 1151.1
LENGTH: 66.5

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
66.5	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	20.1	#	
20.1	21.9	DB	
21.9	39.0	3809	
39.0	40.3	4A4	
40.3	41.7	4A0	
41.7	42.4	4D5#	
42.4	44.1	4E64	
44.1	50.3	4E8#	
50.3	57.4	4CB	
57.4	62.5	4H14	
62.5	66.4	4CB	

AGGAYG DATA

FROM	TO	GAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	%FE	%BA	%CU
39.0	40.3	61660	4A4	20	2.69	.00	1.38	2.76	19.5	.40	5.70	-1.00	.030
40.3	41.7	61661	4A0	20	2.67	2.84	.77	1.28	11.4	.24	6.39	-1.00	.040
41.7	42.4	61662	4D5#	80	3.22	.00	2.15	4.35	26.4	.63	16.59	-1.00	.020
42.4	44.1	61663	4E64	50	3.90	4.55	9.02	6.97	92.5	1.24	24.69	-1.00	.110
44.1	45.6	61664	4E8#	50	3.63	4.10	.92	.88	18.1	1.92	28.77	-1.00	.330
45.6	47.2	61665	4E8#	50	3.63	3.93	.27	.54	10.0	1.07	29.51	-1.00	.250
47.2	48.8	61666	4E8#	50	3.52	3.83	.31	.32	6.8	1.06	27.22	-1.00	.420
48.8	50.3	61667	4E8#	50	3.47	3.77	.28	.23	7.0	.77	26.00	-1.00	.420
50.3	51.7	61668	4CB	30	3.34	3.60	.01	.02	4.4	.84	23.46	-1.00	.400
51.7	53.1	61669	4CB	30	3.40	3.61	.11	.02	6.0	1.74	24.65	-1.00	.380
53.1	54.5	61670	4CB	30	3.38	3.45	.01	.06	4.3	.68	24.15	-1.00	.310
54.5	55.9	61671	4CB	30	3.31	3.49	.06	.17	4.8	.77	22.61	-1.00	.320
55.9	57.4	61672	4CB	30	3.37	3.54	.29	.21	7.1	.64	23.74	-1.00	.250
57.4	58.7	61673	4H4	70	4.22	3.89	2.46	2.01	29.2	.06	40.71	-1.00	.260
58.7	59.9	61674	4H4	70	4.10	3.63	2.89	2.01	35.8	.11	37.34	-1.00	.360
59.9	61.2	61675	4H1	70	3.76	3.52	1.49	2.22	16.9	.09	30.68	-1.00	.350
61.2	62.5	61676	4H4	70	3.86	3.68	2.57	2.30	38.6	.10	32.10	-1.00	.240
62.5	63.8	61677	4CB	30	3.40	3.63	.78	.40	14.4	.85	23.84	-1.00	.400
63.8	65.1	61678	4CB	30	3.52	3.81	.39	.58	10.7	.82	26.83	-1.00	.360

```

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.
CURRAGH RESOURCES IN
15:59:45 Serial no: 20320
20/ 3/91 Page : 38
*** VANGORDA - Drill Hole Database ***
***

```

```

65.1 66.5 61679 4CB 30 3.30 .00 .37 .22 13.1 .70 21.98 -1.00 .500

```

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-96

EASTING: 9903.8 NORTHING:10091.2 ELEVATION: 1154.0
LENGTH: 115.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-50.0	90.0	48.2
115.1	-50.0	90.0	48.2

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	15.2	#	
15.2	47.9	OB	
47.9	49.9	3EO	
49.9	55.1	3G0	
55.1	55.8	3EO	
55.8	82.0	60UGE	
82.0	85.8	3G0	
85.8	90.8	3EB	
90.8	97.7	3G01	
97.7	100.2	4C0	
100.2	100.9	4A0	
100.9	102.7	3G6	
102.7	103.0	60UGE	
103.0	104.0	4A4	
104.0	107.8	3E6	
107.8	110.7	3G6	
110.7	113.1	4G47B	
113.1	115.1	3G0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
97.7	98.9	61640	4D0	80	3.63	4.25	2.38	2.92	34.1	.51	21.95	3.41	.160
98.9	100.2	61641	4C0	30	2.83	3.62	1.07	1.42	16.6	.41	8.47	.42	.070
100.2	101.0	61642	4A4	20	3.09	.00	1.70	2.92	35.4	.14	12.29	1.33	.040
103.0	104.1	61643	4A4	20	4.35	.00	5.11	8.25	66.6	.64	13.35	22.99	.110
110.7	111.9	61644	4G47B	60	4.22	4.30	5.05	7.54	88.3	1.03	14.12	19.69	.090
111.9	113.1	61645	4G47B	60	4.32	4.50	4.74	7.23	75.5	1.61	14.55	21.89	.130
113.1	114.3	61646	4L	120	2.82	4.18	.95	1.80	13.9	2.21	7.38	.98	.030

HOLE-ID: 90V-97

EASTING: 9932.9 NORTHING:10148.8 ELEVATION: 1149.9
LENGTH: 89.0

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-51.0	90.0	48.2
89.0	-51.0	90.0	48.2

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	28.3	#	
28.3	47.9	DB	
47.9	55.2	4L0	
55.2	56.0	4L0	
56.0	60.0	4E4B*	
60.0	60.6	3C14	
60.6	66.0	4G4B*	
66.0	67.7	4E0	
67.7	71.8	4E61	
71.8	78.3	4E8	
78.3	81.8	4E6B14	
81.8	84.5	4E64	
84.5	85.8	4D3B4	
85.8	89.0	4C3	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
56.0	57.3	62224	4E84*	40	4.05	4.39	3.98	1.82	63.9	1.48	32.92	1.28	.320
57.3	58.7	62225	4E80	40	4.05	4.38	1.41	.62	23.2	1.00	36.21	.89	.300
58.7	60.0	62226	4E84*	40	3.98	4.43	3.30	2.48	34.2	1.17	32.37	.66	.260
60.6	61.8	62227	4G4B*	60	4.13	4.14	7.45	6.65	71.3	.55	23.68	6.62	.160
61.8	63.2	62228	4G4B*	60	3.99	3.76	6.63	6.78	83.4	.70	16.10	11.66	.060
63.2	64.5	62229	4G4B*	60	3.76	6.86	4.12	6.24	63.2	.56	15.29	9.79	.090
64.5	66.0	62230	4G8*	60	3.90	3.01	3.61	6.18	40.6	.53	15.97	12.76	.060
66.0	67.7	62231	4E0	50	4.02	.00	1.77	.26	12.3	1.56	35.29	.97	.100
67.7	69.1	62232	4E6	60	3.83	3.77	2.28	1.19	15.3	1.53	29.24	1.85	.150
69.1	70.4	62233	4E6	60	3.94	3.95	2.74	1.08	19.7	2.54	27.47	5.63	.350
70.4	71.8	62234	4E6	60	3.99	3.16	1.76	1.88	19.4	1.44	33.54	1.34	.340
71.8	73.1	62235	4E8	40	3.77	4.32	.64	1.07	13.9	.89	30.86	.32	.520
73.1	74.4	62236	4E8	40	4.09	2.87	1.62	1.76	23.9	2.39	36.90	.53	.470
74.4	75.7	62237	4E8	40	4.02	5.49	1.74	1.72	22.0	.91	35.50	.31	.460
75.7	77.1	62238	4E8	40	4.09	4.34	1.13	1.01	17.7	1.06	38.00	.31	.560
77.1	78.3	62239	4E8	40	3.93	4.37	1.67	1.73	20.5	.91	33.42	.26	.320

```

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GENCOM SERVICES INC.
CURRAGH RESOURCES IN
15:59:50 Serial no: 20320
20/ 3/91 Page : 40
*** VANGORDA - Drill Hole Database ***
***

```

78.3	80.2	62240	4E684	60	3.71	3.29	.36	5.11	39.1	1.26	22.38	5.72	.110
80.2	81.8	62241	4E684	60	4.00	.00	3.63	4.59	33.1	1.70	20.64	11.11	.190
81.8	84.5	62242	4E64	40	4.02	3.63	3.77	2.61	23.5	2.85	33.05	.37	.400
84.5	85.8	62243	4D38	40	3.72	.00	2.89	1.35	27.8	.67	27.18	.75	.220
85.8	86.5	62244	4C3	40	3.70	.00	.72	.58	10.7	2.10	29.42	.24	.410
86.5	87.8	62245	4C3	40	3.72	3.70	.32	.15	9.5	1.71	30.77	.13	.540
87.8	89.0	62246	4C3	40	3.58	3.53	.26	.30	9.8	.71	27.21	.24	.400

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HDLE-ID: 90V-98

EASTING: 9911.0 NORTHING:10147.4 ELEVATION: 1149.9
LENGTH: 111.3

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-51.0	90.0	48.2
111.3	-51.0	90.0	48.2

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	21.3	Cas	
21.3	50.6	DB	
50.6	61.5	3604	
61.5	64.9	4L2	
64.9	71.5	467	
71.5	75.0	4664	
75.0	79.9	4L0	
79.9	81.2	4646	
81.2	83.8	4646	
83.8	87.6	468	
87.6	91.6	4E18	
91.6	97.5	4648	
97.5	98.6	4E814	
98.6	104.4	4E51	
104.4	111.3	4C3	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS G/T	AU G/T	XFE	XBA	XCU
64.9	66.2	62386	4674	60	4.35	4.11	9.53	7.66	98.8	.75	23.68	9.35	.100
66.2	67.5	62387	467	60	4.27	4.13	3.56	3.02	37.3	.57	38.62	.66	.300
67.5	68.9	62388	467	60	4.42	4.22	4.25	4.95	41.8	.49	36.54	4.53	.230
68.9	70.2	62389	4674	60	4.62	3.90	10.60	8.73	125.9	.48	10.54	26.62	.110
70.2	71.5	62390	467	60	4.20	4.32	2.90	3.34	31.7	.92	37.18	.77	.280
71.5	72.6	62391	4664	60	4.45	4.18	9.40	9.03	132.2	.82	8.00	26.18	.010

72.6	73.8	62392	4664	60	4.71	4.33	8.29	8.14	121.6	.39	5.26	36.08	.030
73.8	75.0	62393	4664	60	4.56	4.42	7.30	9.00	112.3	.54	7.41	31.10	.040
79.9	81.1	62394	4646	60	4.58	4.16	11.90	9.55	156.3	.59	6.03	28.60	.070
83.8	85.1	62395	4684	60	4.29	4.28	5.20	6.96	63.8	.97	22.80	13.00	.150
85.1	86.3	62396	4684	60	4.65	4.45	5.77	5.49	90.1	1.47	24.88	19.25	.240
86.3	87.6	62397	4684	60	3.87	4.09	6.00	7.50	71.5	1.90	14.14	11.11	.120
87.6	89.0	62398	4E184	40	4.05	3.60	4.08	3.55	28.4	1.41	28.39	4.82	.300
89.0	90.8	62399	4E18	40	3.86	3.68	2.97	.81	15.1	2.06	29.67	1.54	.190
90.8	91.5	62400	4E18	40	3.88	.00	2.36	1.23	20.9	1.31	29.13	2.79	.090
91.5	93.0	62401	4648	60	4.24	4.42	4.28	5.19	42.3	1.77	26.60	9.79	.170
93.0	94.5	62402	4648	60	4.40	4.39	4.84	7.80	59.5	1.67	20.65	17.49	.180
94.5	96.0	62403	4648	60	4.37	4.44	8.21	7.36	62.8	1.73	28.73	6.29	.220
96.0	97.5	62404	4648	60	4.33	4.14	6.66	9.80	71.1	1.65	18.78	15.29	.140
97.5	98.6	62405	4E684	60	4.10	3.97	2.93	3.71	29.8	3.22	34.79	.66	.070
98.6	100.0	62406	4E51	40	3.73	4.01	.25	.35	13.9	1.41	30.51	.47	.310
100.0	101.4	62407	4E51	40	3.77	3.99	.02	.09	12.5	.98	32.05	.21	.360
101.4	102.9	62408	4E51	40	3.34	3.49	.07	.09	8.7	.77	22.03	.23	.300
102.9	104.3	62409	4E51	40	3.44	3.23	.26	.49	11.7	1.09	23.90	.29	.350
104.3	105.7	62410	4C3	30	3.75	3.34	.37	.13	15.9	.67	31.27	.13	.450
105.7	107.1	62411	4C3	30	3.57	3.38	.76	.68	31.5	1.35	25.79	.88	.370
107.1	108.4	62412	4C3	30	3.34	3.82	.31	.09	15.3	.58	21.91	.18	.450
108.4	109.8	62413	4C3	30	3.39	3.86	.71	.29	25.5	.50	22.49	.29	.390
109.8	111.3	62414	4C3	30	3.59	3.69	.30	.36	15.3	.39	27.54	.18	.250

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-99

EASTING: 9985.0 NORTHING: 9603.0 ELEVATION: 1156.2

LENGTH: 46.9

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
46.9	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	6.1	Cas	
6.1	11.3	DB	
11.3	14.3	Cas	
14.3	16.2	4EB61	
16.2	21.3	4A4	
21.3	25.9	4L0	
25.9	32.7	4L62	
32.7	33.2	3C3	
33.2	34.0	3B0	
34.0	35.1	3C3	

PC-XPLOR VERSION 1.30 CURRAGH RESOURCES IN
Exploration Data Manager 15:59:55 Serial no: 20320
By GEMCOM SERVICES INC. 20/ 3/91 Page : 42
*** VANGORDA - Drill Hole Database ***
*** ***

35.1 42.4 360
42.4 46.3 4L67
46.3 46.7 4EB4
46.7 46.9 4L67

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
14.3	16.2	61747	4EB61	40	3.94	.00	1.97	1.42	55.0	-1.00	34.80	-1.00	1.000
16.2	21.3	61748	4A4	20	3.19	.00	6.08	3.73	95.0	-1.00	12.50	-1.00	1.000
46.3	46.7	61749	4EB4	50	4.23	.00	2.31	2.41	45.0	-1.00	40.80	-1.00	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-100

EASTING: 9893.2 NORTHING: 9601.6 ELEVATION: 1153.1
LENGTH: 27.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
27.1	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	6.1	Cas	
6.1	12.8	4A4	
12.8	15.2	369	
15.2	16.8	4E4	
16.8	18.8	3609	
18.8	27.1	3E	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
6.1	12.8	61732	4A4	20	3.18	1.00	2.22	5.35	45.0	-1.00	15.10	-1.00	1.000
15.1	16.8	61733	4E4	50	3.89	1.00	2.09	2.89	45.0	-1.00	32.90	-1.00	1.000
18.2	18.8	61734	4H0	70	4.20	1.00	.06	.41	15.0	-1.00	43.10	-1.00	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-101

EASTING: 9890.6 NORTHING:10145.7 ELEVATION: 1150.1
LENGTH: 134.8

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-51.0	90.0	48.2
134.8	-51.0	90.0	48.2

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	30.5	#	
30.5	56.5	08	
56.5	59.3	360	
59.3	64.3	3C0	
64.3	67.7	3604	
67.7	71.7	360	
71.7	73.0	4L0	
73.0	73.9	464#	
73.9	79.0	4L06	
79.0	84.2	360	
84.2	94.3	4L0	
94.3	95.5	468#	
95.5	98.3	3C#	
98.3	100.9	4A0	
100.9	103.5	369	
103.5	107.2	468#4	
107.2	114.5	4E86	
114.5	115.0	4E8#	
115.0	121.2	4E78	
121.2	130.4	4C38	
130.4	134.7	4L784	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZN	AG G/T	AU G/T	XFE	XBA	XCU
73.0	73.9	61849	464#	60	4.57	4.50	11.50	11.70	154.9	.64	11.39	22.56	.130
76.2	76.8	61850	4604	60	4.41	4.42	11.70	10.30	162.8	.61	10.17	20.52	.050
94.3	95.5	61851	468#	60	3.95	4.01	3.38	3.82	38.2	.37	23.12	8.11	.210
97.5	98.3	61852	464#	60	4.20	4.13	5.66	8.39	90.8	2.91	10.71	21.60	.160
98.3	99.6	61853	4A0	20	2.68	2.76	.25	.41	2.5	.17	5.80	.82	.030
99.6	100.9	61854	4A0	20	2.80	2.85	1.10	1.51	15.6	.24	6.81	1.25	.070
103.5	104.8	61855	4684#	60	4.46	4.30	5.35	7.51	65.7	.95	14.67	24.24	.090
104.8	106.0	61856	4684#	60	4.40	4.35	6.01	6.79	62.6	1.23	17.76	19.68	.110
106.0	107.2	61857	4684#	60	4.33	4.52	8.07	6.10	82.6	2.18	22.46	12.12	.160
107.2	108.7	61858	4E864	50	3.90	4.12	1.03	1.59	17.1	1.57	33.38	.20	.330
108.7	110.1	61859	4E864	50	3.70	3.83	1.80	2.43	24.4	1.39	26.99	.95	.350
110.1	111.6	61860	4E86	50	3.88	4.24	1.86	1.81	30.0	1.56	31.67	.62	.290
111.6	113.0	61861	4E86	50	4.08	4.69	1.18	1.34	21.6	1.42	36.89	.95	.380
113.0	114.5	61862	4E864	50	4.07	4.26	2.71	2.54	37.9	1.76	31.49	4.01	.230

*** VANBORDA - Drill Hole Database ***

*** ***

114.5	115.0	61863	4EB#	50	2.79	.00	.34	.48	27.8	.19	8.45	.58	.050
115.0	116.5	61864	4E7B	50	3.89	4.32	1.35	1.83	15.0	.75	32.68	.29	.280
116.5	118.1	61865	4E7B	50	4.13	4.61	.93	1.28	11.8	.57	38.19	1.01	.360
118.1	119.6	61866	4E7B	50	4.14	4.39	.68	1.09	9.8	.33	39.55	.20	.450
119.6	121.2	61867	4E7B	50	4.15	4.52	.79	1.00	11.6	.49	39.77	.17	.460
121.2	122.7	61868	4C3B	40	3.72	3.76	.99	1.18	14.5	.94	27.55	2.14	.360
122.7	124.3	61869	4C3B	40	3.59	3.68	.33	.46	8.1	.82	26.37	1.18	.310
124.3	125.8	61870	4C3B	40	3.61	3.97	.26	.52	7.9	.82	27.99	.17	.360
125.8	127.3	61871	4C3B	40	3.72	4.07	.12	.19	6.8	.62	29.68	1.18	.350
127.3	128.8	61872	4C3B	40	3.55	3.79	.33	.01	12.4	.59	25.73	1.07	.390
128.8	130.4	61873	4C3B	40	3.25	3.26	.12	.09	3.5	.50	19.79	.30	.200

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-102

EASTING: 9921.0 NORTHING:10211.0 ELEVATION: 1146.8
LENGTH: 104.9

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-50.0	90.0	48.2
45.7	-53.0	96.8	55.0
104.9	-56.0	100.8	59.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	30.5	#	
30.5	40.8	OB	
40.8	45.4	3B0	
45.4	59.0	3B0	
59.0	68.7	3B04	
68.7	72.6	3C301	
72.6	76.7	4B4B	
76.7	77.6	3C301	
77.6	79.0	4B47	
79.0	81.7	4H4	
81.7	88.1	4E64B	
88.1	92.9	4K#	
92.9	94.4	4B87	
94.4	95.9	4B873	
95.9	104.9	4C873	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	YZN	AS G/T	AU G/T	%FE	%BA	%CU
72.7	74.0	61787	4B4B	60	4.06	3.96	5.22	6.38	62.4	.31	9.10	21.34	.040

*** VANSORDA - Drill Hole Database ***

74.0	75.3	61788	468	60	3.85	3.95	4.06	5.69	57.4	.39	7.26	19.80	.030
75.3	76.7	61789	4648	60	4.23	3.86	3.62	7.41	51.7	.22	10.55	24.75	.020
77.6	79.0	61790	4647	60	4.07	3.91	6.14	6.16	74.6	.72	19.69	10.60	.170
79.0	80.4	61791	4H46	70	3.87	4.11	3.70	5.96	46.6	.78	21.80	6.45	.110
80.4	81.7	61792	4H46	70	4.15	4.01	4.33	5.80	42.5	.42	28.46	5.83	.460
81.7	83.0	61793	468	60	4.17	4.46	4.87	7.37	45.1	.77	24.68	8.76	.160
83.0	84.3	61794	460	60	4.26	4.37	4.24	5.12	42.6	.97	24.34	12.48	.250
84.3	85.6	61795	4E64	60	3.77	4.06	2.21	1.92	15.8	1.23	25.95	3.28	.130
85.6	86.9	61796	4E648	60	4.07	4.42	5.39	3.16	33.7	1.29	31.23	1.57	.320
86.9	88.2	61797	4E648	60	4.10	4.34	3.81	5.51	23.5	1.33	32.00	1.78	.380
88.2	89.8	61798	4K#	50	3.27	3.91	2.25	.43	8.0	.81	18.02	.32	.070
89.8	91.3	61799	4K#	50	3.53	3.43	1.53	1.25	7.0	1.80	20.20	4.40	.070
91.3	92.9	61800	4K#	50	3.84	4.04	1.53	.32	8.4	1.44	31.84	.44	.130
92.9	94.4	61801	4687	60	4.05	4.33	4.66	4.59	40.7	1.11	23.41	8.69	.190
94.4	95.9	61802	4D873	80	4.04	3.92	3.62	2.44	31.4	.94	30.61	3.41	.220
95.9	97.4	61803	4D87	80	3.66	3.69	.46	.39	7.1	1.13	28.98	.20	.370
97.4	98.9	61804	4D87	80	3.86	3.99	3.36	1.58	29.2	1.16	30.17	.29	.250
98.9	100.4	61805	4C873	30	3.88	3.91	2.86	.79	25.9	1.16	31.70	.14	.220
100.4	101.9	61806	4C873	30	3.54	3.42	.75	.17	14.1	1.04	25.98	.18	.360
101.9	103.4	61807	4C873	30	3.41	3.17	.19	.26	4.7	.59	23.57	.12	.440
103.4	104.9	61808	4C873	30	3.40	3.51	.46	.10	4.4	.70	23.10	.16	.550

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-103

EASTING: 9921.5 NORTHING:10211.0 ELEVATION: 1146.8

LENGTH: 124.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-60.0	90.0	48.2
45.7	-61.5	106.8	65.0
112.8	-63.0	88.8	47.0
124.1	-63.0	88.8	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	17.4	#	
17.4	33.0	08	
33.0	38.3	3G09	
38.3	41.2	4L2	
41.2	48.9	3G09	
48.9	56.6	4L7	
56.6	57.9	3G09	
57.9	72.2	3G0	
72.2	77.1	4J874	
77.1	79.4	3G0	

79.4 80.2 3C#
80.2 83.0 4G4
83.0 87.1 4E64
87.1 90.3 4K0
90.3 97.2 4G4B
97.2 99.6 4D4
99.6 100.8 4C3
100.8 103.2 4CB47
103.2 107.0 4C5
107.0 110.9 4D4
110.9 117.2 4E1
117.2 124.1 4L72

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS G/T	AU G/T	%FE	%BA	%CU
72.3	73.9	61740	4JB74	80	4.46	4.47	14.10	9.83	121.9	1.02	26.14	4.42	.070
73.9	75.5	61741	4JB74	80	4.63	4.55	18.50	7.98	161.6	1.97	30.32	1.03	.090
75.5	77.1	61742	4JB74	80	4.38	4.28	12.50	10.65	127.1	.93	28.97	1.01	.080
80.2	81.6	61743	4B4	60	4.23	4.26	6.01	6.35	80.6	2.28	19.12	14.74	.110
81.6	83.0	61750	4B4	60	4.12	4.34	3.56	2.78	38.7	1.40	26.55	8.93	.230
83.0	84.3	61764	4E64	60	4.02	4.13	3.46	3.11	37.6	1.43	25.39	7.72	.210
84.3	85.7	61765	4E64	60	4.15	4.35	7.65	4.19	68.6	3.75	24.07	7.63	.180
85.7	87.1	61766	4E64	60	4.15	4.32	4.67	4.49	51.5	2.45	27.53	6.97	.190
87.1	88.2	61767	4K0	50	3.74	4.18	1.26	1.19	8.5	2.59	29.40	.57	.180
88.2	89.3	61768	4K0	50	3.84	3.82	1.06	.40	8.1	3.18	32.60	.19	.110
89.3	90.4	61769	4K0	50	3.68	4.20	.81	.46	7.2	2.69	27.65	1.51	.090
90.4	91.8	61770	4G4B	60	4.32	4.55	6.65	5.30	60.9	2.86	28.04	8.14	.210
91.8	93.2	61771	4B8	60	3.26	4.00	.60	.03	40.0	-1.00	1.34	17.82	1.000
93.2	94.6	61772	4B8	60	3.82	4.49	2.66	2.24	55.0	-1.00	9.21	20.02	1.000
94.6	96.0	61773	4B8	60	3.58	4.49	2.72	4.64	55.0	-1.00	13.60	9.33	1.000
96.0	97.2	61774	4B8	60	5.11	4.42	2.27	4.44	45.0	-1.00	37.00	21.56	1.000
97.2	98.4	61775	4D4	80	4.23	3.87	5.60	8.80	95.0	-1.00	33.00	.64	1.000
98.4	99.6	61776	4D4	80	3.20	3.46	5.26	8.22	.0	-1.00	9.69	.74	1.000
99.6	100.8	61777	4C8	40	3.86	3.51	.58	.70	20.0	-1.00	33.30	.21	1.000
100.8	102.1	61778	4C0B	30	3.67	3.82	.41	.43	25.0	-1.00	29.20	.29	1.000
102.1	103.2	61779	4B8	60	4.22	4.17	.26	.14	20.0	-1.00	33.10	9.13	1.000
103.2	104.5	61780	4C5	30	3.71	3.44	.11	.08	20.0	-1.00	30.50	.22	1.000
104.5	105.7	61781	4C5	30	3.53	3.52	.12	.14	25.0	-1.00	26.40	.25	1.000
105.7	107.0	61782	4D5	30	3.79	3.40	2.04	1.96	35.0	-1.00	29.70	.20	1.000
107.0	108.5	61783	4D4	80	3.68	3.78	3.46	3.11	37.6	1.43	25.39	.24	.210
108.5	109.4	61784	4D4	80	3.81	3.77	7.65	4.19	68.6	3.75	24.07	.19	.180
109.4	110.9	61785	4D4	80	3.84	4.43	4.67	4.49	51.5	2.45	27.53	.08	.190
110.9	112.5	61786	4E1	40	3.72	1.00	1.26	1.19	8.5	2.59	29.40	.08	.180
112.5	114.0	61744	4E1	40	3.83	4.17	.40	.62	10.2	1.95	32.87	.23	.460
114.0	115.5	61745	4E1	40	3.89	4.15	.55	.84	11.1	2.09	34.06	.20	.370
115.5	117.2	61746	4E1	40	3.86	4.22	.39	.80	10.6	1.90	33.65	.11	.390

STANDARD DATABASE - DETAILED DRILLHOLE REPDRT

HOLE-ID: 90V-104

EASTING: 9922.1 NORTHING:10210.9 ELEVATION: 1146.9

LENGTH: 133.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-67.0	90.0	48.2
61.0	-68.0	91.8	50.0
133.2	-68.5	85.8	44.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	#	
9.1	31.9	OB	
31.9	40.3	3G09	
40.3	49.2	4L7	
49.2	57.6	3G09	
57.6	71.3	3G04	
71.3	75.8	3C#	
75.8	77.5	4G4	
77.5	81.9	4G8#4	
81.9	84.6	4E6B4	
84.6	85.9	10H#	
85.9	90.2	4L672	
90.2	92.0	3G096	
92.0	96.1	4G#	
96.1	97.5	4G4	
97.5	98.9	4E6	
98.9	105.2	4EB4	
105.2	108.2	4E6B4	
108.2	115.1	4EB4	
115.1	121.7	4EB1	
121.7	126.2	4C7	
126.2	133.2	4L67	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
75.8	77.6	61922	4G4	60	4.47	4.17	10.80	10.53	148.7	.54	10.62	22.10	.040
77.6	79.0	61923	4G8#4	60	4.02	4.12	7.22	10.79	110.6	1.05	14.78	11.20	.090
79.0	80.4	61924	4G8#4	60	4.16	3.79	5.73	6.05	71.5	1.47	22.73	10.02	.190
80.4	81.9	61925	4G8#	60	4.11	4.52	2.37	2.08	23.2	.76	28.32	8.40	.200
81.9	83.3	61926	4E6B#	60	4.04	3.88	2.18	1.48	23.9	.53	29.81	5.96	.320
83.3	84.7	61927	4E6B#	60	3.97	3.95	3.08	3.40	32.9	.73	26.85	5.42	.250
92.0	93.4	61928	4G4#	60	3.67	3.78	4.29	6.28	49.4	.58	13.16	9.50	.090
93.4	94.7	61929	4G4#	60	4.08	3.94	4.82	7.32	53.8	1.10	15.65	15.40	.160
94.7	96.1	61930	4G4#	60	4.17	4.15	6.87	6.49	70.8	1.29	16.25	15.30	.100
96.1	97.5	61931	4G4	60	4.23	4.19	5.85	7.05	56.4	1.35	19.82	13.90	.160
97.5	99.0	61932	4E0	50	3.94	4.22	1.45	1.10	31.3	1.30	33.85	.50	.240

99.0	100.5	61933	4EB4	50	3.90	4.29	2.46	3.30	27.6	1.31	31.39	.17	.230
100.5	102.1	61934	4EB4	50	4.01	4.60	2.45	2.96	28.0	1.92	33.78	.35	.270
102.1	103.7	61935	4EB4	50	3.94	4.13	2.36	2.35	24.6	1.86	32.55	.42	.210
103.7	105.2	61936	4EB	50	3.87	4.25	1.17	1.53	20.5	2.04	32.58	.22	.330
105.2	106.7	61937	4E4B06	60	4.08	4.14	5.14	3.81	64.4	2.58	32.19	.74	.170
106.7	108.2	61938	4B4B	60	4.18	4.24	5.59	6.96	52.5	1.40	22.53	10.50	.200
108.2	109.6	61939	4EB	50	4.00	4.36	2.26	1.61	28.3	1.82	34.47	.24	.300
109.6	111.0	61940	4EB4	50	3.91	3.64	1.93	2.59	24.0	.94	31.17	1.47	.320
111.0	112.3	61941	4EB	50	3.87	3.96	1.30	1.76	16.6	1.03	32.36	.35	.270
112.3	113.7	61942	4EB4	50	4.23	4.58	2.44	2.32	36.0	1.04	39.38	.20	.530
113.7	115.1	61943	4EB4	50	4.08	4.16	2.64	1.94	35.6	.94	36.11	.14	.390
115.1	116.4	61944	4EB1	40	3.75	3.77	.99	1.36	18.5	1.03	30.08	.14	.370
116.4	117.8	61945	4EB1	40	3.82	3.68	.55	.57	20.1	2.19	32.72	.09	.940
117.8	119.1	61946	4EB1	40	3.86	3.96	.32	.20	28.2	1.20	33.95	.12	.800
119.1	120.4	61947	4EB1	40	4.25	4.05	.07	.04	6.0	.65	42.92	.36	.260
120.4	121.7	61948	4EB1	40	3.94	4.29	.04	.02	6.3	.79	36.24	.10	.400
121.7	123.2	61949	4C7	30	2.95	2.89	.03	.02	2.6	.17	12.36	.72	.140
123.2	124.7	61950	4C7	30	3.43	2.87	.08	.11	4.4	.26	23.93	.37	.230
124.7	126.2	61951	4C7	30	3.20	3.01	.75	1.16	14.2	.19	17.55	.38	.150

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-105

EASTING: 9883.1 NORTHING:10180.5 ELEVATION: 1147.9
LENGTH: 130.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-61.0	90.0	48.2
62.8	-63.0	84.8	43.0
129.9	-64.0	104.8	63.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	24.4	Gas	
24.4	36.6	OB	
36.6	52.7	360	
52.7	53.6	4L2	
53.6	56.2	3C3	
56.2	59.1	3604	
59.1	61.2	3C3	
61.2	65.7	3604	
65.7	69.7	4L06	
69.7	70.5	3609	
70.5	73.0	4L06	
73.0	80.0	360	
80.0	85.4	3604	

85.4	89.8	4L6
89.8	91.6	4E6#
91.6	92.8	4E7#
92.8	96.3	3G09
96.3	100.8	3G3
100.8	105.2	3C3
105.2	110.9	3G3
110.9	112.3	4L06
112.3	114.5	3G96
114.5	118.1	4L06
118.1	119.5	3G3
119.5	123.5	4L06
123.5	125.2	4L72#
125.2	126.2	4G8#
126.2	130.2	3G3

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
89.8	91.6	62586	4E6#	50	2.90	3.51	.16	.24	11.5	.43	10.33	1.41	.120
91.6	92.8	62587	4E7	50	3.22	4.13	.85	.37	44.9	.39	11.61	6.64	.070
116.4	116.9	62588	4G8#	60	3.59	.00	2.63	3.14	49.1	.55	16.71	7.13	.190
125.2	126.2	62589	4G8#	60	3.32	3.88	.04	.01	38.8	.47	12.95	8.58	.090

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-106

EASTING: 9959.2 NORTHING:10090.8 ELEVATION: 1155.1
LENGTH: 114.3

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-85.0	90.0	48.2
114.3	-82.0	94.8	53.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	32.3	#	
32.3	35.8	DB	
35.8	43.3	4E4	
43.3	46.0	4L06	
46.0	47.9	4L02	
47.9	50.7	4E48	
50.7	53.9	4G48	
53.9	54.4	4E14	
54.4	56.4	4G48	

*** VANGORDA - Drill Hole Database ***

56.4	57.4	4D45
57.4	60.8	4L02
60.8	62.9	3C
62.9	68.3	4L0
68.3	71.0	4EB#4
71.0	73.8	4L0
73.8	75.6	4L62
75.6	76.3	4L0
76.3	79.4	4E684
79.4	84.2	3G09
84.2	85.0	4L02
85.0	87.0	3C#
87.0	88.9	4L0
88.9	93.7	3G09
93.7	114.3	3G01

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS G/T	AU G/T	XFE	XBA	XCU
35.8	38.3	61952	4E0	50	2.96	1.00	.27	.50	4.5	.31	11.27	1.72	.010
38.3	40.4	61953	4E46	50	3.69	1.00	4.98	4.57	54.9	.38	18.45	5.04	.050
40.4	41.8	61954	4E46	50	3.85	1.00	10.02	4.06	101.7	.40	21.05	1.76	.170
41.8	43.3	61955	4E4	50	3.95	3.95	3.60	2.38	30.1	1.14	31.82	.20	.110
48.0	49.4	61956	4E48	50	4.17	4.28	9.02	5.93	77.7	.99	29.30	1.24	.160
49.4	50.8	61957	4E48	50	4.23	3.81	6.17	4.44	75.1	.97	34.92	.34	.160
50.8	52.3	61958	4E48	60	4.14	4.40	9.62	9.14	109.6	.34	10.36	16.80	.040
52.3	53.9	61959	4E48	60	4.18	4.36	6.46	9.01	88.9	1.26	13.35	17.70	.030
53.9	54.4	61960	4E14	40	4.12	4.46	7.26	2.26	50.2	.31	31.57	1.13	.000
54.4	55.4	61961	4E48	60	4.23	4.18	5.45	8.80	57.7	.49	24.47	9.08	.160
55.4	56.4	61962	4E48	60	3.90	4.05	6.22	6.84	82.1	.69	17.78	8.22	.130
56.4	57.3	61963	4D45	80	3.11	2.87	3.53	7.33	53.5	.26	9.56	.73	.070
68.3	69.6	61964	4EB#4	50	3.91	2.23	3.17	2.90	35.4	.55	30.90	.38	.180
69.6	71.0	61965	4EB#6	50	3.71	3.41	2.66	3.19	29.3	.49	24.80	2.16	.180
76.3	77.5	61966	4E548	60	4.05	4.00	4.08	5.09	29.5	.37	24.60	7.70	.170
77.5	78.7	61967	4E68	50	3.43	3.35	1.65	1.74	20.5	.15	18.96	3.06	.130
78.7	79.4	61968	4E48	60	3.71	2.83	4.84	6.75	90.7	.87	12.98	10.00	.120
87.3	87.5	61969	4E4#	60	3.90	3.65	5.54	7.52	119.6	1.08	12.14	14.00	.140

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-107

EASTING: 9905.5 NORTHING:10210.4 ELEVATION: 1146.5

LENGTH: 130.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
---	---	-----	----
.0	-67.0	90.0	48.2
63.1	-66.0	91.8	50.0
130.2	-68.0	101.8	60.0

LITHOLOGY DATA

FROM	TD	ROCK	REMARKS
.0	18.3	Cas	
18.3	34.8	DB	
34.8	46.3	3G0	
46.3	48.5	4L2	
48.5	50.1	3G0	
50.1	54.6	4L26	
54.6	60.9	3G0	
60.9	71.3	4G4	
71.3	76.4	4G46	
76.4	78.6	4G4	
78.6	79.4	4L0	
79.4	80.2	3G9	
80.2	81.3	4L674	
81.3	88.4	4G8	
88.4	93.0	3G09	
93.0	95.6	3C36	
95.6	105.5	3G4	
105.5	109.6	4G6	
109.6	125.4	4E864	
125.4	130.2	3G09	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AS G/T	AU G/T	XFE	XBA	XCU
60.9	61.9	62936	4G0	60	3.14	1.00	2.50	2.38	31.7	.31	12.99	1.21	.050
61.9	63.7	62937	4G4	60	4.12	1.00	13.50	11.80	159.7	.99	14.08	8.01	.030
63.7	65.2	62938	4G0	60	3.06	1.00	2.79	2.24	35.2	.12	6.32	5.70	.080
65.2	66.8	62939	4G4	60	4.07	1.00	11.50	9.69	131.2	1.01	12.97	10.78	.030
66.8	68.3	62940	4G4	60	3.87	1.00	12.20	9.96	219.0	1.66	14.11	4.29	.050
68.3	69.8	62941	4G0	60	3.00	1.00	2.71	3.27	27.1	.19	7.78	2.51	.080
69.8	71.3	62942	4G4	60	3.52	1.00	6.18	6.58	75.0	.51	11.76	5.61	.030
71.3	72.6	62943	4G46	60	4.72	1.00	6.24	8.05	99.2	.54	10.37	33.11	.160
72.6	73.8	62944	4G46	60	4.93	1.00	7.83	7.62	117.9	.44	6.91	40.04	.060
73.8	75.1	62945	4G46	60	4.87	1.00	8.91	7.61	127.4	.37	6.55	38.06	.050
75.1	76.4	62946	4G46	60	4.84	1.00	7.05	7.32	102.9	.35	7.95	37.84	.040
76.4	77.5	62947	4G4	60	4.01	1.00	7.76	7.31	86.1	.65	18.68	8.38	.150
77.5	78.6	62948	4G4	60	3.92	1.00	7.42	9.80	91.1	1.28	16.26	7.85	.220
78.6	79.4	0	4L0	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
79.4	80.2	0	3G9	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
80.2	81.2	0	4L674	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
81.2	82.7	62949	4G8	60	4.06	1.00	3.23	3.24	27.7	.39	26.52	7.79	.200
82.7	84.1	62950	4G8	60	4.30	1.00	3.08	3.34	32.3	.32	23.37	16.28	.150
84.1	85.5	62951	4G8	60	4.43	1.00	3.67	3.98	34.2	.68	23.91	17.82	.170
85.5	86.9	62952	4G8	60	4.31	1.00	3.38	3.56	41.8	.78	23.01	16.50	.250
86.9	88.3	62953	4G8	60	4.25	1.00	4.53	5.16	38.2	.69	20.36	15.84	.190
88.3	93.0	0	3G09	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
93.0	95.6	0	3C36	130	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000

95.6	105.5	0	364	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
88.3	106.9	62954	466#	60	4.10	1.00	2.23	6.31	65.6	.64	15.06	19.14	.110
106.9	108.2	62955	466#	60	4.06	1.00	.66	6.63	48.1	.56	12.04	22.55	.130
108.2	109.6	62956	466#	60	3.39	1.00	2.48	3.69	57.8	.10	7.36	11.66	.090
109.6	111.2	62957	466#	60	4.40	1.00	1.00	6.16	35.3	.78	13.60	28.49	.120
111.2	112.7	62958	4646#	60	4.20	1.00	4.91	6.23	54.6	1.11	16.95	17.16	.180
112.7	114.3	62959	466#	60	4.49	1.00	2.96	5.78	56.9	1.34	19.97	22.88	.200
114.3	115.9	62960	4646#	60	4.42	1.00	4.74	7.88	57.2	1.11	11.48	26.84	.120
115.9	117.5	62961	4646#	60	4.44	1.00	6.06	8.40	71.4	.89	9.92	27.28	.120
117.5	119.1	62962	4646#	60	4.27	1.00	5.08	5.62	53.0	1.24	22.94	13.09	.170
119.1	120.7	62963	466#	60	4.04	1.00	3.08	4.35	31.6	1.16	29.00	4.47	.230
120.7	122.3	62964	4646#	60	3.87	1.00	3.94	6.71	54.6	.94	16.68	10.78	.270
122.3	123.8	62965	4646#	60	4.29	1.00	5.18	8.38	63.1	1.10	12.49	22.44	.170
123.8	125.4	62966	466#	60	3.98	1.00	3.23	4.80	39.3	.81	26.01	5.74	.120
125.4	130.1	0	3609	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-108

EASTING: 10035.7 NORTHING:10242.0 ELEVATION: 1134.1
LENGTH: 71.9

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-76.0	90.0	41.8
71.9	-74.0	96.8	55.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	10.4	#	
10.4	18.3	DB	
18.3	21.3	4648#	
21.3	22.1	4J4783#	
22.1	23.1	4DB#7	
23.1	33.1	464#8	
33.1	33.8	4647B	
33.8	45.4	3609	
45.4	51.2	4A7B	
51.2	58.7	4E18#	
58.7	60.2	4C0	
60.2	71.9	4H#	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	ZFE	ZBA	ZCU
18.3	19.8	62247	4648#	60	4.33	4.58	6.85	7.58	107.7	.47	14.66	20.02	.080

*** VANGORDA - Drill Hole Database ***

19.8	21.3	62248	4648*	60	4.27	4.21	7.01	7.10	91.3	.75	19.61	13.97	.070
21.3	22.1	62249	4J47B	80	4.04	3.93	9.64	7.23	103.2	.51	24.54	1.69	.090
22.1	23.1	62250	4D8*64	80	3.60	3.56	5.39	6.16	75.3	.41	17.33	3.12	.080
23.1	24.1	62251	4648	60	4.27	3.81	6.99	6.55	85.0	.47	22.76	11.22	.110
24.1	25.6	62252	464*8	60	3.95	4.45	5.42	6.46	90.4	.39	14.76	13.09	.040
25.6	27.1	62253	464*8	60	4.05	4.60	8.36	8.44	150.7	.41	12.94	13.64	.020
27.1	28.6	62254	4E64	60	3.63	4.37	5.93	7.09	79.4	.31	13.14	6.93	.030
28.6	30.0	62255	464*8	60	4.44	4.22	3.91	8.87	75.1	.22	8.06	30.80	.000
30.0	31.5	62256	464*8	60	4.31	4.60	3.98	7.05	63.2	.45	17.22	19.80	.050
31.5	33.1	62257	464*8	60	4.04	3.91	4.31	7.03	71.1	.76	19.97	10.89	.100
33.1	33.8	62258	4647	60	4.32	4.12	4.77	6.48	91.4	.22	28.01	9.24	.100
33.8	45.4	0	3609	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
45.4	46.8	62259	4A7B	20	2.80	2.82	.93	1.78	14.8	.14	7.80	.24	.030
46.8	48.3	62260	4A7B	20	2.84	2.83	.98	2.55	14.7	.25	6.90	1.64	.040
48.3	49.7	62261	4A7B	20	3.10	2.90	.70	1.67	14.0	.42	13.23	2.02	.030
49.7	51.2	62262	4A47B	20	3.17	2.97	1.68	4.52	24.8	.44	14.39	.37	.020
51.2	52.7	62263	4E184	40	4.14	3.53	6.61	3.91	83.6	1.22	30.81	1.96	.110
52.7	54.2	62264	4E184	40	3.56	3.44	2.17	2.35	36.2	1.53	23.64	.64	.160
54.2	55.7	62265	4E184	40	3.55	3.33	.87	.78	18.0	1.39	25.03	.93	.230
55.7	57.2	62266	4E184	40	3.59	3.74	.46	.51	11.9	1.93	27.01	.35	.290
57.2	58.7	62267	4E184	40	2.80	3.54	.11	.25	6.0	1.76	9.23	.27	.110
58.7	60.2	62268	4C0	30	2.61	3.78	.04	.05	4.4	1.31	5.18	.16	.100
60.2	61.7	62269	4H*	70	3.05	3.63	.27	.42	9.4	1.40	14.58	.62	.220
61.7	63.1	62270	4H*	70	2.69	3.65	.13	.16	5.9	.70	6.76	.31	.390
63.1	64.6	62271	4H*	70	2.84	3.47	.22	.23	7.8	.29	10.12	.24	.350
64.6	66.1	62272	4H*	70	3.78	3.72	.32	.36	8.5	.37	31.87	.18	.850
66.1	67.5	62273	4H*	70	4.24	4.00	.50	1.11	6.6	.12	41.67	.51	.350
67.5	68.9	62274	4H*	70	3.88	3.53	.72	1.54	9.9	.14	33.24	.31	.390
68.9	70.4	62275	4H*4	70	3.75	3.35	2.29	2.47	28.1	.13	28.26	.40	.510
70.4	71.9	62276	4H*4	70	3.70	3.38	2.62	3.21	29.8	.13	24.70	1.97	.510

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-109

EASTING: 10017.4 NORTHING:10335.1 ELEVATION: 1141.7

LENGTH: 93.6

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
93.6	-88.5	42.8	1.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	6.1	Cas	
6.1	6.3	OB	
6.3	26.7	3609	

*** VANSORDA - Drill Hole Database ***

26.7 28.0 3C#
 28.0 35.9 4L0
 35.9 39.8 4A0
 39.8 42.9 3C#
 42.9 45.9 3G0
 45.9 48.8 3G9
 48.8 49.6 3C#
 49.6 57.0 4A0
 57.0 62.7 4L0
 62.7 64.8 4H4
 64.8 65.9 4L0
 65.9 69.3 4G4
 69.3 74.7 4E648
 74.7 82.3 4G4
 82.3 85.5 4E64
 85.5 93.0 4C378
 93.0 93.6 3G91

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
.0	6.1	0	CASING	300	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
6.1	6.2	0	DB	310	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
6.2	26.7	0	3G09	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
26.7	28.0	0	3C#	130	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
28.0	35.9	0	4L0	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
35.9	37.2	63030	4A0	20	2.82	1.00	2.34	.78	3.6	.20	7.47	.21	.040
37.2	38.5	63029	4A0	20	2.85	1.00	.26	.78	5.6	.08	10.27	.11	.080
38.5	39.8	63028	4A0	20	2.77	1.00	.48	.72	6.9	.23	8.09	.09	.120
49.6	51.1	63027	4A0	20	2.69	1.00	.50	1.71	11.1	.29	5.79	.15	.050
51.1	52.5	63026	4A0	20	2.70	1.00	.99	2.56	15.7	.28	5.19	.22	.050
52.5	54.0	63025	4A0	20	2.77	1.00	1.42	1.56	15.0	.34	6.71	.26	.050
54.0	55.5	63024	4A0	20	2.72	1.00	1.25	2.73	19.5	.31	5.33	.22	.050
55.5	57.0	63023	4A4	20	2.85	1.00	1.53	3.50	37.0	.19	7.52	.38	.060
57.0	62.7	0	4L0	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
62.7	63.8	63022	4H4	70	4.41	1.00	10.00	11.20	126.0	.11	27.65	4.95	.150
63.8	64.8	63021	4H4	70	4.39	1.00	10.60	7.30	103.2	.09	29.61	3.81	.150
64.8	65.9	0	4L0	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
65.9	67.6	63020	4G4	60	4.46	1.00	5.79	6.54	85.0	.51	12.94	25.96	.070
67.6	69.3	63019	4G4	60	4.61	1.00	5.48	8.16	74.5	.32	14.78	27.17	.010
69.3	70.6	63018	4E648	60	4.47	1.00	2.93	7.30	48.2	.28	23.92	17.82	.010
70.6	72.0	63017	4E648	60	4.45	1.00	2.53	6.34	33.0	.56	22.22	19.91	.160
72.0	73.4	63016	4E648	60	4.26	1.00	3.12	5.19	36.0	.98	30.00	8.14	.170
73.4	74.7	63015	4E648	60	4.15	1.00	5.25	6.05	52.9	3.36	26.49	6.78	.200
74.7	76.2	63014	4G0	60	4.28	1.00	4.15	5.49	49.4	.99	22.30	14.96	.100
76.2	77.7	63013	4G4	60	4.59	1.00	4.06	5.99	60.6	.71	17.34	26.40	.050
77.7	79.2	63012	4G4	60	4.72	1.00	4.62	7.03	70.1	.46	12.65	32.89	.040
79.2	80.8	63011	4G4	60	4.69	1.00	3.86	7.20	64.9	.33	13.71	31.79	.020
80.8	82.3	63010	4G4	60	4.45	1.00	5.02	7.74	75.5	.35	13.53	25.30	.040
82.3	83.9	63009	4E648	60	4.62	1.00	5.12	7.70	73.7	.34	14.67	27.94	.020
83.9	85.5	63008	4E648	60	4.55	1.00	4.74	7.87	63.0	.45	14.85	26.51	.070
85.5	87.0	63007	4C378	40	3.91	1.00	1.05	2.08	11.0	.85	30.44	3.01	.230
87.0	88.5	63006	4C378	40	3.68	1.00	.46	.48	5.3	.63	29.50	.16	.460

PC-XPLOR VERSION 1.30

CURRAGH RESOURCES IN

Exploration Data Manager

16: 0:28 Serial no: 20320

By GEMCOM SERVICES INC.

21/ 3/91 Page : 55

*** VANGORDA - Drill Hole Database ***

88.5	90.0	63005	4C378	40	3.40	1.00	.34	.54	3.2	.77	22.96	.13	.290
90.0	91.5	63004	4C378	40	3.26	1.00	.35	.39	3.8	.56	19.61	.33	.310
91.5	93.0	63003	4C378	40	3.08	1.00	.19	.63	4.5	.27	15.60	.13	.190

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-110

EASTING: 9984.4 NORTHING:10334.3 ELEVATION: 1134.5

LENGTH: 89.6

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
89.6	-88.5	42.8	1.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	Cas	
9.1	9.2	DB	
9.2	21.8	4L0	
21.8	26.1	4L6	
26.1	28.0	3E0	
28.0	30.5	4A4	
30.5	35.5	4A4	
35.5	47.0	4A4	
47.0	48.6	3609	
48.6	49.6	4H4	
49.6	59.6	3609	
59.6	64.0	4L0	
64.0	66.6	4E64	
66.6	68.3	460	
68.3	71.6	464#	
71.6	74.5	4K0	
74.5	78.7	468	
78.7	83.9	4E1#	
83.9	84.9	4L0	
84.9	86.8	4C0	
86.8	89.6	4L0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS G/T	AU G/T	XFE	XBA	XCU
26.1	28.0	62901	3E0	150	2.60	1.00	1.61	1.73	22.5	.32	2.54	.16	.040
28.0	29.2	62902	4A4	20	2.66	1.00	2.58	5.09	46.4	.40	1.56	.11	.050
29.2	30.5	62903	4A0	20	2.74	1.00	1.09	1.35	22.3	.47	6.48	.13	.080
30.5	31.6	62904	4A4	20	3.47	1.00	4.84	8.68	72.2	.93	16.71	.08	.130

*** VANGORDA - Drill Hole Database ***

31.6	32.9	62905	4A4	20	3.06	1.00	3.43	5.10	53.5	1.02	9.88	.25	.090
32.9	34.2	62906	4A4	20	3.01	1.00	4.12	6.94	56.7	.70	7.39	.14	.060
34.2	35.5	62907	4A4	20	3.24	1.00	4.58	7.37	65.5	.73	12.31	.09	.050
35.5	36.9	62908	4A4	20	3.37	1.00	2.76	3.58	29.0	.69	18.65	.14	.200
36.9	38.4	62909	4A0	20	2.69	1.00	1.88	.63	12.3	.06	4.99	.13	.060
38.4	39.8	62910	4A4	20	2.64	1.00	2.39	2.74	12.9	.47	2.20	.32	.050
39.8	41.2	62911	4A4	20	2.66	1.00	2.32	3.41	26.9	.63	2.53	.15	.040
41.2	42.7	62912	4A4	20	2.67	1.00	2.51	4.77	31.6	.45	2.05	.20	.020
42.7	44.1	62913	4A4	20	2.74	1.00	3.44	6.22	41.4	.47	2.21	.14	.030
44.1	45.5	62914	4A4	20	2.84	1.00	1.57	3.19	22.8	.43	7.44	.26	.020
45.5	47.0	62915	4A0	20	2.89	1.00	1.05	1.73	17.1	.29	9.92	.22	.020
47.0	48.6	0	3B09	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
48.6	49.6	62916	4H4	70	3.99	1.00	6.39	3.34	61.3	.49	29.77	.23	.190
49.6	59.6	0	3B09	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
59.6	63.9	0	4L0	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
63.9	65.3	62917	4E64	60	3.96	1.00	4.63	3.40	56.6	.75	15.25	14.96	.140
65.3	66.6	62918	4E64	60	4.31	1.00	3.77	6.17	45.9	1.11	14.79	22.88	.210
66.6	68.3	62919	4B0	60	3.92	1.00	3.92	4.55	41.1	.33	26.03	3.94	.250
68.3	69.9	62920	4B4	60	4.16	1.00	4.96	7.84	66.4	.45	19.19	13.53	.120
69.9	71.6	62921	4B4	60	4.37	1.00	4.24	7.41	59.8	.47	13.97	24.09	.050
71.6	73.0	62922	4K0	40	3.47	1.00	1.03	.19	20.0	.93	24.09	.23	.160
73.0	74.5	62923	4K0	40	3.48	1.00	.65	.34	8.6	.83	24.36	.42	.080
74.5	75.9	62924	4B8	60	4.18	1.00	2.63	4.78	36.5	.51	18.96	17.60	.190
75.9	77.3	62925	4B8	60	4.28	1.00	4.29	4.91	55.2	.48	18.78	18.48	.100
77.3	78.7	62926	4B8	60	4.33	1.00	3.85	5.75	56.2	.62	14.63	23.65	.100
78.7	80.0	62927	4E1#	40	3.36	1.00	1.48	.50	12.2	.82	19.56	1.47	.680
80.0	81.3	62928	4E1#	40	3.40	1.00	.06	.05	6.0	.46	23.18	.37	.430
81.3	82.6	62929	4E1#	40	3.37	1.00	.22	.19	11.5	.26	22.42	.22	.400
82.6	84.0	62930	4E1#	40	3.17	1.00	.33	.48	10.3	.24	17.58	.29	.200
84.9	85.8	62931	4C0	30	2.62	1.00	.04	.23	1.3	.13	4.76	.69	.020
85.8	86.8	62932	4D0	80	3.16	1.00	2.97	2.56	32.0	.52	13.82	.46	.170

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-111

EASTING: 10001.5 NORTHING: 10211.5 ELEVATION: 1141.2

LENGTH: 98.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
98.2	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	17.4	#	
17.4	18.1	OB	

*** VANGORDA - Drill Hole Database ***

18.1	19.2	4A4
19.2	19.7	DB
19.7	22.0	468#4
22.0	25.9	4E8
25.9	32.9	468#
32.9	37.7	4648#
37.7	38.9	4696#
38.9	44.4	46448#
44.4	45.6	4E6
45.6	50.9	4648
50.9	56.0	468
56.0	58.5	4E8
58.5	62.3	4E18
62.3	71.5	4C3
71.5	78.5	4E8
78.5	81.2	4C7
81.2	83.8	4D7
83.8	87.8	4E14
87.8	89.4	4D38
89.4	97.1	4C38
97.1	98.1	366

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	XFE	ZBA	ZCU
18.1	19.2	61999	4A4	20	2.81	.00	2.58	2.80	27.2	.27	5.81	.40	.040
19.7	20.8	62000	468#4	60	4.22	4.46	7.57	8.49	71.9	.41	16.54	14.60	.090
20.8	22.0	62001	468#4	60	3.93	4.46	1.21	7.52	107.4	.91	16.98	13.80	.060
22.0	23.3	62002	4E8#4	50	3.98	4.32	2.43	2.00	35.9	1.27	32.90	.97	.260
23.3	24.6	62003	4E8	50	3.99	4.61	1.00	.87	20.4	1.39	35.67	.33	.370
24.6	25.9	62004	4E8	50	3.59	3.71	1.26	1.54	17.1	.46	21.51	4.60	.010
25.9	27.2	62005	468#	60	4.27	4.40	3.28	3.41	39.2	.37	19.34	19.20	.030
27.2	28.5	62006	468#	60	4.15	4.50	3.07	5.06	46.2	.52	17.67	17.60	.070
28.5	29.8	62007	468#4	60	4.37	4.49	4.57	7.58	48.2	.94	22.97	15.00	.060
29.8	31.1	62008	468#4	60	3.78	4.41	5.55	5.34	52.6	1.25	16.93	7.76	.170
31.1	32.0	62009	4648#	60	4.57	4.44	7.83	8.71	88.6	1.37	25.91	13.20	.110
32.0	32.9	62010	4E68#	60	3.19	3.86	1.66	1.47	18.6	1.15	12.85	3.68	.040
32.9	34.5	62011	468#	60	4.13	3.82	3.90	5.21	51.0	.59	10.84	22.80	.070
34.5	36.1	62012	468#	60	4.59	4.35	5.21	7.15	88.5	.23	14.38	27.70	.070
36.1	37.7	62013	46448#	60	4.49	4.31	6.12	7.70	67.6	.30	13.60	25.10	.030
38.9	40.4	62014	46448#	60	3.82	3.66	6.28	8.14	85.1	.25	14.08	9.48	.050
40.4	41.8	62015	46448#	60	4.23	4.35	7.08	8.28	101.9	.74	13.46	18.40	.030
41.8	43.1	62016	460	60	3.93	3.81	2.66	5.80	37.6	.31	12.57	17.60	.030
43.1	44.4	62017	46448#	60	5.18	4.14	6.11	8.93	84.1	.44	36.08	18.40	.090
44.4	45.6	62018	4E6	50	3.00	4.14	.73	2.06	14.7	.77	11.60	1.23	.020
45.6	47.0	62019	4648	60	4.15	4.09	3.33	7.02	53.4	.22	12.59	21.40	.020
47.0	48.3	62020	460	60	4.20	4.13	3.34	6.44	48.0	.17	11.63	23.60	.020
48.3	49.6	62021	4648	60	4.23	4.18	5.14	7.44	53.7	.20	12.11	21.80	.030
49.6	50.9	62022	4648	60	4.22	4.15	4.95	6.76	74.4	.30	15.15	19.10	.070
50.9	52.2	62023	468	60	4.16	4.45	4.39	4.98	55.0	.63	21.97	12.60	.110
52.2	53.5	62024	468#4	60	4.24	4.18	4.31	7.47	68.5	.44	11.84	23.00	.050
53.5	54.7	62025	468#4	60	3.98	4.25	4.70	6.96	69.4	.47	12.47	16.40	.070
54.7	56.0	62026	468#4	60	4.06	3.94	4.33	6.28	47.3	1.46	15.51	15.90	.090

56.0	57.3	62027	4E8	50	3.98	4.02	.97	1.48	16.3	.50	34.75	.83	.280
57.3	58.5	62028	4E8	50	3.90	4.16	.10	.49	13.6	1.33	34.62	.29	.390
58.5	59.8	62029	4E18	40	3.65	3.93	.21	.54	9.4	.51	28.68	.34	.300
59.8	61.0	62030	4E18	40	3.62	3.80	.03	.23	5.8	.33	27.78	.88	.310
61.0	62.3	62031	4E18	40	3.59	3.70	.08	.22	6.8	.60	27.72	.14	.300
62.3	63.8	62032	4C3	40	3.37	3.51	.12	.06	7.1	.58	22.81	.11	.170
63.8	65.4	62033	4C3	40	3.43	3.47	.37	.05	10.1	.78	23.48	.54	.400
65.4	66.9	62034	4C3	40	3.54	3.61	2.47	.88	25.6	.71	24.09	.20	.340
66.9	68.4	62035	4C3	40	3.25	3.26	1.09	.35	12.7	.61	19.04	.10	.210
68.4	69.9	62036	4C3	40	3.40	3.42	.24	.15	5.1	.64	23.22	.10	.270
69.9	71.5	62037	4C3	40	3.54	3.72	.12	.29	3.4	.57	26.56	.09	.260
71.5	72.9	62038	4E8	50	3.71	4.07	.12	.14	6.2	.71	30.34	.30	.640
72.9	74.3	62039	4E8	50	3.62	4.03	.59	.76	6.2	.68	27.87	.08	.460
74.3	75.7	62040	4E8	50	3.67	3.88	.40	.14	7.0	.54	29.47	.18	.530
75.7	77.1	62041	4E8	50	3.75	3.85	.20	.19	4.8	.57	30.69	.86	.480
77.1	78.5	62042	4E8	50	3.48	3.55	.19	.18	5.7	.52	25.29	.13	.340
78.5	79.8	62043	4C7	30	3.08	3.55	.41	.80	6.0	1.04	15.25	.17	.210
79.8	81.2	62044	4C7	30	3.45	3.46	.77	1.71	10.6	.53	22.79	.62	.110
81.2	82.5	62045	4D74	80	3.51	3.52	2.15	4.81	26.4	.41	21.82	.22	.130
82.5	83.8	62046	4D74	80	3.50	3.49	1.78	4.48	20.9	.45	22.06	.19	.190
83.8	85.2	62047	4E14	40	3.65	3.70	2.54	10.65	29.3	.44	22.14	.13	.110
85.2	86.5	62048	4E14	40	3.50	3.59	2.51	10.79	29.7	.58	18.06	.55	.100
86.5	87.9	62049	4E14	40	3.27	3.39	3.19	11.67	36.6	.82	11.60	.74	.060
87.9	89.4	62050	4D384	80	3.33	3.18	3.95	4.59	26.4	1.09	15.92	.24	.170
89.4	91.0	62051	4C38	40	3.18	3.23	1.40	.77	8.1	.71	16.86	.13	.240
91.0	92.5	62052	4C38	40	3.38	3.33	.47	.40	6.2	.49	22.54	.20	.300
92.5	94.1	62053	4C38	40	3.40	3.40	.19	.45	5.1	1.21	22.90	.48	.350
94.1	95.6	62054	4C38	40	3.27	3.24	.39	.59	5.5	.54	19.84	.20	.230
95.6	97.2	62124	4C38	40	3.06	3.07	.45	1.26	6.4	.31	14.61	.17	.110

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-112

EASTING: 10032.6 NORTHING:10210.6 ELEVATION: 1140.3

LENGTH: 92.1

SURVEY DATA

FROM	TD	AZIMUTH	DIP
.0	-90.0	.0	.0
92.1	-89.0	54.8	13.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	10.3	Cas	
10.3	11.4	488#4	
11.4	16.3	4H0	
16.3	19.4	464	

19.4 20.5 4G64
20.5 21.5 4G4
21.5 23.9 4EB
23.9 25.2 4H0
25.2 40.4 3G09
40.4 43.3 4A0
43.3 50.7 4A4
50.7 51.8 4D48#
51.8 58.4 4C7B
58.4 59.6 4E64B
59.6 63.8 4G4B
63.8 64.7 4E7B
64.7 79.6 4C7
79.6 83.0 3G6
83.0 92.1 3G0

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	ZPB	ZZN	AG G/T	AU G/T	ZFE	ZBA	ZCU
10.3	11.4	62582	4G6#4	60	3.96	1.00	5.68	7.14	72.9	.42	14.79	12.76	.070
11.4	12.7	62583	4H0	70	3.18	1.00	.30	.04	64.1	2.82	17.12	1.23	.150
12.7	13.8	62584	4H0	70	3.22	1.00	.34	.09	54.6	.54	14.20	4.82	.230
13.8	15.0	62585	4H0	70	3.29	1.00	.33	.74	22.6	.20	17.22	3.26	.160
15.0	16.3	62590	4H0	70	3.04	1.00	1.64	1.29	58.8	.61	4.16	8.80	.030
16.3	17.8	62591	4G4	60	4.38	1.00	5.02	8.20	63.2	.47	14.77	22.33	.050
17.8	19.4	62592	4G0	60	3.61	1.00	2.99	4.37	68.5	.43	2.08	20.90	.030
19.4	20.5	62593	4G6	60	4.14	1.00	.85	.57	70.7	.34	7.34	31.24	.060
20.5	21.5	62594	4G4	60	3.95	1.00	5.61	8.05	45.4	.48	10.45	16.39	.960
21.5	22.3	62595	4EB	60	3.73	1.00	.68	.11	53.8	.43	9.20	20.68	.060
22.3	23.9	62596	4EB	40	2.91	1.00	.47	.16	20.0	.26	9.43	2.38	.060
23.9	25.2	62597	4H0	70	3.24	1.00	.42	.24	67.1	.31	10.11	9.13	.080
25.2	40.4	0	3G09	100	1.00	1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	1.000
40.4	41.9	62598	4A0	20	2.77	3.06	.90	.91	18.9	.40	6.87	1.01	.090
41.9	43.3	62599	4A0	20	2.82	3.02	2.23	.64	32.4	.42	5.72	2.07	.120
43.3	44.8	62600	4A4	20	2.71	3.15	2.99	2.52	20.5	.93	2.49	1.21	.030
44.8	46.3	62601	4A4	20	2.74	2.91	3.02	3.75	17.5	.30	2.10	1.66	.040
46.3	47.7	62602	4A4	20	3.81	3.16	5.41	8.30	16.8	.20	22.95	1.45	.220
47.7	49.2	62603	4A4	20	3.35	3.30	3.04	4.78	54.3	.39	8.22	9.02	.080
49.2	50.7	62604	4A4	20	3.01	3.22	2.46	4.71	34.3	.68	9.11	.93	.020
50.7	51.8	62605	4D48#	80	3.89	4.16	5.18	7.46	51.0	.63	20.58	5.96	.080
51.8	53.1	62606	4C7B	30	3.65	3.57	1.34	2.04	19.1	.80	26.80	.41	.230
53.1	54.4	62607	4C7B	30	3.44	3.65	1.51	1.11	22.9	.84	22.18	.54	.220
54.4	55.7	62608	4C7B	30	3.45	3.34	1.78	.71	28.9	.62	21.43	1.41	.380
55.7	56.9	62609	4C7B	30	3.51	3.57	.82	2.03	13.6	.83	23.34	1.17	.130
56.9	58.4	62610	4C7B	30	3.56	3.87	1.33	2.37	16.8	.74	21.50	3.52	.200
58.4	59.6	62611	4E64B	40	3.71	4.35	2.25	3.58	24.6	.60	20.15	6.71	.120
59.6	61.0	62612	4G4B	60	3.77	4.38	7.27	9.64	79.5	1.08	13.70	7.17	.060
61.0	62.3	62613	4G4B	60	4.34	4.17	5.98	9.44	63.0	.51	16.71	18.26	.080
62.3	63.8	62614	4G4B	60	4.42	4.04	13.00	12.50	117.4	.83	26.98	2.40	.130
63.8	64.7	62615	4E47B	40	3.44	4.11	3.18	2.91	37.5	1.09	19.62	.80	.210
64.7	66.2	62616	4C7	30	3.65	3.46	1.03	.95	13.3	1.55	26.89	1.10	.170
66.2	67.7	62617	4C7	30	3.34	3.60	.49	.61	4.6	3.60	21.49	.20	.150
67.7	69.2	62618	4C7	30	3.39	3.33	.79	.65	8.0	.82	22.12	.23	.280

PC-XPLOR VERSION 1.30 CURRASH RESOURCES IN
Exploration Data Manager 16: 0:43 Serial no: 20320
By SEMCOM SERVICES INC. 21/ 3/91 Page : 60
*** VANSORDA - Drill Hole Database ***
*** ***

69.2	70.7	62619	4C7	30	3.35	3.29	.67	.53	7.6	.34	21.41	.19	.360
70.7	72.2	62620	4C7	30	3.26	3.38	.53	.67	7.2	.48	19.28	.46	.310
72.2	73.7	62621	4C7	30	3.19	3.17	.34	.65	6.4	.40	17.33	.86	.580
73.7	75.2	62622	4C7	30	3.30	3.35	.97	1.54	12.8	.22	19.71	.15	.560
75.2	76.7	62623	4C7	30	3.13	3.15	.72	.46	5.0	.13	16.28	.29	.280
76.7	78.2	62624	4C7	30	3.30	3.30	.34	.34	3.9	.12	18.79	2.16	.220
78.2	79.7	62625	4C7	30	3.14	3.40	.25	.38	4.0	.12	16.42	.87	.340

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-113

EASTING: 10059.1 NORTHING: 9968.3 ELEVATION: 1164.8
LENGTH: 58.5

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
58.5	-86.0	86.8	45.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	4.6	#	
4.6	18.4	DB	
18.4	21.5	DB	
21.5	26.5	4E4	
26.5	28.0	4A4	
28.0	32.6	4G4B	
32.6	35.6	4C87	
35.6	40.2	4C73	
40.2	41.4	4H4	
41.4	43.7	4D7	
43.7	47.9	4C37	
47.9	50.4	4L21	
50.4	58.5	4L2	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AS S/T	AU G/T	XFE	XBA	XCU
21.5	26.5	61716	4E4	50	4.16	3.32	5.12	4.09	95.0	-1.00	35.70	-1.00	1.000
26.5	28.0	61717	4A4	20	3.66	.00	4.85	7.26	85.0	-1.00	23.00	-1.00	1.000
28.0	29.5	61718	4G0B	60	3.05	3.40	2.35	4.82	45.0	-1.00	12.30	-1.00	1.000
29.5	31.0	61719	4G0B	60	3.07	3.97	3.13	6.20	60.0	-1.00	11.20	-1.00	1.000
31.0	32.6	61720	4G4B	60	3.39	4.70	7.30	8.31	35.0	-1.00	13.80	-1.00	1.000
32.6	34.1	61721	4D87	80	4.05	4.03	2.74	2.01	60.0	-1.00	36.40	-1.00	1.000
34.1	35.6	61722	4C874	30	3.77	3.74	1.45	.65	40.0	-1.00	31.70	-1.00	1.000
35.6	37.2	61723	4C73	30	3.76	3.66	1.09	1.34	35.0	-1.00	31.40	-1.00	1.000

PC-XPLOR VERSION 1.30

Exploration Data Manager

By SEMCOM SERVICES INC.

CURRASH RESOURCES IN

16: 0:45 Serial no: 20320

21/ 3/91 Page : 61

*** VANSORDA - Drill Hole Database ***

37.2	38.7	61724	4C73	30	3.69	3.44	1.49	1.43	45.0	-1.00	29.40	-1.00	1.000
38.7	40.2	61725	4C73	30	3.90	3.73	.17	.23	20.0	-1.00	36.10	-1.00	1.000
40.2	41.4	61726	4H4	70	4.18	3.96	8.60	7.38	15.0	-1.00	31.50	-1.00	1.000
41.4	42.6	61727	4D74	80	3.95	3.48	6.34	4.77	.0	-1.00	29.40	-1.00	1.000
42.6	43.7	61728	4D7	80	3.42	4.37	3.35	4.87	35.0	-1.00	19.90	-1.00	1.000
43.7	45.1	61729	4C37	40	3.44	3.23	.73	.94	20.0	-1.00	24.60	-1.00	1.000
45.1	46.5	61730	4C37	40	2.42	3.06	.83	1.81	15.0	-1.00	.38	-1.00	1.000
46.5	47.9	61731	4C37	40	2.41	3.26	.95	1.04	20.0	-1.00	.31	-1.00	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-114

EASTING: 10074.1 NORTHING: 9968.3 ELEVATION: 1164.8

LENGTH: 46.3

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
46.3	-89.5	51.8	10.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	12.8	#	
12.8	17.7	DB	
17.7	18.9	4A0	
18.9	19.7	4L0	
19.7	21.9	4A0	
21.9	25.0	4A4	
25.0	26.9	4A4	
26.9	28.7	4E4	
28.7	30.8	4G4B	
30.8	40.1	4C387	
40.1	42.7	3E0	
42.7	46.3	3G6	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS	S/T	AU	G/T	XFE	XBA	XCU
38.3	40.1	61763	4C387	40	3.73	3.87	2.04	1.96	35.0	-1.00	29.70	-1.00	1.000		
17.7	18.9	61751	4A0	20	2.54	.00	.70	.14	30.0	-1.00	4.13	-1.00	1.000		
18.9	19.7	0	4L0	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000		
19.7	21.9	61752	4A0	20	2.42	.00	.60	.03	40.0	-1.00	1.34	-1.00	1.000		
21.9	25.0	61753	4A4	20	2.88	.00	2.66	2.24	55.0	-1.00	9.21	-1.00	1.000		
25.0	26.9	61754	4A4	20	3.12	.00	2.72	4.64	55.0	-1.00	13.60	-1.00	1.000		
26.9	28.7	61755	4E4	50	4.11	.00	2.27	4.44	45.0	-1.00	37.00	-1.00	1.000		
28.7	29.7	61756	4G4B	60	4.15	.00	5.60	8.80	95.0	-1.00	33.00	-1.00	1.000		

PC-XPLOR VERSION 1.30

Exploration Data Manager

By GEMCOM SERVICES INC.

CURRAGH RESOURCES IN

16: 0:48 Serial no: 20320

21/ 3/91 Page : 62

*** VANGORDA - Drill Hole Database ***

29.7	30.8	61757	4684	60	3.13	.00	5.26	8.22	100.0	-1.00	9.69	-1.00	1.000
30.8	32.3	61758	4C387	40	3.80	3.83	.58	.70	20.0	-1.00	33.30	-1.00	1.000
32.3	33.7	61759	4C387	40	3.62	3.08	.41	.43	25.0	-1.00	29.20	-1.00	1.000
33.7	35.2	61760	4C387	40	3.77	3.86	.26	.14	20.0	-1.00	33.10	-1.00	1.000
35.2	36.7	61761	4C387	40	3.65	3.60	.11	.08	20.0	-1.00	30.50	-1.00	1.000
36.7	38.3	61762	4C387	40	3.48	3.64	.12	.14	25.0	-1.00	26.40	-1.00	1.000
38.3	40.1	61763	4C387	40	3.73	3.87	2.04	1.96	35.0	-1.00	29.70	-1.00	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-115

EASTING: 9983.3 NORTHING:10243.4 ELEVATION: 1136.2

LENGTH: 114.9

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
114.9	-87.5	72.8	31.0

LITHOLOGY DATA

FROM	TD	ROCK	REMARKS
.0	14.9	#	
14.9	15.8	OB	
15.8	20.4	3E1	
20.4	22.0	10B	
22.0	29.2	3E1	
29.2	32.8	4A4	
32.8	34.0	4E64	
34.0	35.5	4H4	
35.5	37.0	4G471	
37.0	39.3	4L7	
39.3	40.8	4E4	
40.8	44.9	4H4	
44.9	47.8	4G4#	
47.8	51.3	4E4	
51.3	58.7	4E81	
58.7	63.6	4E1	
63.6	67.1	4E0	
67.1	68.2	4B0	
68.2	77.7	4C0	
77.7	79.4	4C5	
79.4	88.8	4C3	
88.8	89.4	4E0	
89.4	95.1	4C3	
95.1	97.4	3B0	
97.4	98.4	3B16	
98.4	100.9	4C3	

100.9 111.1 360
111.1 112.5 4H14
112.5 114.9 367

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	XFE	XBA	XCU
22.0	23.5	62125	3E1	150	2.65	.00	2.02	3.79	43.4	.44	2.25	.27	.040
23.5	24.9	62126	3E1	150	2.71	.00	2.14	4.42	45.1	.55	3.10	.48	.030
24.9	26.3	62127	3E1	150	2.68	.00	1.31	2.57	24.6	.34	2.67	1.83	.030
26.3	27.8	62128	3E1	150	2.73	.00	2.12	4.82	29.3	.49	3.33	.49	.040
27.8	29.2	62129	3E1	150	2.74	.00	1.87	2.92	25.3	.51	4.84	.33	.050
29.2	30.9	62130	4A4	20	2.86	2.97	2.76	5.78	45.9	.63	5.53	.29	.030
30.9	32.8	62131	4A4	20	3.07	3.11	2.41	4.89	36.3	.33	7.47	3.92	.050
32.8	34.0	62132	4E64	50	3.72	4.26	2.75	1.89	40.0	.97	26.42	1.32	.120
34.0	35.5	62133	4H41	70	3.82	3.52	6.86	8.73	108.5	.28	20.46	2.55	.420
35.5	37.0	62134	4G741	60	3.98	3.52	6.44	6.88	75.7	.17	16.05	11.55	.040
37.0	39.3	0	4L7	120	1.00	1.00	-1.00	-1.00	-1.00	-1.00	-1.00	-1.00	1.000
39.3	40.8	62135	4E4	50	4.12	4.41	3.06	2.31	38.5	1.04	36.10	.33	.240
40.8	42.2	62136	4H46	70	3.98	4.48	5.09	6.45	56.4	1.34	23.75	5.48	.190
42.2	43.5	62137	4H46	70	4.40	3.97	3.14	3.68	33.3	.39	36.85	5.32	.210
43.5	44.9	62138	4H4	70	4.06	4.06	2.13	1.64	26.1	.23	34.46	1.76	.270
44.9	46.3	62139	4G8	60	4.10	4.09	3.01	3.53	40.5	.84	23.44	11.66	.180
46.3	47.8	62140	4E64	60	3.80	4.12	3.67	5.20	49.4	.65	23.12	3.81	.140
47.8	48.9	62141	4E0	50	4.09	.00	1.72	.50	14.5	1.54	36.80	1.17	.100
48.9	50.0	62142	4E0	50	3.79	.00	3.35	3.01	28.6	.90	22.57	5.39	.090
50.0	51.3	62143	4E0	50	4.04	.00	2.83	2.83	24.7	1.82	31.48	3.01	.590
51.3	52.7	62144	4EB14	50	4.06	4.22	3.08	3.19	36.9	.73	34.06	.59	.380
52.7	54.2	62145	4EB1	40	4.17	4.69	2.20	2.84	29.3	1.08	35.71	2.40	.340
54.2	55.7	62146	4EB1	40	4.09	4.31	2.47	3.15	26.5	1.54	34.24	1.74	.360
55.7	57.2	62147	4EB1	40	4.00	4.16	1.24	1.62	13.5	.77	35.10	.65	.320
57.2	58.7	62148	4EB1	40	4.15	4.15	2.27	.17	6.1	1.22	38.56	.38	.050
58.7	60.0	62149	4E14	40	4.05	.00	2.28	2.02	11.5	1.39	35.27	.57	.230
60.0	61.6	62150	4E1	40	3.45	.00	2.34	.46	11.3	1.11	22.16	.29	.030
61.6	62.8	62151	4E1	40	4.16	.00	.69	.15	6.2	.74	40.00	.59	.050
62.8	63.6	62152	4E164	40	3.69	.00	2.72	1.80	9.3	.60	20.29	6.49	.780
63.6	64.7	62153	4E0	50	3.26	.00	1.14	1.76	16.3	1.13	18.28	.37	.090
64.7	65.9	62154	4E0	50	3.76	4.00	1.72	.46	12.7	.58	30.03	.35	.250
65.9	67.1	62155	4E0	50	4.04	4.19	1.52	1.36	11.4	1.15	35.71	.88	.070
67.1	68.2	62156	4E46	50	3.60	4.23	4.65	6.77	51.4	1.21	18.57	2.33	.100
68.2	69.8	62157	4C0	30	3.52	3.45	.28	.65	5.3	1.12	25.50	.38	.370
69.8	71.4	62158	4C0	30	3.44	3.37	.31	.35	12.8	1.08	23.90	.37	.640
71.4	72.9	62159	4C0	30	3.27	3.44	.14	.23	4.1	.78	19.97	.43	.250
72.9	74.5	62160	4C0	30	3.37	3.53	.14	.32	4.9	.77	22.42	.35	.360
74.5	76.0	62161	4C0	30	3.35	3.42	.18	.22	5.2	.41	21.82	.44	.400
76.0	77.7	62162	4C0	30	3.28	3.23	.79	.38	11.4	.61	19.49	.53	.300
77.7	79.4	62163	4C5	30	2.80	2.88	.28	.27	5.5	.26	9.11	.22	.110
79.4	80.9	62164	4C3	40	3.34	3.22	.29	.35	8.9	.46	21.67	.14	.240
80.9	82.5	62165	4C3	40	3.25	3.49	.12	.38	8.0	.24	19.78	.24	.220
82.5	84.1	62166	4C3	40	3.38	3.43	.38	.13	12.4	.43	22.57	.34	.220
84.1	85.6	62167	4C3	40	3.41	3.58	.05	.21	6.9	.45	23.66	.07	.280
85.6	87.2	62168	4C3	40	3.35	3.48	.14	.37	7.8	.50	22.07	.10	.280
87.2	88.8	62169	4C3	40	3.37	3.47	.14	.31	12.9	.34	22.54	.30	.320

*** VANGORDA - Drill Hole Database ***

88.8	89.4	62170	4E0	50	3.93	.00	.31	.22	17.7	.34	35.38	.19	.430
89.4	90.8	62171	4C3	40	3.59	3.75	.26	.15	16.8	.32	27.59	.31	.460
90.8	92.2	62172	4C3	40	3.54	3.78	.15	.19	18.2	.60	26.54	.25	.570
92.2	93.6	62173	4C3	40	3.43	3.72	.10	.03	20.4	.61	24.18	.22	.710
93.6	95.1	62174	4C3	40	3.32	3.27	.12	.01	8.8	.91	21.00	.82	.410
95.1	97.4	0	3G0	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
97.4	98.4	62175	3G16	100	3.24	.00	1.95	1.44	28.1	.70	17.35	.23	.330
98.4	99.6	62176	4C3	40	3.23	3.33	.32	.36	7.3	.47	19.11	.19	.230
99.6	100.9	62177	4C3	40	3.23	3.24	2.12	.47	5.3	.43	17.31	.20	.270
100.9	112.5	62178	4H14	70	3.93	3.71	3.59	1.83	19.0	.03	30.87	.86	.370

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-116

EASTING: 9952.1 NORTHING:10239.3 ELEVATION: 1138.5

LENGTH: 120.4

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
120.4	-88.0	94.8	53.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	17.4	#	
17.4	20.4	DB	
20.4	39.6	3G09	
39.6	44.6	4A0	
44.6	50.6	4A0	
50.6	52.7	3G0	
52.7	53.2	4E4	
53.2	62.3	3G0	
62.3	66.8	4L0	
66.8	71.0	4G04	
71.0	76.2	4E6B4	
76.2	78.4	4E64B	
78.4	83.8	4K#	
83.8	89.0	4G04	
89.0	89.9	4E4B	
89.9	103.7	4E84	
103.7	107.1	4E#46	
107.1	109.7	4E8	
109.7	112.8	4E84	
112.8	114.9	4H4	
114.9	120.4	3G09	

ASSAYS DATA

*** VANSORDA - Drill Hole Database ***

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AS G/T	AU G/T	%FE	%BA	%CU
39.6	40.8	61874	4A4	20	2.87	2.81	1.86	3.37	24.2	.60	7.57	.48	.030
40.8	42.1	61875	4A0	20	2.85	2.71	1.49	2.37	20.4	.35	7.80	.65	.050
42.1	43.4	61876	4A0	20	2.99	2.95	.94	1.39	13.5	.32	12.35	.22	.040
43.4	44.6	61877	4A0	20	2.98	3.06	.97	2.26	15.5	.40	11.91	.17	.020
44.6	46.1	61878	4A0	20	3.14	3.02	1.04	1.85	15.0	.33	14.30	1.46	.010
46.1	47.6	61879	4A0	20	2.81	2.93	.83	1.49	12.5	.30	8.12	.29	.020
47.6	49.2	61880	4A0	20	2.84	2.88	1.19	2.11	17.4	.47	8.32	.37	.020
49.2	50.7	61881	4A4	20	2.96	3.18	1.73	3.09	25.9	.56	10.24	.24	.030
50.7	52.7	0	3B0	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
52.7	53.2	61882	4E4	50	3.84	.00	4.73	5.21	52.9	1.36	26.86	.24	.200
52.7	62.3	0	3B0	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
62.3	63.8	61901	4E64	60	3.96	3.68	6.77	9.47	65.5	.78	21.32	4.51	.040
63.8	65.3	61902	4E64	60	3.22	3.21	2.28	4.00	30.7	.21	6.93	8.40	.010
65.3	66.8	61903	4E64	60	3.41	3.37	2.91	5.23	47.1	.50	10.74	7.68	.040
66.8	68.2	61883	4B04	60	4.34	4.46	4.18	5.32	54.7	.81	15.89	22.56	.140
68.2	69.6	61884	4B04	60	3.91	4.35	4.25	5.35	42.7	.58	16.03	12.60	.140
69.6	71.0	61885	4B04	60	4.15	4.33	3.60	3.77	41.8	.48	24.30	11.28	.170
71.0	72.3	61886	4E684	60	3.95	3.75	2.86	2.41	33.1	.64	27.70	4.75	.230
72.3	73.6	61887	4E684	60	3.87	4.41	4.79	5.18	51.0	.47	22.58	4.90	.160
73.6	74.9	61888	4E684	60	4.30	4.56	7.09	6.18	68.0	1.68	22.96	11.76	.140
74.9	76.2	61889	4E684	60	4.11	4.63	6.47	5.94	77.4	1.45	23.71	7.46	.190
76.2	77.3	61890	4E4B6	50	4.13	4.91	8.62	7.88	60.4	1.71	27.72	1.31	.230
77.3	78.4	61891	4E64B	60	4.18	4.72	11.26	5.64	95.4	1.32	19.13	9.36	.080
78.4	79.8	61892	4K#04	50	3.81	4.03	1.23	.40	6.4	.93	30.94	.98	.180
79.8	81.0	61893	4K#04	50	3.55	3.94	1.35	.35	6.0	.91	25.52	.22	.160
81.0	82.4	61894	4K#04	50	3.76	4.19	1.76	.18	8.7	1.59	29.77	.53	.180
82.4	83.8	61895	4K#	50	3.75	3.96	.66	.01	6.6	1.20	30.53	.68	.310
83.8	85.1	61896	4B4	60	4.11	4.42	5.26	5.08	58.7	3.93	24.25	8.45	.230
85.1	86.4	61897	4B4	60	4.40	4.66	4.98	6.11	63.9	1.59	22.66	16.20	.250
86.4	87.7	61898	4B4	60	4.49	4.52	5.57	8.58	83.2	1.24	13.85	25.08	.120
87.7	89.0	61899	4B4	60	3.97	4.23	4.35	7.71	68.5	1.17	13.06	15.72	.080
89.0	89.9	61900	4E4B	50	4.10	4.69	6.87	4.37	85.3	2.57	28.02	3.41	.160
89.9	91.5	61904	4EB4	50	3.99	4.52	3.47	2.40	32.2	2.59	32.57	.58	.250
91.5	93.0	61905	4EB4	50	3.96	4.39	3.14	3.99	33.0	3.12	31.79	.28	.260
93.0	94.5	61906	4EB4	50	4.11	4.61	3.23	2.43	34.6	1.88	33.29	2.74	.200
94.5	96.0	61907	4EB46	60	4.21	4.31	4.22	4.03	44.0	2.12	30.63	5.86	.190
96.0	97.6	61908	4EB4	50	3.86	4.21	2.67	3.96	36.5	1.48	28.48	1.61	.200
97.6	99.1	61909	4EB04	50	4.04	4.33	1.62	2.10	22.1	1.91	35.42	.74	.330
99.1	100.6	61910	4EB04	50	4.02	4.61	.62	1.08	10.7	1.61	36.35	.62	.320
100.6	102.1	61911	4EB4	50	3.87	4.05	2.32	3.84	33.0	2.22	29.87	.90	.310
102.1	103.7	61912	4EB4	50	3.99	4.49	2.79	2.40	34.7	1.67	32.47	1.14	.230
103.7	104.9	61913	4E#4	60	3.65	3.86	2.35	3.38	45.8	2.20	24.31	1.37	.280
104.9	106.0	61914	4E#46	60	3.66	3.95	2.24	3.51	45.3	1.40	22.29	3.60	.490
106.0	107.1	61915	4E#46	60	4.10	3.95	2.71	2.19	45.4	1.92	32.87	3.56	.290
107.1	108.5	61916	4EB	50	4.10	4.32	.13	.09	8.2	.75	40.87	-1.00	.420
108.5	109.7	61917	4EB	50	4.10	4.61	.13	.09	8.2	.75	40.87	-1.00	.420
109.7	111.3	61918	4EB4	50	3.59	4.30	4.14	6.57	56.0	1.25	22.34	-1.00	.250
111.3	112.8	61919	4EB4	50	3.70	4.37	5.26	7.51	62.4	.56	23.40	-1.00	.300
112.8	113.9	61920	4H0	70	4.05	4.27	.57	.13	12.5	.06	39.29	-1.00	.470
113.9	114.9	61921	4H4	70	4.16	4.51	4.54	6.83	67.1	.16	35.13	-1.00	.360

```

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.
CURRAGH RESOURCES IN
16: 1: 0 Serial no: 20320
21/ 3/91 Page : 66
*** VANGORDA - Drill Hole Database ***
***

```

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-117

EASTING: 10047.5 NORTHING:10211.0 ELEVATION: 1140.3
LENGTH: 89.0

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
89.0	-88.0	2.8	321.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	12.3	Cas	
12.3	17.0	4684	
17.0	18.4	4E476	
18.4	18.9	4A0	
18.9	41.3	3609	
41.3	44.8	360	
44.8	46.8	4L6	
46.8	49.0	4648	
49.0	51.1	4E78	
51.1	51.6	4J48736	
51.6	53.8	4648*	
53.8	56.3	4E487	
56.3	61.4	4C7	
61.4	68.4	4C78	
68.4	79.8	4C7	
79.8	84.5	369#6	
84.5	89.0	3646	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZN	AS G/T	AU G/T	XFE	XBA	XCU
12.3	13.4	62497	4684	60	4.34	.00	8.69	10.32	99.8	.69	12.27	19.69	.080
13.4	14.4	62496	4684	60	4.26	.00	9.30	8.83	105.2	.43	16.35	13.97	.050
14.4	15.7	62495	4647	60	4.25	4.33	9.60	9.30	116.9	.33	17.09	12.65	.070
15.7	17.0	62494	4647	60	3.85	4.01	6.00	6.85	86.4	.20	16.36	8.65	.080
17.0	18.3	62493	4E476	60	3.93	3.95	4.80	6.68	51.6	.32	20.78	7.42	.080
18.3	18.9	62492	4A0	20	3.39	.00	1.47	2.26	19.5	.41	18.48	2.51	.070
18.9	41.3	0	3609	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
41.3	44.8	0	360	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
44.8	46.8	0	4L6	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
46.8	48.1	62491	4648	60	4.58	4.40	5.57	9.56	98.1	.56	17.50	23.10	.060
48.1	49.0	62490	4648	60	3.96	4.32	6.14	7.77	79.8	.69	14.46	12.54	.120
49.0	49.9	62489	4E704	50	3.07	3.80	1.66	1.78	24.4	.31	13.17	.48	.220

*** VANGORDA - Drill Hole Database ***

49.9	51.1	62488	4E74B	50	3.38	4.51	5.40	4.53	71.8	.91	14.01	1.94	.150
51.1	51.6	62487	4J4B76	80	3.54	4.59	8.35	6.37	71.5	.89	10.70	5.35	.140
51.6	52.7	62486	4G4B6	60	4.48	4.71	4.71	7.67	81.1	.35	10.08	29.59	.050
52.7	53.8	62485	4G4B6	60	5.00	4.53	5.21	9.09	68.3	.44	20.87	29.92	.030
53.8	55.0	62484	4E4B7	50	3.85	4.65	6.59	8.64	60.4	.50	23.69	.25	.190
55.0	56.2	62483	4E4B7	50	3.85	4.52	7.32	5.37	70.9	.89	24.38	.54	.110
56.2	57.5	62482	4C7	30	3.52	3.44	1.29	1.37	14.3	.43	23.76	.81	.280
57.5	58.8	62481	4C7	30	3.33	3.59	.26	.29	5.7	.17	21.56	.18	.480
58.8	60.1	62480	4C7	30	3.66	3.98	.66	1.28	8.8	.14	26.75	1.83	.490
60.1	61.4	62479	4C7B	30	3.44	3.51	.73	1.12	13.7	.19	22.87	.62	.560
61.4	62.8	62478	4C7B	30	3.59	3.64	.73	1.53	13.4	1.12	26.07	.55	.300
62.8	64.2	62477	4C7B	30	3.65	3.90	.66	1.39	14.5	1.45	27.98	.33	.350
64.2	65.6	62476	4C7B	30	3.68	3.56	.61	1.52	15.8	.75	27.43	1.56	.310
65.6	67.0	62475	4C7B	30	3.79	3.61	1.72	2.10	22.3	.72	29.10	1.11	.390
67.0	68.4	62474	4C7	30	3.60	3.85	1.50	1.31	17.0	1.04	25.44	.91	.170
68.4	69.8	62473	4C7	30	3.18	3.25	.02	.05	1.6	.32	18.00	.55	.130
69.8	71.3	62472	4C7	30	2.73	3.37	.19	.52	4.2	.24	7.29	.47	.170
71.3	72.7	62471	4C7	30	2.79	3.34	.18	.20	3.9	.31	8.68	.55	.220
72.7	74.1	62470	4C7	30	2.93	3.26	.12	.27	3.9	.12	12.21	.44	.220
74.1	75.6	62469	4C7	30	3.65	3.11	.07	.14	2.7	.24	28.91	.43	.340
75.6	77.0	62468	4C7	30	3.57	3.05	.07	.22	2.6	.03	27.38	.18	.330
77.0	78.4	62467	4C7	30	3.28	3.01	.01	.02	3.1	.05	20.54	.46	.380
78.4	79.8	62466	4C7	30	2.71	3.16	.07	.41	1.7	.10	6.87	.51	.080

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-118

EASTING: 10016.1 NORTHING: 10244.4 ELEVATION: 1134.4

LENGTH: 95.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
95.1	-89.0	62.8	21.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.7	#	
9.7	19.0	OB	
19.0	23.7	4E64	
23.7	29.8	4E64B	
29.8	34.8	4G4	
34.8	39.3	4A4#	
39.3	42.8	4E846	
42.8	52.3	4G4B	
52.3	53.1	4D84	
53.1	62.8	4E#B	

PC-XPLOR VERSION 1.30

Exploration Data Manager

By GEMCOM SERVICES INC.

CURRAGH RESOURCES IN

16: 1: 5 Serial no: 20320

21/ 3/91 Page : 68

*** VANBORDA - Drill Hole Database ***

62.8 66.4 4H0
 66.4 82.4 4CB
 82.4 84.6 4C0
 84.6 87.7 4DB
 87.7 91.7 4C0
 91.7 95.1 4L3

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AS B/T	AU B/T	%FE	%BA	%CU
19.0	20.5	62277	4E64	60	2.91	.00	1.60	2.63	18.3	.24	7.59	2.05	.050
20.5	22.1	62278	4E64	60	3.49	3.56	5.26	4.78	59.5	.24	14.66	3.94	.120
22.1	23.7	62279	4E64	60	4.09	4.09	5.68	4.71	49.0	.54	29.04	3.04	.150
23.7	25.2	62280	4E64B	50	4.22	4.50	5.04	2.39	44.0	1.07	35.83	1.14	.260
25.2	26.8	62281	4E64B	50	4.08	4.28	3.56	2.52	41.3	1.19	34.13	.96	.160
26.8	28.3	62282	4E8046	50	4.18	4.50	1.45	1.29	20.0	2.53	39.14	.79	.220
28.3	29.8	62283	4E64B	50	4.14	4.42	3.22	1.76	27.6	.76	36.18	.90	.240
29.8	31.1	62284	4E64	60	3.63	4.56	6.57	6.46	92.6	.61	17.32	2.62	.110
31.1	32.3	62285	4G4	60	3.97	4.30	4.34	7.21	61.1	.74	17.12	12.10	.170
32.3	33.6	62286	4E64	60	3.75	3.48	5.50	7.28	76.4	.48	19.51	3.81	.090
33.6	34.8	62287	4G4	60	4.15	3.97	5.13	6.77	66.9	.47	16.83	15.84	.110
34.8	36.4	62288	4A4#	20	2.80	2.85	1.79	3.08	12.7	.29	6.07	.55	.020
36.4	37.9	62289	4A#04	20	2.68	2.77	1.38	2.44	16.8	.24	4.13	.44	.020
37.9	39.3	62290	4A4#	20	2.86	2.76	1.53	3.21	21.7	.40	7.24	.88	.060
39.3	41.1	62291	4E846	50	3.88	4.19	2.66	4.18	42.6	.60	26.84	3.56	.020
41.1	42.8	62292	4E8046	40	3.83	3.95	1.02	2.19	19.5	.67	29.28	2.49	.050
42.8	44.3	62293	4G4B	60	4.10	3.83	5.04	7.33	66.7	.70	16.43	14.96	.040
44.3	45.9	62294	4G4B	60	4.53	4.68	4.04	7.96	62.3	.26	10.00	31.24	.010
45.9	47.5	62295	4E64B	60	3.84	4.06	7.13	6.89	100.2	.45	17.90	5.88	.070
47.5	49.1	62296	4G4B	60	4.68	4.19	8.01	6.94	43.1	.46	14.85	26.95	.050
49.1	50.7	62297	4G4B	60	4.11	4.43	8.10	6.42	79.0	.55	17.91	11.33	.060
50.7	52.3	62298	4E64B	60	3.47	4.34	6.30	8.34	100.9	.73	9.84	5.46	.020
52.3	53.1	62299	4DB4	80	4.20	4.55	11.60	5.69	132.9	.54	27.53	1.21	.100
53.1	54.5	62300	4E4#6	50	4.02	4.08	4.89	4.65	55.4	.65	25.35	5.94	.160
54.5	55.9	62301	4E#804	50	3.89	4.01	1.27	1.41	24.7	1.17	32.75	.40	.330
55.9	57.2	62302	4E#804	50	3.59	9.33	1.72	1.85	22.5	.56	25.47	.15	.310
57.2	58.6	62303	4E4#	50	3.65	8.75	3.39	1.83	39.1	.53	25.25	.25	.410
58.6	60.0	62304	4E#804	50	3.43	3.49	1.50	1.38	16.3	.63	22.02	.26	.410
60.0	61.4	62305	4E#804	50	3.53	3.52	1.92	1.86	20.3	.58	23.74	.27	.550
61.4	62.8	62306	4E#804	50	3.66	3.54	.84	1.36	13.8	.41	28.30	.00	.500
62.8	64.0	62307	4H04	70	4.19	3.67	1.63	1.49	16.0	.01	39.86	.11	.380
64.0	65.2	62308	4H04	70	3.86	3.38	.59	1.01	8.8	.05	33.02	.30	.460
65.2	66.4	62309	4H04	70	4.11	3.74	.60	.86	9.2	.11	38.91	.27	.380
66.4	68.0	62310	4C0B4	80	3.70	3.64	1.16	1.10	18.1	.62	28.43	.54	.570
68.0	69.6	62311	4DB04	80	3.76	3.84	2.53	3.41	24.2	1.21	27.98	.21	.360
69.6	71.1	62312	4CB	80	3.68	3.59	.85	2.05	11.5	1.25	27.89	.56	.420
71.1	72.7	62313	4CB	80	3.43	3.47	.80	1.30	11.0	.97	22.97	.09	.410
72.7	74.3	62314	4CB	80	3.64	3.48	.68	1.64	9.3	.63	27.65	.35	.250
74.3	75.9	62315	4CB	80	3.67	3.70	.37	1.00	7.5	.39	29.14	.09	.370
75.9	77.5	62316	4CB	80	3.62	3.77	.40	.87	6.5	.49	27.79	.16	.430
77.5	79.1	62317	4CB	80	3.54	3.70	1.72	.87	16.1	.43	24.94	.09	.530
79.1	80.7	62318	4CB	80	3.51	3.54	.48	.69	7.8	1.02	25.51	.08	.740
80.7	82.4	62319	4CB	80	3.36	3.42	1.72	1.27	10.1	.64	20.37	.25	.200

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

CURRAGH RESOURCES IN

16: 1: 9 Serial no: 20320
21/ 3/91 Page : 69

*** VANGORDA - Drill Hole Database ***

82.4	83.5	62320	4C0	30	3.34	3.30	.46	.33	4.3	.33	20.68	1.04	.180
83.5	84.6	62321	4C0	30	3.36	3.24	.45	.50	4.6	.49	21.91	.16	.240
84.6	86.1	62322	4D8	80	3.52	3.48	1.57	3.56	12.6	.40	23.38	.08	.240
86.1	87.7	62323	4C8	80	3.54	3.07	1.44	1.14	10.9	.78	24.98	.12	.260
87.7	89.0	62324	4C0	30	4.09	3.22	.78	.65	4.9	.79	38.62	.13	.460
89.0	90.3	62325	4C0	30	2.85	3.20	.22	.48	5.3	.35	10.31	.20	.430
90.3	91.7	62326	4C0	30	2.87	2.89	.25	.49	4.6	.21	10.74	.14	.420

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-119

EASTING: 9957.7 NORTHING:10275.8 ELEVATION: 1131.2
LENGTH: 102.7

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-80.0	90.0	48.2
102.7	-76.0	97.8	56.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	20.4	#	
20.4	21.5	DB	
21.5	35.4	4A4	
35.4	40.4	3G09	
40.4	41.8	4G84#	
41.8	50.1	3G04	
50.1	52.9	3C3	
52.9	60.3	4G#64	
60.3	66.7	4G#	
66.7	71.5	4K81	
71.5	74.2	4C#	
74.2	77.1	4K81	
77.1	80.4	4G48#	
80.4	84.4	4E1	
84.4	91.4	4C73#	
91.4	98.3	4L72	
98.3	102.7	3G6	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	YZN	AS G/T	AU G/T	%FE	%BA	%CU
21.5	23.5	62823	4A04	20	2.53	1.00	1.51	1.80	16.8	.25	.24	1.01	.040
23.5	25.0	62824	4A4	20	2.59	1.00	2.15	3.43	23.1	.30	.93	.31	.010
25.0	26.5	62825	4A4	20	2.62	1.00	1.90	3.84	19.9	.21	1.71	.23	.010
26.5	28.0	62826	4A4	20	2.68	1.00	2.30	5.10	29.0	.59	2.27	.13	.040

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GEMCOM SERVICES INC.

CURRAGH RESOURCES IN
16: 1:11 Serial no: 20320
21/ 3/91 Page : 70

*** VANGORDA - Drill Hole Database ***

28.0	29.6	62827	4A4	20	2.68	1.00	2.40	5.56	27.1	.53	2.07	.13	.030
29.6	31.1	62828	4A4	20	2.75	1.00	3.51	6.32	46.8	.67	2.21	.10	.030
31.1	32.6	62829	4A4	20	2.63	1.00	2.04	3.83	22.3	.53	2.00	.13	.020
32.6	34.1	62830	4A04	20	2.58	1.00	1.27	.68	11.6	.42	2.88	.16	.030
34.1	35.4	62831	4A4	20	3.46	1.00	5.57	9.93	65.6	.72	14.58	.64	.300
35.4	40.4	0	3609	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
40.4	41.8	62832	4B84#	60	4.21	1.00	9.32	5.77	75.4	.60	31.05	.11	.080
41.8	50.1	0	3604	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
50.1	52.9	0	3604	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
52.9	54.4	62833	4B#64	60	4.63	1.00	7.58	8.63	66.1	.68	14.27	25.96	.030
54.4	55.9	62834	4B#64	60	4.60	1.00	6.93	7.91	60.1	.63	13.37	27.17	.060
55.9	57.4	62835	4B#64	60	4.75	1.00	3.52	8.37	50.1	.92	11.51	34.98	.090
57.4	58.8	62836	4B#6	60	4.66	1.00	3.14	6.73	30.4	.35	12.93	32.67	.010
58.8	60.3	62837	4B#64	60	4.50	1.00	4.65	7.68	48.6	1.44	17.30	23.21	.140
60.3	61.9	62838	4B#	60	3.91	1.00	2.24	3.02	17.9	1.39	26.02	5.92	.110
61.9	63.5	62839	4B#	60	3.96	1.00	1.53	.79	13.2	1.80	33.59	1.42	.190
63.5	65.1	62840	4B#4	60	4.29	1.00	6.05	6.06	62.4	1.56	24.20	11.22	.270
65.1	66.7	62841	4B#4	60	4.27	1.00	5.91	6.81	58.9	1.54	23.95	11.00	.370
66.7	68.3	62842	4KB1	40	3.99	1.00	1.79	1.37	14.8	2.95	34.78	.41	.420
68.3	69.9	62843	4KB14	40	3.92	1.00	4.23	1.57	20.6	1.17	30.92	.22	.370
69.9	71.5	62844	4KB1	40	3.76	1.00	.98	.53	5.4	1.61	30.84	.15	.060
71.5	72.9	62845	4C#	30	3.20	1.00	.27	.08	3.0	.98	18.57	.23	.020
72.9	74.2	62846	4C#	30	3.61	1.00	2.01	1.83	10.4	1.20	18.07	7.48	.100
74.2	75.7	62847	4KB14	40	3.77	1.00	4.24	.18	12.9	1.68	27.93	.40	.050
75.7	77.1	62848	4KB1	40	3.79	1.00	.84	.67	5.0	1.44	29.48	2.05	.050
77.1	78.7	62849	4B0B4	60	4.06	1.00	5.08	4.28	27.8	1.52	21.43	10.56	.200
78.7	80.4	62850	4B4B#	60	4.20	1.00	5.35	6.69	38.2	1.29	13.50	20.02	.090
80.4	81.7	62851	4E1	40	3.61	1.00	1.61	.91	14.7	1.25	25.94	.79	.220
81.7	83.1	62852	4E1	40	3.43	1.00	.25	.09	6.2	1.75	23.95	.24	.550
83.1	84.4	62853	4E1	40	3.54	1.00	1.35	.16	16.0	.71	25.46	.23	.560
84.4	85.8	62854	4C73	30	3.23	1.00	.14	.39	4.0	.44	19.17	.24	.150
85.8	87.2	62855	4C73	30	3.33	1.00	.31	.32	8.6	.49	21.54	.13	.300
87.2	88.6	62856	4C73	30	3.22	1.00	.12	.22	5.6	.54	19.03	.19	.250
88.6	90.0	62857	4C73	30	3.61	1.00	.21	.21	13.5	.47	28.17	.12	.440
90.0	91.4	62858	4C73	30	3.63	1.00	.43	.44	13.9	.37	28.35	.22	.370

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-120

EASTING: 9998.6 NORTHING:10280.0 ELEVATION: 1131.1
LENGTH: 93.6

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
93.6	-87.0	110.8	69.0

LITHOLOGY DATA

*** VANGORDA - Drill Hole Database ***

*** ***

FROM	TO	ROCK	REMARKS
.0	8.2	Cas	
8.2	17.4	DB	
17.4	25.0	4A0	
25.0	32.7	4A4	
32.7	37.7	4L2	
37.7	38.5	4B84	
38.5	39.5	3C34	
39.5	43.4	4B0	
43.4	46.0	4K4	
46.0	47.1	4B8#	
47.1	50.5	4EB	
50.5	53.8	4B64	
53.8	57.3	4B84	
57.3	65.2	4B84	
65.2	69.8	4EB#	
69.8	75.3	4E187	
75.3	80.4	4E1#	
80.4	87.3	4C387	
87.3	92.8	4C7B	
92.8	93.6	3E0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	ZPB	ZZN	AG G/T	AU G/T	%FE	%BA	%CU
17.4	20.4	62500	4A0	20	2.64	.00	1.68	.23	16.9	.39	3.95	.51	.100
20.4	21.6	62501	4A0	20	2.48	.00	.74	.25	7.0	.11	.55	.86	.080
21.6	23.2	62502	4A0	20	2.52	.00	.42	.19	5.8	.36	2.68	.18	.060
23.2	25.0	62503	4A0	20	2.63	.00	.41	1.03	5.0	.25	4.59	.26	.060
25.0	26.5	62504	4A4	20	2.61	.00	1.52	3.73	26.2	.46	1.17	1.03	.020
26.5	27.4	62505	4A4	20	2.60	.00	1.87	4.85	36.3	.37	.59	.46	.030
27.4	29.3	62506	4A4	20	2.67	2.90	2.30	2.98	29.4	.53	2.94	.37	.050
29.3	31.0	62507	4A4	20	2.79	.00	2.98	5.93	47.6	.64	3.39	.64	.050
31.0	32.7	62508	4A0	20	2.79	3.02	.91	3.01	15.3	.29	6.86	.36	.040
32.7	33.7	0	4L0	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
33.7	34.1	62509	4H4#	70	3.88	.00	4.81	4.28	64.8	.14	27.48	.95	.100
34.1	35.1	0	4L0	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
35.1	35.6	62510	4B4	60	4.02	.00	4.21	7.17	61.1	.22	8.40	21.56	.030
35.6	37.7	0	4L0	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
37.7	38.5	62511	4B84	60	3.95	4.54	8.44	7.23	102.3	.48	16.68	8.32	.040
38.5	39.5	0	3C34	130	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
39.5	40.8	62512	4B0	60	3.89	4.68	3.87	3.14	43.0	1.76	28.32	1.67	.280
40.8	42.2	62513	4B0	60	4.02	4.38	3.99	5.81	51.3	.85	16.90	14.21	.060
42.2	43.4	62514	4B4	60	3.81	4.72	4.72	5.98	54.2	1.26	19.09	6.62	.180
43.4	44.7	62515	4K4	50	3.74	4.33	3.57	3.85	35.4	1.15	22.33	4.05	.180
44.7	46.0	62516	4K4	50	3.89	4.69	4.91	6.86	69.4	.86	9.08	17.49	.080
46.0	47.1	62517	4B8	60	3.78	4.26	2.05	2.80	30.3	.97	27.92	1.33	.220
47.1	48.8	62518	4EB	50	3.76	4.33	.92	1.49	14.8	1.14	28.26	2.22	.370
48.8	50.5	62519	4EB	50	3.77	4.42	1.24	1.91	18.2	1.13	28.38	1.89	.270
50.5	52.2	62520	4B604	60	4.04	4.15	3.12	6.63	47.5	.30	9.02	22.77	.040
52.2	53.8	62521	4B64	60	3.69	4.90	3.26	7.32	50.3	.21	8.06	15.29	.030
53.8	55.0	62522	4B8	60	3.66	3.91	3.36	4.54	33.3	.41	18.53	5.79	.100

*** VANGORDA - Drill Hole Database ***

55.0	56.1	62523	468	60	4.00	4.58	3.42	5.85	52.9	.57	19.37	11.99	.090
56.1	57.3	62524	4684	60	4.03	4.28	3.82	6.44	85.4	.62	21.34	10.12	.100
57.3	58.9	62525	4684	60	4.00	4.42	4.06	8.38	65.5	.56	15.41	14.08	.070
58.9	60.4	62526	4684	60	4.56	4.67	6.91	5.06	75.3	1.04	22.54	18.59	.160
60.4	62.0	62527	468	60	4.12	4.81	2.84	4.27	51.7	.77	25.24	10.10	.100
62.0	63.6	62528	468	60	4.32	4.46	3.89	5.87	65.4	.47	16.57	21.45	.080
63.6	65.1	62529	4684	60	4.31	4.39	5.20	5.98	78.6	.48	16.55	20.02	.080
65.1	66.7	62530	4E8#	50	3.88	4.39	1.04	.66	21.6	1.17	32.65	.85	.190
66.7	68.2	62531	4E8#	50	3.75	4.12	.35	.29	7.2	1.79	30.14	1.17	.290
68.2	69.7	62532	4E8#	50	3.75	4.21	.30	.19	9.1	1.00	31.35	.23	.300
69.7	71.1	62533	4E187	40	3.59	3.78	.60	3.10	14.2	.77	25.80	.23	.390
71.1	72.5	62534	4E184	40	3.72	3.87	4.33	2.07	49.3	1.11	25.60	.54	.290
72.5	73.9	62535	4E187	40	3.53	3.68	.12	.22	3.0	.69	24.36	2.00	.280
73.9	75.3	62536	4E187	40	3.60	3.78	1.34	.17	16.0	.90	26.09	.99	.300
75.3	76.6	62537	4E1#	40	3.32	3.85	.28	.72	11.4	.39	21.01	.19	.230
76.6	77.8	62538	4E1#	40	3.51	3.82	.59	.16	10.5	.64	25.48	.15	.290
77.8	79.1	62539	4E1#	40	3.42	4.14	.05	.09	11.1	.69	23.95	.12	.490
79.1	80.4	62540	4E1#	40	3.46	3.79	.41	.61	12.9	.39	23.31	1.19	.360
80.4	81.8	62541	4C387	40	3.56	3.76	.82	.21	12.7	.62	26.32	.20	.300
81.8	83.1	62542	4C387	40	3.49	3.92	1.11	1.21	11.7	.81	23.38	.84	.190
83.1	84.5	62543	4D38	40	3.41	3.65	3.34	2.88	28.5	.39	19.26	.26	.170
84.5	85.9	62544	4C387	40	3.31	3.43	.99	2.51	16.4	.51	18.50	1.03	.200
85.9	87.2	62545	4D3844	70	3.43	3.53	3.13	7.50	36.6	.44	17.77	.22	.190
87.2	88.6	62546	4C78	30	3.02	3.32	.32	.43	74.5	.25	13.94	.44	.240
88.6	90.0	62547	4C78	30	2.90	3.32	.70	.27	9.1	.27	11.11	.31	.150
90.0	91.4	62548	4C78	30	2.88	3.07	.15	.20	4.1	.17	10.74	.65	.170
91.4	92.8	62549	4C78	30	2.78	3.04	.13	.18	2.9	.09	8.90	.18	.150
92.8	93.6	0 3E0	150	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	-1.00	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-121

EASTING: 10031.4 NORTHING:10277.0 ELEVATION: 1132.6

LENGTH: 84.5

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
84.5	-88.0	113.8	72.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	15.9	Cas	
15.9	18.5	380	
18.5	22.1	4A0	
22.1	23.6	4L2	
23.6	29.9	4B4#	

29.9 35.9 4H4#
35.9 38.0 4G#B
38.0 39.0 4L1
39.0 45.5 4E64#
45.5 47.2 4A4
47.2 49.4 4E46
49.4 73.8 4G4#
73.8 76.7 4C87
76.7 84.5 4C7

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AS G/T	AU G/T	%FE	%BA	%CU
18.5	19.7	62822	4A0	20	2.80	1.00	.92	.56	12.2	.30	8.65	.11	.070
19.7	20.9	62821	4A0	20	2.79	1.00	1.81	.60	17.6	.42	7.30	.16	.080
20.9	22.1	62820	4A0	20	2.69	1.00	1.48	.92	14.9	.44	4.95	.33	.060
22.1	23.6	62819	4H4	120	3.46	1.00	3.50	4.66	36.1	.18	15.35	4.27	.060
23.6	25.2	62818	4G4#	60	4.55	1.00	5.22	7.94	51.7	.30	13.86	26.95	.060
25.2	26.8	62817	4G4#	60	4.23	1.00	6.45	7.33	71.8	.44	13.60	19.36	.050
26.8	28.3	62816	4G4#	60	4.38	1.00	5.07	6.11	53.3	.29	13.65	24.42	.040
28.3	29.9	62815	4G4#	60	4.47	1.00	5.47	5.43	53.0	1.39	18.56	21.67	.090
29.9	31.4	62814	4H4#	70	4.48	1.00	5.11	5.05	64.1	.79	22.41	18.59	.080
31.4	32.9	62813	4H#4	70	4.40	1.00	5.91	3.31	45.4	.36	29.48	10.01	.170
32.9	34.4	62812	4H#	70	4.27	1.00	.46	.40	3.9	.08	42.70	.55	.340
34.4	35.9	62811	4H4#	70	3.72	1.00	4.83	6.71	30.3	.30	12.18	10.89	.030
35.9	36.8	62810	4G#B	60	5.44	1.00	3.13	3.53	63.4	.16	36.13	29.37	.210
36.8	38.0	62809	4G4#B	60	4.53	1.00	3.79	6.94	52.5	.49	11.20	30.80	.040
38.0	39.0	62808	4H4	80	3.76	1.00	2.14	2.73	14.4	.38	18.86	9.59	.370
39.0	41.6	62807	4E64#	50	4.36	1.00	4.40	6.24	38.9	.68	20.58	17.82	.110
41.6	42.9	62806	4E64#	50	4.38	1.00	3.89	5.83	33.6	.64	20.10	19.36	.070
42.9	44.2	62805	4E64#	50	4.41	1.00	4.55	7.16	42.0	.43	18.40	20.46	.090
44.2	45.5	62804	4E64#	50	4.32	1.00	5.53	8.64	61.9	.51	10.97	23.98	.120
45.5	47.2	62803	4A4	20	3.14	1.00	2.70	4.32	29.5	.92	12.68	.53	.020
47.2	48.3	62802	4E46	60	3.70	1.00	3.12	5.64	31.5	.46	24.73	.48	.020
48.3	49.4	62801	4E46	60	3.53	1.00	2.24	4.07	24.9	.26	9.01	13.31	.010
49.4	50.9	62800	4G4#	60	4.64	1.00	6.84	8.27	82.3	.23	8.74	32.45	.030
50.9	52.4	62799	4G4#	60	4.56	1.00	8.81	8.88	90.4	.24	15.24	22.22	.030
52.4	53.9	62798	4G4#	60	4.75	1.00	7.84	7.96	93.1	.18	11.22	31.57	.030
53.9	55.5	62797	4G4#	60	4.78	1.00	7.29	6.82	91.7	.17	11.00	33.55	.040
55.5	57.0	62796	4G4#	60	4.80	1.00	6.05	7.03	89.3	.23	10.00	36.08	.040
57.0	58.5	62795	4G4#	60	4.47	1.00	5.54	7.31	86.0	.21	6.62	32.12	.020
58.5	60.0	62794	4G4#	60	4.67	1.00	4.78	6.35	70.2	.24	10.17	34.43	.030
60.0	63.1	62793	4G4#	60	4.70	1.00	3.44	6.93	57.7	.21	9.42	36.74	.020
63.1	64.6	62792	4G4#	60	4.65	1.00	4.83	7.79	74.8	.33	8.43	34.87	.030
64.6	66.1	62791	4G4#	60	4.43	1.00	3.50	7.88	67.6	.27	7.84	31.68	.010
66.1	67.7	62790	4G#	60	4.29	1.00	2.32	5.96	31.6	.20	7.35	30.91	.000
67.7	69.2	62789	4G#	60	4.02	1.00	2.96	5.22	40.0	.28	5.76	26.18	.000
69.2	70.7	62788	4G#	60	4.63	1.00	3.49	5.86	50.8	.29	5.24	39.60	.010
70.7	72.2	62787	4G4#	60	4.53	1.00	4.60	9.50	71.7	.52	8.38	31.68	.020
72.2	73.8	62786	4G4#	60	4.08	1.00	7.20	10.80	78.1	.87	9.54	17.60	.100
73.8	75.3	62785	4C87	30	3.57	1.00	1.63	1.53	20.6	1.53	22.32	3.10	.230
75.3	76.7	62784	4C87	30	3.43	1.00	1.21	1.25	10.7	1.84	19.90	2.79	.340
76.7	78.2	62783	4C7	30	3.29	1.00	.29	.34	3.9	4.25	20.32	.41	.200

PC-XPLOR VERSION 1.30 CURRAGH RESOURCES IN
Exploration Data Manager 16: 1:24 Serial no: 20320
By GENCOM SERVICES INC. 21/ 3/91 Page : 74
*** VANGOROA - Drill Hole Database ***
*** ***

78.2	79.8	62782	4C7	30	3.47	1.00	.97	1.23	8.4	1.04	23.49	.26	.190
79.8	81.3	62781	4C7	30	3.50	1.00	.80	1.44	8.0	1.60	24.53	.20	.350
81.3	82.8	62780	4C7	30	3.49	1.00	.51	1.09	6.5	.28	24.29	.45	.410
82.8	84.4	62779	4C7	30	3.20	1.00	.69	1.50	6.3	.15	17.55	.24	.400

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-122

EASTING: 10045.0 NORTHING: 10278.0 ELEVATION: 1134.4
LENGTH: 92.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
92.1	-86.0	119.8	78.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.8	Cas	
9.8	17.3	4L2	
17.3	20.4	4A0	
20.4	25.1	4A4	
25.1	26.3	4L	
26.3	29.8	4G4B	
29.8	31.3	4D0	
31.3	34.1	4H4B	
34.1	42.3	4L764	
42.3	49.6	4A4	
49.6	52.1	4E64	
52.1	57.0	4G4B7	
57.0	58.5	4E1	
58.5	60.1	4G4	
60.1	69.0	4DB*	
69.0	74.9	4H9	
74.9	77.0	3C*	
77.0	79.9	4H49	
79.9	92.1	4E7	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS G/T	AU G/T	XFE	XBA	XCU
17.3	18.9	62626	4A0	20	2.84	1.00	.31	.13	7.6	.44	8.81	1.59	.180
18.9	20.4	62627	4A0	20	2.80	1.00	1.16	.76	11.1	.35	6.62	1.74	.090
20.4	22.0	62628	4A4	20	2.72	1.00	2.00	3.27	18.9	.39	4.35	.24	.030
22.0	23.5	62629	4A4	20	2.75	1.00	2.68	4.13	21.4	.42	3.86	.41	.030
23.5	25.1	62630	4A4	20	3.08	1.00	2.22	3.30	20.2	.20	12.02	.70	.020

*** VANGORDA - Drill Hole Database ***

25.1	26.3	0 4L	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
26.3	27.4	62631 4G4B	60	4.02	1.00	4.69	7.07	57.4	.39	10.98	18.81	.050
27.4	28.6	62632 4G4B	60	4.27	1.00	7.31	6.90	70.5	.56	20.70	12.76	.080
28.6	29.8	62633 4G8	60	4.08	1.00	5.96	3.86	58.0	.46	21.27	10.45	.060
29.8	31.3	62634 4D0	80	4.08	1.00	5.08	4.60	57.0	.36	24.94	7.55	.040
31.3	32.7	62635 4HB04	70	3.41	-1.00	1.86	1.85	30.9	.21	16.22	4.84	.100
32.7	34.1	62636 4H4B	70	4.00	1.00	3.38	2.41	39.0	.17	29.46	3.83	.070
34.1	42.3	0 4L764	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
42.3	43.6	62637 4A04	20	2.81	1.00	1.53	2.22	19.1	.47	7.35	.22	.030
43.6	44.9	62638 4A4	20	3.20	1.00	3.46	4.26	38.5	.49	11.01	2.68	.060
44.9	46.2	62639 4A04	20	2.87	1.00	.96	1.44	15.7	.54	9.04	.81	.100
46.2	47.5	62640 4A04	20	3.01	1.00	1.12	2.31	17.4	.59	12.00	.51	.020
47.5	49.6	62641 4A4	20	3.21	1.00	1.86	4.44	20.4	.61	14.96	.45	.020
49.6	50.8	62642 4E64	50	3.94	1.00	4.14	6.77	46.6	.68	28.02	1.10	.050
50.8	51.8	62643 4E64	50	4.04	1.00	4.84	4.70	79.0	.92	25.27	6.42	.130
51.8	53.3	62644 4G804	60	4.10	1.00	3.06	5.40	66.3	.90	19.48	14.63	.110
53.3	54.5	62645 4G4B7	60	4.22	1.00	7.56	5.88	79.8	.44	19.32	13.09	.090
54.5	55.7	62646 4G4B7	60	4.37	1.00	8.36	9.11	82.4	.48	19.11	14.52	.050
55.7	57.0	62647 4G4B7	60	4.08	1.00	6.31	7.17	71.1	.58	19.28	10.56	.040
57.0	58.5	62648 4E1	40	3.84	1.00	1.96	1.35	21.2	.69	30.83	.55	.080
58.5	60.1	62649 4G4	60	4.23	1.00	6.53	6.84	59.2	.63	18.94	14.19	.070
60.1	61.6	62650 4CB	30	3.54	1.00	1.66	1.60	26.7	.86	24.02	.66	.070
61.6	63.0	62651 4DB	80	4.08	1.00	3.56	3.60	35.8	.64	29.78	4.53	.040
63.0	64.5	62652 4DB4	80	3.67	1.00	6.27	6.91	83.6	1.74	20.21	.66	.110
64.5	66.0	62653 4CB	30	3.50	1.00	1.19	1.15	18.2	1.92	24.16	.29	.250
66.0	67.4	62654 4DB4	80	3.81	1.00	6.63	5.92	81.7	2.14	24.08	.27	.120
67.4	69.0	62655 4CB	30	3.51	1.00	1.63	1.60	22.6	1.39	22.91	1.14	.150
69.0	70.4	62656 4H9	70	3.70	1.00	.75	.91	14.3	.58	29.31	.19	.250
70.4	71.7	62657 4H9	70	4.09	1.00	.62	.76	8.6	.23	38.79	.12	.630
71.7	73.4	62658 4H9	70	3.90	1.00	1.74	1.82	22.2	.21	30.71	2.16	.520
73.4	74.9	62659 4H9	70	3.93	1.00	.63	1.18	6.6	.10	34.58	.43	.280
74.9	76.9	0 3C4	130	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
76.9	78.5	62660 4H49	70	4.00	1.00	2.57	2.35	26.9	.11	31.25	2.73	.470
78.5	79.9	62661 4H9	70	3.42	1.00	1.84	1.86	22.0	.07	21.24	.41	.130
79.9	81.4	62662 4E7	50	3.74	1.00	1.32	1.16	14.2	.11	29.76	.11	.530
81.4	82.9	62663 4E7	50	3.14	1.00	.28	.17	4.4	.13	16.50	.70	.170
82.9	84.4	62664 4E7	50	3.08	1.00	.29	.21	7.9	.11	14.10	1.65	.240
84.4	86.0	62665 4E7	50	3.20	1.00	.21	.80	3.9	.13	16.21	2.27	.160
86.0	87.5	62666 4E7	50	3.03	1.00	.08	.30	2.9	.11	10.61	4.05	.140
87.5	89.0	62667 4E7	50	2.91	1.00	.78	.49	10.4	.09	10.95	.37	.080
89.0	90.5	62668 4E7	50	3.00	1.00	.10	.53	2.6	.10	13.28	.71	.120
90.5	92.0	62669 4E7	50	2.93	1.00	.01	.08	2.0	.18	12.04	.64	.110

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-123

EASTING: 10060.2 NORTHING: 10278.6 ELEVATION: 1137.9

LENGTH: 80.5

SURVEY DATA

FROM	TO	AZIMUTH	DIP
------	----	---------	-----

--- --
.0 -90.0 .0 .0
80.5 -88.5 65.8 24.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	6.7	Cas	
6.7	22.2	3B0	
22.2	25.5	3C#	
25.5	27.4	4A4#	
27.4	27.9	4B74#	
27.9	43.9	3B6	
43.9	48.6	3B09	
48.6	50.2	4L6	
50.2	57.5	4A4	
57.5	59.7	4E46B#	
59.7	61.6	4E1B	
61.6	80.5	4C37B	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XP6	XZN	AS G/T	AU G/T	XFE	XGA	XCU
25.5	26.5	62441	4A4#	20	2.95	.00	2.76	4.07	35.2	.35	8.31	.42	.070
26.5	27.4	62442	4A4#	20	2.99	.00	1.76	2.82	20.8	.19	10.44	.69	.040
27.4	27.9	62443	4B74#	60	4.31	4.76	11.80	8.47	125.1	.60	19.31	10.23	.040
27.9	43.9	0	3B6	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
43.9	48.6	0	3B09	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
48.6	50.2	0	4L6	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
50.2	51.7	62444	4A4	20	2.80	2.90	1.72	2.98	20.4	.28	5.41	1.21	.040
51.7	53.1	62445	4A04	20	2.86	3.01	1.66	2.09	18.2	.44	8.54	.20	.030
53.1	54.6	62446	4A04	20	2.75	2.96	.65	1.15	9.0	.16	7.00	.46	.020
54.6	56.1	62447	4A4	20	2.96	3.18	1.94	3.78	22.6	.19	6.78	3.06	.030
56.1	57.5	62448	4A4	20	3.39	.00	2.10	4.33	23.7	.69	19.25	.21	.100
57.5	58.6	62449	4E46B	50	4.09	4.67	6.49	7.87	67.3	.61	24.95	4.99	.040
58.6	59.6	62450	4E46B	50	4.15	4.46	9.40	5.86	82.9	1.16	23.43	6.01	.110
59.6	60.6	62451	4E1B	40	3.90	4.70	.85	.92	13.8	1.32	32.90	1.19	.280
60.6	61.6	62452	4E1B	40	3.78	4.22	1.62	1.02	21.1	1.44	29.48	1.01	.270
61.6	63.0	62453	4E1B	40	3.54	3.80	.19	.10	6.5	.95	26.52	.16	.310
63.0	64.5	62454	4E1B	40	3.40	3.72	.29	.33	8.0	1.25	22.67	.52	.340
64.5	66.0	62455	4E1B	40	3.33	3.82	.16	.45	6.1	.90	21.29	.42	.290
66.0	67.4	62456	4E1B	40	3.30	3.72	.38	.53	10.7	.95	20.52	.27	.270
67.4	67.8	62457	4E1B	40	3.48	.00	.16	.01	5.1	1.30	25.27	.14	.320
67.8	70.3	62458	4E1B	40	3.39	3.71	.20	.25	5.7	1.59	22.95	.14	.360
70.3	71.8	62459	4E1B	40	3.33	3.63	.13	.22	3.9	2.51	21.53	.31	.380
71.8	73.2	62460	4E1B	40	4.03	3.72	.21	.17	7.6	.59	37.93	.18	.410
73.2	74.7	62461	4E1B	40	3.61	3.45	.05	.04	3.6	.70	28.26	.18	.400
74.7	76.1	62462	4E1B	40	3.41	3.68	.01	.04	2.7	.78	23.69	.16	.240
76.1	77.5	62463	4E1B	40	3.68	3.72	.05	.03	4.8	.82	30.02	.09	.380
77.5	79.0	62464	4E1B	40	3.67	3.66	.13	.13	7.4	.90	29.53	.33	.460
79.0	80.5	62465	4E1B	40	2.81	3.44	.06	.05	8.4	.99	9.76	.22	.280

```

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GENCOM SERVICES INC.
CURRAGH RESOURCES IN
16: 1:33 Serial no: 20320
21/ 3/91 Page : 77
*** VANGORDA - Drill Hole Database ***
***

```

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-124

EASTING: 9990.0 NORTHING:10309.6 ELEVATION: 1130.2
LENGTH: 92.1

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-87.0	270.0	228.2
92.1	-89.0	334.8	293.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	14.3	Cas	
14.3	37.2	4A4	
37.2	38.3	4B8	
38.3	40.9	4L0	
40.9	50.5	3B04	
50.5	52.4	4L0	
52.4	58.9	4B8#4	
58.9	61.0	4B4B#	
61.0	65.1	4E0	
65.1	70.8	4B8	
70.8	77.8	4E1	
77.8	82.9	4C73B	
82.9	86.0	4L72	
86.0	92.1	3E36	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	%FE	%BA	%CU
14.3	17.4	63051	4A4	20	2.67	1.00	1.01	3.89	28.8	.26	3.91	.12	.080
17.4	20.4	63052	4A4	20	3.18	1.00	4.79	.54	12.4	.27	13.90	.09	.030
20.4	21.9	63053	4A4	20	3.27	1.00	3.89	10.30	75.1	.79	12.26	.09	.080
21.9	23.5	63054	4A4	20	3.08	1.00	2.11	6.82	51.0	.63	11.07	.08	.160
23.5	25.0	63055	4A4	20	2.94	1.00	1.67	2.53	16.8	.58	10.25	.10	.070
25.0	26.5	63056	4A04	20	2.83	1.00	1.59	1.69	16.2	.47	8.11	.15	.080
26.5	28.0	63057	4A04	20	2.83	1.00	2.54	.73	13.3	.44	7.70	.09	.070
28.0	29.6	63058	4A4	20	2.77	1.00	2.81	2.17	19.8	.62	5.20	.14	.040
29.6	31.1	63059	4A4	20	2.71	1.00	1.47	3.30	29.0	.60	4.51	.15	.070
31.1	32.2	63060	4A04	20	2.69	1.00	1.54	1.53	18.4	.69	4.87	.20	.080
32.2	33.4	63061	4A4	20	2.61	1.00	1.54	3.44	20.6	.35	2.07	.16	.130
33.4	35.2	63062	4A4	20	2.69	1.00	2.23	4.38	35.5	.43	2.97	.14	.040
35.2	37.2	63063	4A4	20	3.36	1.00	3.34	5.85	34.6	.50	15.33	1.52	.020
37.2	38.3	63064	4B8	60	3.53	1.00	4.92	4.72	50.8	.69	19.08	.77	.040

*** VANGORDA - Drill Hole Database ***

38.3	40.8	0 4L0	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
40.8	50.4	0 3604	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
50.4	52.4	0 4L0	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
52.4	54.0	63065 468#4	60	4.14	1.00	4.95	5.34	46.6	.63	22.88	10.45	.090
54.0	55.7	63066 468#4	60	4.31	1.00	7.08	6.81	63.4	.96	20.68	13.86	.130
55.7	57.3	63067 468#	60	4.17	1.00	2.84	2.69	31.0	.50	30.69	6.71	.130
57.3	58.9	63068 468#4	60	4.39	1.00	4.04	7.68	51.1	.38	16.32	22.22	.020
58.9	60.0	63069 468#4	60	4.38	1.00	5.20	7.21	72.5	.38	13.41	23.98	.040
60.0	61.0	63070 468#4	60	4.30	1.00	4.89	8.27	77.1	.68	10.26	25.08	.060
61.0	62.3	63071 4E64	50	3.74	1.00	4.32	1.32	25.9	1.41	25.72	1.28	.190
62.3	63.7	63072 4E0	50	3.87	1.00	.53	2.09	5.2	1.32	32.32	.81	.100
63.7	65.0	63073 4E0	50	3.70	1.00	1.21	1.24	7.9	1.31	27.87	1.19	.120
65.0	66.5	63074 468	60	4.33	1.00	3.68	5.54	47.7	.85	21.86	16.94	.230
66.5	67.9	63075 468	60	4.22	1.00	2.92	3.80	39.8	.69	21.00	16.72	.100
67.9	69.3	63076 4684	60	4.39	1.00	4.51	6.70	77.6	.47	13.57	24.97	.070
69.3	70.8	63077 468	60	4.32	1.00	3.90	5.51	62.8	.79	15.95	22.22	.100
70.8	72.2	63078 4E1	40	3.42	1.00	2.92	.97	20.3	1.16	13.45	7.28	.350
72.2	73.6	63079 4E14	40	3.50	1.00	2.65	2.21	17.9	.95	19.24	3.08	.920
73.6	75.0	63080 4E1	40	3.49	1.00	.11	.17	5.0	.89	25.34	.18	.350
75.0	76.4	63081 4E1	40	3.47	1.00	.07	.06	14.9	.93	25.06	.11	.530
76.4	77.8	63082 4E1	40	3.47	1.00	.52	.21	14.1	1.03	24.56	.09	.540
77.8	79.1	63083 4C738	30	3.35	1.00	.61	.11	11.2	.80	21.85	.09	.420
79.1	80.4	63084 4C738	30	3.45	1.00	.52	.62	13.4	.54	23.99	.18	.420
80.4	81.7	63085 4C738	30	3.19	1.00	.62	.81	11.2	.27	17.49	.35	.160
81.7	82.9	63086 4C738	30	3.05	1.00	1.17	1.00	10.7	.60	13.97	.09	.220

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-125

EASTING: 10042.7 NDRTHING:10396.2 ELEVATION: 1147.4

LENGTH: 105.8

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
105.8	-84.0	87.8	46.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	4.9	Cas	
4.9	6.7	DB	
6.7	12.8	4L0	
12.8	29.0	3609	
29.0	43.5	360	
43.5	44.6	4L0	
44.6	50.3	4A4	
50.3	77.0	360	

77.0 82.1 4A0
82.1 83.4 3G409
83.4 84.8 4L0
84.8 87.8 4G48
87.8 90.2 4E64
90.2 92.0 4D7B
92.0 97.3 4C37
97.3 105.8 3G0

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS G/T	AU G/T	XFE	XBA	XCU
44.6	46.0	62327	4A4	20	2.80	2.64	2.61	5.29	47.7	.37	3.36	1.56	.040
46.0	47.4	62328	4A4	20	2.79	2.95	2.60	5.57	46.7	.60	4.01	.49	.070
47.4	48.8	62329	4A4	20	2.76	3.00	2.54	5.60	40.1	.52	3.36	.38	.050
48.8	50.3	62330	4A0	20	2.73	2.91	2.28	4.77	39.5	.38	3.33	.51	.040
76.9	78.2	62331	4A0	20	2.86	2.68	.12	.47	3.8	.14	10.58	.29	.080
78.2	79.5	62332	4A0	20	3.02	2.94	.35	1.00	8.0	.21	13.20	.88	.230
79.5	80.8	62333	4A0	20	3.29	3.21	.68	1.32	12.7	.23	19.17	.62	.200
80.8	82.1	62334	4A4	20	2.85	2.86	2.57	4.11	32.5	.39	6.14	.55	.040
82.1	83.4	0	3G409	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
83.4	84.8	0	4L0	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
84.8	86.3	62335	4G48	60	3.96	3.92	6.55	8.08	98.6	.31	14.95	11.55	.050
86.3	87.8	62336	4G48	60	3.99	4.36	6.14	7.62	65.2	.41	16.13	11.66	.070
87.8	88.9	62337	4E64	50	3.95	4.15	2.34	4.69	27.3	.59	24.22	7.55	.040
88.9	90.1	62338	4E64	50	4.17	4.05	3.11	4.03	43.5	1.07	28.69	7.92	.250
90.1	91.0	62339	4D7B	80	3.67	3.51	2.12	2.47	30.8	.96	26.73	.22	.340
91.0	91.9	62340	4D7B	80	3.68	3.88	3.57	3.51	41.5	.79	25.08	.25	.230
91.9	93.2	62341	4C37	30	3.29	3.32	.61	1.00	10.5	.40	19.66	.41	.330
93.2	94.6	62342	4C37	30	3.26	3.29	.53	.69	14.3	.76	19.55	.20	.370
94.6	96.0	62343	4C37	30	3.25	3.30	.14	.13	9.9	.71	20.00	.12	.370
96.0	97.3	62344	4C37	30	2.94	2.93	.09	.20	4.9	.16	12.16	.59	.140

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-126

EASTING: 10047.9 NORTHING:10334.3 ELEVATION: 1143.1
LENGTH: 91.4

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
91.4	-81.0	94.8	53.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
------	----	------	---------

PC-XPLOR VERSION 1.30

Exploration Data Manager

By GENCOM SERVICES INC.

CURRAGH RESOURCES IN

16: 1:40 Serial no: 20320

21/ 3/91 Page : 80

*** VANGORDA - Drill Hole Database ***

.0	5.2	Cas
5.2	13.8	3G0
13.8	15.5	4L0
15.5	29.0	3G0
29.0	48.5	3G09
48.5	51.6	3G0
51.6	53.8	3C4
53.8	60.9	4A0
60.9	63.4	4L7
63.4	63.9	4H4#
63.9	66.6	4L7
66.6	69.6	4E#4
69.6	70.6	4L21
70.6	72.2	4A4
72.2	74.7	4E14
74.7	77.7	4E64
77.7	79.5	4H4
79.5	80.5	4G4B
80.5	84.5	4C3B
84.5	91.5	4C0

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	ZPB	ZZN	AG G/T	AU G/T	ZFE	ZBA	ZCU
53.7	55.1	62751	4A0	20	2.88	1.00	.57	.39	5.5	.94	10.73	.26	.120
55.1	56.6	62752	4A0	20	2.91	1.00	.94	1.50	12.3	.43	10.37	.34	.120
56.6	58.0	62753	4A4	20	2.80	1.00	2.07	3.34	22.0	.54	5.92	.42	.030
58.0	59.5	62754	4A4	20	3.08	1.00	3.07	2.87	43.4	.53	11.05	.96	.040
59.5	60.8	62755	4A4	20	2.88	1.00	1.49	2.74	17.5	.43	8.15	.88	.050
60.8	62.1	62756	4L74	120	3.48	1.00	3.38	3.75	50.9	.21	13.17	7.33	.040
62.1	63.3	62757	4L74	120	3.15	1.00	1.19	.87	12.1	.03	13.52	2.77	.100
63.3	63.9	62758	4H4#	70	4.14	1.00	9.49	2.08	89.7	.06	29.85	1.25	.070
63.9	65.2	62759	4L74	120	3.44	1.00	2.21	2.94	23.4	.09	8.94	11.77	.030
65.2	66.5	62760	4L74	120	3.47	1.00	1.51	2.69	21.7	.10	13.09	9.35	.120
66.5	68.1	62761	4E#4	50	3.93	1.00	2.24	4.39	25.3	.38	26.52	5.28	.050
68.1	69.6	62762	4E#4	50	4.28	1.00	4.22	6.20	49.8	.39	20.87	15.95	.080
69.6	70.6	62763	4L21	120	2.79	1.00	.05	.11	.5	.03	4.04	5.13	.010
70.6	72.1	62764	4A4	20	3.14	1.00	2.00	3.30	26.2	.19	13.42	.74	.050
72.1	73.4	62765	4E4	50	3.44	1.00	3.18	7.71	42.3	.29	18.08	.13	.020
73.4	74.7	62766	4E4	50	3.41	1.00	1.56	4.54	20.9	.39	20.25	.11	.020
74.7	76.2	62767	4E64	50	3.98	1.00	3.96	4.09	46.9	.37	25.26	6.16	.040
76.2	77.6	62768	4E64	50	3.90	1.00	6.27	7.87	99.2	.36	22.49	3.23	.030
77.6	79.4	62769	4H4	70	4.37	1.00	7.70	8.09	92.7	.35	20.81	13.97	.070
79.4	80.5	62770	4G4B	60	4.55	1.00	5.58	6.79	82.3	.76	12.96	28.16	.100
80.5	81.8	62771	4C3B	40	3.66	1.00	1.65	1.56	22.4	.75	25.55	1.89	.150
81.8	83.1	62772	4C3B	40	3.52	1.00	1.19	.64	16.9	.67	24.97	.15	.200
83.1	84.4	62773	4C3B	40	3.55	1.00	.21	.50	4.6	.92	26.65	.08	.360
84.4	85.8	62774	4C0	30	3.32	1.00	.29	.55	6.6	.81	21.18	.15	.440
85.8	87.2	62775	4C0	30	3.32	1.00	.32	.67	7.4	.77	21.10	.13	.350
87.2	88.6	62776	4C0	30	3.37	1.00	.15	.22	4.9	1.01	22.59	.10	.330
88.6	90.0	62777	4C0	30	3.30	1.00	.12	.23	5.8	.95	20.99	.10	.440
90.0	91.4	62778	4C0	30	3.36	1.00	.10	.19	5.4	1.06	22.56	.09	.470

PC-XPLOR VERSION 1.30 CURRAGH RESOURCES IN
 Exploration Data Manager 16: 1:44 Serial no: 20320
 By SEMCOM SERVICES INC. 21/ 3/91 Page : 81
 *** VANSRDA - Drill Hole Database ***
 *** ***

STANDARD DATABASE - DETAILED DRILLHOLE REPDR

HDLE-ID: 90V-127

EASTING: 10055.4 NORTHING: 10208.3 ELEVATION: 1140.2
 LENGTH: 96.0

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-60.0	90.0	48.2
96.0	-60.0	90.0	.0

LITHOLDSY DATA

FROM	TO	ROCK	REMARKS
.0	2.1	Cas	
2.1	10.7	3G096	
10.7	25.1	4L2	
25.1	27.1	4A4	
27.1	48.3	3G09	
48.3	50.2	3G0	
50.2	52.8	3G09	
52.8	54.3	3G0	
54.3	56.8	4A4	
56.8	59.3	4A0	
59.3	61.0	4C0	
61.0	62.8	4G4	
62.8	74.1	3G0	
74.1	78.2	4A4	
78.2	79.9	4G4	
79.9	84.9	4E4	
84.9	96.0	4C5	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AS S/T	AU S/T	XFE	XBA	XCU
25.1	26.1	62728	4A0	20	2.63	1.00	.89	1.77	15.4	.25	3.95	.15	.060
26.1	27.1	62729	4A0	20	2.62	1.00	1.06	1.78	21.8	.27	3.58	.09	.090
27.1	48.2	0	3G09	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
48.2	50.1	0	3G0	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
50.1	52.8	0	3G09	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
52.8	54.3	0	3G0	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
54.3	55.5	62730	4A4	20	2.73	1.00	2.04	3.68	31.0	.51	4.40	.16	.050
55.5	56.8	62731	4A4	20	2.80	1.00	3.95	5.11	48.7	.54	3.53	.25	.040
56.8	58.0	62732	4A0	20	2.79	1.00	1.55	1.66	16.4	.34	6.74	.48	.040
58.0	59.3	62733	4A0	20	2.90	1.00	1.55	1.94	17.6	.70	9.46	.38	.040
59.3	61.0	62734	4C0	30	3.33	1.00	1.29	1.79	16.0	.41	19.29	.65	.060
61.0	61.9	62735	4G4	60	4.60	1.00	6.84	10.50	118.2	.57	9.68	29.59	.080

61.9	62.8	62736	4B4	60	4.69	1.00	9.23	9.30	138.3	.53	11.45	28.16	.060
62.8	75.4	62737	4A0	20	2.81	1.00	1.21	2.00	16.5	.19	6.76	1.08	.040
75.4	76.8	62738	4A4	20	3.11	1.00	1.32	3.19	15.2	.23	13.68	.63	.030
76.8	78.2	62739	4A4	20	3.19	1.00	2.15	4.16	21.4	.39	13.99	.87	.050
78.2	79.9	62740	4B4	20	4.30	1.00	4.98	6.26	57.1	.69	15.76	20.57	.080
79.9	81.6	62741	4E4	50	3.63	1.00	5.01	2.29	54.7	1.43	21.97	1.43	.200
81.6	83.2	62742	4E4	50	3.91	1.00	3.08	1.06	34.5	1.64	32.18	.12	.260
83.2	84.9	62743	4E0	50	3.58	1.00	.39	.38	7.6	1.27	27.16	.11	.380
84.9	86.5	62744	4C5	30	3.36	1.00	.02	.04	3.3	.62	22.75	.11	.550
86.5	88.1	62745	4C5	30	3.37	1.00	.16	.14	5.7	.60	22.60	.14	.580
88.1	89.6	62746	4C5	30	3.59	1.00	.12	.07	8.0	1.69	27.83	.08	.460
89.6	91.2	62747	4C5	30	3.71	1.00	.43	.59	12.3	1.08	30.17	.08	.360
91.2	92.8	62748	4C5	30	3.33	1.00	.45	.67	13.5	1.19	21.30	.10	.300
92.8	94.4	62749	4C5	30	3.19	1.00	.08	.12	7.3	.69	18.55	.11	.310
94.4	96.0	62750	4C5	30	3.42	1.00	.14	.30	6.6	.60	23.69	.32	.420

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-128

EASTING: 10063.5 NORTHING:10335.1 ELEVATION: 1145.7
LENGTH: 26.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
26.2	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	4.3	Cas	
4.3	12.8	DB	
12.8	17.4	DB	
17.4	20.4	DB	
20.4	26.2	4L0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	NR	XPB	ZZN	AS G/T	AU G/T	ZFE	ZBA	ZCU
.0	26.2	0		100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-129

EASTING: 9971.4 NORTHING:10338.7 ELEVATION: 1133.2
LENGTH: 96.0

```

PC-XPLOR VERSION 1.30
Exploration Data Manager
By GENCOM SERVICES INC.
CURRAGH RESOURCES IN
16: 1:48 Serial no: 20320
21/ 3/91 Page : 83
*** VANGORDA - Drill Hole Database ***
***

```

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-87.0	211.8	170.0
45.7	-84.0	318.8	277.0
96.0	-84.0	318.8	277.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	Cas	
9.1	10.6	3G0	
10.6	12.2	4A4	
12.2	22.6	3G0	
22.6	31.6	4A4	
31.6	35.8	4A0	
35.8	38.7	4A4	
38.7	40.1	4E64	
40.1	42.2	3G0	
42.2	44.3	3G09	
44.3	46.8	4L0	
46.8	58.2	3G09	
58.2	61.1	3G0	
61.1	63.2	4L0	
63.2	66.2	4G4	
66.2	71.2	4E64	
71.2	77.0	4E4	
77.0	79.9	4E8	
79.9	84.8	4C0	
84.8	88.4	4L14	
88.4	96.0	4L2	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
10.6	12.2	62670	4A4	20	2.65	1.00	2.25	2.46	31.9	.40	1.75	1.18	.080
22.6	24.1	62671	4A0	20	2.67	1.00	1.58	1.35	15.8	.39	4.32	.34	.040
24.1	25.6	62672	4A4	20	2.67	1.00	2.94	4.29	40.9	.44	1.80	.18	.050
25.6	26.5	62673	4A0	20	2.77	1.00	.79	.67	14.0	.04	7.49	.46	.060
26.5	29.0	62674	4A4	20	3.21	1.00	5.39	8.14	79.6	.81	10.29	.15	.990
29.0	30.0	62675	4A0	20	2.83	1.00	.63	.70	11.4	.44	8.89	.66	.060
30.0	31.6	62676	4A0	20	2.85	1.00	.42	.24	11.1	.42	8.97	1.43	.060
31.6	33.0	62677	4A0	20	2.81	1.00	.37	.33	8.2	.61	9.36	.22	.080
33.0	34.4	62678	4A0	20	2.73	1.00	.83	1.02	9.9	.54	6.67	.23	.070
34.4	35.8	62679	4A0	20	2.78	1.00	2.16	.78	12.3	1.00	4.53	2.35	.110
35.8	37.2	62680	4A4	20	2.66	1.00	2.95	2.69	27.6	.58	2.15	.25	.030
37.2	38.7	62681	4A4	20	2.70	1.00	2.83	3.80	29.1	.43	1.35	1.59	.030
38.7	40.1	62682	4E64	50	3.91	1.00	5.54	8.74	91.1	.49	21.38	4.78	.220

*** VANGORDA - Drill Hole Database ***

40.1	42.2	0 360	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
42.2	44.3	0 3609	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
44.3	45.5	62683 4H4	70	3.43	1.00	5.44	1.99	48.6	.36	17.67	.81	.080
45.5	46.8	62684 4H4	70	3.36	1.00	4.52	2.67	49.5	.13	16.03	1.34	.060
46.8	58.2	0 3809	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
58.2	61.1	0 360	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
61.1	63.2	0 4L0	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
63.2	64.7	62685 4E4	60	4.51	1.00	8.90	6.49	80.7	.46	10.81	26.29	.050
64.7	66.2	62686 4E4	60	4.51	1.00	7.81	7.64	85.8	.47	11.83	25.85	.030
66.2	67.7	62687 4E64	50	3.94	1.00	4.01	4.49	31.8	1.59	25.80	4.47	.160
67.7	69.3	62688 4E64	50	3.93	1.00	6.31	7.79	74.8	1.44	21.41	4.95	.120
69.3	71.2	62689 4E64	50	3.88	1.00	5.90	8.23	40.8	.49	19.79	5.57	.070
71.2	72.6	62690 4E4	50	3.80	1.00	1.16	3.35	9.8	1.14	29.48	.82	.090
72.6	74.1	62691 4E4	50	4.11	1.00	5.72	4.75	42.5	1.36	27.43	5.02	.150
74.1	75.6	62692 4E4	50	4.16	1.00	7.32	5.66	59.4	1.68	25.70	6.03	.180
75.6	77.0	62693 4E4	50	3.97	1.00	5.47	3.66	39.8	1.13	28.89	1.28	.270
77.0	78.5	62694 4E84	50	3.98	1.00	5.37	3.66	42.9	1.31	29.13	1.36	.260
78.5	79.9	62695 4E84	50	3.82	1.00	4.17	4.12	30.4	.63	26.60	1.10	.290
79.9	81.5	62696 4C0	30	3.38	1.00	.82	1.57	15.1	.47	18.69	3.01	.250
81.5	83.1	62697 4C0	30	3.63	1.00	.19	.32	22.8	.51	27.90	.86	.630
83.1	84.8	62698 4C0	30	3.64	1.00	.33	.36	20.9	.57	27.45	1.24	.500
84.8	86.0	62699 4L14	120	3.05	1.00	2.18	3.54	26.3	.56	11.52	.33	.190
86.0	87.2	62700 4L14	120	2.95	1.00	1.60	3.05	17.6	.35	9.04	1.28	.160
87.2	88.3	62701 4L14	120	2.65	1.00	1.52	3.41	16.4	.32	2.84	.48	.080

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-130

EASTING: 9967.2 NORTHING:10339.7 ELEVATION: 1132.8

LENGTH: 123.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-83.0	251.8	210.0
61.0	-82.0	273.8	232.0
123.2	-83.0	271.8	230.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	9.1	Cas	
9.1	14.5	OB	
14.5	20.1	4L0	
20.1	32.4	4A0	
32.4	36.2	4A0	
36.2	37.7	4E64	
37.7	39.0	4L0	
39.0	60.0	3G09	

60.0 64.9 4L6
64.9 70.2 4L0
70.2 74.5 4E64#
74.5 75.7 4G48#
75.7 77.2 4D3#B
77.2 78.8 4D7B
78.8 80.5 4G4#B
80.5 81.4 4H4
81.4 82.5 4E#B4
82.5 89.5 3G09
89.5 92.1 4D0
92.1 97.7 4A0
97.7 98.3 4C0
98.3 118.1 4A0
118.1 123.2 3G0

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
20.1	21.6	63002	4A4	20	2.66	1.00	2.54	3.54	34.5	.55	1.97	.46	.130
21.6	23.2	63001	4A0	20	2.87	1.00	1.07	1.63	15.7	.46	9.61	.12	.130
23.2	24.7	62900	4A4	20	3.00	1.00	3.29	4.44	46.8	.64	9.01	.19	.160
24.7	26.2	62899	4A4	20	3.00	1.00	2.98	4.11	38.3	.60	9.76	.08	.130
26.2	27.7	62898	4A0	20	2.76	1.00	.34	.13	3.7	.30	8.43	.11	.090
27.7	29.3	62897	4A0	20	2.81	1.00	.89	.91	10.6	.44	8.69	.08	.180
29.3	30.8	62896	4A4	20	2.73	1.00	2.39	1.75	21.7	.62	5.00	.08	.100
30.8	32.4	62895	4A0	20	2.66	1.00	.59	.78	8.8	.30	5.43	.14	.080
32.4	33.6	62894	4A0	20	2.81	1.00	2.16	1.59	20.4	.70	7.22	.12	.070
33.6	35.0	62893	4A4	20	2.83	1.00	3.54	2.99	38.3	.74	5.56	.16	.040
35.0	36.2	62892	4A0	20	2.66	1.00	2.29	1.62	24.0	.49	3.08	.44	.030
36.2	37.6	62891	4E64	50	3.39	1.00	5.78	8.20	86.5	.39	2.80	11.11	.230
37.6	39.0	0	4L0	120	1.00	1.00	.00	.00	.0	.00	.00	-1.00	.000
39.0	60.0	0	3G09	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
60.0	61.5	62890	4L6	20	4.18	1.00	9.06	6.97	94.8	.36	22.28	7.66	.080
61.5	63.0	62889	4L6	20	3.34	1.00	.95	.84	13.5	.16	19.03	2.05	.120
63.0	64.9	62888	4L6	20	3.13	1.00	1.12	2.23	15.8	.24	14.08	1.15	.210
64.9	70.2	0	4L6	20	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
70.2	71.6	62887	4E64	50	3.94	1.00	3.38	3.08	35.1	.90	25.19	6.27	.250
71.6	73.1	62886	4E64	50	3.76	1.00	4.00	1.85	38.3	1.44	24.53	2.86	.340
73.1	74.5	62885	4E64	50	4.19	1.00	3.72	4.16	44.1	.91	30.00	6.51	.190
74.5	75.7	62884	4G48#	60	4.59	1.00	5.88	6.38	65.8	1.56	26.47	15.95	.200
75.7	77.2	62883	4D3#	40	3.49	1.00	2.77	2.34	28.1	1.17	17.59	4.44	.240
77.2	78.8	62882	4D3#	40	3.84	1.00	3.60	3.91	40.5	1.56	27.09	1.67	.310
78.8	80.5	62881	4G4#	60	4.09	1.00	3.20	3.93	41.2	1.06	14.48	19.80	.170
80.5	81.4	62880	4H4	70	4.01	1.00	2.27	3.29	34.3	.53	32.27	1.87	.400
81.4	82.4	62879	4E#B4	50	3.74	1.00	2.31	3.25	43.7	.56	23.60	4.14	.120
82.4	89.6	0	3G09	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
89.6	90.8	62878	4D0	80	3.55	1.00	3.11	4.32	38.3	.56	21.54	.81	.110
90.8	92.0	62877	4D0	80	3.43	1.00	3.87	5.94	47.8	.57	17.00	1.02	.120
92.0	93.5	62876	4A0	20	2.81	1.00	.12	.14	3.5	.37	9.61	.18	.080
93.5	94.9	62875	4A0	20	2.80	1.00	.15	.26	3.8	.42	9.29	.32	.100
94.9	96.3	62874	4A0	20	2.87	1.00	.86	1.14	11.5	.45	9.73	.31	.090
96.3	97.7	62873	4A0	20	2.88	1.00	.47	.56	8.0	.27	10.63	.21	.070

PC-XPLOR VERSION 1.30

Exploration Data Manager

By GEMCOM SERVICES INC.

CURRAGH RESOURCES IN

16: 1:56 Serial no: 20320

21/ 3/91 Page : 86

*** VANGORDA - Drill Hole Database ***

97.7	98.3	62872	4C0	30	3.57	1.00	.38	.14	8.7	.23	27.17	.11	.100
98.3	99.8	62871	4A0	20	2.76	1.00	.07	.11	2.8	.10	8.06	.56	.070
99.8	101.3	62870	4A0	20	2.61	1.00	.04	.17	1.5	.05	4.60	.58	.060
101.3	102.9	62869	4A0	20	2.79	1.00	.37	.69	5.3	.10	8.34	.49	.110
102.9	104.4	62868	4A0	20	2.82	1.00	.25	.79	5.5	.09	9.18	.48	.140
104.4	105.9	62867	4A0	20	2.92	1.00	1.63	1.98	19.3	.36	9.77	.41	.150
105.9	107.4	62866	4A4	20	2.84	1.00	1.78	3.02	18.8	.21	7.30	.33	.090
107.4	109.0	62865	4A0	20	2.87	1.00	.98	2.57	10.5	.31	9.05	.31	.100
109.0	110.5	62864	4A0	20	2.98	1.00	1.57	2.26	16.1	.41	10.96	.46	.100
110.5	112.0	62863	4A0	20	2.98	1.00	.37	.78	5.0	.27	12.07	1.10	.140
112.0	113.5	62862	4A4	20	3.13	1.00	2.89	1.60	29.2	.45	12.47	1.39	.120
113.5	115.1	62861	4A0	20	2.94	1.00	1.19	2.79	15.0	.26	9.77	.77	.090
115.1	116.6	62860	4A0	20	2.91	1.00	.56	.99	7.1	.37	9.82	1.39	.140
116.6	118.1	62859	4A0	20	2.94	1.00	.10	.31	1.5	.23	11.26	1.45	.150

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-131

EASTING: 10003.4 NORTHING:10333.1 ELEVATION: 1138.9

LENGTH: 90.8

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
90.8	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	6.1	Cas	
6.1	6.4	OB	
6.4	19.9	3G0	
19.9	33.0	4L	
33.0	50.6	4A0	
50.6	53.1	4L	
53.1	55.3	4A4	
55.3	59.3	4E	
59.3	63.7	4L2	
63.7	68.4	4G4B	
68.4	70.1	3C3	
70.1	72.2	4G4B*	
72.2	74.0	4DB*	
74.0	83.4	4G4B	
83.4	87.1	4CB7*	
87.1	90.9	4C0	

ASSAYS DATA

*** VANGORDA - Drill Hole Database ***

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	ZZN	AG G/T	AU G/T	ZFE	ZBA	ZCU
32.9	34.4	62581	4A0	20	2.72	1.00	1.54	1.82	18.2	.24	5.18	.52	.040
34.4	35.9	62580	4A4	20	2.74	1.00	1.76	4.92	22.4	.28	3.77	.68	.050
35.9	37.3	62579	4A4	20	2.70	1.00	1.90	4.57	31.3	.26	2.02	1.37	.030
37.3	38.8	62578	4A0	20	2.76	1.00	1.25	2.59	21.9	.49	6.32	.15	.050
38.8	40.3	62577	4A0	20	2.83	1.00	.24	.49	9.0	.48	8.77	1.23	.070
40.3	41.7	62576	4A0	20	2.88	1.00	.25	.99	8.8	.57	10.70	.19	.150
41.7	43.2	62575	4A0	20	2.91	1.00	.68	1.60	13.6	.64	10.80	.25	.110
43.2	44.7	62574	4A0	20	2.70	1.00	.44	.74	7.1	.37	6.21	.38	.060
44.7	46.1	62573	4A4	20	2.65	1.00	1.71	2.64	21.2	.25	2.95	.49	.030
46.1	47.6	62572	4A4	20	2.67	1.00	1.65	2.91	20.6	.28	3.44	.45	.040
47.6	48.8	62571	4A0	20	2.68	1.00	1.53	2.04	18.6	.35	4.16	.37	.040
48.8	50.6	62570	4A0	20	2.88	1.00	3.01	6.26	45.9	.70	5.30	.62	.040
50.6	53.1	0	4L	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
53.1	54.2	62569	4A0	20	2.98	1.00	1.20	2.46	17.7	.40	11.45	.34	.040
54.2	55.3	62568	4A4	20	2.93	1.00	1.93	3.83	25.7	.47	8.81	.38	.040
55.3	59.3	0	4E	40	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
59.3	63.7	0	4L2	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
63.7	65.2	62567	4B8	60	3.61	1.00	3.16	5.62	44.8	.34	8.16	14.41	.090
65.2	66.8	62566	4B8	60	3.99	1.00	3.27	5.37	48.7	.57	18.58	12.87	.090
66.8	68.3	62565	4B4B	60	4.23	1.00	4.68	6.68	59.6	.92	14.11	20.57	.100
68.3	70.1	0	3C3	130	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
70.1	71.1	62564	4B4B*	60	3.98	1.00	4.83	5.67	53.1	1.76	24.85	4.95	.200
71.1	72.1	62563	4B4B*	60	4.23	1.00	5.10	6.63	48.1	.94	13.67	20.79	.100
72.1	73.1	62562	4CB	60	3.81	1.00	1.51	.82	23.0	.93	29.95	1.52	.270
73.1	74.0	62561	4DB	60	3.87	1.00	2.75	2.16	30.1	1.01	29.14	1.78	.210
74.0	75.5	62560	4B4B	60	3.98	1.00	4.97	6.39	66.5	.39	13.57	15.40	.060
75.5	77.1	62559	4B4B	60	3.87	3.82	7.23	5.49	84.5	.45	15.55	9.35	.070
77.1	78.6	62558	4B8	60	3.78	4.32	3.90	5.49	51.4	.51	19.21	6.91	.050
78.6	80.2	62557	4B4B	60	3.90	4.67	7.23	7.34	92.5	.40	11.66	12.98	.040
80.2	81.7	62556	4B4B	60	4.13	4.55	5.49	6.39	82.2	.61	11.97	19.91	.050
81.7	83.4	62555	4B4B	60	3.87	4.48	5.07	5.36	59.2	.59	14.14	12.74	.080
83.4	84.6	62554	4DB7*	80	3.54	4.23	2.27	2.37	25.4	1.16	23.13	.57	.250
84.6	85.9	62553	4CB7	80	3.47	3.57	2.82	.87	30.6	.76	21.10	1.17	.370
85.9	87.1	62552	4CB7	80	3.56	3.95	1.30	1.11	12.7	.55	23.55	2.07	.270
87.1	88.3	62551	4C0	30	3.25	3.26	1.34	1.40	13.3	.72	18.03	.33	.200
88.3	89.6	62499	4C0	30	3.07	3.13	.62	1.20	8.1	.27	13.52	1.34	.140
89.6	90.8	62498	4C0	30	2.87	3.01	.54	.62	7.1	.14	9.66	.99	.100

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-132

EASTING: 10032.5 NORTHING: 10335.5 ELEVATION: 1142.2

LENGTH: 96.7

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
96.7	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	4.9	Cas	
4.9	7.8	4C5	
7.8	11.6	4L2	
11.6	15.2	3B0	
15.2	17.7	3C3	
17.7	22.3	3B0	
22.3	28.0	4L0	
28.0	32.9	4A4	
32.9	37.3	3C\$	
37.3	38.6	3B09	
38.6	43.5	3B0	
43.5	46.3	3B09	
46.3	49.8	3C\$	
49.8	52.5	4A0	
52.5	59.3	4A4	
59.3	70.6	4H463	
70.6	72.4	4E4	
72.4	81.3	4E6B4	
81.3	86.3	4B8#4	
86.3	88.3	4E17B	
88.3	96.6	4C37B	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
4.9	6.7	62933	4C5	30	2.85	1.00	.84	1.63	11.1	.33	9.27	.16	.140
6.7	7.8	62934	4D5	30	2.89	1.00	1.30	3.27	16.1	.28	9.04	.10	.110
7.8	11.6	0	4L2	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
11.6	15.2	0	3B0	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
15.2	17.7	0	3C3	130	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
17.7	22.3	0	3B0	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
22.3	28.0	0	4L0	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
28.0	29.7	62935	4A4	20	2.88	1.00	2.27	2.78	27.1	.37	8.00	.11	.070
29.7	31.3	62967	4A0	20	2.83	1.00	1.10	1.41	10.3	.44	8.57	.18	.080
31.3	32.9	62968	4A0	20	2.78	1.00	2.78	4.24	30.6	.33	4.69	.14	.050
32.9	37.3	0	3C\$	130	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
37.3	38.6	0	3B09	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
38.6	43.5	0	3B0	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
43.5	46.3	0	3B09	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
46.3	49.8	0	3C\$	130	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
49.8	51.1	62969	4A0	20	2.78	1.00	.20	1.01	1.6	.35	8.67	.07	.090
51.1	52.5	62970	4A0	20	2.81	1.00	.54	2.40	8.5	.56	8.25	.18	.070
52.5	53.8	62971	4A4	20	2.71	1.00	1.85	4.39	23.1	.44	3.76	.20	.030
53.8	55.2	62972	4A4	20	2.69	1.00	1.56	2.47	20.3	.49	4.36	.19	.040
55.2	56.5	62973	4A4	20	2.70	1.00	2.56	1.93	32.4	.39	3.89	.20	.040
56.5	57.9	62974	4A0	20	2.69	1.00	2.10	1.85	32.1	.37	4.24	.18	.050
57.9	59.3	62975	4A0	20	3.04	1.00	1.84	3.63	26.9	.32	6.47	5.19	.030

*** VANGOROA - Drill Hole Database ***

59.3	60.7	62976	4H463	70	4.29	1.00	4.21	6.92	67.4	.65	11.01	25.19	.070
60.7	62.1	62977	4H463	70	3.76	1.00	8.27	5.85	77.8	.21	16.53	4.93	.090
62.1	63.5	62978	4H463	70	4.14	1.00	12.80	8.61	110.5	.16	24.68	.32	.120
63.5	64.9	62979	4H463	70	4.17	1.00	15.60	7.34	133.9	.21	23.44	.35	.140
64.9	66.3	62980	4H463	70	4.19	1.00	9.98	7.93	101.3	.67	26.72	2.20	.120
66.3	67.8	62981	4H463	70	4.29	1.00	7.61	5.23	86.8	.12	31.14	3.61	.130
67.8	69.2	62982	4H463	70	4.24	1.00	4.42	4.22	47.2	.47	36.84	.44	.200
69.2	70.6	62983	4H463	70	4.20	1.00	5.63	7.06	64.3	.21	25.63	7.92	.160
70.6	71.5	62984	4E4	50	3.94	1.00	1.82	5.25	27.4	1.27	30.36	1.69	.010
71.5	72.4	62985	4E4	50	4.15	1.00	2.97	6.04	42.1	.46	24.49	10.78	.010
72.4	73.9	62986	4E4	50	4.17	1.00	2.81	5.40	31.9	.72	21.96	14.08	.110
73.9	75.3	62987	4E684	60	4.17	1.00	3.09	4.45	34.1	.65	28.86	7.44	.180
75.3	76.8	62988	4E684	60	4.16	1.00	4.49	7.60	57.3	.74	16.97	16.06	.110
76.8	78.3	62989	4E684	60	4.11	1.00	2.83	4.39	35.1	.49	27.38	7.79	.180
78.3	79.7	62990	4E684	60	4.10	1.00	5.44	4.54	57.6	1.06	23.26	9.13	.210
79.7	81.2	62991	4E684	60	4.12	1.00	2.88	4.55	39.5	.93	24.74	10.58	.280
81.2	82.5	62992	4E684	60	4.59	1.00	3.51	8.51	62.7	.14	8.95	33.88	.020
82.5	83.7	62993	4E684	60	4.40	1.00	3.56	7.63	57.9	.21	9.38	29.59	.020
83.7	85.0	62994	4E684	60	4.56	1.00	3.53	7.62	54.4	.32	8.84	33.77	.030
85.0	86.3	62995	4E684	60	4.22	1.00	5.01	8.32	59.7	.59	20.25	13.42	.070
86.3	87.2	62996	4E1	60	3.53	1.00	1.67	2.80	34.3	1.38	23.37	.53	.300
87.2	88.2	62997	4E17B	40	3.40	1.00	.61	1.05	10.9	.55	21.99	.56	.320
88.2	89.6	62998	4E17B	40	3.17	1.00	.38	1.45	7.0	.46	17.14	.27	.420
89.6	88.1	62999	4C37	40	3.77	1.00	1.80	4.86	21.3	.83	24.84	3.37	.210
88.1	92.4	63000	4C37	40	3.03	1.00	.32	.69	4.3	.56	14.24	.23	.260
92.4	93.8	63087	4C37	40	2.83	1.00	.09	.35	3.4	.14	9.88	.24	.360
93.8	95.2	63088	4C37	40	2.89	1.00	.02	.03	1.7	.10	11.51	.30	.280
95.2	96.7	63089	4C37	40	2.89	1.00	.11	.27	2.2	.10	11.42	.25	.220

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-133

EASTING: 10087.9 NORTHING: 9968.0 ELEVATION: 1160.3

LENGTH: 40.2

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
40.2	-88.5	40.8	359.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	8.2	Cas	
8.2	14.3	DB	
14.3	17.4	4A0	
17.4	18.8	4D0	
18.8	20.3	4E64	

*** VANGORDA - Drill Hole Database ***

*** ***

20.3 23.0 4E64
23.0 27.7 4C5
27.7 30.0 4E0
30.0 32.0 4E1#
32.0 38.8 4L2
38.8 39.5 3G4
39.5 40.2 4L2

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AS S/T	AU G/T	%FE	%BA	%CU
14.3	15.8	62415	4A0	20	2.56	1.00	.23	.11	16.0	.25	3.26	.53	.040
15.8	17.4	62416	4A0	20	2.68	1.00	1.04	.17	21.2	.25	3.76	1.98	.040
17.4	18.8	62417	4D0	30	4.82	1.00	5.69	.02	171.5	.46	4.41	45.21	.010
18.8	20.3	62418	4G4	60	4.32	1.00	8.03	6.53	137.4	.65	6.40	27.17	.250
20.3	21.9	62419	4E64	50	3.81	1.00	8.18	.18	50.8	1.28	25.22	.33	.020
21.9	23.0	62420	4E0	50	3.34	1.00	.69	.01	5.7	1.10	21.21	.45	.190
23.0	24.7	62421	4C5	30	3.52	1.00	1.64	1.28	28.5	2.78	23.34	1.10	.600
24.7	25.5	62422	4d5	30	3.38	1.00	7.28	4.92	117.0	2.21	13.94	.33	.470
25.5	26.5	62423	4C5	30	3.06	1.00	1.23	.79	17.3	1.25	14.05	.24	.190
26.5	27.7	62424	4C5	30	3.12	1.00	.40	.19	8.9	1.18	16.03	.68	.270
27.7	28.9	62425	4E0	50	3.38	1.00	.45	.31	17.0	.44	21.87	.87	.420
28.9	30.0	62426	4E0	50	3.37	1.00	.43	.46	22.4	.32	22.32	.19	.370
30.0	31.0	62427	4E1#	40	3.01	1.00	.17	.65	10.5	.15	12.54	1.56	.160
31.0	32.0	62428	4E1#	40	3.06	1.00	.10	.63	13.7	.22	15.02	.29	.280

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-134

EASTING: 9939.3 NORTHING: 9848.3 ELEVATION: 1141.8

LENGTH: 44.8

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
44.8	-88.5	57.8	16.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	5.2	Cas	
5.2	6.7	3G09	
6.7	9.2	4E4#	
9.2	9.9	4G4	
9.9	17.2	4L02	
17.2	19.5	4G#	
19.5	21.3	3G0#1	

21.3 23.3 4E4
23.3 24.7 4L1
24.7 28.5 3G09
28.5 33.7 4L62
33.7 38.3 4E4
38.3 44.8 4L2

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	%PB	%ZN	AG G/T	AU G/T	%FE	%BA	%CU
6.7	7.9	62212	4E4	40	4.05	4.43	4.33	3.85	36.3	.30	31.94	.94	.200
7.9	9.2	62213	4E4	40	4.14	4.17	3.03	3.73	34.8	.37	34.18	2.04	.300
9.2	9.9	62214	4G4	60	3.92	.00	7.00	10.59	59.8	.26	20.88	3.29	.030
9.9	17.2	0	4L02	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
17.2	18.4	62215	4G4	60	4.07	3.99	3.76	7.62	41.5	.53	15.71	15.84	.020
18.4	19.5	62216	4G4	60	3.84	3.80	2.65	5.61	29.5	.21	14.37	13.92	.020
19.5	21.3	0	3G04	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
21.3	22.3	62217	4E4	50	3.75	3.93	1.07	.71	14.4	.14	28.87	1.66	.110
22.3	23.3	62218	4E4	50	3.67	3.47	1.84	3.05	23.7	.29	22.43	4.37	.190
23.3	24.7	0	4L1	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
24.7	28.5	0	3G09	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
28.5	33.7	0	4L62	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
33.7	35.2	62219	4E4	50	3.91	4.23	3.00	4.13	34.2	.17	29.40	1.51	.230
35.2	36.7	62220	4E0	50	3.98	4.25	1.28	1.47	20.8	.49	33.75	1.52	.220
36.7	38.3	62221	4E4	40	4.15	4.31	2.33	2.49	36.3	1.00	35.84	1.92	.320

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-135

EASTING: 9931.0 NORTHING: 9855.1 ELEVATION: 1141.5
LENGTH: 48.8

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
48.8	-83.0	299.8	258.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	6.7	Cas	
6.7	8.8	4L0	
8.8	10.7	3G094	
10.7	13.0	4L0	
13.0	15.2	4L2	
15.2	17.8	4E6B	
17.8	18.7	4L21	

18.7 20.0 468
20.0 21.7 369
21.7 22.8 3E0
22.8 24.0 4E864
24.0 34.5 3664
34.5 35.8 3C#
35.8 45.3 386
45.3 46.2 4648
46.2 48.8 4L736

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
15.2	16.5	62199	4E68	40	3.92	4.33	1.58	1.61	25.4	1.46	28.50	4.80	.390
16.5	17.8	62200	4E68	40	3.89	3.72	1.94	1.70	19.0	.56	29.70	2.74	.410
17.8	18.7	0	4L2	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
18.7	20.0	62201	468	60	4.08	4.02	2.87	4.26	31.0	.58	22.58	11.88	.160
20.0	21.7	62202	369	100	3.17	3.10	.85	1.19	16.4	.26	15.69	1.39	.140
22.8	24.0	62203	4E864	40	3.62	3.78	1.29	1.93	17.8	.37	25.31	1.42	.090
22.8	34.4	0	3664	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
22.8	35.8	0	3C#	130	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
22.8	45.3	0	386	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
45.3	46.1	62204	4648	60	4.18	.00	8.25	10.99	97.8	.75	21.33	7.56	.220

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-136

EASTING: 9968.6 NORTHING:10030.2 ELEVATION: 1154.5
LENGTH: 81.4

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-71.0	90.0	48.2
81.4	-71.0	90.0	48.2

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	5.0	Cas	
5.0	14.3	DB	
14.3	32.6	DB	
32.6	37.2	3609	
37.2	38.4	3C0	
38.4	40.2	4E14	
40.2	46.5	3609	
46.5	48.5	4L0	
48.5	50.6	4E44	

FROM	TO	ROCK	REMARKS
.0	5.7	Cas	
5.7	14.3	OB	
14.3	23.4	OB	
23.4	26.3	4L0	
26.3	32.8	3G09	
32.8	37.7	4L2	
37.7	44.1	3G09	
44.1	46.7	4L0	
46.7	49.4	4L2	
49.4	50.2	4G4	
50.2	51.7	4L2	
51.7	52.7	3G09	
52.7	56.5	4A4	
56.5	57.7	4E6B#4	
57.7	68.0	4L7	
68.0	69.3	3C*	
69.3	73.8	3G0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
46.7	47.9	62205	4L2	120	3.52	3.03	5.08	10.44	61.1	.22	16.41	.53	.030
47.9	49.4	62206	4L2	120	3.23	.00	1.82	5.22	21.0	.16	13.32	2.18	.250
49.4	50.1	62207	4G4	60	3.71	3.57	9.23	12.56	101.2	.54	11.80	4.42	.030
50.1	51.7	0	4L2	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
51.7	52.7	0	3G09	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
52.7	53.9	62208	4A0	20	3.55	3.43	1.31	2.09	17.6	.54	23.56	1.37	.190
53.9	55.2	62209	4A0	20	3.60	3.53	.99	1.87	17.8	.69	20.60	5.71	.120
55.2	56.5	62210	4A4	20	3.25	3.19	2.14	3.61	31.6	.50	15.40	1.18	.170
56.5	57.7	62211	4E6B#4	50	4.11	4.10	3.77	4.45	42.3	.81	22.70	11.52	.200

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-138

EASTING: 10057.9 NORTHING:10397.6 ELEVATION: 1149.5
LENGTH: 102.7

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
102.7	-88.0	42.8	1.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
------	----	------	---------

.0	6.1	Cas
6.1	6.2	DB
6.2	14.5	3609
14.5	16.6	360
16.6	29.2	3609
29.2	42.7	360
42.7	44.6	369
44.6	75.9	3609
75.9	77.3	3C#1
77.3	81.6	4A4
81.6	83.2	360
83.2	86.5	4A4
86.5	94.3	4C35
94.3	102.7	360

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	NR	XPB	ZZN	AS G/T	AU G/T	ZFE	ZBA	ZCU
77.3	78.7	62429	4A4	20	2.82	3.01	2.33	4.54	26.3	.34	5.63	.26	.040
78.7	80.1	62430	4A0	20	2.63	2.82	.32	.48	9.9	.22	4.83	.52	.020
80.1	81.6	62431	4A4	20	2.94	2.87	1.95	3.04	3.6	.13	7.03	2.71	.020
81.6	83.1	62432	360	100	2.74	3.23	.65	1.00	18.1	.23	5.75	1.48	.020
83.1	84.8	62433	4A4	20	3.08	2.97	1.95	2.43	22.8	.43	12.54	.75	.030
84.8	86.5	62434	4A4	20	3.16	3.08	2.41	3.48	36.4	.27	9.86	4.29	.030
86.5	87.8	62435	4D35	40	3.82	4.00	3.15	2.42	26.0	1.30	28.22	1.13	.210
87.8	89.1	62436	4C35	40	3.92	4.19	1.73	.97	25.7	1.35	32.41	1.19	.300
89.1	90.4	62437	4C35	40	3.42	3.49	.20	.41	11.4	.63	23.48	.36	.420
90.4	91.7	62438	4C35	40	3.45	3.45	.13	.25	7.8	.65	24.45	.15	.410
91.7	93.1	62439	4C35	40	3.35	3.25	.12	.18	7.5	.44	21.61	.76	.330
93.1	94.3	62440	4C35	40	3.01	3.13	.12	.52	4.8	.38	14.05	.24	.130

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-139

EASTING: 9893.7 NORTHING: 9786.5 ELEVATION: 1145.4
LENGTH: 20.4

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
20.4	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	8.2	Cas	

PC-XPLOR VERSION 1.30 CURRAGH RESOURCES IN
 Exploration Data Manager 16: 2:20 Serial no: 20320
 By GENCOM SERVICES INC. 21/ 3/91 Page : 96
 *** VANGORDA - Drill Hole Database ***
 *** ***

8.2 12.2 4CB
 12.2 12.7 4GB#4
 12.7 13.7 3G0
 13.7 14.9 4L2
 14.9 20.4 3E6

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
12.2	12.7	62197	4GB#4	60	4.47	.00	6.39	8.30	70.4	1.35	12.77	24.96	.050
12.7	13.7	0	3G0	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
13.7	14.9	0	4L2	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
14.9	15.5	62198	4E0	50	3.25	3.16	1.38	2.25	22.3	.21	14.82	3.07	.170

STANDARD DATABASE - DETAILED DRILLHOLE REPORT

HOLE-ID: 90V-140

EASTING: 9905.9 NORTHING: 9815.5 ELEVATION: 1143.5
 LENGTH: 24.4

SURVEY DATA

FROM	TO	AZIMUTH	DIP
.0	-90.0	.0	.0
24.4	-90.0	.0	.0

LITHOLOGY DATA

FROM	TO	ROCK	REMARKS
.0	6.1	Cas	
6.1	13.4	4L0	
13.4	14.2	4G4	
14.2	15.2	3G0	
15.2	16.3	4L2	
16.3	16.9	3G9	
16.9	17.7	4L2	
17.7	18.7	4GB#	
18.7	24.4	5A0	

ASSAYS DATA

FROM	TO	SAMP#	TYPE	CODE	PULP	WR	XPB	XZN	AG G/T	AU G/T	XFE	XBA	XCU
13.4	14.2	62222	4G4	60	3.67	3.98	6.16	9.58	114.4	1.11	13.72	5.83	.150
14.2	15.2	0	3G0	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
15.2	16.3	0	4L2	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
16.3	16.9	0	3G9	100	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000
16.9	17.7	0	4L2	120	1.00	1.00	-1.00	-1.00	-1.0	-1.00	-1.00	-1.00	1.000

PC-XPLOR VERSION 1.30 CURRAGH RESOURCES IN
Exploration Data Manager 16: 2:22 Serial no: 20320
By GEMCOM SERVICES INC. 21/ 3/91 Page : 97

*** VANSORDA - Drill Hole Database ***
*** ***

17.7 18.7 62223 468# 60 3.80 4.04 4.96 7.04 70.8 1.64 16.80 7.92 .110