


FARO 3 HAND-CALCULATED RESERVES

DRILL HOLE LOCATIONS
CROSS SECTIONS 118-135+54



To accompany Hall/Slack Report
May 1, 1984.

005014



FARO DEPOSIT Zone 3



- DIAMOND DRILL HOLE WITH ORE INTERSECTION
- DIAMOND DRILL HOLE WITH NO ORE INTERSECTION



DOMESTIC PETROLEUM LIMITED			
AREA: YUKON		DATE: 1984-04	
TITLE: FARO DEPOSIT ZONE 3 Drill Hole Locations to Accompany Reserve Calculations			
COMPILED BY: G.I. Hall	DATE: 1984-04	DOME DWG NO: MD 1413 E-26	
DRAWN BY: G.C.	SCALE: 1 inch = 200 feet		





FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/t	AREA	STRIKE
134.47	83F-08	-198	432.0	452.0	2.94	2.20	4.02	37.98	2000	179.1
134.47	83F-07	-199	52.0	90.4	3.10	2.95	4.76	41.78	4000	179.1


* NOTE -- S.G. has been reduced 5% from the measured pulp value.

Ⓜ Mineable reserve block number
 — Ultimate pit outline



BLOCK Nos.: 198-199
 STRIKE LENGTH : 179.1'


DOME PETROLEUM LIMITED CALGARY ALBERTA CANADA		
AREA: YUKON		
TITLE: FARO DEPOSIT ZONE 3 ASSAY BLOCKS FOR RESERVE CALCULATIONS CROSS SECTION : 134+47		
SCALE: 1in=100ft	AUTHOR: G. I. HALL	DATE: 1984-04
FILE NO.: MD 1397 E-26		



4000'
3500'
3000'

4000'
3500'
3000'

O 95-55




O 72-11

FARO ZONE 3 DATA SUMMARY


SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/t	AREA	STRIKE
133.00	81-05	195	134.9	161.0	2.90	3.76	5.20	95.61	2615	137.5
133.00	81-05	195	134.9	161.0	2.70	2.76	5.20	95.61	2000	137.5
133.00	74-21	196	99.0	149.0	3.24	3.02	3.72	42.62	4925	137.5
133.00	81-06	197	107.2	144.0	3.42	3.21	4.64	56.23	4700	137.5

* NOTE -- S.G. has been reduced ST from the measured pulp value.

⊗ Mineable reserve block number
— Ultimate pit outline



BLOCK Nos.: 195-197
STRIKE LENGTH : 137.5'



DOMESTIC PETROLEUM LIMITED
CALGARY ALBERTA CANADA

YUKON

**FARO DEPOSIT ZONE 3
ASSAY BLOCKS
FOR RESERVE CALCULATIONS**


CROSS SECTION : 133+00

SCALE: 1in = 100ft AUTHOR: G. I. HALL DATE: 1984-04
FILE NO.: MD 1410 E-26

4 6 8 10 12 14 16 18 20 22 24 26 28 30 32

4000'
3500'
3000'

4000'
3500'
3000'





FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/t	AREA	STRIKE
132.52	83F-02	189	723.7	778.0	3.50	3.46	5.12	55.37	19800	125.5
132.52	66E-07	189	220.0	250.0	2.95	4.02	6.39	70.41	2100	125.5
132.52	66E-07	189	220.0	250.0	2.95	4.02	6.39	70.41	2600	125.5
132.52	81-04	190	184.1	210.5	2.97	2.68	2.97	53.60	5130	125.5
132.52	66E-04	191	130.0	225.0	3.51	3.30	4.70	48.66	10000	125.5
132.52	74-18	192	124.0	178.0	3.49	2.22	4.23	32.77	7550	125.5
132.52	66E-01	193	160.0	205.0	3.71	3.59	6.61	44.00	7050	125.5
132.52	81-08	194	174.0	266.7	3.35	2.66	4.82	35.60	12150	125.5

* NOTE -- S.G. has been reduced 5% from the measured pulp value.

⊙ Mineable reserve block number
— Ultimate pit outline



BLOCK Nos.: 188-194
STRIKE LENGTH : 125.5'

AREA	CALGARY	ALBERTA	CANADA
YUKON			
TITLE			
FARO DEPOSIT ZONE 3 ASSAY BLOCKS FOR RESERVE CALCULATIONS			
CROSS SECTION : 132+52			
SCALE: 1 in = 100 ft	AUTHOR: G. I. HALL	DATE: 1984-04	
FILE NO.: MD 1396 E-26			

4 6 8 10 12 14 16 18 20 22 24 26 28 30 32

4000'


4000'

3500'

3500'

3000'

3000'





FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/t	AREA	STRIKE
131.22	74-19	179	238.0	276.0	3.01	1.74	3.31	42.09	7400	177.7
131.22	81-01	180	197.0	241.5	2.70	1.89	2.84	50.89	10400	177.7
131.22	74-11	181	201.0	284.0	3.76	3.58	6.99	37.09	7790	177.7
131.22	81-20	182	221.8	319.0	3.45	3.29	6.57	38.97	7445	177.7
131.22	81-20	182	221.8	319.0	3.45	3.29	6.57	38.97	175	177.7
131.22	75-04	183	210.0	278.0	3.76	4.31	6.86	87.78	1825	177.7
131.22	75-04	184	287.0	333.0	4.07	3.14	2.65	38.05	3520	177.7
131.22	75-04	185	365.0	426.2	3.82	2.29	4.75	11.66	300	177.7
131.22	75-04	185	365.0	426.2	3.82	2.29	4.75	11.66	4175	177.7
131.22	81-16	186	216.7	245.5	2.62	2.78	6.37	94.25	1325	177.7
131.22	81-16	187	294.5	315.9	4.14	4.52	2.66	93.57	1480	177.7

* NOTE -- S.G. has been reduced 5% from the measured pulp value.

○ Mineable reserve block number
 — Ultimate pit outline



BLOCK Nos.: 179-187
 STRIKE LENGTH : 177.7'

AREA	YUKON	
TITLE	FARO DEPOSIT ZONE 3 ASSAY BLOCKS FOR RESERVE CALCULATIONS	
SCALE: 1in=100ft	AUTHOR: G. I. HALL	DATE: 1984-04
FILE NO.: MD 1406 E-26		

4 6 8 10 12 14 16 18 20 22 24 26 28 30 32

4000'


3500'

3000'

4000'

3500'

3000'





FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/t	AREA	STRIKE
130.00	75456-15	-162	716.5	757.0	3.55	3.01	5.09	45.85	11400	156.5
130.00	82F-15	-163	595.5	631.2	2.86	2.41	4.52	39.64	11270	156.5
130.00	82F-12	-164	335.2	366.9	2.97	2.36	4.05	39.98	7200	156.5
130.00	66E-05	-165	255.0	325.0	3.67	2.27	4.00	27.78	7770	156.5
130.00	66E-05	-165	255.0	325.0	3.67	2.27	4.00	27.78	820	156.5
130.00	74-20	-166	239.0	299.0	4.05	3.02	4.46	36.88	9310	156.5
130.00	66E-06	-167	205.0	311.0	3.32	2.69	4.22	33.04	9890	156.5
130.00	81-12	-168	206.3	228.3	3.89	1.95	2.19	27.27	1500	156.5
130.00	81-12	-169	262.0	415.0	3.28	3.18	5.77	36.70	10720	156.5
130.00	81-12	-169	262.0	415.0	3.28	3.18	5.77	36.70	450	156.5
130.00	81-12	-170	435.0	455.0	2.81	4.20	1.63	26.85	1500	156.5
130.00	74-10	-171	281.0	311.0	4.16	3.85	5.46	55.67	3150	156.5
130.00	74-10	-172	331.0	446.0	3.70	2.98	5.15	19.69	10100	156.5
130.00	74-10	-172	331.0	446.0	3.70	2.98	5.15	19.69	2200	156.5
130.00	66E-09	-173	220.0	240.0	3.03	1.73	3.40	11.35	2500	156.5
130.00	66E-09	-174	300.0	446.5	3.89	2.10	2.98	22.84	13510	156.5
130.00	66E-09	-174	300.0	446.5	3.89	2.10	2.98	22.84	3800	156.5
130.00	77-07	-175	415.6	466.0	3.84	3.98	5.74	29.29	2725	156.5
130.00	77-07	-175	415.6	466.0	3.84	3.98	5.74	29.29	1250	156.5
130.00	77-07	-176	518.0	542.0	3.87	1.72	3.82	10.38	1620	156.5
130.00	81-19	-177	376.0	490.2	3.91	2.88	4.15	32.50	175	156.5
130.00	81-19	-177	376.0	490.2	3.91	2.88	4.15	32.50	6150	156.5
130.00	67-02	-178	428.5	448.5	2.74	1.26	3.07	8.15	3800	156.5

* NOTE -- S.G. has been reduced 5% from the measured pulp value.

○ Mineable reserve block number
 — Ultimate pit outline



BLOCK Nos.: 162-178
 STRIKE LENGTH : 156.5'

DOME PETROLEUM LIMITED CALGARY ALBERTA CANADA		
AREA YUKON		
TITLE FARO DEPOSIT ZONE 3 ASSAY BLOCKS FOR RESERVE CALCULATIONS		
CROSS SECTION : 130+00		
SCALE: 1in=100ft	AUTHOR: G. I. HALL	DATE: 1984-04
FILE NO: MD 1398 E-26		

4 6 8 10 12 14 16 18 20 22 24 26 28 30 32

4000'


3500'

3000'

4000'

3500'

3000'





FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/t	AREA	STRIKE
129.00	83F-12	-151	736.6	764.7	3.29	3.27	6.47	58.23	6720	126.9
129.00	83F-15	-152	641.1	674.9	3.29	3.41	5.45	52.61	7350	126.9
129.00	81-02	153	276	276.0	3.51	2.14	2.29	21.40	2800	126.9
129.00	77-12	154	231.2	357.5	3.21	2.55	4.67	29.92	11570	126.9
129.00	81-18	155	277.2	295.0	3.58	3.15	6.18	42.03	1740	126.9
129.00	81-18	156	286.5	364.0	3.84	2.31	3.82	24.49	6160	126.9
129.00	81-18	157	384	420.0	2.65	1.54	3.41	22.89	1910	126.9
129.00	81-18	-157	304	436.0	2.65	1.54	3.41	22.89	1840	126.9
129.00	81-10	158	372	600.0	4.24	4.04	4.25	55.10	4280	126.9
129.00	81-11	159	302	322.0	3.46	2.69	4.78	35.67	2300	126.9
129.00	81-11	160	387.6	465.5	3.70	3.51	7.12	27.61	8450	126.9
129.00	81-15	161	477.5	555.6	3.56	2.71	4.81	26.41	8030	126.9
129.00	81-15	-161	477.5	555.6	3.56	2.71	4.81	26.41	2470	126.9

* NOTE -- S.G. has been reduced 5% from the measured pulp value.

⊙ Mineable reserve block number
— Ultimate pit outline



BLOCK Nos.: 151-161
STRIKE LENGTH: 126.9'

DOME PETROLEUM LIMITED CALGARY ALBERTA CANADA		
AREA YUKON		
FARO DEPOSIT ZONE 3 ASSAY BLOCKS FOR RESERVE CALCULATIONS		
CROSS SECTION: 129+00		
SCALE: 1in=100ft	AUTHOR: G. I. HALL	DATE: 1984-04
FILE NO.: MD 1409 E-26		

4 6 8 10 12 14 16 18 20 22 24 26 28 30 32

4000'


4000'

3500'

3500'

3000'

3000'





FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/t	AREA	STRIKE
128.20	70-13	-137	467.0	488.0	3.23	2.38	4.28	30.22	3400	134.6
128.20	82F-17	138	301.0	331.0	3.72	3.63	5.73	56.15	2650	134.6
128.20	82F-17	-138	301.0	331.0	3.72	3.63	5.73	56.15	610	134.6
128.20	81-13	139	330.9	369.0	3.87	3.25	4.20	37.45	2775	134.6
128.20	81-13	140	417.0	450.0	2.71	1.89	3.39	28.59	3020	134.6
128.20	67-05	141	308.0	328.0	3.09	1.82	3.16	28.43	2740	134.6
128.20	67-05	142	360.0	490.0	3.49	2.55	5.15	29.45	17280	134.6
128.20	81-14	143	361.0	382.5	3.31	1.36	4.24	22.00	2700	134.6
128.20	81-14	144	434.6	460.0	4.20	5.42	8.00	80.68	4120	134.6
128.20	81-14	145	528.0	559.0	4.60	5.40	11.36	30.92	4750	134.6
128.20	67-04	146	414.0	434.0	3.57	0.80	3.90	14.23	1040	134.6
128.20	67-04	147	454.0	474.0	3.45	1.79	3.16	24.63	2300	134.6
128.20	67-04	148	494.0	565.0	4.52	3.16	3.98	27.81	9200	134.6
128.20	67-04	-148	494.0	569.0	4.52	3.16	3.98	27.81	900	134.6
128.20	67-04	149	589.0	649.0	3.87	4.66	9.44	20.88	1720	134.6
128.20	67-04	-149	589.0	649.0	3.87	4.66	9.44	20.88	5910	134.6
128.20	67-08	-150	650.0	695.0	3.26	3.10	5.89	31.04	3920	134.6

* NOTE -- S.G. has been reduced 5% from the measured pulp value.

○ Mineable reserve block number
 — Ultimate pit outline



BLOCK Nos.: 137-150
 STRIKE LENGTH : 134.6'

DOME PETROLEUM LIMITED CALGARY ALBERTA CANADA		
AREA	YUKON	
FARO DEPOSIT ZONE 3 ASSAY BLOCKS FOR RESERVE CALCULATIONS CROSS SECTION : 128+20		
SCALE: 1in=100ft	AUTHOR: G. I. HALL	DATE: 1984-04
FILE NO.: MD 1405 E-26		

4 6 8 10 12 14 16 18 20 22 24 26 28 30 32

4000'


4000'

3500'

3500'

3000'

3000'





FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/t	AREA	STRIKE
127.09	82F-16	-126	639.2	676.4	3.33	3.31	5.19	65.29	7200	138.9
127.09	82F-14	127	560.6	600.3	3.86	4.41	6.50	64.19	270	138.9
127.09	82F-14	-127	560.6	600.3	3.86	4.41	6.50	64.19	12950	138.9
127.09	77-15	128	400.0	471.0	3.46	2.87	4.63	37.55	16600	138.9
127.09	82F-05	129	273.2	333.9	3.78	3.50	5.41	62.62	7690	138.9
127.09	77-13	130	389.0	406.5	4.13	5.43	5.13	78.71	3770	138.9
127.09	77-13	131	436.0	536.7	3.56	3.41	5.85	44.29	17600	138.9
127.09	77-10	132	432.0	468.5	4.13	6.54	9.50	90.10	6075	138.9
127.09	77-10	133	501.5	623.0	4.31	3.41	6.23	24.83	12250	138.9
127.09	82F-03	134	485.9	558.2	3.91	2.83	5.20	21.85	8250	138.9
127.09	82F-03	-134	485.9	558.2	3.91	2.83	5.20	21.85	3110	138.9
127.09	77-03	135	520.5	545.0	3.82	2.13	3.86	20.51	1120	138.9
127.09	77-03	-135	520.5	545.0	3.82	2.13	3.86	20.51	2120	138.9
127.09	77-03	-136	615.0	638.0	3.05	2.98	7.67	26.25	5420	138.9

* NOTE -- S.G. has been reduced 5% from the measured pulp value.

⊙ Mineable reserve block number
 — Ultimate pit outline



BLOCK Nos.: 126-136
 STRIKE LENGTH: 138.9'

DOME PETROLEUM LIMITED
 CALGARY ALBERTA CANADA

AREA: YUKON

TITLE: FARO DEPOSIT ZONE 3
 ASSAY BLOCKS
 FOR RESERVE CALCULATIONS

CROSS SECTION: 127+09

SCALE: 1 in = 100 ft. AUTHOR: G. I. HALL DATE: 1984-04
 FILE NO.: MD 1407 E-26

4 6 8 10 12 14 16 18 20 22 24 26 28 30 32

4000'


—4000'

3500'

—3500'

3000'

—3000'





FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	P _s	Z _n	A _g g/t	AREA	STRIKE
126.23	83F-19	-111	497.9	722.7	3.22	5.41	10.19	78.47	9700	147.3
126.23	72-13	-112	582.0	627.0	3.73	6.69	6.85	79.13	12020	147.3
126.23	71-05	113	517.5	585.0	3.09	2.95	4.65	51.55	2810	147.3
126.23	71-05	-113	517.5	585.0	3.09	2.95	4.65	51.55	4930	147.3
126.23	82F-07	114	343.9	385.5	3.19	2.42	4.22	45.85	8850	147.3
126.23	74-08	115	395.0	450.0	3.60	3.25	4.27	45.97	9350	147.3
126.23	74-08	116	482.0	572.0	3.67	4.10	4.00	71.68	14225	147.3
126.23	67-03	117	439.0	469.0	3.70	4.18	5.52	58.53	7180	147.3
126.23	67-03	118	509.0	629.0	3.63	2.83	5.30	35.80	20370	147.3
126.23	67-03	-118	509.0	629.0	3.63	2.83	5.30	35.80	890	147.3
126.23	80-03	119	447.5	473.0	3.82	3.15	5.05	35.73	4010	147.3
126.23	80-03	120	532.0	604.5	4.12	2.43	3.73	25.96	11510	147.3
126.23	67-10	121	476.0	499.0	3.30	3.20	1.88	60.20	4220	147.3
126.23	67-10	122	574.0	639.0	3.97	2.44	4.45	22.28	11000	147.3
126.23	67-10	-122	574.0	639.0	3.97	2.44	4.45	22.28	720	147.3
126.23	77-02	123	474.0	563.0	4.17	4.10	6.23	34.82	10750	147.3
126.23	77-02	124	650.0	690.7	3.82	5.70	14.80	29.56	560	147.3
126.23	77-02	-124	650.0	690.7	3.82	5.70	14.80	29.56	7570	147.3
126.23	72-15	-125	611.0	646.0	3.20	2.18	5.23	19.59	4130	147.3

* NOTE -- S.G. has been reduced 5% from the measured pulp value.

○ Mineable reserve block number
 — Ultimate pit outline



BLOCK Nos.: 111-125
 STRIKE LENGTH : 147.3'

DOME PETROLEUM LIMITED
 CALGARY ALBERTA CANADA

YUKON

**FARO DEPOSIT ZONE 3
 ASSAY BLOCKS
 FOR RESERVE CALCULATIONS**

CROSS SECTION : 126+23

SCALE: 1in.=100ft AUTHOR: G. I. HALL DATE: 1984-04
 FILE NO.: MD 1401 E-26

4 6 8 10 12 14 16 18 20 22 24 26 28 30 32

4000'


4000'

3500'

3500'

3000'

3000'





FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/t	AREA	STRIVE
125.00	82F-10	99	526.0	548.8	3.33	3.44	5.79	62.48	3580	141.7
125.00	82F-10	-99	526.0	548.8	3.33	3.44	5.79	62.48	3520	141.7
125.00	77-16	100	445.0	514.5	3.84	4.20	5.68	84.28	12480	141.7
125.00	82F-08	101	387.6	389.5	3.17	2.84	2.87	78.69	2150	141.7
125.00	82F-08	102	410.1	480.0	1.89	3.06	4.57	61.72	7450	141.7
125.00	77-17	103	464.0	498.0	3.86	4.80	5.80	76.72	4120	141.7
125.00	77-17	104	527.7	617.6	3.54	3.18	4.90	37.33	10550	141.7
125.00	80-02	105	471.0	491.0	3.72	4.92	7.84	47.38	2925	141.7
125.00	80-02	106	555.0	641.0	3.87	3.07	5.38	25.19	9510	141.7
125.00	77-09	107	516.8	548.0	4.12	5.21	5.44	37.75	1800	141.7
125.00	77-09	108	596.5	692.5	4.26	3.15	5.48	22.42	11275	141.7
125.00	80-04	109	610.5	625.5	3.85	1.98	3.39	13.68	4815	141.7
125.00	80-04	-109	610.5	625.5	3.85	1.98	3.39	13.68	350	141.7
125.00	77-01	110	568.8	597.0	4.17	5.13	4.00	39.44	2040	141.7
125.00	77-01	-110	568.8	597.0	4.17	5.13	4.00	39.44	660	141.7

* NOTE -- S.G. has been reduced 5% from the measured pulp value.

⊙ Mineable reserve block number
 — Ultimate pit outline



BLOCK Nos.: 99-110
 STRIKE LENGTH : 141.7'

DOME PETROLEUM LIMITED
 CALGARY ALBERTA CANADA

AREA
 YUKON

**FARO DEPOSIT ZONE 3
 ASSAY BLOCKS
 FOR RESERVE CALCULATIONS**

CROSS SECTION : 125+00

SCALE: 1 in = 100 ft AUTHOR: G. I. HALL DATE: 1984-04
 FILE NO.: MD 1412 E 26

4 6 8 10 12 14 16 18 20 22 24 26 28 30 32

4000'


4000'

3500'

3500'

3000'

3000'





FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/t	AREA	STRIKE
124.22	75456-18	-81	720.0	748.0	3.52	3.02	5.94	93.43	4200	141.0
124.22	82F-13	-82	571.0	591.4	2.77	1.56	3.89	43.58	2240	141.0
124.22	71-04	83	509.0	546.0	3.79	2.55	4.15	0.01	6220	141.0
124.22	82F-11	84	496.6	539.6	3.47	3.24	5.01	55.97	6660	141.0
124.22	67-30	85	482.8	568.0	3.39	3.97	4.43	59.71	10520	141.0
124.22	82F-09	86	491.2	514.3	3.41	3.91	3.04	52.33	3340	141.0
124.22	82F-09	87	547.7	576.0	3.46	3.48	3.66	58.61	6910	141.0
124.22	67-11	88	487.0	507.0	3.41	3.59	2.98	64.75	2940	141.0
124.22	67-11	89	520.0	640.0	3.82	2.77	5.04	34.54	14700	141.0
124.22	82F-06	90	462.2	489.6	4.06	3.47	5.96	46.82	4630	141.0
124.22	82F-06	91	528.9	759.0	3.79	2.97	5.62	43.67	23770	141.0
124.22	82F-06	-91	528.9	759.0	3.79	2.97	5.62	43.67	7530	141.0
124.22	67-06	92	588.0	633.0	4.01	3.23	3.80	52.04	6430	141.0
124.22	67-06	93	663.0	783.0	4.09	2.78	4.27	27.49	2330	141.0
124.22	67-04	-93	663.0	783.0	4.09	2.78	4.27	27.49	14500	141.0
124.22	76-04	94	628.7	652.0	3.95	3.27	3.88	40.51	2290	141.0
124.22	76-04	-94	628.7	652.0	3.95	3.27	3.88	40.51	500	141.0
124.22	76-04	95	682.0	737.0	4.19	2.08	2.50	19.06	520	141.0
124.22	76-04	-95	682.0	737.0	4.19	2.08	2.50	19.06	6390	141.0
124.22	76-04	-96	767.0	817.0	3.50	3.27	7.25	29.99	5300	141.0
124.22	67-09	-97	690.0	720.0	2.95	2.00	4.43	29.75	3250	141.0
124.22	82F-01	-98	552.9	575.0	3.27	2.35	6.44	24.31	4250	141.0

* NOTE -- S.G. has been reduced 5% from the measured pulp value.


⊙ Mineable reserve block number
 — Ultimate pit outline



BLOCK Nos.: 81-98
 STRIKE LENGTH : 141'

DOMESTIC PETROLEUM LIMITED
 CALGARY ALBERTA CANADA
 AREA
 YUKON

TITLE
**FARO DEPOSIT ZONE 3
 ASSAY BLOCKS
 FOR RESERVE CALCULATIONS**
 CROSS SECTION : 124+22
 SCALE: 1 in = 100 ft. AUTHOR: G. I. HALL DATE: 1984-04
 FILE NO: MD 1402 E-26



4000'


4000'

3500'

3500'

3000'

3000'





FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/T	AREA	STRIKE
123	76009	71	496.2	561.5	3.78	3.90	4.86	56.74	19125	156.5
123	76008	72	455.1	655.0	3.52	3.45	4.58	44.54	50475	156.5
123	76005	73	517.5	546.4	3.81	4.75	6.38	57.48	10280	156.5
123	76005	74	577.2	605.0	3.46	2.99	2.49	40.22	8850	156.5
123	76005	75	626.0	709.0	4.27	3.40	4.87	26.89	18300	156.5
123	76005	76	626.0	709.0	4.27	3.40	4.87	26.89	4200	156.5
123	76003	76	582.0	617.0	3.89	4.27	6.17	64.33	7440	156.5
123	76003	77	661.0	690.5	4.14	2.31	4.54	20.05	3550	156.5
123	76002	77	661.0	690.5	4.14	2.31	4.54	20.05	2750	156.5
123	76003	78	781.0	826.0	3.23	2.97	6.76	18.81	11850	156.5
123	76002	79	582.7	648.0	4.16	3.68	4.95	51.47	3600	156.5
123	76002	79	582.7	648.0	4.16	3.68	4.95	51.47	4800	156.5
123	76002	80	786.5	805.5	3.33	2.50	2.52	76.39	4360	156.5

* NOTE -- S.G. has been reduced ST from the measured pulp value.

Ⓢ Mineable reserve block number
 — Ultimate pit outline



BLOCK Nos.: 71-80
 STRIKE LENGTH : 156.5'


DOMESTIC PETROLEUM LIMITED
 CALGARY ALBERTA CANADA

AREA
 YUKON

TITLE
**FARO DEPOSIT ZONE 3
 ASSAY BLOCKS
 FOR RESERVE CALCULATIONS**

CROSS SECTION : 123+00

SCALE: 1in=100ft AUTHOR: G. I. HALL DATE: 1984-04
 FILE NO.: MD 1400 E-26



4000'


4000'

3500'

3500'

3000'

3000'





FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/T	AREA	STRIKE
122	70012	59	541.0	604.0	3.73	3.85	5.70	42.97	9250	141.0
122	70012	-59	541.0	604.0	3.73	3.85	5.70	42.97	4250	141.0
122	74017	60	484.0	579.0	3.33	3.89	5.19	89.04	25400	141.0
122	67012	61	495.0	540.0	3.21	3.07	3.81	45.08	10450	141.0
122	47012	62	560.0	665.0	3.74	2.84	4.81	38.46	19800	141.0
122	80007	63	474.0	699.0	3.59	3.14	4.93	44.60	34440	141.0
122	66010	64	570.0	610.0	3.56	2.43	2.33	42.43	7650	141.0
122	66010	65	634.0	774.0	3.83	2.06	3.48	23.74	11775	141.0
122	66010	-65	634.0	774.0	3.83	2.06	3.48	23.74	6475	141.0
122	80006	66	478.5	580.0	4.25	2.50	2.62	35.56	11220	141.0
122	80006	-66	478.5	580.0	4.25	2.50	2.62	35.56	2200	141.0
122	80006	-67	616.0	728.0	3.62	4.92	9.86	31.47	19930	141.0
122	72016	68	567.0	647.0	3.85	2.13	4.10	23.85	10700	141.0
122	72016	-68	762.0	792.0	3.43	1.52	4.45	11.12	5950	141.0
122	76001	70	607.4	627.4	3.05	2.26	3.30	20.60	950	141.0
122	76001	-70	607.4	627.4	3.05	2.26	3.30	20.60	2850	141.0

* NOTE -- S.G. has been reduced 5% from the measured pulp value.

⊙ Mineable reserve block number
 — Ultimate pit outline



DOMESTIC PETROLEUM LIMITED
 AREA: CALGARY ALBERTA CANADA
 YUKON

BLOCK Nos.: 59-70
 STRIKE LENGTH : 141'

**FARO DEPOSIT ZONE 3
 ASSAY BLOCKS
 FOR RESERVE CALCULATIONS**

CROSS SECTION : 122+00

SCALE: 1 in = 100 ft AUTHOR: G. I. HALL DATE: 1984-04
 FILE NO.: MD 1404 E-26

4 6 8 10 12 14 16 18 20 22 24 26 28 30 32

4000'


4000'

3500'

3500'

3000'

3000'





FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/T	AREA	STRIPE
121	76010	45	521.5	545.0	3.33	2.92	4.84	29.85	1320	141.0
121	76010	45	521.5	545.0	3.33	2.92	4.84	29.85	9570	141.0
121	76007	46	516.5	689.5	3.71	3.67	5.12	52.00	42200	141.0
121	76006	47	500.9	546.7	4.21	6.48	6.76	89.55	11000	141.0
121	76006	48	546.5	650.7	4.61	2.89	4.21	36.24	18200	141.0
121	76006	49	671.3	707.7	3.48	2.25	3.84	33.04	5700	141.0
121	76006	50	727.9	771.5	2.77	2.25	4.49	63.47	1000	141.0
121	76006	50	727.9	771.5	2.77	2.25	4.49	63.47	7620	141.0
121	76012	51	546.2	592.7	4.33	1.62	2.45	23.07	8400	141.0
121	76012	52	613.0	635.8	3.59	1.50	4.52	23.91	8400	141.0
121	76012	53	664.0	758.0	3.60	3.21	7.00	27.67	7675	141.0
121	76012	53	664.0	758.0	3.60	3.21	7.00	27.67	16125	141.0
121	75003	54	529.0	555.0	3.54	2.08	4.46	17.98	7350	141.0
121	75003	55	590.0	610.0	3.28	1.81	4.17	15.22	3700	141.0
121	75003	55	590.0	610.0	3.28	1.81	4.17	15.22	900	141.0
121	75003	56	630.0	671.9	2.70	1.29	3.18	26.70	11700	141.0
121	75010	57	485.0	535.0	3.14	1.49	3.84	16.37	7070	141.0
121	75010	57	485.0	535.0	3.14	1.49	3.84	16.37	1530	141.0
121	75010	58	580.0	613.0	3.35	1.71	4.65	55.39	7100	141.0

* NOTE -- S.G. has been reduced 5% from the measured pulp value.

④ Mineable reserve block number
 — Ultimate pit outline



BLOCK Nos.: 45-58
 STRIKE LENGTH: 141'

DOME PETROLEUM LIMITED CALGARY ALBERTA CANADA		
AREA YUKON		
TITLE FARO DEPOSIT ZONE 3 ASSAY BLOCKS FOR RESERVE CALCULATIONS CROSS SECTION: 121+00		
SCALE: 1 in = 100 ft	AUTHOR: G. I. HALL	DATE: 1984-04
FILE NO.: MD 1395 E-26		

4 6 8 10 12 14 16 18 20 22 24 26 28 30 32

4000'


3500'

3000'

4000'

3500'

3000'





FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/T	AREA	STRIKE
120	71003	32	583.0	638.0	3.75	1.61	2.85	0.01	11200	141.0
120	71003	32	583.0	638.0	3.75	1.61	2.85	0.01	1800	141.0
120	70017	33	527.0	582.0	3.50	4.12	5.36	0.01	9000	141.0
120	80005	34	446.0	535.0	3.73	4.20	5.97	40.76	12950	141.0
120	66049	35	555.0	685.0	3.69	3.27	4.30	44.63	27360	141.0
120	74015	36	501.0	743.0	3.95	2.94	4.05	37.53	1300	141.0
120	74015	36	501.0	743.0	3.95	2.94	4.05	37.53	40000	141.0
120	80008	37	409.0	445.0	3.50	3.09	3.53	45.37	6450	141.0
120	80008	38	483.5	516.0	4.42	2.54	3.22	37.20	5890	141.0
120	80008	39	537.5	601.0	4.09	2.22	4.65	12.14	9070	141.0
120	86007	40	588.0	663.0	3.69	3.20	6.93	21.09	2950	141.0
120	86007	40	588.0	663.0	3.69	3.20	6.93	21.09	14650	141.0
120	74007	41	404.0	449.0	3.15	3.00	2.56	48.63	12320	141.0
120	74007	42	469.0	489.0	3.06	1.09	2.99	12.02	7000	141.0
120	74007	43	584.0	629.0	3.39	2.85	6.74	23.62	2200	141.0
120	74007	43	584.0	629.0	3.39	2.85	6.74	23.62	8900	141.0
120	74007	44	645.0	734.0	2.72	2.23	5.09	36.03	17360	141.0

* NOTE -- S.G. has been reduced 5% from the measured pulp value.

⊙ Mineable reserve block number
 — Ultimate pit outline



BLOCK Nos.: 32-44
 STRIKE LENGTH : 141'

DOMESTIC PETROLEUM LIMITED
 CALGARY ALBERTA CANADA

AREA: YUKON

TITLE:
**FARO DEPOSIT ZONE 3
 ASSAY BLOCKS
 FOR RESERVE CALCULATIONS**
 CROSS SECTION : 120+00

SCALE: 1in = 100ft AUTHOR: G. I. HALL DATE: 1984-04
 FILE NO.: MD 1399 E-26

4 6 8 10 12 14 16 18 20 22 24 26 28 30 32

4000'


4000'

3500'

3500'

3000'

3000'





FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/T	AREA	STRIKE
119	76011	18	501.0	544.0	3.31	5.89	7.76	125.88	7700	141.0
119	76011	18	501.0	544.0	3.31	5.89	7.76	125.88	3200	141.0
119	76022	19	504.0	532.4	3.68	5.01	6.08	36.56	7100	141.0
119	76002	20	548.0	630.0	3.72	3.38	5.32	40.03	16713	141.0
119	76013	21	481.5	629.0	3.90	3.42	5.00	49.78	36400	141.0
119	76002	20	548.0	630.0	3.72	3.38	5.32	40.03	1685	141.0
119	76014	22	444.0	494.0	3.62	3.51	4.10	55.47	11950	141.0
119	76014	22.1	514.0	569.0	4.27	2.57	3.98	19.01	17680	141.0
119	76014	22.1	514.0	569.0	4.27	2.57	3.98	19.01	700	141.0
119	75009	23	327.0	384.0	3.84	3.29	5.58	46.74	12950	141.0
119	75009	24	434.0	474.0	3.59	1.56	4.20	14.46	6950	141.0
119	75009	25	524.0	594.0	3.38	1.46	3.81	14.68	13200	141.0
119	75009	26	644.0	664.0	2.92	1.64	2.89	17.82	850	141.0
119	75009	26	644.0	664.0	2.92	1.64	2.89	17.82	3650	141.0
119	75009	27	684.0	709.0	2.76	2.10	3.21	34.21	4300	141.0
119	75005	28	294.5	314.5	2.30	2.69	5.81	37.39	4000	141.0
119	75005	29	380.0	415.0	3.19	5.05	2.31	80.31	7500	141.0
119	75005	30	450.0	545.0	3.29	1.89	4.38	10.63	19500	141.0
119	75005	31	565.0	617.0	3.25	2.60	6.78	22.64	5200	141.0

* NOTE -- S.G. has been reduced 5% from the measured pulp value.

○ Mineable reserve block number
 — Ultimate pit outline



BLOCK Nos.: 18-31
 STRIKE LENGTH : 141'

DOME PETROLEUM LIMITED CALGARY ALBERTA CANADA		
AREA	YUKON	
TITLE	FARO DEPOSIT ZONE 3 ASSAY BLOCKS FOR RESERVE CALCULATIONS CROSS SECTION : 119+00	
SCALE: 1in=100ft	AUTHOR: G. I. HALL	DATE: 1984-04
FILE NO.: MD 1408 E 26		

4 6 8 10 12 14 16 18 20 22 24 26 28 30 32

4000'


3500'

3000'

4000'

3500'

3000'




FARO ZONE 3 DATA SUMMARY

SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/T	AREA	STRIKE
118	71802	-1	522.0	568.0	3.05	2.31	4.42	0.01	5900	141.0
118	66005	-2	499.0	549.0	2.95	1.79	3.67	31.22	2728	141.0
118	66005	2	499.0	549.0	2.95	1.79	3.67	31.22	2728	141.0
118	75011	3	477.0	570.0	3.52	3.96	6.14	44.88	17055	141.0
118	66052	4	515.0	625.0	4.02	5.19	6.81	58.63	27960	141.0
118	80901	5	374.5	418.0	4.22	4.88	6.29	97.80	4290	141.0
118	80901	6	418.0	542.5	3.99	2.83	4.83	34.54	11000	141.0
118	66005	7	553.0	598.0	4.23	5.15	8.03	78.4	5540	141.0
118	66002	8	615.0	724.0	3.52	2.58	3.89	35.72	21600	141.0
118	66046	9	480.0	750.0	3.90	3.09	4.95	29.62	47000	141.0
118	66046	-9	480.0	750.0	3.90	3.09	4.95	29.62	490	141.0
118	79002	10	139.2	188.5	4.25	5.77	6.18	81.24	6240	141.0
118	79002	11	227.5	300.0	3.78	2.78	4.66	19.19	7250	141.0
118	79005	12	225.0	375.0	4.09	2.22	4.59	8.97	5080	141.0
118	66006	13	458.0	490.0	3.85	1.82	4.55	26.15	5110	141.0
118	66006	14	515.0	622.0	3.79	2.59	5.81	27.29	15600	141.0
118	74801	15	344.0	354.0	2.19	2.53	3.17	35.82	3980	141.0
118	75001	16	391.0	446.0	3.14	2.33	5.81	25.23	8040	141.0
118	74001	17	474.0	491.0	3.25	3.63	7.65	25.15	1850	141.0
118	74001	-17	471.0	491.0	3.25	3.67	7.05	25.15	1400	141.0

* NOTE -- S.G. has been reduced 5% from the measured pulp value.

⊕ Mineable reserve block number
 — Ultimate pit outline



BLOCK Nos.: 1-17
 STRIKE LENGTH : 141'

DOME PETROLEUM LIMITED
 CALGARY ALBERTA CANADA



AREA
 YUKON

TITLE
**FARO DEPOSIT ZONE 3
 ASSAY BLOCKS
 FOR RESERVE CALCULATIONS**

CROSS SECTION : 118+00

SCALE: 1in=100ft AUTHOR: G. I. HALL DATE: 1984-04

FILE NO.: MD 1403 E-26




FARO ZONE 3 DATA SUMMARY


SECTION	HOLE	BLOCK	FROM	TO	S.G.	Pb	Zn	Ag g/t	AREA	STRIKE
135.54	B3F-11	-200	52.0	100.0	3.78	5.32	5.30	88.82	6700	145.9
135.54	B3F-18	-201	31.2	84.9	3.55	4.23	4.81	34.02	4420	145.9
135.54	B2F-24	-202	22.0	75.5	3.22	3.41	3.46	58.87	4270	145.9

* NOTE -- S.G. has been reduced 5% from the measured pulp value.

⊙ Mineable reserve block number
 — Ultimate pit outline



BLOCK Nos.: 200-202
 STRIKE LENGTH : 125.5'



AREA	YUKON	
TITLE		
FARO DEPOSIT ZONE 3 ASSAY BLOCKS FOR RESERVE CALCULATIONS		
CROSS SECTION : 135+54		
SCALE: 1in=100ft	AUTHOR: G. I. HALL	DATE: 1984-04
FILE NO: MD 1411 E-26		