

005063

1988 Faro Underground Drilling Results  
grade estimates for ore intersections

DDHID	From (ft)	To (ft)	Intvl (ft)	Unit	(Pb+Zn) %
88F-01	39.0	62.5	23.5	2A0	1-3
88F-01	62.5	72.1	9.6	2F4	15
88F-01	72.1	77.8	5.7	2H4	10-12
88F-01	77.8	81.8	4.0	2E4	9
88F-01	81.8	87.1	5.3	2C24	5
88F-01	87.1	104.3	17.2	2A0	3
88F-02	28.5	45.0	16.5	2E4	9
88F-02	45.0	57.8	12.8	2A0	7
88F-03	285.0	301.0	16.0	2A0	4-5
88F-03	301.0	308.5	7.5	2B0	0-1
88F-03	308.5	311.0	2.5	2E0	0-5
88F-03	311.0	318.5	7.5	2C3	4
88F-03	318.5	362.0	43.5	2A0	5-8
88F-04	305.7	309.5	3.8	2A0	0-1
88F-04	309.5	316.0	6.5	2H38	6
88F-04	316.0	330.0	14.0	2E4	10
88F-04	330.0	333.8	3.8	2H34	8
88F-04	336.0	347.8	11.8	2H34	13
88F-04	347.8	376.6	28.8	2A0	4-5
88F-05	166.0	193.0	27.0	2A0	3-5
88F-05	193.0	199.0	6.0	2D0	6-7
88F-05	199.0	201.9	2.9	2H34	12
88F-05	201.9	225.0	23.1	2A0	3-5
88F-07	354.7	363.8	9.1	2H4	12
88F-07	363.8	367.9	4.1	2F4	15
88F-07	367.9	380.4	12.5	2H4	12
88F-07	380.4	387.6	7.2	2F4	18
88F-07	387.6	401.2	13.6	2A0	5-7
88F-08	345.4	346.8	1.4	2A0	1-2
88F-08	348.8	354.0	5.2	2A0	3
88F-08	356.2	362.8	6.6	2A0	4-5
88F-08	370.2	447.8	77.6	2A0	4-6
88F-10	280.8	290.6	9.8	2A0	3-4
88F-10	290.6	299.0	8.4	2H34	9-12
88F-10	299.0	313.3	14.3	2D0	5.5-6.5
88F-10	313.3	319.0	5.7	2C5	1.5-2.5
88F-10	319.0	324.0	5.0	2H34	8-9
88F-10	324.0	335.5	11.5	2C5	3-3.5
88F-10	335.5	339.5	4.0	2H34	10-13
88F-10	339.5	344.1	4.6	2C05	4-5
88F-10	344.1	352.5	8.4	2C5	4-5
88F-10	352.5	354.8	2.3	2D05	5-5.5
88F-10	354.8	357.4	2.6	2H34	11-13
88F-10	357.4	368.3	10.9	2C05	4.5-5
88F-11	398.1	408.0	9.9	2D0	5
88F-11	408.0	415.2	7.2	2A0	1-2

88F-11	415.2	433.2	18.0	2G24	10
88F-11	433.2	443.1	9.9	2H34	9-12
88F-11	443.1	455.5	12.4	2D0	5-6
88F-13	267.0	274.5	7.5	2A0	1-2
88F-13	274.5	284.5	10.0	2D0	7
88F-13	284.5	292.0	7.5	2F4	10
88F-13	297.0	311.8	14.8	2D0	6
88F-13	311.8	326.5	14.7	2C5	3-4
88F-13	326.5	338.0	11.5	2D4	9
88F-13	338.0	341.5	3.5	2A0	3-4
88F-13	363.5	366.5	3.0	2H34	9-12
88F-13	366.5	375.6	9.1	2A49	10
88F-14	331.0	339.0	8.0	2A0	3
88F-14	339.0	343.5	4.5	2A3	6-7
88F-14	343.5	346.5	3.0	2F4	12-15
88F-14	346.5	350.5	4.0	2A0	0
88F-14	350.5	353.0	2.5	2F4	15
88F-14	353.0	361.0	8.0	2F4	15-20
88F-14	367.5	377.5	10.0	2H34	12-20
88F-14	377.5	393.0	15.5	2F4	12-15
88F-14	393.0	403.0	10.0	2H34	12
88F-14	403.0	432.0	29.0	2A0	3-4
88F-15	418.0	426.5	8.5	2C0	0
88F-15	426.5	448.5	22.0	2F4	12-15
88F-15	449.5	453.0	3.5	2F	7
88F-15	453.0	464.5	11.5	2A0	0
88F-16	672.0	692.5	20.5	2A0	0
88F-16	692.5	704.0	11.5	2F	6-8
88F-16	704.0	707.5	3.5	2D	4-6
88F-16	707.5	715.0	7.5	2A0	3-4