

005069

## 1988 Faro DDH's - Pb+Zn %

Hole	Interval	Unit	Pb+Zn grade (estimated)
88F-01	39.0-62.5	2A0	1-3%
"	62.5-72.1	2F4	15%
"	72.1-77.8	2H4	10-12%
"	77.8-81.8	2E4	9%
"	81.8-87.1	2C24	5%
"	87.1-104.3	2A0	3%
88F-02	28.5-45.0	2E4	9%
"	45.0-57.8	2A0	7%
88F-03	285.0-301.0	2A0	4-5%
"	301.0-308.5	2B0	0-1%
"	308.5-311.0	2E0	0-5%
"	311.0-318.5	2C3	4%
"	318.5-362.0	2A0	5-8%
88F-04	305.7-309.5	2A0	0-1%
"	309.5-316.0	2H38	6%
"	316.0-330.0	2E4	10%
"	330.0-333.8	2H34	8%
"	336.0-347.8	2H34	13%
"	347.8-376.6	2A0	4-5%
88F-05	166.0-193.0	2A0	3-5%
"	193.0-199.0	2D0	6-7%
"	199.0-201.9	2H34	12%
"	201.9-225.0	2A0	3-5%
88F-07	354.7-363.8	2H4	12%
"	363.8-367.9	2F4	15%
"	367.9-380.4	2H4	12%
"	380.4-387.6	2FA	18%
"	387.6-401.2	2A0	5-7%

<u>Hole</u>	<u>Interval</u>	<u>Unit</u>	<u>Pb+Zn grade</u>
88F-08	345.4-346.8	2A0	1-2%
"	348.8-354.0	2A0	3%
"	356.2-362.8	2A0	4-5%
"	370.2-447.8	2A0	4-6%
88F-10	280.8-290.6	2A0	3-4%
"	290.6-299.0	2H34	9-12%
"	299.0-313.3	2D0	5.5-6.5%
"	313.3-319.0	2C5	1.5-2.5%
"	319.0-324.0	2H34	8-9%
"	324.0-335.5	2C5	3-3.5%
"	335.5-339.5	2H34	10-13%
"	339.5-344.1	2C05	4-5%
"	344.1-352.5	2C5	4-5%
"	352.5-354.8	2D05	5-5.5%
"	354.8-357.4	2H34	11-13%
"	357.4-368.3	2C05	4.5-5%
88F-11	398.1-408.0	2D0	5%
"	408.0-415.2	2A0	1-2%
"	415.2-433.2	2G24	10%
"	433.2-443.1	2H34	9-12%
"	443.1-455.5	2D0	5-6%
88F-13	267.0-274.5	2A0	1-2%
"	274.5-284.5	2D0	7%
"	284.5-292.0	2F4	10%
"	297.0-311.8	2D0	6%
"	311.8-326.5	2C5	3-4%
"	326.5-338.0	2D4	9%
"	338.0-341.5	2A0	3-4%
"	363.5-366.5	4H34	9-12%
"	366.5-375.6	2A49	10%

Hole	Interval	Unit	Pb+Zn grade
88F-14	331.0-339.0	2A0	3%
"	339.0-343.5	2A3	6-7%
"	343.5-346.5	2F4	12-15%
"	346.5-350.5	2A0	no grade
"	350.5-353.0	2F4	15%
"	353.0-361.0	2F4	15-20%
"	367.5-377.5	2H34	12-20% not really visible (pass. 10%)
"	377.5-393.0	2F4	12-15%
"	393.0-403.0	2H34	12%
"	403.0-432.0	2A0	3-4%
88F-15	418.0-426.5	2C0	no grade
"	426.5-448.5	2F4	12-15%
"	449.5-453.0	2F	7%
"	453.0-464.5	2A0	no grade
88F-16	672.0-692.5	2A0	no grade
	692.5-704.0	2F	6-8%
	704.0-707.5	2D	4-6%
	707.5-715.0	2A0	3-4%