



PRINTOUT OF ROCK-TYPE INFORMATION FOR RECORDS [ 1 ] TO [ 22 ]

MINING COST DATA

REC	STAT	ROCK CODE	DESCRIPTION	COST DATA [Cdn \$ PER bcm ]				
				DRILLING	BLASTING	LOADING	FIXED HAULAGE	MINING SERVICES
1	1	20	4ACD - Carbonaceous, pyritic quartzite	.0000	.0000	.0000	.0000	.0000
2	1	30	4CD - Noncarbonaceous, pyritic quartzite	.0000	.0000	.0000	.0000	.0000
3	1	40	4EC - Semi-massive, quartzose, pyritic sulphides	.0000	.0000	.0000	.0000	.0000
4	1	50	4E - Pyritic massive sulphides	.0000	.0000	.0000	.0000	.0000
5	1	60	4EG - Baritic, pyritic massive sulphides	.0000	.0000	.0000	.0000	.0000
6	1	70	4H - Pyrrhotitic massive sulphides	.0000	.0000	.0000	.0000	.0000
7	1	100	3G - Noncalcareous muscovite-chlorite phyllite	.0000	.0000	.0000	.0000	.0000
8	1	110	3G9 - Carbonaceous, noncalcareous muscovite-chlorite phyllite	.0000	.0000	.0000	.0000	.0000
9	1	120	3F - Calcitic marble	.0000	.0000	.0000	.0000	.0000
10	1	130	3G9/3F9 - Carbonaceous noncalcareous phyllite with black marble	.0000	.0000	.0000	.0000	.0000
11	1	150	5A - Carbonaceous, calcareous to dolomitic phyllite	.0000	.0000	.0000	.0000	.0000
12	1	160	5B - Calcareous muscovite-chlorite phyllite	.0000	.0000	.0000	.0000	.0000
13	1	200	5C/5D/3C/3B - Metabasite and/or chloritic phyllite	.0000	.0000	.0000	.0000	.0000
14	1	210	4L - Altered muscovite-quartz phyllite	.0000	.0000	.0000	.0000	.0000
15	1	300	11 - Unconsolidated overburden / till	.0000	.0000	.0000	.0000	.0000
16	1	310	11B - Unconsolidated overburden actually drilled	.0000	.0000	.0000	.0000	.0000
17	1	320	11A - Unconsolidated overburden - triconed with no recovery	.0000	.0000	.0000	.0000	.0000
18	1	500	Air	.0000	.0000	.0000	.0000	.0000
19	1	240	10Q - Bull vein quartz	.0000	.0000	.0000	.0000	.0000
20	1	250	10AB - Anvil Batholith Biotite-Muscovite Granite	.0000	.0000	.0000	.0000	.0000
21	1	260	10E - Hornblende-Biotite Granite	.0000	.0000	.0000	.0000	.0000
22	1	270	10F - Smokey Quartz-Feldspar Porphyry	.0000	.0000	.0000	.0000	.0000

