

Y110 1986

Chemex Labs Ltd.

005286

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2G1
Phone: (604) 984-0221
Telex: 043-52597

AUG - 4 1986

MAJI Analytical Chemists • Geochemists • Registered Assayers

CLAIMS
10SD/03

CERTIFICATE OF ANALYSIS

FILE
COPY
DO NOT
REMOVE

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

CERT. # : A8615357-001-A
INVOICE # : I8615357
DATE : 4-AUG-86
P.C. # : NONE
Y06A-07

ATTN: J. PAUTLER


Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
Y110-6J01R	205	0.3	15	0.6	5	--	--
Y110-6J02R	205	0.1	24	0.8	5	--	--
Y110-6J03R	205	9.5	70	2.4	25	--	--
Y110-6J04R	205	0.4	11	1.0	<5	--	--
Y110-6J05R	205	11.2	2	0.1	<5	--	--
Y110-6J06R	205	0.9	430	6.8	10	--	--
Y110-6J07R	205	1.1	80	2.2	15	--	--
Y110-6J08R	205	0.2	4	0.4	<5	--	--
Y110-6J09R	205	1.5	340	53.0	10	--	--
Y110-6J10R	205	0.8	5	0.8	<5	--	--
Y110-6J11R	205	0.3	2	0.4	<5	--	--
Y110-6J12R	205	0.1	24	2.4	<5	--	--
Y110-6J13R	205	0.1	2	0.6	10	--	--
Y110-6J14R	205	92.0	4	1.2	3050	--	--
Y110-6G01R	205	2.7	3	0.2	50	--	--
Y110-6G02R	205	>100.0	4	5.4	50	--	--
Y110-6G03R	205	2.0	2	0.2	10	--	--
Y110-6G04R	205	9.2	3	3.8	10	--	--
Y110-6G05R	205	0.6	1	0.2	<5	--	--
Y110-6G06R	205	3.0	3	0.2	<5	--	--

Assay by

8-15-86 2530

57

Certified by Hart Bichler



Chemex Labs Ltd.

RECEIVED

2112 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

AUG - 4 1986

Analytical Chemists • Geochemists • Registered Assayers
KERR ADDISON MINES LTD. Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

FILE
COPY
DO NOT
REMOVE

CERT. # : A8615358-001-A
INVOICE # : I8615358
DATE : 4-AUG-86
P.O. # : NONE
Y06A-07

ATTN: J. PAUTLER

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
Y110-6G07R	205	0.3	2	0.2	<5	--	--
Y110-6G08R	205	4.4	2	0.2	50	--	--
Y110-6G09R	205	3.0	3	0.7	60	--	--
Y110-6G10R	205	1.7	3	0.8	10	--	--
Y110-6G11R	205	0.7	5	0.4	10	--	--
Y110-6G12R	205	2.1	6	0.4	5	--	--
Y110-6G13R	205	0.6	2	0.2	<5	--	--
Y110-6G14R	205	0.7	3	0.3	<5	--	--
Y110-6G15R	205	0.4	2	0.1	<5	--	--
Y110-6G16R	205	0.8	2	0.1	<5	--	--
Y110-6G17R	205	3.1	1	0.3	<5	--	--
* Y110-6G18R	205	45.0	2	0.2	>10000	--	--
Y110-6G19R	205	6.6	2	0.1	170	--	--

>10000

= 1.81 g/t


62.05 Au
g/t

Assay Au

34.22 g

Hart Bichler

Certified by



Chemex Labs Ltd

RECEIVED

212 Brooksbank Ave.
North Vancouver, B.C.
V7J 2C1
Canada
Phone: (604) 984-0221
Telex: 043-52597

Analytical Chemists • Geochemists • Registered Assayers

AUG - 4 1986
KERR ADDISON MINES LTD.

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1


FILE
COPY
DO NOT
REMOVE

CERT. # : A8615360-001-A
INVOICE # : I8615360
DATE : 4-AUG-86
P.O. # : NONE
Y06A-07

ATTN: J. PAUTLER

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
Y110-6J15R	205	2.8	5	0.1	155	--	--
Y110-6J16R	205	12.8	6	1.2	295	--	--
Y110-6J17R	205	0.8	5	0.2	20	--	--
Y110-6J18R	205	0.7	2	0.1	<5	--	--
Y110-6J19R	205	26.0	3	0.2	165	--	--
Y110-6J20R	205	8.5	2	0.6	5	--	--
Y110-6J21R	205	0.7	2	0.1	<5	--	--
Y110-6J22R	205	0.6	2	0.4	<5	--	--
Y110-6J23R	205	5.5	1	0.1	20	--	--
Y110-6J24R	205	3.3	2	0.1	15	--	--
Y110-6J25R	205	1.8	2	0.1	20	--	--
Y110-6J26R	205	1.3	1	0.1	<5	--	--
Y110-6G20R	205	1.2	1	0.1	<5	--	--
Y110-6G21R	205	0.8	1	0.1	<5	--	--
Y110-6G22R	205	1.1	1	0.2	<5	--	--
Y110-6G23R	205	0.6	1	0.1	<5	--	--
Y110-6G24R	205	13.0	1	0.1	95	--	--
Y110-6G25R	205	0.3	1	0.1	<5	--	--
Y110-6G26R	205	0.1	1	0.1	<5	--	--

Certified by Hart Bichler



Chemex Labs Ltd

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Phone: (604) 984-0221
Telex: 043-52597

RECEIVED
AUG 27 1985
KERR ADDISON MINES LTD

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1


FILE
COPY
DO NOT
REMOVE

CERT. # : A8616683-001-A
INVOICE # : I8616683
DATE : 25-AUG-86
P.C. # : NONE
Y06A-07

CC: J. PAUTLER

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
Y110-6G27R	205	0.1	2	0.2	10	--	--
Y110-6G28R	205	0.1	5	0.2	30	--	--
Y110-6G29R	205	2.9	2	0.2	10	--	--
Y110-6G30R	205	0.4	2	0.2	<5	--	--
Y110-6G31R	205	0.9	2	0.1	15	--	--
Y110-6G32R	205	0.2	1	0.2	10	--	--
Y110A-6J01R	205	0.2	6	0.2	5	--	--
Y110A-6J02R	205	1.0	14	0.1	10	--	--
Y110A-6J03R	205	0.3	3	0.2	<5	--	--
Y110A-6J04R	205	0.2	2	0.2	<5	--	--
Y110A-6J05R	205	1.2	1	0.1	<5	--	--
Y110A-6J06R	205	<u>18.0</u>	6	0.2	<5	--	--
Y110A-6J07R	205	0.5	3	0.1	5	--	--
Y110A-6J08R	205	1.9	70	0.4	<5	--	--
Y110A-6J09R	205	<u>20.0</u>	41	0.2	<5	--	--
Y110A-6J10R	205	<u>22.0</u>	36	0.2	<5	--	--
Y110A-6J11R	205	3.5	2	0.3	<5	--	--
Y110A-6J12R	205	0.9	1	0.1	<5	--	--
Y110A-6J13R	205	1.5	1	0.3	<5	--	--
Y110A-6J14R	205	0.3	1	0.2	<5	--	--

Certified by Hart Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

CERT. # : A8617023-001-A
INVOICE # : I8617023
DATE : 2-SEP-86
P.O. # : NONE
Y06A-07

ATTN: R. DUJARDIN CC: J. PAUTLER


Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
Y110A-6G33R	205	8.6	1	0.1	<5	--	--
Y110A-6G34R	205	46.0	1	0.3	105	--	--
Y110A-6G35R	205	13.3	1	0.4	5	--	--
Y110A-6G36R	205	3.2	5	0.4	<5	--	--
Y110A-6G37R	205	3.5	5	0.3	20	--	--
Y110A-6G38R	205	4.4	10	4.4	5	--	--
Y110A-6G39R	205	0.8	5	1.8	40	--	--
Y110A-6G40R	205	1.7	9	0.2	<5	--	--
Y110A-6G41R	205	4.5	180	1.2	35	--	--
Y110A-6G42R	205	0.2	30	0.4	<5	--	--
Y110A-6J15R	205	1.0	2	0.2	<5	--	--
Y110A-6J16R	205	0.3	1	0.1	<5	--	--
Y110A-6J17R	205	29.0	4	0.3	50	--	--
Y110A-6J18R	205	1.7	2	0.2	5	--	--
Y110A-6J19R	205	4.9	1	0.1	<5	--	--
Y110A-6J20R	205	7.2	2	0.1	<5	--	--
Y110A-6J21R	205	10.3	410	1.8	5	--	--
Y110A-6J22R	205	1.0	6	0.2	<5	--	--
Y110A-6J23R	205	0.5	2	0.2	<5	--	--
Y110A-6J24R	205	4.0	440	7.0	45	--	--
Y110A-6J25R	205	88.0	9	0.8	<5	--	--
Y110A-6J26R	205	5.8	7	0.1	<5	--	--
Y110A-6J27R	205	1.4	1	0.1	<5	--	--
Y110A-6J28R	205	1.6	150	1.6	<5	--	--
Y110A-6J29R	205	1.5	19	2.2	<5	--	--
Y110A-6J30R	205	8.8	190	0.4	180	--	--
Y110A-6J31R	205	0.8	7	0.1	<5	--	--
Y110A-6J32R	205	0.4	4	0.1	<5	--	--
Y110A-6J33R	205	1.0	1	0.2	105	--	--
Y110A-6J34R	205	81.0	4	0.7	40	--	--
Y110A-6J35R	205	1.1	1	0.1	<5	--	--
Y110A-6J36R	205	20.0	11	0.2	700	--	--
Y110A-6J37R	205	3.2	200	0.5	<5	--	--
YE-6J48R	205	1.9	3600	4.2	270	--	--

RECEIVED

SEP 3 1986

KERR ADDISON MINES LTD.

Certified by Hart Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

2121 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Phone: (604) 984-0221
Telex: 043-52597

FILE
DO NOT REMOVE
AUG 25 1986

PER _____
CERTIFICATE OF ANALYSIS


TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

CERT. # : A8616682-001-A
INVOICE # : I8616682
DATE : 24-AUG-86
P.O. # : NONE
Y06A-07

CC: J. PAUTLER

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
Y110-6G04T	201	0.1	4	0.2	<5	--	--
Y110-6G05T	201	0.1	1	0.2	<5	--	--
Y110A-6J01T	201	0.6	5	0.1	5	--	--
Y110A-6J02T	201	0.2	3	0.4	<5	--	--
Y110A-6J03T	217	0.1	1	0.3	<5	--	--

Certified by Hart Bichler



Chemex Labs Ltd.

JUL 29 1986

Analytical Chemists • Geochemists • Registered Assayers **S LTD.**

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

CERT. # : A8615359-001-A
INVOICE # : I8615359
DATE : 29-JUL-86
P.O. # : NONE
Y06A-07

ATTN: J. PAUTLER

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
Y110-6J01S	201	0.1	4	0.1	<5	--	--
Y110-6J02S	201	0.4	69	1.1	<5	--	--
Y110-6J03S	201	0.2	75	2.2	<5	--	--
Y110-6J04S	201	0.8	190	0.8	<5	--	--
Y110-6J05S	201	2.1	6	0.6	<5	--	--
Y110-6J06S	201	0.1	3	0.1	<5	--	--
Y110-6J07S	201	0.2	4	0.2	<5	--	--
Y110-6G01S	201	0.3	4	0.5	<5	--	--
Y110-6G01T	201	0.7	11	0.2	<5	--	--
Y110-6G02T	201	1.3	14	0.2	15	--	--
Y110-6G03T	201	0.8	15	0.1	5	--	--

Certified by Hart Bechler

