

Date: June 7-30 / 86 Project: HAVILAH / LA / Legal Tender Area: Union R. Y.T. 105 D/6 Page 1 of 1

Sample No.	Location	Description	Attitude	Width	Analytical Results	
LT-1 ✓	Dump	Float qtz vein \approx <u>3% galena</u>			Ag. opt	Au opt
					<u>4.52</u>	<u>.044</u>
LT-2 ✓	Dump	as above <u>3 to 5% galena</u>			<u>1.96</u>	<u>1.028</u>
LT-3 ✓	below dump	as above <u>no visible galena</u>			.29	.028
LT-4 ✓	Dump	Qtz float <u>no galena visible</u>			.05	.026
LT-5	Q+50E \approx Q+35S	Felitic dyke rx, may be in ass. with vein.			.08	.004
LT-6	top of gully east of portal	Float grab sample qtz vein float float			.02	TRACE
LT-7	E. side of Mineral Hill.	Qtz boulder; float, qtz stockwork 2 to 5% disseminated pyrite			0.2 ppm	95 ppb
LT-8	top of gully east of portal.	qtz boulder; float Mn. staining			2.7 ppm	40 ppb

Date: June/86 Project: HAVILAH / LAF Area: 105 D/6 Page 2 of

Sample No.	Location	Description	Attitude	Width	Analytical Results	
LT-9 ✓	Dump	qtz float, <u>10% galena, malachite staining 1 to 2%</u>			Ag 2.68 opt	Au 0.406 opt.
LT-10 ✓	X 0+100 0+255	chip sample across shear zone with qtz veining in center, sheared granodiorite with moderate silicification	105/30°S	1 meter 1.2m	40.0 ppm	100 ppb
LT-11 ✓	X 0+10E 0+255	chip sample across shear zone qtz veining with minor pyrite		1 meter	11.0 ppm	220 ppl
LT-12 ✓	X 0+15E 0+285	chip sample subcrop of vein, 2 qtz veins 15 and 25 cm wide within shear zone		1.2 m.	3.7 ppm	360 ppl
LT-13 ✓	X 0+23E 0+30S	chip sample, outcrop of milky white qtz vein with rare qtz crystals.	115/25°S	1.2m	2.8 ppm	5 ppb
LT-14 ✓	X 0+23E 0+255	chip sample as above	110/30°S	1.4m	6.2 ppm	640 ppl
LT-15 ✓	X 0+50E (0+15S 0+20)	chip sample across qtz vein trace galena	140/30°S	1.6m	5.2 ppm	140 pp.

Date: June 1986 Project: HAVILAH / LAF Area: 105 D/6 Page 3 of

Sample No.	Location	Description	Attitude	Width	Analytical Results	
LT-16 ✓	w. side of portal sample LT-31	chip sample. up to 15% <u>galena</u> in parts of the vein	140/30° S	1.6 m	Ag >50 ppm <u>1.51 opt</u>	Au 260 ppb
LT-17 ✓	BL 0+75E E	grab sample of float			20.0 ppm	1100 ppt
LT-18 ✓	2 m S of LT-19	chip sample qtz vein; no sulphides visible	130/20 S		6.4 ppm	420 ppb
LT-19 ✓	BL 1+05E	chip sample qtz vein 10% galena		1 m	32.0 ppm	840 ppb
LT-20	top of gully near soil sample LSS07	grab sample of float, qtz; vegy. Mn stained			12.0 ppm	50 ppb
LT-21	top of gully	as above.			1.4 ppm	10 ppb
LT-22	NE of grid in adjacent gully	chip sample across shear zone (NE of grid)		1 to 1.5 m	0.2 ppm	< 5 ppb
LT-23 ✓	1 m NE of LT-19	grab chip sample of <u>sulphides</u> in qtz vein	50/20 S		>50 ppm <u>1.23 opt</u>	<u>5600 ppb</u>
LT-24 ✓	~ 10 m north of BL 1+25E	Grab sample of qtz vein trace galena			4.2 ppm	150 ppb

Date: June / 86 Project: HAVILAH / LAF Area: Legal Tender Property 105 P/6 Page 4 of 4

Sample No.	Location	Description	Attitude	Width	Analytical Results	
LT-25 ✓	~ 0+05W 0+05N	grab sample qtz calcite vein at rhyolite - intrusive contact.	060/85°NE		Ag 3.8 ppm	Au 20 ppb
LT-26 ✓	~ 0+10E 0+12S	grab sample of narrow flat laying qtz vein	010/10°E		4.2 ppm	30 ppb
LT-27	Western Extension vein	Grab sample of qtz float magnetite.			750 ppm 4.16 opt.	340 ppb
LT-28	"	chip sample		1 m	3.3 ppm	5 ppb
LT-29	"	chip sample of sheep outcrop. magnetite	080/95N	1.066 1.066 m.	6.7 ppm	20 ppb

Date: July 11 / 86 Project: HAVILAH / LAF Area: Wharton R., Y.T. 105 D/6 Page 1 of 2

Sample No.	Location	Description	Attitude	Width	Analytical Results			
					AU.	Ag	Pb	Cu?
LT-30 ✓	LT vein, 5 m west of adit. Duplicate of LT-15.	Quartz vein. Banded, conformable fracturing with clays + sericite. <1% disseminated galena. Host rock is altered granodiorite.	155/28 W	1.0 m (chip samples)	100%	.44	4400	
LT-31 ✓	3 m west of adit. Duplicate of LT-16.	as above, no galena noted.		1.1 m				TRACE
LT-32 ✓	R (west) side of portal, previously unsampled.	as above, no galena noted.		1.0 m				TRACE
LT-33 ✓	30 cm below LT-32	Clean quartz vein parallel with main LT vein. May be discontinuous. <1% Gn (galena).		0.15 m				TRACE
LT-34 ✓	L (east) side of portal. Previously unsampled.	as LT-32. 1% Gn.	155/28 W	1.5 m				TRACE
LT-35 ✓	7 m east of portal. Previously unsampled.	as above. 2% galena. Vein may be wider than 0.6 m chip sample; poorly exposed.		0.6 m	131	1.10	6500	Pb (155%)
LT-36 ✓	"	Grab sample of galena-rich material. Approx 20% Gn. Traces pyrite, malachite, possible arsenobrite, tetrahedrite.		Grab	.477	12.4	22.2%	Pb

Date: July 11 / 86

Project: HAVILAH / LAF Property

Area: 105 D/6

Sample No.	Location	Description	Attitude	Width	Analytical Results		
					Ag opt	Pb opt	Cu opt
LT-37 ✓	"	Grab sample of rusty raggy quartz vein material. Vugs presumably result from weathered out sulfides. <1% Gn.	-	Grab.	.731	1.9	
✓ LT-38	"	Grab sample of well developed cockscumb quartz crystals to 2cm. <1% Gn.	-	Grab.	0.006	0.22	
✓ LT-39	21 m east of portal.	Quartz rubble. <1% Gn. Presumably from close-by vein.	-	-	0.050	0.90	
✓ LT-40	8 m east of portal.	as LT-30, <1% Gn.		0.37 m	0.035	1.03	
✓ LT-41	50 m east of portal. Duplicate of LT-18	as LT-30. With stretched altered kgd clasts. <1% Gn.		1.0 m	0.061	0.21	
✓ LT-42	50 m east of portal. Duplicate of LT-19	as LT-30, <1% Gn.		0.9 m	0.013	0.47	
✓ LT-43	70 m east of portal. Duplicate of LT-24.	Clean quartz vein. No galena noted. Possibly a cross-vein.	200/30E	0.16m	<0.002	0.04	
✓ LT-44	5 m N of LT-43	Clean quartz vein. No galena noted. Possibly a cross-vein of LT vein. Discontinuous from LT-43.	200/30E	0.20m	<0.002	0.02	

Please note - all samples are chip samples unless noted otherwise.
 - <1% means present in small amounts

