



VAN GEOCHEM LAB LTD. **PELTY CLAIMS**

1521 PEMBERTON AVE.

TELEPHONE: 986-5211

NORTH VANCOUVER, B.C., 006127

AREA CODE: 604

CANADA V7P 2S3

• Specialising in Trace Elements Analyses •

# Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

**Kerr Addison Mines Ltd.**  
#703 - 1112 West Pender Street  
Vancouver, B. C. V6E 2S1

Report No: **78 48 018** Page **1** of **1**

Samples Arrived: **July 25, 1978** Shipped *July 22/78*

Report Completed: **July 27, 1978**

For Project: *Yukon*

Analyst: **B.T.**

Attention: *S.G. Peltite Sampling, Pelly cls*

Invoice # **2061**

Job # **78-134**

	Cu	Pb	Zn	Ag	Location
	ppm	ppm	ppm	ppm	
PC - 1	55	27	760	1.4	SEEP
2	14	10	75	0.3	Sandy
3	25	16	140	0.6	sandy silt
4	43	16	132	1.0	silt + organic
PC - 5	87	800	2050	1.7	silt + organic
FL 250E 250 E - 1 SP	7	185	310	0.4	ASH
2	67	870	1920	1.8	B+C
3	12	10	355	0.5	A0 A2+A3
4	8	280	12	0.6	ASH
FL 250E 250 E - 5 SP	48	1060	1870	2.2	B+C
510 E - 1 SP	190	203	540	0.4	ASH A0?
2	201	1000	1850	1.8	A below
3	190	1750	3400	3.0	B-C
4	8	5	12	0.4	A2
5	18	570	1100	0.8	B ice
510 E - 6 SP	5	85	130	0.2	ASHY
1250 W - 1 SP	4	3	5	0.4	ASH
1250 W - 2 SP	10	12	157	0.5	B-C
1500 W - 1 SP	17	21	145	0.7	Final ASH
1500 W - 2 SP	6	5	18	0.4	or E
1750 W - 1 SP	4	2	2	0.2	ASH trace
1750 W - 2 SP	20	10	48	0.5	B

*All sampling above  
on Flag Lines.*

Signed: *[Signature]*

% Mo x 1.6683 = % MoS<sub>2</sub>

1 Troy oz./ton = 34.26 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.

MASTER PRINTING LTD.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

2

• Specialising in Trace Elements Analyses •

# Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Kerr Addison Mines Ltd.  
 #703 - 1112 West Pender Street  
 Attention: Vancouver, B C V6E 2S1

Report No: 78 48 022 Page 1 of 2  
 Samples Arrived: Aug. 14, 1978  
 Report Completed: Aug. 17, 1978  
 For Project: Y - 7 C - 7  
 Analyst: RN

Invoice # 2112

Job #780171

4-7

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm	
250 E 210 N	100	1250	1260	3.3	
375 E 1800 N	37	20	90	1.4	} B. Mackey Aug 8
1830	34	20	116	1.4	
1860	36	22	107	1.6	
1890	35	20	100	1.6	
1920	45	24	116	1.6	
1980	48	650	800	2.0	} Black clay 24" "
2070	30	106	199	1.4	
2100	13	8	25	0.4	} sandy grey clay 24" "
375 E 2130 N	8	3	15	0.2	
510 E B-0	15	14	34	0.6	} c. gravel Aug 8
30 N	66	15	110	1.2	
90	41	5	460	1.2	
120	80	2900	2590	4.0	
150	74	1650	1650	3.2	
180	108	3300	3260	5.0	
210	114	3550	3740	5.0	
240	93	2450	2600	4.0	
420	18	7	11	0.4	
510 E 450 N	5	2	16	0.2	
510 E 510 N 1sp	48	1670	1340	2.3	} A3 6-15 cm A4 Ash 15-17 cm - B 17-47 cm (Black clay)
510 E 510 N 2sp	4	56	70	0.2	
510 E 510 N 3sp	180	3050	5900	8.2	
510 E 540 N 1sp	11	40	145	0.3	} Aug 1/78
510 E 540 N 2sp	102	193	850	3.2	
510 E 540 N 3sp	81	1600	1840	4.1	
510 E 600 N 1sp	4	6	18	0.1	
510 E 600 N 2sp	190	540	2000	3.3	
510 E 600 N 3sp	162	1270	3160	2.7	
510 E 630 N 1sp	6	85	90	0.3	
510 E 630 N 2sp	26	140	310	1.0	
510 E 630 N 3sp	45	820	760	2.0	
BL 2600N 1250W 1sp	33	15	247	1.2	
BL 2600N 1250W 2sp	56	165	520	1.4	
BL 2600N 1250W 3sp	66	750	1120	2.4	
L 500 E 2610 N	5	3	6	0.1	} ? LOCATION - BL 2600 N sampled twice (see Report #024) sampled by ? } by Bill Mackey Aug 8
L 500 E 2634 N	22	17	107	0.6	
L-510E 660 N	51	1200	1270	2.6	
L-510E 690 N	16	14	71	0.8	

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected.      ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

# Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Kerr Addison Mines Ltd.  
 #703 - 1112 West Pender Street  
 Vancouver, B C V6E 2S1

Attention:

Report No: 78 48 022 Page 1 of 2  
 Samples Arrived: Aug. 14, 1978  
 Report Completed: Aug. 17, 1978  
 For Project: Y - 7 C - 7  
 Analyst: RN  
 Invoice # 2112 Job #780171

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
250 E 210 N	100	1250	1260	3.3		
375 E 1800 N	37	20	90	1.4		
1830	34	20	116	1.4		
1860	36	22	107	1.6		
1890	35	20	100	1.6		
1920	45	24	116	1.6		
1980	48	650	800	2.0		
2070	30	106	199	1.4		
2100	13	8	25	0.4		
375 E 2130 N	8	3	15	0.2		
510 E B- 0	15	14	34	0.6		
30 N	66	15	110	1.2		<i>poor sample ↓ poor sample ↓ good sample - dry.</i>
90	41	5	460	1.2		
120	80	2900	2590	4.0		
150	74	1650	1650	3.2		
180	108	3300	3260	5.0		
210	114	3550	3740	5.0		
240	93	2450	2600	4.0		
420	18	7	11	0.4		
510 E 450 N	5	2	16	0.2		
510 E 510 N 1sp	48	1670	1340	2.3	<i>Ho</i>	
510 E 510 N 2sp	4	56	70	0.2	<i>MSH</i>	
510 E 510 N 3sp	180	3050	5900	8.2		<i>Black clay-permafrost</i>
510 E 540 N 1sp	11	40	145	0.3		
510 E 540 N 2sp	102	193	850	3.2		
510 E 540 N 3sp	81	1600	1840	4.1		
510 E 600 N 1sp	4	6	18	0.1		
510 E 600 N 2sp	190	540	2000	3.3		
510 E 600 N 3sp	162	1270	3160	2.7		
510 E 630 N 1sp	6	85	90	0.3		
510 E 630 N 2sp	26	140	310	1.0		
510 E 630 N 3sp	45	820	760	2.0		<i>greenish grey clay soil</i>
BL 2600N 1250W 1sp	33	15	247	1.2		
BL 2600N 1250W 2sp	56	165	520	1.4		
BL 2600N 1250W 3sp	66	750	1120	2.4		<i>heavy sandy soil minor limonite</i>
L 500 E 2610 N	5	3	6	0.1		
L 500 E 2634 N	22	17	107	0.6		
L-5 OE 660 N	51	1200	1270	2.6		
L-510E 690 N	16	14	71	0.8		

REMARKS:

Signed: *[Signature]*

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.

*n*

MASTER PRINTING LTD.





VANGEOCHEM LAB LTD.  
1521 PEMBERTON AVE.,  
NORTH VANCOUVER, B.C.,  
CANADA V7P 2S3

TELEPHONE: 986-5211  
AREA CODE: 604

3

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

-IN ACCOUNT WITH-  
**Kerr Addison Mines Ltd.**  
#703 - 1112 West Pender Street  
Vancouver, B. C. V6E 2S1  
Attention:

*PELLI*

Report No: 78 48 024 Page 1 of 2  
Samples Arrived: August 17, 1978  
Report Completed: August 23, 1978  
For Project: Property Code Y-7  
Analyst:  
Invoice #2134 Job #78 - 191

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm	
L250E BO	16	8	23	0.6	
30N	20	12	76	0.8	
60	45	16	92	0.8	
90	14	14	100	0.9	
120	206	21	155	1.0	
150	74	13	74	0.8	
180	49	190	380	1.4	
270	46	18	100	1.2	A.A. profile sampling sites? 870# 1920 21.
L250E 300N	22	9	16	1.0	
L375E 1770N	20	21	165	1.2	
1950-1710 240"	46	18	136	1.2	sandy grey clay 16"
2010 30"	68	377	640	1.8	sandy grey clay 18"
2040 330"	65	510	640	2.1	Black soil 20"
2160 450"	118	1320	2500	2.4	Sandy grey clay 15"
2190 480"	39	26	134	1.4	
2220 510"	64	167	360	1.9	
2250 540"	57	26	134	1.5	
2280 570"	55	88	285	1.5	grey clay 15"
2310 60"	39	18	136	1.0	
2340 630"	41	22	104	1.4	
2370 660"	23	21	100	1.2	
2400 690"	21	21	103	1.4	
2430 720"	16	16	99	0.8	
2460 750"	41	24	115	1.5	
2490 780"	76	24	136	1.6	
2520 810"	59	23	135	1.4	
2550 840"	65	22	138	1.3	
2580 870"	43	61	166	1.0	
L375E 2612N	25	16	106	0.8	
L590E 2190N	59	760	1450	1.3	Brown soil 24" 12"
2220	6	6	14	0.2	Brown soil 24" 12"
2250	15	147	286	0.3	20"
2280	20	285	540	0.6	20"
2310	4	5	8	0.2	20"
2340	6	3	11	0.2	24"
2370	46	23	100	1.5	grey clay
2400	26	20	116	1.4	
2430	53	21	124	1.4	
L500E 2460N	61	21	160	1.3	

*C. Frank Aug 9*

*B. Maciej Aug 78*

*B. Maciej Aug 9*

MASTER PRINTING LTD.

REMARKS:

*2634  
2460  
174*

Signed: *B. Maciej*

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

-IN ACCOUNT WITH-  
**Kerr Addison Mines Ltd.**

Report No: **78 48 024** Page **2** of **2**  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:

Attention:

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L500E 2490N	35	✓ 22	124	1.0	grey-clay-gravel 20" ✓	
2520	36	✓ 65	155	0.8		
2550	57	✓ 920	1400	1.2		Brown soil 24" ✓
2580	57	✓ 1030	1740	1.5		✓ 24"
2610	47	✓ 235	390	0.9		Black soil 24" ✓
L500E 2634N	46	✓ 172	385	1.3	gravel 18"	
L510E 60N	36	11 ✓	14	0.8		
270	42	21 ✓	86	1.0		
300	59	21 ✓	100	1.0		
330	36	22 ✓	85	1.0		
360	16	5 ✓	6	0.4		
390	12	5 ✓	5	0.5		
480	41	550 ✓	920	1.0		
1470	27	33	135	0.9		
1530	22	✓ 30	106	0.9		
1560	18	✓ 29	107	0.8		
1590	25	✓ 31	146	1.0		
1620	20	✓ 28	176	0.9		
1650	93	✓ 18	33	1.2		
1680	67	✓ 17	59	1.2		
1710	30	✓ 18	110	0.9		
L510E 1740N	25	✓ 21	116	1.2		

B. Maciej  
 Aug 9

C. Frank  
 Aug 8

by B.M.  
 Aug 8

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
1811 HEMBERTON AVE.  
NORTH VANCOUVER, B.C.,  
CANADA V7P 2S3

TELEPHONE: 336-5211  
AREA CODE: 604

# Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

Kerr Addison Mines Ltd.  
#703 - 1112 West Pender Street  
Vancouver, B. C. V6E 2S1

Attention:

Report No: 78 48 024

Page 1 of 4

Samples Arrived:

August 21, 1978

Report Completed:

August 24, 1978

For Project:

Y - 7

Analyst:

*PELLY*

Invoice #2143

Job #78 192

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm	
250E 330N	17	16	69	0.8	
60	87	240	510	1.3	}
90	43	680	1320	0.8	
420	8	17	68	0.4	
50	43	21	96	1.0	
80	63	21	102	1.1	
510	70	22	116	0.8	
40	46	20	96	0.8	
600	18	15	76	0.7	
30	21	16	79	0.7	
60	52	18	75	0.6	
90	56	21	90	1.2	
720	50	19	102	0.7	
50	52	23	91	0.9	
80	51	41	176	0.9	
810	31	18	74	0.8	
40	38	15	92	0.6	
40	34	16	99	0.8	Offset - 11 of 572"
70	31	14	91	0.6	Offset -
70	17	7	11	0.4	Offset -
900A	30	9	10	0.4	"
900B	37	20	96	0.8	"
30	46	18	125	0.8	"
60	43	21	143	0.9	"
250E 990N	36	21	113	1.0	"
300E ON	15	14	109	0.6	
30	24	12	36	0.6	
60	15	7	19	0.6	
90	88	19	187	0.9	
120	105	14	115	0.8	
50	50	13	116	0.7	
80	46	34	120	0.9	
210	62	18	138	0.9	
40	40	26	110	1.4	
70	22	26	26	0.6	
300	3	6	11	0.2	
30	7	6	14	0.3	
60	3	6	6	0.2	
300E 420N	6	4	25	0.4	

Offset - 11 of 572"

Offset -

Offset -

"

"

"

*Note: 10 Sample for some from 200 or 300 - 4000 from 1300-1500*

*C. Frame Aug 10?*

Signed: *[Signature]*

REMARKS:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.

MASTER PRINTING LTD.

Vancouver, B.C., CANADA V7P 2S3

TELEPHONE: 986-5211  
AREA CODE: 604

# Geochemical Analyses

• Specialising in Trace Elements Analyses •

WITH—  
Kerr Addison Mines Ltd.


Report No: 78 48 024 Page 2 of 4  
Samples Arrived:  
Report Completed:  
For Project:  
Analyst:

Attention:

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
300E 450N	71	24	113	1.2	} C. Frame Aug 10?	
80	23	19	71	0.8		
510	52	22	118	0.9		
40	42	19	101	0.7		
70	24	16	114	0.9		
600	27	15	126	1.0		
30	16	16	120	0.8		
60	24	15	65	0.7		
720	3	2	6	0.2		
810	10	5	31	0.2		
900	39	19	79	0.8	} No record of samples & date (B. White law) Aug 11?	
90	34	18	93	0.7		
1080A	117	21	64	0.8		
300E1080B	39	16	85	0.8		
400E B10	14	15	56	0.4		
30N	4	7	14	0.2		
60	4	6	118	0.2		
90	7	8	10	0.3		
120	71	17	96	0.6		
50	31	23	102	0.9		
80	74	21	137	1.3	} C. Frame Aug 11?	
210	71	30	161	1.0		
40	59	26	131	1.1		
70	65	19	126	0.9		
360	13	10	9	0.4		
Lake on Line - 400	34	21	98	0.8		
480	29	13	27	0.6		
540	12	16	120	0.8		
630	33	19	102	0.9		
720	44	22	133	1.1		
810	32	18	106	0.6	} B. Maxwell Aug 12	
900	26	9	11	0.5		
1080N 90	44	19	89	0.8		
400E1170N	41	21	96	0.8		
500E1210N	26	21	115	0.8		
40	21	16	80	0.6		
70	14	11	52	0.3		
1800	15	15	90	0.5		
500E1830N	11	16	75	0.4		

MASTER PRINTING LTD.

REMARKS:

Signed: 



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

# Certificate of Geochemical Analyses

-IN ACCOUNT WITH-  
**Kerr Addison Mines Ltd.**

Report No: **78 48 024** Page **3** of **4**  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:

Attention:

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm	
500E 1860N 774	42	✓ 21 ✓	109 ✓	1.0	} B. Maciej Aug 12
90 744	31	✓ 22 ✓	104 ✓	1.0	
1920 714	32	✓ 24 ✓	100 ✓	1.0	
50 684	44	✓ 24 ✓	91 ✓	1.0	
80 654	49	✓ 760 ✓	1680 ✓	0.6	
2040 594	7	✓ 17 ✓	49 ✓	0.2	
70 564	59	✓ 186 ✓	395 ✓	1.3	
2100 534	41	✓ 41 ✓	126 ✓	1.0	
30 504	6	✓ 20 ✓	45 ✓	0.2	} No record of sampler B. White law ? Aug 12-13 ?
500E 2160N 474	85	✓ 1010 ✓	2510 ✓	1.2	
750E BLO 87 77	49	✓ 26 ✓	106 ✓	1.3	
30N 837 77	35	✓ 24 ✓	75 ✓	0.8	
60 807	52	✓ 29 ✓	140 ✓	1.0	
90 777	65	✓ 26 ✓	122 ✓	0.6	
120 747	85	✓ 36 ✓	132 ✓	1.0	
50 717	90	✓ 28 ✓	185 ✓	0.9	
80 687	11	✓ 13 ✓	26 ✓	0.2	
210 657	50	✓ 37 ✓	130 ✓	0.8	
40 627	31	✓ 23 ✓	61 ✓	0.7	
70 597	11	✓ 14 ✓	20 ✓	0.3	
300 567	9	✓ 12 ✓	15 ✓	0.7	} No record of sampler B. White law ? Aug 12-13 ?
30 537	37	✓ 21 ✓	119 ✓	0.8	
60 507	30	✓ 26 ✓	104 ✓	1.0	
90 477	30	✓ 28 ✓	119 ✓	0.7	
420 447	40	✓ 390 ✓	1000 ✓	1.0	
50 417	65	✓ 40 ✓	157 ✓	0.8	
80 387	35	✓ 306 ✓	270 ✓	0.8	
510 357	10	✓ 18 ✓	41 ✓	0.4	
40 327	37	✓ 22 ✓	114 ✓	0.8	
70 297	30	✓ 21 ✓	79 ✓	0.5	
600 267	42	✓ 24 ✓	99 ✓	0.6	}
30 237	25	✓ 24 ✓	86 ✓	0.6	
60 207	27	✓ 25 ✓	105 ✓	1.0	
90 177	100	✓ 30 ✓	190 ✓	1.8	
720 147	23	✓ 21 ✓	86 ✓	0.6	
50 117	35	✓ 21 ✓	74 ✓	0.6	
80 87	30	✓ 19 ✓	76 ✓	0.6	
810 57	44	✓ 21 ✓	74 ✓	0.9	
750E 840N 27	36	✓ 17 ✓	83 ✓	0.8 ✓	

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>

1 Troy oz./ton = 34.28 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.

MASTER PRINTING LTD.





VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

-IN ACCOUNT WITH-  
 Kerr Addison Mines Ltd.  
 #703 - 1112 West Pender St.  
 Vancouver, B. C. V6E 2S1

Attention:

Report No: 78 48 027 Page 1 of 7  
 Samples Arrived: August 29, 1978  
 Report Completed: September 1, 1978  
 For Project: Y - 7C  
 Analyst:  
 Invoice #2178 Job #78 209

Sample Marking	Cu ppm	Pb ppm	Zn ppm		
L - 0 TL OB	120	10	20		
30 EA	47	10	18		
60 EB	21	12	63		
90 EB	24	15	89		
120 EB	22	17	104		
50 EB	52	15	41		
80 EB	28	15	103		
210 E	40	17	99		
L - 0 240 EB	49	18	94		
L - 100N BLO B	36	15	82		
30 EB	39	16	94		
60	47	18	91		
90	37	16	95		
120	40	21	108		
50	46	22	118		
210	31	16	117		
40	40	15	98		
70	29	15	91		
300	28	14	88		
30	24	14	96		
60	21	14	83		
90 EB	35	18	93		
420 E	26	15	95		
50 E	11	6	18		
80 E	22	6	6		
L - 100N 510 E	62	19	95		
L - 200N BLO	15	7	15		
30 E	25	14	81		
60	17	8	10		
90	33	17	93		
120	35	15	82		
50	30	15	78		
80	24	9	10		
210	38	22	120		
40	41	19	117		
70	35	16	104		
300	27	14	84		
30	20	15	93		
L - 200N 360E	16 ,	14 ,	84 ,		

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected :      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

—IN ACCOUNT WITH—  
**Kerr Addison Mines Ltd.**

Report No: **78 48 027** Page **2** of **7**  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:

Attention:

Sample Marking	Cu ppm	Pb ppm	Zn ppm			
L - 200N 390E	16	21	81			
420	41	11	26			
40	24	27	75			
70	24	24	76			
L - 200N 500E	16	10	34			
L - 300N BLO	40	24	90			
30E	50	23	90			
60	36	26	113			
90	10	7	10			
120	6	6	8			
50EA	8	10	11			
80	10	6	9			
210EA	9	6	12			
40	36	21	104			
300	37	27	81			
30	21	24	70			
60	24	24	105			
90	38	21	88			
420	20	23	71			
50	24	21	70			
80	26	21	70			
L - 300N 504E	27	22	106			
L - 400N BL	43	26	106			
30E	42	26	125			
60E	55	26	127			
90EA-4	6	3	3			
120EA-4	6	3	2			
150EA	11	9	3			
80EA	13	7	8			
210E	39	20	92			
40E	21	16	65			
70EA	34	16	66			
300E	10	6	9			
30EA	10	6	6			
60E	12	6	10			
90	10	5	10			
420	16	8	9			
50	38	19	65			
L - 400N 480E	40	25	121			

MASTER PRINTING LTD.

REMARKS:

Signed: 



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

-IN ACCOUNT WITH-  
**Kerr Addison Mines Ltd.**

Report No: **78 48 027**

Page **3** of **7**

Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:

Attention:

Sample Marking	Cu DDM	Pb DDM	Zn DDM
L - 400N 500E	20	18	60
L - 500N BL	22	16	80
30E	24	18	100
60	45	21	140
120E	58	27	145
50EA-4	2	2	3
80	2	2	2
210	2	2	2
40	3	2	2
300	2	2	2
30	3	2	2
60	3	2	2
90	2	3	3
420	2	3	4
50	2	2	4
80	2	2	4
L - 500N 510EA-4	3	2	4
L - 600E 60N	17	15	107
90	11	16	115
120	56	21	90
50	24	16	153
80	38	15	132
210	19	15	78
40	26	17	220
70	21	16	58
300	63	23	108
30	58	25	90
60	125	19	116
90	13	10	43
420	14	14	83
50	11	14	68
80	44	16	62
80NC	92	18	115
510NA-4	3	3	5
40	18	18	68
70	11	14	56
600	48	22	88
30	17	19	71
L - 600E 660N	25	16	62

MASTER PRINTING LTD.

REMARKS:

Signed:



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

-IN ACCOUNT WITH-  
**Kerr Addison Mines Ltd.**

Report No: **78 48 027** Page **4** of **7**  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:

Attention:

Sample Marking	Cu ppm	Pb ppm	Zn ppm			
L - 600E 690N	27	15	58			
720	20	14	62			
50	20	16	46			
80	19	16	54			
810	18	24	62			
40	33	17	65			
70	47	17	63			
900	42	15	73			
30	47	20	82			
60	18	16	63			
1020	31	16	77			
1110	43	19	97			
L - 600E1200N	74	25	152			
L - 600N BL	31	20	108			
30E	17	16	94			
60	45	22	108			
90	13	12	58			
120	39	19	102			
50	48	20	66			
80E	37	20	68			
210EA-4	5	4	4			
40	4	4	3			
70	3	4	2			
300	3	3	2			
30	2	2	3			
60	2	3	4			
90	2	3	3			
420	2	3	2			
50	2	4	2			
80	2	3	3			
L - 600N 510EA-4	2	4	3			
L - 700E BLO	10	16	47			
90N	12	17	76			
120	23	24	148			
150NA-4	2	5	4			
180NA-4	2	5	4			
210N	100	24	162			
240NA-4	2	4	4			
L - 700E 270NA-4	2	5	2			

MASTER PRINTING LTD.

REMARKS:

Signed:



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

-IN ACCOUNT WITH-  
**Kerr Addison Mines Ltd.**


Report No: **78 48 027** Page **5** of **7**  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:

Attention:

Sample Marking	Cu ppm	Pb ppm	Zn ppm			
L - 700E 300NA-4	2	2	nd			
30N	12	13	81			
60	28	14	67			
90	32	14	79			
420N	33	16	76			
50NA-4	3	2	2			
80	3	2	2			
510	2	2	2			
40NA-4	2	2	2			
70N	48	17	115			
600	34	13	78			
30	15	11	56			
60	17	14	94			
90	21	12	65			
120	9	9	51			
50	10	9	49			
80	11	11	48			
810	13	11	52			
40	18	11	59			
70	16	11	51			
930	58	16	113			
1020N	46	15	94			
1110NA-4	2	2	3			
L - 700E 1200N	22	16	74			
L - 700N BL	46	17	106			
30E	37	22	136			
60	31	21	87			
90	28	18	101			
120	25	15	107			
50	20	15	94			
210	38	18	136			
40	47	21	105			
70	50	16	109			
300	39	18	102			
30	47	15	113			
60	41	14	99			
90	26	12	111			
420	36	13	98			
L - 700N 450E	54	16	114			

MASTER PRINTING LTD.

REMARKS:

Signed: 



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

-IN ACCOUNT WITH-  
**Kerr Addison Mines Ltd.**

Report No: **78 48 027**      Page 6 of 7  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:

Attention:

Sample Marking	Cu ppm	Pb ppm	Zn ppm			
L - 800E BLA-4	2	2	3			
90N	15	12	85			
180	23	19	64			
240	49	22	93			
70	23	15	73			
300	25	15	71			
30	16	16	62			
30NC	119	22	150			
60	22	13	65			
90	97	25	90			
420	14	14	58			
50	17	14	52			
80	12	13	62			
510	15	13	56			
40	30	16	80			
70	41	19	115			
600	11	14	58			
30	22	19	70			
60	31	19	75			
750	23	15	64			
840	17	13	63			
930	20	13	58			
1020	29	20	73			
1110	36	17	102			
L - 800E 1200N	36	16	93			
L - 800N BL	38	17	97			
30E	60	20	125			
60	68	21	133			
90	50	19	91			
120	23	18	83			
50	70	22	113			
80	31	21	85			
210	63	22	138			
40	36	19	108			
70	59	24	135			
300	57	23	127			
30	37	20	108			
60	60	21	135			
L - 800N 390EA-4	2	2	7			

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.

MASTER PRINTING LTD.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

-IN ACCOUNT WITH-  
**Kerr Addison Mines Ltd.**

Report No: **78 48 027** Page **7** of **7**  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:

Attention:

Sample Marking	Cu ppm	Pb ppm	Zn ppm			
L - 900N 0	34	17	102			
30E	45	23	113			
60	56	22	122			
90	37	20	106			
120	52	20	85			
50	73	16	21			
80	87	21	83			
210	106	24	93			
40	61	19	90			
L - 900N 330E	12	11	47			
100E BLON	23	11	88			
90N	28	12	83			
180N "A"	19	11	30			
270	20	9	35			
360	7	9	10			
450	3	4	18			
540N "A"	25	11	12			
630N	49	20	120			
720	42	20	122			
810N	36	15	90			
900	50	17	100			
990N	97	18	83			
1080N "A"	29	16	93			
100E 1170N	19	16	76			
200E BLO	50	20	113			
90N	51	20	115			
180	15	11	10			
270N	9	8	7			
360N "A"	7	6	10			
450N	42	17	89			
540	47	21	82			
630	42	17	43			
720	20	16	83			
810	38	20	102			
900	43	21	98			
990	50	22	118			
1080N	39	17	102			
200E 1170N "A"	36	8	31			

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Kerr Addison Mines Ltd.  
 #703, 1112 West Pender St.  
 Vancouver, B C V6E 2S1

Attention:

Report No: 78 48 030 Page 1 of 9  
 Samples Arrived: Sept. 22, 1978  
 Report Completed: Sept. 21, 1978  
 For Project: Y-7C  
 Analyst: E. Tang  
 Invoice #2211 Job #780234

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm
L 2250 E BL 00	52	46	156	1.6
30 N	9	13	107	0.6
60	90	21	48	2.2
90	3	3	2	0.1
120	2	4	3	0.2
150	2	3	2	0.1
180	2	3	3	0.1
270	169	19	146	1.8
360	9	11	14	0.4
390	3	3	2	0.1
420	13	26	176	0.8
450	395	29	144	2.3
510	7	3	4	0.2
600	2	2	2	0.1
690	32	17	36	1.1
780	18	18	113	1.0
870	19	17	75	0.7
L 2250 E 918 N	30	17	72	0.7
L 22500 E 90 N	2	2	2	0.1
180	2	2	2	0.1
210	2	2	2	0.1
240	2	2	2	0.1
270	2	2	2	0.1
300	2	4	3	0.2
330	2	4	3	0.1
360	2	2	3	0.1
390	2	3	2	0.2
420	2	2	2	0.1
450	2	2	3	0.2
480	8	9	9	0.4
510	2	2	3	0.1
540	6	3	2	0.1
570	7	9	6	0.5
600	38	17	31	0.9
690	38	19	76	0.9
780	6	9	15	0.5
870	48	26	126	1.2
L 2500 E 945 N	30	18	82	0.7
Lo BL	11	20	106	0.6

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Kerr Addison Mines L<sub>d</sub>.

Report No: 78 48 030 Page 2 of 9

Samples Arrived:

Report Completed:

For Project:

Analyst:

Attention:

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L <sub>0</sub> 60 N	17	18	77	0.7		
150	23	16	68	0.8		
240	36	22	100	1.2		
330	67	24	124	1.4		
360	2	2	2	0.1		
390	2	2	2	0.1		
420	2	2	2	0.1		
450	2	2	2	0.1		
480	2	2	2	nd		
510	2	2	2	nd		
540	2	2	2	nd		
570	31	21	66	1.2		
600 (A)	43	22	71	1.0		
600 (B)	11	21	92	0.8		
780	39	26	112	1.2		
870	21	21	72	1.0		
960	37	25	80	1.1		
1050	33	24	86	1.2		
1140	3	5	19	0.2		
L <sub>0</sub> 1200 N	34	24	110	0.9		
L 100 W BL	12	17	126	0.9		
90 N	23	20	119	1.0		
180	20	21	94	1.2		
210	41	21	86	1.0		
240	49	21	94	1.0		
270	53	23	96	1.0		
360	56	23	124	1.2		
390	2	2	2	0.1		
420	2	2	2	0.1		
450	2	2	2	nd		
480	2	2	4	nd		
510	16	15	66	0.6		
540	27	17	62	0.8		
570	9	16	102	0.9		
600	21	24	65	1.1		
690	15	24	63	1.0		
780	23	21	87	1.0		
870	32	21	89	1.0		
L 100 W 900 N	32	17	92	0.8		

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

**Kerr Addison Mines Ltd.**

Report No: **78 48 030** Page **3** of **9**  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:

Attention:

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm
L 100 W 9300 N	31	21	90	1.0
960	26	24	71	1.0
990	36	24	96	1.0
1020	29	22	84	0.9
1050	2	2	3	0.2
1080	2	2	3	0.1
1110	25	30	76	1.2
1140	46	26	31	1.6
1170	81	31	125	2.4
L 100 W 1200 N	3	14	186	0.4
L 200 W BL	2	2	3	0.1
90	26	16	73	0.7
180	53	24	117	1.0
270	52	26	96	1.2
360	49	24	100	1.2
450	45	23	79	1.0
540	18	20	64	1.0
630	21	21	70	0.8
720	35	21	82	0.9
810	34	20	115	1.0
900	24	20	82	0.8
930	2	3	3	0.1
960	38	25	108	1.2
990	32	26	101	1.0
1020	6	16	65	0.5
1110	11	25	104	1.0
L 200 W 1200 N	4	19	85	0.6
L 300 W BL	34	24	98	1.0
30 N	18	11	38	0.5
120 N	44	20	176	0.8
210 N	47	22	92	1.2
300 N	56	21	90	1.2
390 N	63	25	130	1.3
480 N	37	22	79	1.0
570 N	37	25	82	1.0
660 N	32	25	83	1.0
750 N	24	20	102	0.9
840 N	22	19	98	0.8
L 300 W 930 N	11	21	94	0.7

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

**Kerr Addison Mines Ltd.**

Attention:

Report No: **78 48 030**

Page **4** of **9**

Samples Arrived:

Report Completed:


For Project:

Analyst:

Sample Marking	Cu # ppm	Pb ppm	Zn ppm	Ag ppm	
L 300 W 1020 N	5	17	94	0.5	
1110	17	33	134	0.9	
L 300 W 1200 N	6	16	74	0.4	
L 900 E 90 N	59	24	250	2.6	
120	10	20	85	0.6	
150	21	21	80	0.6	
180	15	19	56	0.7	
210	21	22	102	1.6	
240	11	18	89	0.6	
270	10	13	49	0.7	
300 NC	92	20	149	1.0	
300 N	21	14	60	0.6	
690	14	21	75	0.9	
780	12	19	71	0.7	
870	21	19	88	1.0	
960	38	22	81	1.0	
1050	43	27	122	1.4	
1140 NC	40	26	129	1.6	
1140 N	15	20	117	0.9	
L 900 E 1200 N	13	15	53	0.5	
L 1000 E 690 N	2	3	2	0.1	
750	2	3	2	0.1	
840	35	21	82	1.0	
930	39	21	121	1.0	
1020	31	51	116	2.0	
1110	75	26	119	1.6	
L 1000 E 1200 N	2	5	3	nd	
L 1100 E 180 N	12	16	49	0.4	
210	16	15	95	0.6	
240	18	17	72	0.6	
270	17	15	68	0.6	
300	2	2	2	0.1	
330	27	14	60	0.8	
360	7	12	79	0.7	
390	20	26	65	0.9	
480	2	2	3	0.1	
570	30	13	81	0.8	
660	22	15	80	0.6	
L 1100 E 750	2	2	2	0.1	

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

# Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

**Kerr Addison Mines Ltd.**

Report No: **78 48 030** Page **5** of **9**

Samples Arrived:

Report Completed:

For Project:


Analyst:

Attention:

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L 1100 E 840 N	2	5	2	0.4		
930	30	24	76	1.0		
1020	26	24	110	0.9		
1110	3	6	3	0.2		
L 1100 E 1200 N	25	22	142	0.8		
L 1200 E BL	27	21	90	1.0		
90 N	2	4	5	0.2		
120	1	5	2	0.1		
150	43	22	97	0.8		
240	12	21	68	0.6		
270	15	21	132	0.8		
300	14	19	92	0.6		
330	13	20	60	0.8		
420	27	25	101	0.9		
510	15	23	86	0.9		
600	23	24	76	0.9		
690	31	21	86	1.1		
780	32	21	100	1.1		
870	36	24	98	1.0		
960	2	6	4	0.1		
1050	65	24	190	1.2		
1140	27	30	43	1.2		
L 1200 E 1200 N	2	3	5	0.2		
L 750 W 2600 N	15	20	200	0.7		
1710	20	26	128	0.8		
1800	22	25	131	0.8		
1890	22	34	102	1.0		
1980	14	20	80	0.6		
2070	20	11	112	0.7		
2160	42	30	480	1.0		
2250	22	27	101	0.6		
2340	31	19	98	0.6		
2430	28	28	137	0.8		
L 750 W 2520 N	22	17	125	1.0		
L 1000 W 870 N	28	35	145	1.0		
960	15	25	207	0.8		
1050	13	23	92	0.6		
1140	15	26	198	0.8		
L 1000 W 1230 N	18	25	195	0.8		

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS<sub>2</sub>

1 Troy oz./ton = 34.28 ppm

1 ppm = 0.0001%

nd = none detected

ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

**Kerr Addison Mines Ltd.**

Attention:

Report No: **78 48 030**

Page **6** of **9**

Samples Arrived:

Report Completed:

For Project:

Analyst:

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L 1000 W 1320 N	11	15	70	0.4		
1410	22	24	162	0.6		
1500	12	20	160	0.7		
1590	15	27	218	0.8		
1620	12	30	85	0.5		
1650	25	29	85	0.7		
1680	15	20	77	0.4		
1694	12	18	80	0.6		
1710	15	20	100	0.5		
1800	13	23	160	0.6		
1890	15	22	102	0.7		
1980	17	21	106	0.6		
2070	26	34	138	0.8		
2160	13	20	103	0.6		
2250	15	20	105	0.6		
2340	5	3	7	0.1		
2370	25	25	135	0.8		
2400	5	3	10	0.1		
2430	52	19	85	0.8		
2460	60	24	280	1.2		
2490	35	18	238	0.9		
2520	45	24	130	1.24		
2550	65	25	420	1.3		
2582	70	24	350	1.5		
L 1000 W 2595 N	78	24	280	1.4		
L 1250 W 30 N	21	29	78	1.0		
90	31	30	96	0.6		
180	16	19	140	0.5		
300	15	21	132	0.6		
390	12	21	260	0.6		
420	16	14	63	0.22		
420	56	41	123	1.4		
450	16	23	122	0.6		
540	30	25	96	0.8		
630	17	20	80	0.4		
720	23	21	76	0.6		
810	12	20	142	0.8		
872	17	19	70	0.4		
L 1250 W 900 N	18	15	75	0.4		

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

**Kerr Addison Mines Ltd.**

Report No. **78 48 030** Page **7** of **9**

Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:

Attention:

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm
L 1250 W 990 N	10	17	70	0.6
1080	6	15	72	0.3
1170	20	25	87	0.6
1260	15	25	138	0.7
1350	16	22	98	0.6
1440	23	27	96	0.7
1530	16	26	90	0.6
1620	10	20	117	0.6
1632	12	16	86	0.8
1650	16	21	117	0.6
1680	20	20	74	0.7
1710 A	12	20	84	0.4
1710 B	17	21	78	0.6
1800	16	27	230	1.2
1890	11	25	207	1.0
1980	16	27	195	0.9
2070	13	25	198	0.8
2160	6	17	157	0.7
2250	18	26	105	0.8
2430	46	11	325	1.1
2460	57	27	500	1.4
2490	40	26	282	1.3
2520	63	29	510	1.2
2550	67	29	410	1.3
2580	42	24	750	1.3
2610	55	26	390	1.3
2640	70	24	352	1.2
2670	35	22	292	0.8
2700	25	17	196	0.6
2700	37	21	320	0.8
2730	45	21	340	1.0
2760	28	22	160	0.8
L 1250 W 2850 N	27	19	298	1.0
L 1500 W 0+00 BL	10	11	15	0.7
90 N	23	34	172	1.4
180	35	36	152	0.9
270	24	29	98	0.8
360	17	21	100	0.5
L 1500 W 540 N	20	25	125	0.6

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million

All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

### Certificate of Geochemical Analyses

• Specialising in Trace Elements Analyses •

-IN ACCOUNT WITH-

**Kerr Addison Mines Ltd.**


Attention:

Report No: **78 48 030** Page **8** of **9**  
 Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L 1500 W 630 N	13	16	74	0.7		
720	25	24	77	0.6		
810	20	22	77	0.4		
838	15	18	82	0.5		
870	17	22	150	0.7		
960	21	30	112	0.8		
1050	17	23	110	0.5		
1140	20	23	102	0.6		
1230	16	18	80	0.5		
1320	17	24	185	0.9		
1410	26	21	117	0.8		
1500	12	18	120	0.6		
1590	21	26	95	0.8		
1650	22	32	153	1.0		
1680	13	24	310	1.0		
1707	16	24	92	0.8		
1710	23	25	132	0.8		
1800	10	17	185	0.6		
1890	20	34	90	0.6		
1950	13	10	14	0.4		
L 1500 W 1980 N	35	29	165	1.2		
L 1750 W 180 N	28	30	109	0.8		
270	20	27	98	0.8		
360	25	34	142	1.2		
450	15	21	83	0.4		
540	17	22	145	0.6		
630	17	22	70	0.4		
720	16	24	136	0.6		
810	21	24	85	0.6		
L 1750 W 885 N	20	32	335	0.7		
L 2750 E 0+00	28	20	102	0.9		
60 N	42	20	68	1.0		
120 N	42	17	98	1.0		
210 120	38	17	98	0.9		
300	36	20	96	1.2		
390	43	20	105	1.2		
480	29	15	105	0.8		
570	23	16	60	0.8		
L 2750 E 660 N						

MASTER PRINTING LTD.

REMARKS:

Signed: 

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.









VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

### Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

Kerr Addison Mines Ltd.  
 #703, 1112 West Pender St.  
 Vancouver, B. C. V6E 2S1  
 Attention:

Report No: 78 48 033 Page 1 of 3  
 Samples Arrived: Sept. 30, 1978  
 Report Completed: Oct. 3, 1978  
 For Project: Ross River  
 Analyst: Eddie Tang

Invoice No. # 2230 Job #78-251

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm
00N 400E B50-55	10	11	70	0.6
60N 420E B35-40	45	16	102	0.7
040-55	59	22	127	0.9
55-70	52	24	131	1.1
60N 420E C70-85	48	24	124	1.1
210N 207E B15-25	68	24	150	1.0
C25-40	69	23	179	1.2
40-55	67	22	181	1.2
210N 207E C55-70	62	22	174	1.2
1250E 210N B25-35	58	15	105	0.8
C35-50	63	18	135	0.9
1250E 210N C50-65	69	23	155	1.1
210N 270E B 7-17	74	19	138	1.0
17-27	81	20	146	1.0
B27-37	82	19	141	1.1
C37-52	91	20	142	1.0
210N 270E C52-67	79	16	126	0.6
210N 300E B40-50	73	16	129	0.8
C50-60	89	20	128	1.0
210N 300E C67-70	84	19	130	1.0
210N 340E B30-40	59	17	103	0.8
040-55	76	19	127	1.0
55-70	70	22	135	1.2
210N 340E C70-85	69	23	146	1.0
210N 370E B35-45	44	19	130	0.8
045-60	62	21	145	1.0
210N 370E C60-75	61	23	151	1.2
210N 430E B15-20	46	16	108	0.7
C20-35	70	21	138	0.8
35-50	74	20	148	0.8
50-65	59	22	139	1.0
210N 430E C65-80	73	19	146	1.0
210N 460E B25-30	28	16	82	0.6
C30-45	63	19	110	0.8
45-60	58	17	116	0.6
60-75	55	21	130	1.0
210N 460E C75-90	52	21	131	1.0
210N 490E B15-20	11	22	100	0.6
210N 490E C20-35,	33,	12,	82,	0.6,

MASTER PRINTING LTD.

REMARKS:

Signed:

% Mo x 1.6683 = % MoS<sub>2</sub>      1 Troy oz./ton = 34.28 ppm      1 ppm = 0.0001%      nd = none detected      ppm = parts per million  
 All values are believed to be correct to the best knowledge of the analyst based on the method and instruments used.



VANGEOCHEM LAB LTD.  
 1521 PEMBERTON AVE.,  
 NORTH VANCOUVER, B.C.,  
 CANADA V7P 2S3

TELEPHONE: 986-5211  
 AREA CODE: 604

• Specialising in Trace Elements Analyses •

# Certificate of Geochemical Analyses

-IN ACCOUNT WITH-

**Kerr Addison Mines Ltd.**

Attention:

Report No: **78 48 033**

Page **2** of **3**

Samples Arrived:  
 Report Completed:  
 For Project:  
 Analyst:

Sample Marking	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
210N 490E C35-50	58	14	94	0.6		
210N 490E C50-65	75	17	123	0.6		
210N 530E B20-30	22	15	97	0.4		
C30-45	44	20	102	0.8		
45-60	70	27	155	1.2		
60-75	49	30	142	1.2		
210N 530E C75-90	54	26	155	1.2		
210N 560E B15-20	24	16	82	0.5		
20-27	28	14	78	0.4		
C27-33	47	15	84	0.4		
33-48	83	18	112	0.5		
210N 560E C48-63	102	21	172	1.2		
210N 600E B20-28	12	13	99	0.6		
C28-43	25	12	83	0.3		
43-58	59	16	94	0.5		
210N 600E C58-73	94	19	169	1.0		
210N 630E B15-23	40	16	241	1.0		
C23-38	56	16	92	0.8		
38-53	82	18	120	0.9		
210N 630E C53-68	74	17	121	1.2		
240N 400E B14-20	67	17	118	1.0		
C20-35	69	21	135	1.0		
35-50	72	21	136	1.0		
50-65	74	20	137	0.9		
65-80	67	23	144	1.0		
240N 400E C80-95	63	22	143	1.2		
240N 600E B15-25	27	12	75	0.4		
C25-40	31	12	79	0.5		
40-55	56	17	103	0.6		
240N 600E C55-70	52	18	111	0.8		
270N 400E B25-30	65	18	121	0.9		
C30-45	70	17	105	0.9		
45-60	72	16	106	0.8		
60-75	79	16	97	0.8		
270N 400E C75-90	64	18	108	1.0		
270N 510E B25-35	43	18	184	1.3		
C35-50	74	20	106	1.0		
50-65	63	23	126	1.0		
270N 510E C65-80	67	22	149	0.8		

MASTER PRINTING LTD.

REMARKS:

Signed: 