

ROCK TYPES AND ALTERATION	MINERALIZATION AND STRUCTURES	FOOTAGE BLOCKS	% RECOVERY	SAMPLE		INTERVAL								
				NO.		FROM	TO							
120		121-5 124 125-5 127-5 128-5	1.5 2.3 1.1 1.5 c											
140	Foliation: 140'-180'; -25°	132-5 133 135 137 138 143	0.5 1.1 1.8 c 1.6											
160		145 146-5 147-5 149 150 152 153 156 157	1.7 1.8 1.2 c c c 0.6 2.2 0.8 1.3											
180		163 166 168 169 173 175-5 176-5 177-5 178-5	0.4 0.9 0.7 c 2.4 1.0 0.8 c 0.5 0.9											
200	Foliation: 180'-220'; -15° to -35° 182.5 - 203: loss of core, possible FAULT ZONE?, but little evidence for such.	180-5 182-5 184-5 186 191 193-5 196	0.4 1.0 0.9 0.9 0 0.4 0.9											
217.3		200 203 206 207-5 209 213 217	0.9 1.6 c c 3.6 2.9 2.8											
220	GRAPHITIC PHYLITE	221-5 226-5 228 235 237 238 240	4.4 0.9 4.5 1.5 0.9 1.1											
240	Foliation: 220'-260'; -40°	242 245 249 250 251 255-5	4.2 3.5 c c 4.3 4.5											
260														

220 218-2 QUARTZ VEIN, minor py along contact, in vein - 20

