

ROCK TYPES AND ALTERATION	MINERALIZATION AND STRUCTURES	FOOTAGE BLOCKS	% RECOVERY	SAMPLE INTERVAL						
				SAMPLE NO.	FROM TO					
240	Foliation 240-200, -35°	245	5.0							
		254	7.6							
		257	2.1							
		262.5	4.2							
		265	2.5							
		270	2.5							
		274	1.0							
		278	4.0							
280		280	2.0							
	Foliation 280-320, -30 to -35°	285	3.3							
	295.5-305 Zone of brecciated quartz stringers, crenulations, little or no mineralization v. minor pyrite	290	1.2							
		295.5	1.6							
		300.5	3.3							
		306	5.2							
		310	2.9							
		316	5.4							
320		316	0.9							
	Foliation 320 to 360; -30° crenulated throughout some minor drag folding	324	7.2							
		330.5	2.8							
		335	1.9							
		340	2.1							
		345	2.3							
		350	1.5							
		355	0.1							
		355.5	0.2							
		356.5	0.3							
360	350-370 FAULT ZONE (?) brecciated broken core, loss of core	357	0.3							
	Foliation 360-400, -40°	361	2.6							
		362	1.3							
		362.5	0.5							
		363	0.7							
		370	0.5							
		375	0.4							
		380	1.5							
		385	0.8							
		390	0.3							
		395	0.5							
		397	0.4							
		399	0.4							
		399.5	0.4							
400		399.5	0.4							
	QUARTZ VEIN - unmineralized	402	3.8							
	Minor DYKE: as above porphyritic, brecciated	405	3.5							
	GRAPHITIC PHYLLITE: v. dark grey to black in color, shot with quartz stringers along bedding	410.5	C							
	421 QUARTZ VEIN - unmineralized	412	0.4							
	424-425 PHYLLITE: m. dark grey, brecciated	413.5	C							
	435-450 GRAPHITIC PHYLLITE	418	2.6							
	Foliation, 400-440, -40° crenulated 435-450	424	2.2							
	424 minor slip, -60°	424	2.2							
	424-435 FAULT ZONE? brecciated	430	5.8							
	424-435 Minor disseminated pyrite & v. minor chalcopyrite	440	2.6							
450 END OF HOLE		444	1.8							
		450	2.6							

