

DIAMOND DRILL RECORD

LOGGED BY D.G. McRAE,


KERR ADDISON MINES LIMITED

PROPERTY "B" GROUP, B.S. CLAIMS, SWIM LAKES, Y.T.

ELEVATION 3,000' BEARING OF HOLE - STARTED March 1st, 1965.

DIRECTION 132° 55' W. DIP OF HOLE -90° COMPLETED March 8th, 1965.

DEPTH 431



D.D.H. No. B-4 PAGE 1
 CLAIM No. B.S. No. 6
 DIRECTION AND DISTANCE FROM
 NE. CLAIM POST 800' W.
100' S

FOOTAGE		DESCRIPTION	% Core Recovery	SAMPLE No.	FOOTAGE		SAMPLE LENGTH	ASSAY					
FROM	TO				FROM	TO							
0	91 ^{27.7}	Water.											
91	130 ^{39.6}	Sand and Boulder gravel with occasional thin clay band											
30 ^{39.6}	150 ^{45.7}	Pebble gravel											
50 ^{45.7}	160 ^{48.7}	Residual rock grading into shattered bedrock; no core											
60 ^{48.7}	174 ^{58.0}	Talcose (?) sericite schist with some quartz seams, approximately 1% pyrite dips 30-45°.	98%										
74 ^{53.0}	176 ^{53.6}	Sericite schist	98%										
76 ^{53.6}	179 ^{54.5}	80% massive quartz replacing epidotized chlorite sericite schist	98%										
79 ^{54.5}	214 ^{65.2}	Talcose(?) sericite schist, some pyritized bands, some quartz, epidote alteration; dips: 179-202 = 0-10°, 202-204 = 20-45°, 204-214 = 10-20°.	98%										
14 ^{65.2}	219 ^{66.7}	Blackish talcose(?) sericite schist, quartz alteration.	60%										
19 ^{66.7}	225 ^{68.5}	Chlorite schist, 50% quartz	98%										
25 ^{68.5}	230 ^{70.1}	Talc schist; dip 0-20°.	98%										
30 ^{70.1}	233 ^{71.0}	Chlorite sericite schist	60%										
33 ^{71.0}	242 ^{73.7}	Chlorite sericite schist	98%										
42 ^{73.7}	244 ^{74.3}	Quartz veins replacing chlorite schist	98%										

DRILL CORE: Stored at Arsenault Warehouse, McRae, Y. T. (12 miles south of Whitehorse).

