

006746

Chemex Labs Ltd.


Analytical Chemists • Geochemists • Registered Assayers

212 Brookbank Ave.
Vancouver, B.C.
Canada
SEP 6 1985
KERR ADDISON MINES LTD.
Telephone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

Y1W



CERT. # : A8515689-001-A
INVOICE # : I8515689
DATE : 5-SEP-85
P.O. # : NONE
Y-06A-07


Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
Y101-5G01R	205	0.1	2	1.2	10	---	---
Y101-5G02R	205	0.1	3	1.2	10	---	---
Y101-5G03R	205	0.1	4	0.8	<5	---	---
Y101-5G04R	205	0.4	75	9.4	<5	---	---
Y101-5G05R	205	0.1	130	16.0	<5	---	---
Y101-5G06R	205	0.4	45	7.6	20	---	---
Y101-5G07R	205	0.1	35	13.6	5	---	---
Y101-5G08R	205	0.1	9	3.6	15	---	---
Y101-5G09R	205	0.1	79	37.0	<5	---	---
Y101-5G10R	205	0.2	2	0.6	<5	---	---
Y101-5G11R	205	0.1	6	0.8	<5	---	---
Y101-5G12R	205	0.1	4	1.6	<5	---	---
Y101-5G13R	205	0.1	33	12.0	<5	---	---
Y101-5G14R	205	0.2	6	5.0	<5	---	---
Y101-5G15R	205	0.1	35	13.0	<5	---	---
Y101-5G16R	205	0.1	35	11.2	<5	---	---
Y101-5G17R	205	0.1	32	8.4	<5	---	---
Y101-5G18R	205	0.1	33	12.0	<5	---	---
Y101-5G19R	205	0.1	4	1.8	<5	---	---
Y101-5G20R	205	0.1	3	3.2	<5	---	---
Y1W-5G01R	205	0.3	5	4.8	<5	---	---
Y1W-5G02R	205	>100.0	73	450.0	35	---	---
Y1W-5G03R	205	1.9	230	14.4	<5	---	---
Y1W-5G04R	205	0.6	9	4.6	<5	---	---
Y1W-5G05R	205	0.6	120	12.6	<5	---	---
Y1W-5G06R	205	0.8	59	5.8	<5	---	---
Y1W-5G07R	205	0.9	9	4.8	<5	---	---
Y1W-5G08R	205	2.6	53	10.8	40	---	---
Y1W-5G09R	205	9.0	200	76.0	<5	---	---
Y1W-5G10R	205	0.9	15	27.0	<5	---	---
Y1W-5G11R	205	0.1	1	1.6	<5	---	---
Y1W-5G12R	205	0.1	1	1.2	<5	---	---
Y1W-5G13R	205	0.2	2	1.4	<5	---	---
Y1W-5G14R	205	12.6	81	140.0	<5	←	---
Y1W-5G15R	205	0.1	5	2.4	<5	---	---
Y1W-5G16R	205	1.8	9	1.6	<5	---	---
Y1W-5G17R	205	0.1	5	0.6	<5	---	---
Y1W-5G18R	205	0.2	3	1.0	<5	---	---
Y1W-5G19R	205	0.1	1	0.9	<5	---	---
Y1W-5J01R	205	0.5	5	5.8	<5	---	---

Plotted 1150,000.0

* Assayed G2R
J12R



Certified by ... *Hart Bichler* ...



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

202 Branksbank Ave.
North Vancouver, B.C.
V7J 2C1
Tel: (604) 884-0221
Telex: 043-52597

SEP-6 1985

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1


CERT. # : A8515689-002-1
INVOICE # : I8515689
DATE : 5-SEP-85
P.O. # : NONE
Y-06A-07

Pl. Hrd 1150000

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
Y1W-5J02R	205	1.0	69	17.2	<5	--	--
Y1W-5J03R	205	0.3	53	19.0	<5	--	--
Y1W-5J04R	205	1.1	22	42.0	<5	--	--
Y1W-5J05R	205	0.5	7	3.0	<5	--	--
Y1W-5J06R	205	0.1	1	1.8	<5	--	--
Y1W-5J07R	205	0.7	15	6.2	<5	--	--
Y1W-5J08R	205	0.1	3	1.2	<5	--	--
Y1W-5J09R	205	5.5	59	30.0	<5	--	--
Y1W-5J10R	205	0.6	6	4.2	<5	--	--
Y1W-5J11R	205	0.8	3300	50.0	100	--	--
Y1W-5J12R	205	40.0	77	>1000.0	<5	--	--
Y1W-5J13R	205	1.0	12	15.5	<5	--	--
Y1W-5J14R	205	1.1	19	33.0	<5	--	--
Y1W-5J15R	205	0.3	41	5.6	<5	--	--
Y1W-5J16R	205	0.4	10	2.8	<5	--	--
Y1W-5J17R	205	0.7	9	2.2	35	--	--
Y1W-5J18R	205	0.4	10	4.2	15	--	--
Y1W-5J19R	205	0.2	3	2.2	<5	--	--
Y1W-5J20R	205	0.4	53	1.6	40	--	--
Y1W-5J21R	205	0.2	12	1.5	<5	--	--
Y1W-5J22R	205	0.1	3	2.0	5	--	--
Y1W-5J23R	205	0.1	1	1.4	<5	--	--
Y1W-5J24R	205	0.3	2	1.5	10	--	--
Y1W-5J25R	205	0.2	2	2.8	<5	--	--
Y1W-5J26R	205	3.7	19	34.0	<5	--	--



Certified by Hart Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

RECEIVED

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

SEP - 5 1985

Telephone: (604) 984-0221
Telex: 04252597

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

CERT. # : A8515690-001-A
INVOICE # : I8515690
DATE : 5-SEP-85
P.O. # : NONE
Y06A-07

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
Y1W-5G01T	202	0.2	23	1.4	<5	--	--
Y1W-5G02T	202	0.7	53	3.0	<5	--	--
Y1W-5G03T	202	0.1	25	1.8	25	--	--
Y1W-5G04T	202	0.1	14	1.0	170	--	--
Y1W-5G05T	202	1.4	400	11.0	200	--	--
Y1W-5G06T	202	0.1	7	1.4	<5	--	--
Y1W-5G07T	202	0.1	4	0.4	<5	--	--
Y1W-5G08T	202	0.1	4	0.2	<5	--	--
Y1W-5G09T	202	0.1	5	1.6	<5	--	--
Y1W-5G10T	202	0.1	6	1.2	<5	--	--
Y1W-5G11T	203	0.1	9	1.8	<5	--	--
Y1W-5J01T	203	0.1	41	7.8	<5	--	--
Y1W-5J02T	203	0.1	29	7.6	<5	--	--
Y1W-5J03T	202	0.1	39	8.8	<5	--	--
Y1W-5J04T	203	0.1	24	6.2	<5	--	--
Y1W-5J05T	202	0.1	20	7.0	<5	--	--
Y1W-5J06T	202	0.1	6	2.4	<5	--	--
Y1W-5J07T	202	0.1	9	1.2	<5	--	--
Y1W-5J08T	202	0.2	5	1.3	<5	--	--
Y1W-5J09T	203	0.1	6	1.4	<5	--	--
Y1W-5J10T	203	0.2	9	1.2	<5	--	--
Y1W-5J11T	202	0.2	9	1.0	<5	--	--
Y1W-5J12T	203	0.2	7	1.0	<5	--	--



Certified by Hart Bichler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1
Phone: (604) 984-0221
Telex: 043-52597

CERTIFICATE OF ASSAY

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

RECEIVED

OCT 15 1985
KERR ADDISON MINES LTD.

CERT. # : A8517008-001-A
INVOICE # : I8517008
DATE : 14-OCT-85
P.O. # : NONE
Y-06A-07

COPY


Sample description	Prep code	Ag FA g/tonne	Ag	FA	Ag FA	Ag	FA
Y1W-5G02R	214	102.1	45	(> 10.0 Ag)	✓	--	--
Y1W-5J12R	214	123.4	> 100	50	40.0 Ag	--	--

Q2R = w a Intramne = silver mineral? bluish metallic
- s red streak
- none at purple red Sb veins?
- py & copper color

J12R Mn & lim. was up to 1cm thick with w. R.

53 - J12R - J

.....
W. McManis
.....
Registered Assayer, Province of British Columbia



RECEIVED Chemex Labs Ltd.

SEP 27 1985

Analytical Chemists • Geochemists MINES Registered Assayers

212 Brooksbank Ave.
North Vancouver, B.C.
Canada V7J 2C1

Telephone: (604) 984-0221
Telex: 043-52597

PER
CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1


CERT. # : A8516425-001-A
INVOICE # : 18516425
DATE : 26-SEP-85
P.O. # : NONE
Y-11

ATTN: L. LYONS

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
Y1W-5C01R	205	0.5	27	4.2	5	--	--
Y1W-5C02R	205	9.6	17	30.0	<5	--	--
Y1W-5L01R	205	0.5	110	51.0	<5	--	--
YV-5C32R	205	0.4	35	2.0	<5	--	--
YV-5C33R	205	0.1	19	1.8	<5	--	--
YV-5C34R	205	0.2	14	2.4	10	--	--
YV-5L16R	205	0.1	10	0.6	5	--	--



Certified by Hart Bichler



RECEIVED
Chemex Labs Ltd.
 SEP 27 1985

Analytical Chemists • Geochemists • ~~Mineralogists~~ Registered Assayers

Brooksbank Ave.
 North Vancouver, B.C.
 Canada V7J 2C1
 Telephone: (604) 984-0221
 Telex: 043-52597

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
 (ATTN: RAY DUJARDIN)
 703 - 1112 W. PENDER ST.
 VANCOUVER, B.C.
 V6E 2S1


CERT. # : A8516425-001-A
 INVOICE # : 18516425
 DATE : 26-SEP-85
 P.O. # : NONE
 Y-11

ATTN: L. LYONS

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
Y1W-5C01R	205	0.5	27	4.2	5	--	--
Y1W-5C02R	205	9.6	17	30.0	<5	--	--
Y1W-5L01R	205	0.5	110	51.0	<5	--	--
YV-5C32R	205	0.4	35	2.0	<5	--	--
YV-5C33R	205	0.1	19	1.8	<5	--	--
YV-5C34R	205	0.2	14	2.4	10	--	--
YV-5L16R	205	0.1	10	0.6	5	--	--



Certified by *Hart Buchler*



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

SEP - 5 1985

Brooksbank Ave.
North Vancouver, B.C.
V7J 2C1

Telephone: (604) 984-0221
Telex: 04252597

CERTIFICATE OF ANALYSIS

TO : KERR ADDISON MINES LTD.
(ATTN: RAY DUJARDIN)
703 - 1112 W. PENDER ST.
VANCOUVER, B.C.
V6E 2S1

CERT. # : A8515690-001-A
INVOICE # : I8515690
DATE : 5-SEP-85
P.O. # : NONE
Y06A-07

Sample description	Prep code	Ag ppm Aqua R	AS ppm	Sb ppm	Au ppb FA+AA		
Y1W-5G01T	202	0.2	23	1.4	<5	--	--
Y1W-5G02T	202	0.7	53	3.0	<5	--	--
Y1W-5G03T	202	0.1	25	1.8	25	--	--
Y1W-5G04T	202	0.1	14	1.0	170	--	--
Y1W-5G05T	202	1.4	400	11.0	200	--	--
Y1W-5G06T	202	0.1	7	1.4	<5	--	--
Y1W-5G07T	202	0.1	4	0.4	<5	--	--
Y1W-5G08T	202	0.1	4	0.2	<5	--	--
Y1W-5G09T	202	0.1	5	1.6	<5	--	--
Y1W-5G10T	202	0.1	6	1.2	<5	--	--
Y1W-5G11T	203	0.1	9	1.8	<5	--	--
Y1W-5J01T	203	0.1	41	7.8	<5	--	--
Y1W-5J02T	203	0.1	29	7.6	<5	--	--
Y1W-5J03T	202	0.1	39	8.8	<5	--	--
Y1W-5J04T	203	0.1	24	6.2	<5	--	--
Y1W-5J05T	202	0.1	20	7.0	<5	--	--
Y1W-5J06T	202	0.1	6	2.4	<5	--	--
Y1W-5J07T	202	0.1	9	1.2	<5	--	--
Y1W-5J08T	202	0.2	5	1.3	<5	--	--
Y1W-5J09T	203	0.1	6	1.4	<5	--	--
Y1W-5J10T	203	0.2	9	1.2	<5	--	--
Y1W-5J11T	202	0.2	9	1.0	<5	--	--
Y1W-5J12T	203	0.2	7	1.0	<5	--	--

Certified by Hart Buchler

