

Not included in
Assessment report -

Vic

007028

Print-n-Run

Quick Print


535 thurlow street, vancouver, b.c. v6E 3L2 662-7772

VIC CLAIMS - 1986 TRENCHING

Sample descriptions - Trenches 1 + 2

- YVTR01 - From rubble in bottom of trench, Syenite - pegmatite,
- irreg. qz veins and pods with feldspars, lim + Mn on fr.
loc. massive lim. with hem. fr.
- YVTR02 - QZ VN - 2-3cm, i.fr., gouggy to pegmatitic and banded
on hanging wall, limonitic, 105/53 SW
- YVTR03 - QZ VN as 02 on west wall of trench, more pegmatitic
and banded, less pure qz, 2-3cm, 120/53 SW
- YVTR04 - QZ STR. - 0.5-1.5cm, partially pegmatitic, lim on i.fr.,
host is i.fr.-gouggy, cl, lim shear., 155/79 SW
- YVTR05 - QZ STRS. - multiple small qz str. within small
15 x 15 cm pod of syenite, i.fr., lim, Mn
no orientation possible.
- YVTR06 - QZ VNS - 2 veins 1-3cm wide with cockscomb texture,
lim on fr., 10 cm apart, 087/56W, host
is i. alt. syenite - s. hem, lim, cl.
- YVTR07 - QZ VEINS - multiple small qz str. in alt. Syenite,
zone is 2-5 cm wide, 070/86 SE, host is
s. lim, cl. and gouggy
- YVTR08 - QZ VEIN, 0.8-1.5cm, s. lim, follows gouge contact
between Syenite and Rhyodacite dyke,
very irreg. ~ 125/69 SW

Sample 01 is from trench 85-01 which lies 54m at 215°
from LIFE 1+75N, trench bearing 334
Samples 02-08 are from trench 85-02 which is a cleanout
of the existing trench 4.



Drill Hole Summaries - PHASE I

DDH YV 86-01

Location: 506.1 N 2126.6 E

Az: 160 Dip: -45° Depth: 149.96 m.

Drilled to intersect source of anomalous quartz float concentration.

Interval	Description	Spl.#	Interval (m.)	Ag gm/T	Au gm/T
0 - 4.7 m.	Overburden	YV01			
4.7 - 12.7	Syenite: weathered	34	4.7 - 7.2	14.0	0.07
		35	10.1 - 11.6	3.3	<0.07
12.7 - 24.0	Syenite: relatively fresh				
24.0 - 24.1	Andesite Dyke: porphyritic				
24.1 - 24.9	Syenite: mod. weathered				
24.9 - 25.1	Quartz vein: lim. fractures	01	24.6 - 25.4	0.1	0.15
25.1 - 26.55	Syenite: weakly altered				
26.55 - 28.6	Andesite dyke: porphyritic				
28.6 - 46.7	Syenite: local zones of oxidation and clay alteration	02	32.0 - 32.5	0.1	0.04
		03	35.7 - 36.2	0.1	<0.005
		04	36.7 - 37.05		"
		05	38.2 - 38.6		"
		06	39.0 - 39.2		"
		07	43.8 - 45.1		"
		08	45.1 - 45.9		"
		09	45.9 - 46.7		"
46.7 - 58.8	Dacite Porphyry: local strong clay and limonite alteration	10	50.9 - 51.45		"
58.8 - 80.6	Syenite: relatively fresh with 2cm quartz vein at 70.1 m.	11	69.8 - 70.4	0.1	0.1
80.6 - 82.5	Rhyodacite Porphyry: clay altered	12	80.6 - 82.5	0.1	0.66
82.5 - 86.6	Syenite: relatively fresh				
86.6	Siliceous vein: 2-2.5cm	13	86.5 - 87.65	0.2	12.07
86.6 - 87.65	Syenite: silicified, chloritized and epidotized with local qz str.				
87.65 - 98.15	Syenite: local limonite and clay alteration	14	88.2 - 88.8	0.1	0.04
		15	91.3 - 92.3	0.1	0.16
		16	94.4 - 94.8	0.1	0.02
		17	94.9 - 95.7	0.1	0.015
		18	95.7 - 97.15	0.1	<0.005
		19	97.15 - 98.15	0.1	<0.005

Interval	Description	Spl#	Interval (m)	Ag gm/t	Au gm/t
98.15 - 98.25	Rhyodacite Porphyry Dyke				
98.25 - 98.95	Syenite: weakly altered				
98.95 - 108.5	Rhyodacite Porphyry Dyke: mod. to strong clay and local limonite alteration	20	105.2 - 106.3	0.1	<0.005
		21	106.3 - 107.6	"	"
		22	107.6 - 108.5	"	"
108.5 - 121.2	Syenite: clay alt. near dyke	23	108.5 - 109.9	0.1	0.01
121.2 - 121.6	Breccia zone - silicic, pyritic	24	121.2 - 121.6	0.1	0.03
121.6 - 125.9	Syenite: weak local alt.				
125.9 - 131.4	Syenite Porphyry: weak local alt.				
131.4 - 132.0	: local q. stringers	25	131.4 - 132.0	0.1	0.055
132.0 - 149.96	Syenite porphyry: local zones of strong oxidation and clay alteration	26	132.0 - 132.9	0.1	0.035
		27	132.9 - 133.3	0.1	<0.005
		28	134.8 - 135.9	"	"
		29	137.9 - 138.9	"	"
		30	142.0 - 142.8	"	"
		31	144.0 - 145.5	"	"
		32	145.5 - 146.6	"	"
33	147.0 - 147.4	0.1	0.01		

EOH

DDH YV 86-02

Location: 762.8N 2100E

Az: 160° Dip: -49° Depth: 136.25

Drilled to intersect source of anomalous quartz float concentration.

Interval	Description	YV02	Interval (m)	Ag gm/t	Au gm/t
0 - 6.7	Overburden				
6.7 - 23.0	Syenite - Syenite Porphyry: weathered	30	6.7 - 9.7	0.5	0.07
		31	9.7 - 11.3	0.5	<0.07
		32	11.3 - 12.8	0.5	<0.07
		33	14.3 - 15.8	<0.3	<0.07
		34	17.3 - 18.9	0.5	<0.07
		35	20.4 - 21.9	0.5	<0.07
		23.0 - 30.0	Rhyodacite Porphyry Dyke	01	23.0 - 30.0
30.0 - 52.5	Syenite Porphyry: local clay and limonite alt.	02	30.0 - 34.1	0.1	<0.005
		03	42.8 - 43.4	"	"
		04	44.2 - 46.8	"	"
		05	49.5 - 50.6	"	"

Interval	Description	Spl#	Interval (m)	Ag gm/T	Au gm/T
52.5-90.9	Dacite Porphyry Dyke: local	06	56.8-57.7	0.1	<0.005
	limonite, sericite and clay alt.	07	57.7-58.7	"	"
		08	88.8-89.5	"	"
		09	89.5-90.9	"	"
90.9-101.8	Syenite Porphyry: mod. to strong	10-16	90.9-101.1	0.1	<0.005
	variable alt. continuous samples	17	101.1-102.0	0.1	<0.005
101.8-101.85	Rhyodacite Porphyry Dyke				
101.85-115.3	Syenite Porphyry: local	18	102.0-103.0	0.1	<0.005
	Strong clay, hem., lim. alt.	19	103.0-104.2	5.0	<0.07
	and local calcite stringers.	20	104.2-105.2	1.7	<0.07
		21	105.2-105.7	1.7	<0.07
		22	105.7-107.2	1.7	0.07
		23	107.2-107.6	1.0	<0.07
		24	108.9-109.4	1.0	<0.07
		25	109.4-110.7	1.0	<0.07
		26	112.0-113.5	0.5	<0.07
		27	113.5-114.1	1.0	<0.07
		28	114.1-114.9	0.5	0.07
		29	114.9-115.3	0.5	<0.07
115.3-136.25	Syenite Porphyry: relatively fresh				

EOH

DDH YV 86-03

Location: 9+00N, 20+78E (not surveyed - compass grid coord.)

Az: 160° Dip: -47° Depth: 107.59 m

Drilled to intersect source of anomalous quartz float concentration.

0-19.2	Overburden / Rubble	YV03			
19.2-24.0	Rhyodacite Dyke				
24.0-56.4	Dacite Porphyry Dyke: local alt.				
56.4-60.0	Rhyodacite Dyke: local clay alt.				
60.0-62.3	Syenite Porphyry: strong alt., mod. clay.	01	60.0-62.3	<0.3	<0.07
62.3-66.1	Syenite Porphyry: relatively fresh				

Interval	Description	Spl.#	Interval	Ag gm/T	Au gm/T
66.1-79.7	Syenite Porphyry: strong alt., local clay and sericite alt.	02	66.1-68.0	<0.3	<0.07
		03	68.0-69.3	<0.3	<0.07
		04	69.3-71.3	<0.3	<0.07
		05	71.3-73.3	0.5	<0.07
		06	73.3-75.2	<0.3	<0.07
79.7-98.5	Syenite Porphyry: relatively fresh.				
98.5-107.59	Dacite Porphyry Dyke				

EOH

DDH YV 86-04

Location: 290.4 N 1732.1 E
 Az: 146° Dip: -48° Depth: 173.74 m.

Drilled to intersect anomalous quartz vein outcropping in Trench 7.

Interval	Description	Spl.#	Interval	Ag gm/T	Au gm/T
0-1.5	Overburden		YV04		
1.5-6.7	Syenite: relatively fresh				
6.7-10.6	Syenite: mod. to strongly alt., clay, limonite, local q. stringers	01	6.7-7.7	<0.3	<0.07
		02	7.7-8.5	0.5	<0.07
		03	8.5-9.5	"	"
		04	9.5-10.3	"	"
10.6-10.7	Rhyodacite Dyke, clay alt.	05	10.3-11.2	0.3	<0.07
10.7-11.2	Syenite: weathered				
11.2-12.5	Quartz-feldspar vein: limonitic	06	11.2-12.5	<0.3	<0.07
12.5-13.4	Syenite: strongly weathered	07	12.5-13.4	"	"
13.4-28.7	Syenite: locally altered, clay, limonite	08	13.4-14.1	"	"
		09	14.1-14.4	0.5	<0.07
		continuous samples 10-23	14.4-28.7	<0.3	<0.07
28.7-29.5	Syenite: intense clay, q. stwk. str.	24	28.7-29.5	1.0	<0.07
29.5-47.2	Syenite: locally clay and limonite alt., local q. stringers	25	29.5-30.5	0.3	<0.07
		26	30.5-31.5	<0.3	<0.07
		27	31.5-32.5	0.5	<0.07
		28	32.5-34.0	<0.3	<0.07
		29	46.6-47.2	"	"
47.2-47.6	Rhyodacite Dyke: clay and sericitic	30	47.2-47.6	"	"
47.6-49.2	Syenite: moderate clay alt.	31	47.6-49.2	0.3	"

Interval	Description	Spl #	Interval	Ag gm/T	Au gm/T
49.2-50.4	Rhyodacite Dyke; clay alt.	32	49.2-50.4	<0.3	<0.07
50.4	Quartz Vein - 2-3 cm.	33	50.4-50.7	"	"
50.4-64.6	Syenite: variable clay alt.	34-38	50.7-54.7	<0.3-0.3	"
	common q. stringers.	39-47	55.4-64.6	"	"
64.6-67.9	Dacite Porphyry Dyke:	48	64.6-65.7	0.8	"
67.9-70.9	Syenite: mod. clay, hem, q. stringers	49-51	67.9-70.9	0.5	"
70.9-87.9	Dacite Porphyry Dyke: strong	52	77.2-78.9	0.5	"
	local clay and q. stnk stringers	53	86.9-87.9	1.0	"
87.9-88.8	Amphibolite				
88.8-96.3	Syenite: mod. clay alteration,	54	88.8-90.7	0.3	"
	local q. stringers	55	90.7-91.8	<0.3	"
		56	91.8-93.3	0.5	"
		57	93.3-94.8	0.3	"
		58	94.8-96.3	0.3	"
96.3-111.8	Dacite Porphyry Dyke: common	59-61	108.8-111.8	0.5	"
	quartz and calcite stringers				
111.8-127.8	Syenite: local clay; hematite,	62	111.8-112.8	1.0	"
	limonite alt., local q. stringers	63	118.1-119.1	0.3	"
		64	123.5-124.0	<0.3	"
		65	124.4-125.2	"	"
		66	125.2-125.6	0.3	"
		67	126.4-127.0	<0.3	"
127.8-128.1	Breccia Zone: q. matrix, pyritic	68	127.6-128.3	0.5	"
128.1-132.7	Syenite: relatively fresh				
132.7-149.4	Syenite Porphyry: variably	69	139.7-140.7	0.3	"
	altered, clay, limonite	70	140.7-141.8	0.5	"
		71	141.8-143.1	0.3	"
		72	144.4-145.3	<0.3	"
		73	146.1-147.1	"	"
149.4-150.4	Dacite Porphyry Dyke				
150.4-152.4	Syenite Porphyry: clay alt.	74	150.4-151.4	"	"
		75	151.4-152.4	0.5	"
152.4-158.0	Rhyodacite Porphyry Dyke				
158.0-164.0	Syenite Porphyry: clay,	76-79	158.0-164	"	"
	hematite, limonite alt.				
164.0-167.0	Rhyodacite Porphyry Dyke				
167.0-168.8	Syenite Porphyry: relatively fresh				
168.8-172.6	Rhyodacite Porphyry Dyke				
172.6-173.74	Syenite Porphyry: fresh				

DDH YV 86-05

Location: 194.3 N 1692.1 E

Az: 343° Dip: -47° Depth: 140.21

Drilled to intersect source of anomalous quartz float scattered on surface.

Interval	Description	Spl #	Interval	Ag gm/T	Au gm/T
0 - 2.7 m	Overburden	YV04			
2.7 - 3.1	Dacite Porphyry Dyke				
3.1 - 6.1	Syenite Porphyry: weakly alt.				
6.1 - 12.7	Syenite porphyry: clay, lim. alt.	01 - 05	6.1 - 11.6	<0.3	<0.07
12.7 - 14.0	Rhyodacite Porphyry Dyke	06	12.7 - 14.0	"	"
14.0 - 28.05	Syenite: variably clay, limonite, hematite alt., local q. stringers	07 - 19	14.0 - 27.0	<0.3-0.3	"
		20	27.0 - 27.4	0.5	"
		21	27.4 - 28.05	<0.3	"
28.05 - 28.20	Porphyritic Dyke: altered				
28.2 - 30.5	Gouge: q. stringer	22	28.2 - 30.5	0.5	"
30.5 - 38.9	Syenite: strong clay and limonite alt., local siliceous stringers	23 - 28	30.5 - 38.9	<0.3-0.3	"
38.9 - 52.9	Dacite Porphyry Dyke:	29	52.3 - 52.9	0.3	"
52.9 - 53.2	Quartz Vein: drusy	30	52.9 - 53.2	<0.3	"
53.2 - 55.7	Syenite: mod. clay, lim. alt., q. stringers common	31	53.2 - 54.2	0.5	3.4
		32	54.2 - 55.2	0.3	0.8
55.7 - 55.75	Dacite Porphyry Dyke				
55.75 - 59.0	Syenite: mod. clay, lim. alt., local q. stringers	33	57.6 - 58.3	<0.3	<0.07
		34	58.3 - 59.0	"	"
59.0 - 65.5	Rhyodacite Dyke				
65.5 - 83.5	Syenite: local clay, lim. alt., locally siliceous, brecciated and plastically deformed with q. stringers.	35-36	65.5 - 66.4	<0.3-0.3	"
		37	68.1 - 68.9	<0.3	"
		38-40	69.55 - 73.3	<0.3-0.3	"
		41	74.85 - 75.1	<0.3	"
		42	78.6 - 79.6	"	"
83.5 - 83.8	Amphibolite	43-45	80.4 - 83.8	<0.3-0.3	"
83.8 - 88.8	Syenite Porphyry: weak alt.				
88.8 - 91.5	Syenite Porphyry: clay, lim., hem., alt.	46	88.8 - 91.5	<0.3	"
91.5 - 100.2	Syenite Porphyry: weak alt.				
100.2 - 140.21	Syenite Porphyry: local hem., lim., clay alt., local breccia and gouge	47	100.2 - 101.4	0.3	"
		48	105 - 105.7	0.3	"
		49	107.3 - 108.5	0.5	"

Interval	Description	Spl. #	Interval	Ag gm/T	Au gm/T
		50-54	115.1-119.6	0.3	<0.07
		55	121.8-122.5	"	"
		56	122.5-124.2	"	"
		57-59	126.8-132.1	"	"
		60	132.1-133.8	<0.3	"
		61	134.6-135.8	"	"
		62	136.2-137.5	0.3	"

EOH

DDH YV 86-06

Location: 250.3 N 1744.4 E

Az: 326° Dip: -47° Depth: 48.77 m.

Drilled to intersect extension of anomalous quartz vein outcropp^{ing} in Trench 7.

Interval	Description	Spl. #	Interval	Ag gm/T	Au gm/T
0-0.7	Rubble	YV 06			
0.7-7.4	Syenite: strong clay, limonite, and hematite alt., local q. Stringers common	01	0.7-1.5	1.3	0.14
		02	1.5-2.7	1.0	1.03
		03	2.7-3.6	<0.3	0.21
		04	3.6-4.8	0.5	0.14
		05	4.8-6.4	0.3	0.07
		06	6.4-7.4	"	0.48
7.4-7.8	Quartz Vein: lim. fractures	07	7.4-7.8	13.8	35.8
7.8-8.5	Syenite: clay alt., local q. stringers	08	7.8-8.5	0.5	0.31
8.5-8.8	Rhyodacite Dyke (?): epidote alt, q. local	09	8.5-8.8	0.3	<0.07
8.8-10.8	Syenite: strong clay, lim. alt.	10	8.8-10.3	<0.3	"
		11	10.3-10.8	0.3	"
10.8-25.9	Syenite: weakly altered.				
25.9-29.2	Syenite: clay, limonite and local hematite alteration, local q. stringers	12	25.9-27.1	0.3	"
		13	27.1-28.4	0.5	"
		14	28.4-29.2	0.5	0.07
29.2-29.4	Quartz Vein: limonitic fractures	15	29.2-29.4	2.3	1.10
29.4-38.4	Syenite: clay and local limonite, local q. stringers	16	29.4-30.4	0.3	0.27
		17-23	30.4-36.7	<0.3	<0.07
		24	36.7-37.6	"	0.07
		25	37.6-38.4	0.5	<0.07
38.4-39.9	Amphibolite				

Interval	Description	Spl.#	Interval	Ag gm/T	Au gm/T
39.9-46.5	Syenite: local clay, lim. alt.	26	42.9-44.2	0.5	<0.07
46.5-47.65	Amphibolite				
47.65-48.77	Syenite: relatively fresh.				

EOH

DDH YV86-07

Location: 249.7 N 1744.6 E

Az: 326° Dip: -74° Depth: 14.63 m.

Drilled to intersect quartz veins in hole 6 at greater depth.

Interval	Description	Spl.#	Interval	Ag gm/T	Au gm/T
0-0.4	Rubble	YV07			
0.4-10.2	Syenite: variable clay, limonite and hematite alteration, local quartz stringers to 1.3 cm.	01	0.4-1.0	0.5	<0.07
		02	1.0-1.5	0.3	0.07
		03	1.5-1.8	<0.3	"
		04	1.8-2.8	"	0.14
		05	2.8-3.9	"	0.07
		06	3.9-5.3	"	0.14
		07	5.3-5.8	1.7	2.47
		08	5.8-6.8	0.5	0.14
		09	6.8-7.8	0.5	0.82
		10	7.8-9.2	<0.3	0.07
		11	9.2-10.2	0.8	4.66
10.2-11.2	Syenite: clay, local limonite, common quartz in blebs and stringers (possible q. fel. vein.)	12	10.2-11.2	4.4	18.4
11.2-14.6	Syenite: moderate clay alt.	13	11.2-12.2	0.3	0.21
		14	12.2-13.4	"	0.07
		15	13.4-14.6	"	"

EOH.

DDH YV86-08

Location: 349.5 N 2063.5

Az: 160° Dip: -47° Depth: 63.70 m.

Drilled to intersect source of anomalous quartz float and projection of exposed quartz veins.

Interval	Description	Spl#	Interval	Ag gm/T	As gm/T
0 - 4.6 m.	Overburden	YV08			
4.6 - 4.7	Dacite Porphyry Dyke				
4.7 - 7.9	Rhyodacite Porphyry Dyke: clay alt.				
7.9 - 10.4	Syenite: intense clay alt., local lim.	01	7.9 - 10.4	0.5	0.07
10.4 - 10.6	Rhyodacite Dyke: very weathered				
10.6 - 14.0	Syenite: clay, limonite, local hematite alteration	02	10.6 - 12.5	<0.3	0.07
		03	12.5 - 14.0	"	<0.07
14.0 - 14.3	Rhyodacite Porphyry Dyke: weak clay				
14.3 - 18.7	Syenite: clay, limonite, hem. alt.	04	14.3 - 17.4	"	"
18.7 - 19.9	Rhyodacite Dyke				
19.9 - 20.2	Syenite: clay, local limonite and hematite				
20.2 - 20.5	Rhyodacite Dyke				
20.5 - 21.45	Syenite: strong clay, hematite alt.	05	20.5 - 21.45	0.5	0.21
21.45 - 21.7	Quartz Vein: limonitic fractures	06	21.45 - 21.7	2.3	0.82
21.7 - 21.95	Syenite: strong clay, hematite alt.				
21.95 - 40.4	Rhyodacite Dyke: variable clay alteration, local qz stringers and gouge zones.	07	28.7 - 30.0	<0.3	<0.07
		08	33.7 - 34.3	"	"
		09	37.8 - 38.0	"	0.14
40.4 - 40.55	Syenite: clay, limonite alt.				
40.55 - 41.8	Rhyodacite Dyke				
41.8 - 43.6	Syenite: limonitic				
43.6 - 46.1	Rhyodacite Dyke				
46.1 - 59.35	Rhyodacite Porphyry Dyke: variable clay, sericite, hematite and limonite alt., local q. stringers	10	51.3 - 52.25	0.5	<0.07
		11	53.7 - 54.6	"	"
		12-14	55.4 - 58.2	<0.3	"
		15	58.6 - 59.35	"	"
59.35 - 59.5	Syenite: clay, sericite, limonite alt.				
59.5 - 60.9	Rhyodacite Porphyry Dyke				
60.9 - 61.35	Breccia: siliceous hematitic matrix	16	60.9 - 61.35	"	"
61.35 - 63.7	Rhyodacite - Dacite Porphyry Dyke				

DDH YV86-09

Location: 297.4 N 1998 E

Az: 340° Dip: -45° Depth: 64.01 m.

Drilled to test possible southerly dipping quartz veins in area of anomalous quartz float and quartz vein exposures.

Interval	Description	Spl.#	Interval	Ag gm/15	Au gm/15
0-3.1 m.	Overburden	YV09			
3.1-6.0	Andesite Dyke: weathered				
6.0-10.2	Syenite: weathered with local q. veins	01	6.1-6.5	<0.3	<0.07
		02	6.5-8.8	"	"
		03	8.8-10.2	"	"
10.2-10.7	Rhyodacite Dyke				
10.7-10.8	Mud: shear				
10.8-14.5	Syenite: relatively fresh				
14.5-25.9	Syenite: clay, limonite, sericite alt., local q. veining	04	14.5-15.9	<0.3	<0.07
		05	15.9-17.0	"	"
		06	17.0-18.3	"	0.21
		07	18.3-18.7	"	0.21
		08	18.9-20.1	"	0.75
		09	20.1-22.5	0.5	1.51
	Quartz Vein: limonitic	10	22.5-22.7	0.8	17.8
		11	22.9-24.4	<0.3	0.07
		12	24.4-25.9	"	"
25.9-26.4	Andesite Dyke				
26.4-64.01	Syenite: relatively fresh, local q. veining	13-18	48.3-55.3	<0.3	<0.07
		19	58.4-59.0	"	"
		20	59.6-59.9	"	"

EOH

Drill Hole Summaries - PHASE II

DDH YV86-10

Location: 224.1 N 1741.5 E

Az: 338 Dip: -54° Depth: 57.3 m.

Drilled to intersect anomalous quartz veins in holes 6 and 7 at greater depth.

Interval	Description	Spl. #	Interval	Ag gm/T	Au gm/T
0.-4.5m	Overburden	YV10			
4.5-24.2	Syenite: moderate to strong clay, limonite, local strong hematite and sericite alteration. Local small quartz stringers.	01	4.5-5.5	8.5	<0.07
		02	5.5-5.75	7.3	"
		03	5.75-7.25	2.8	"
		04	7.25-8.15	3.3	"
		05	8.15-10.1	2.8	"
		06	10.1-10.5	1.3	"
		07	11.3-13.2	1.7	"
		08	13.2-14.6	1.7	"
		09	14.6-16.2	1.7	"
		10	16.2-17.25	1.0	"
		11	17.25-17.75	0.8	"
		12	17.75-19.35	1.0	"
		13	19.35-20.7	0.8	"
		14	20.7-21.1	2.3	"
		15	21.1-22.6	1.0	"
		16	22.6-24.2	1.0	"
24.2-29.0	Rhyodacite Dyke				
29.0-29.5	Syenite: altered				
29.5-29.95	Rhyodacite Dyke				
29.95-30.1	Syenite: strong clay, limonite	17	29.95-30.1	0.5	0.14
30.1-30.15	Rhyodacite Dyke				
30.15-57.3	Syenite: locally clay, limonite, hematite and sericite altered, local small quartz stringers, pyrite and breccia zones.	18	30.15-31.4	1.7	0.14
		19	31.4-32.7	0.5	0.21
		20	36.5-37.15	1.0	<0.07
		21	37.95-38.3	0.5	"
		22	39.75-40.7	1.0	0.07
		23	43.5-44.7	0.5	<0.07
		24	44.7-45.95	1.0	"
		25	45.95-47.55	0.3	"

Interval	Description	Spl. #	Interval	Ag gm/T	Av gm/T
		26	47.55 - 48.25	0.5	<0.07
		27	48.25 - 49.9	0.8	"
		28	49.9 - 50.45	1.0	"
		29	51.0 - 52.5	0.5	"
		30	53.2 - 54.5	"	"
- 57.3 m		31	55.6 - 56.2	"	"

EOH

DDH YV 86 - 11

Location: 236.1 N 1654.1 E

Az: 336° Dip: -46° Depth: 67.97 m.

Drilled to test the western extension of the quartz veins in holes 6 and 7 and to intersect ^{the} source of anomalous quartz float in the area.

Interval	Description	Spl. #	Interval	Ag gm/T	Av gm/T
0 - 6.3 m	Overburden	YV11			
6.3 - 25.95	Syenite: locally clay, limonite and hematite altered with local quartz stringers.	01	22.2 - 22.7	40.3	0.07
		02	23.45 - 24.2	"	"
		03	24.2 - 24.7	"	40.07
		04	24.7 - 25.95	"	0.07
25.95 - 32.55	Rhyodacite Dyke: locally clay and sericite altered	05	30.85 - 32.0	"	40.07
		06	32.0 - 32.85	"	"
32.55 - 32.85	Syenite: clay and lim. alt.				
32.85 - 33.7	Rhyodacite Dyke	07	32.85 - 33.70	0.3	"
33.7 - 38.2	Syenite: locally clay, lim. and hem. alt. with local quartz stringers	08	33.7 - 34.5	"	"
		09	34.5 - 35.85	40.3	0.07
		10	35.85 - 36.25	1.0	<0.07
		11	36.25 - 37.8	0.5	"
38.2 - 40.75	Syenite Porphyry				
40.75 - 46.63	Rhyodacite Dyke				
46.63 - 46.9	Syenite Porphyry: clay alt.	12	46.63 - 48.16	"	"
46.9 - 47.05	Rhyodacite Dyke				
47.05 - 52.4	Syenite Porphyry: locally alt	13	52.35 - 53.0	"	"
52.4 - 52.6	Amphibolite - Hornblende Syenite				
52.6 - 67.97	Syenite Porphyry: locally clay limonite and hem. alt. with local quartz stringers.	14	55.1 - 55.5	"	"
		15	55.5 - 55.85	"	0.07
		16	55.85 - 57.28	"	0.14

EOH

DPH YV86-12

Location: 200.3 N 1786.9 E

Az: 339° Dip: -45° Depth: 67.36 m

Drilled to test the eastern extension of the quartz veins in holes 6 and 7.

Interval	Description	Spl. #	Interval	Ag gm/T	Au gm/T
0 - 3.0	Overburden	YV12			
3.0 - 10.5	Rhyodacite Dyke				
10.5 - 29.87	Syenite: locally altered with quartz stringers	01	10.5 - 11.1	0.5	1.37
		02	12.3 - 12.9	"	0.14
		03	19.34 - 19.82	"	0.21
		04	21.2 - 22.25	"	0.34
	flow textured, local quartz str.	05	22.25 - 22.7	"	1.37
		06	22.7 - 23.45	"	0.48
		07	23.45 - 24.4	"	0.41
		08	24.4 - 25.7	"	0.14
		09	25.7 - 27.45	"	0.27
		10	27.45 - 28.5	0.3	0.62
		11	28.5 - 28.75	"	0.34
29.87 - 64.15	Dacite Porphyry Dyke:	12	39.3 - 40.54	0.3	0.07
	locally intensely sheared	13	40.54 - 42.06	0.5	"
	and altered	14	43.59 - 45.11	"	"
		15	58.78 - 59.13	1.0	0.07
64.15 - 67.36	Syenite: relatively fresh				

EOH

DDH YV86-13

Location: 272.3 N 1997.5 E

Az: 340 Dip: -46° Depth: 55.17 m

Drilled to intersect the quartz veining of hole 9 at a greater depth.

Interval	Description	Spl #	Interval	Ag gm/T	Au gm/T
0-2.0	Overburden	YV13			
2.0-11.15	Syenite Porphyry				
11.15-12.6	Hornblende Syenite: 60% Hb				
12.6-16.5	Syenite				
16.5-19.15	Syenite Breccia: hematitic	01	16.5-17.7	0.5	<0.07
19.15-19.35	Quartz, carb., mylonite vein	02	17.7-19.35	1.0	"
19.35-35.15	Syenite: local quartz	03	23.15-23.8	0.5	0.21
35.15-35.75	Dacite Dyke:				
35.75-41.0	Syenite: local quartz vein	04	39.6-41.00	<0.3	<0.07
41.0-41.95	Brecciated Syenite; qz. str.	05	41.0-41.95	"	0.69
41.95-42.30	Quartz carb. feldspar vein	06	41.95-42.35	1.0	10.8
42.3-42.65	Rhyodacite dyke	07	42.35-42.65	0.8	0.14
42.65-43.3	Quartz carb. feldspar vein	08	42.65-43.3	0.5	0.07
43.3-48.6	Syenite: local qz. str.	09	43.3-44.1	0.3	<0.07
		10	44.1-45.6	<0.3	"
		11	45.6-47.25	0.3	"
		12	47.25-48.6	"	"
48.6-48.9	Syenite: quartz veining	13	48.6-48.9	0.8	1.44
48.9-50.1	Syenite: rusty, broken	14	48.9-49.2	<0.3	0.07
50.1-55.17	Syenite: relatively fresh				

E071

DDH 4V 86-14

Location: 222.8 N 1998 E

Az: 340 Dip: -48° Depth: 82.3 m.

Drilled to intersect the quartz veining of holes 9 and 13 at a greater depth.

Interval	Description	Spl#	Interval	Ag gm/IT	Au gm/IT
0 - 2.8 m.	Overburden	JV14			
2.8 - 7.5	Syenite porphyry: weathered	01	3.8m - 4.9m	0.5	0.07
		02	6.2 - 6.5	1.0	<0.07
7.5 - 11.6	Breccia zone: hematitic	03	7.5 - 8.58	1.0	"
		04	8.58 - 10.06	0.5	0.14
		05	10.06 - 11.6	1.7	"
11.6 - 16.5	Dacite to Rhyodacite Porphyry Dyke	06	11.6 - 13.3	1.0	"
16.5 - 18.9	Brecciated zone: hematitic	07	16.5 - 18.9	1.0	0.27
18.9 - 41.25	Rhyodacite Porphyry Dyke	08	40.8 - 41.45	1.0	0.07
41.25 - 41.45	Rhyodacite Dyke				
41.45 - 42.1	Dacite Feldspar Porphyry	09	41.45 - 42.1	0.5	<0.07
42.1 - 44.6	Rhyodacite Dyke				
		10	44.6 - 46.0	"	0.34
		11	46.0 - 47.5	"	<0.07
		12	47.5 - 49.0	"	"
44.6 - 50.0	ALTERATION ZONE & intense hematite, limonite and chlorite alteration.	13	49.0 - 50.0	"	"
		14	57.75 - 58.83	0.8	"
		15	58.83 - 59.64	0.5	"
50.0 - 71.08	Syenite Porphyry: variable local alteration	16	59.64 - 61.87	"	"
		17	71.61 - 72.5	<0.3	"
		18	72.5 - 73.8	"	"
71.08 - 71.61	Dacite Feldspar Porphyry	19	73.8 - 74.35	"	"
		20	74.35 - 75.15	0.3	"
71.61 - 74.35	Syenite: sericite, limonite hematite altered	21	75.15 - 76.15	<0.3	"
		22	76.15 - 77.7	"	"
		23	77.7 - 78.3	"	"
74.35 - 75.15	Siliceous Breccia Zone				
75.15 - 78.3	Syenite: sericite, limonite and hematite common				
78.3 - 82.3	Syenite Porphyry: relatively fresh.				

DDH 4V86-15

Location: 271.4 N 1947.8E

Az: 340° Dip: -47° Depth: 60.35m

Drilled to intersect western extension of the quartz veins in holes 9 and 13.

Interval	Description	Spl#	Interval	Ag gm/T	Pb gm/T
0-3.96 m	Overburden	YV15			
3.96-14.63	Syenite: relatively fresh				
14.63-14.8	Dacite Dyke				
14.8-24.6	Syenite: relatively fresh				
24.6-39.5	Syenite: carbonitized mafics				
39.5-55.3	Syenite: variably altered and crushed	01	39.5-40.54	0.3	0.07
		02	40.54-42.06	0.3	0.07
		03	42.06-42.7	0.3	0.07
		04	42.7-44.5	0.3	0.07
		05	44.5-45.6	"	"
		06	45.6-46.63	"	"
		07	46.63-48.3	"	"
		08	48.3-50.4	"	"
		09	50.4-51.21	"	"
	syenite breccia, silicified	10	51.21-52.73	0.3	0.14
	"	11	52.73-53.7	0.8	0.41
	50% quartz veins	12	53.7-54.7	0.8	0.27
	syenite breccia, silicified	13	54.7-55.3	0.8	0.48
55.3-59.3	Syenite: carbonitized mafics				
59.3-60.35	Syenite: relatively fresh.				

E071

DDH YV86-16

Location: 274.5 N 2047.6 E

Az: 340° Dip: -47° Depth: 75.59

Drilled to intersect the eastern extension of the quartz veins in holes 9 and 13.

Interval	Description	Spl. #	Interval	Ag gm/T	Pb gm/T
0-7.62 m.	Overburden / Casing	YV16			
7.62-20.67	Syenite Porphyry: weathered	01	19.4-20.67	0.5	<0.07
20.67-20.88	Rhyodacite Dyke				
20.88-22.8	Syenite Porphyry: clay altered	02	20.88-21.75	"	"
		03	21.75-22.4	0.3	"
		04	22.4-22.8	<0.3	"
22.8-23.18	Rhyodacite Dyke	05	22.8-23.88	"	"
23.18-23.88	Syenite: sheared				
23.88-24.44	Quartz sericite breccia zone	06	23.88-24.44	"	"
24.44-27.93	Syenite Porphyry: clay and limonite altered.	07	24.44-24.98	"	0.55
		08	24.98-26.48	"	0.27
		09	26.48-27.93	0.8	<0.07
27.93-30.88	Andesite Dyke				
30.88-31.34	Syenite Porphyry: clay and lim.				
31.34-32.48	Andesite Dyke				
32.48-37.98	Hornblende Syenite				
37.98-38.71	DAC-ANDESITE DYKE				
38.71-52.3	Syenite: variably clay, limonite altered, local shears and quartz stringers.	10	42.07-43.07	<0.3	<0.07
		11	43.07-44.6	0.3	"
		12	44.6-45.35	<0.3	"
		13	45.35-47.0	"	"
		14	47.0-48.57	"	"
		15	48.57-49.68	"	"
		16	49.68-50.40	"	"
		17	50.40-51.21	0.3	"
		18	51.21-52.3	<0.3	"
52.3-53.4	Rhyodacite Feldspar Porphyry	19	52.3-53.4	0.3	"
53.4-57.8	Syenite: weakly altered	20	53.4-54.4	0.5	"
57.8-63.35	Rhyodacite Dyke				
63.35-75.59	Dacite Feldspar Porphyry Dyke				

DDH YV 86-17

Location: 413.0 N 2125.2 E

Az: 340° Dip: -47° Depth: 115.21 m.

Drilled to intersect siliceous veining intersected in hole 1.

Interval	Description	Spl.#	Interval	Ag gm/ft	Au gm/ft
0-11.58	Overburden	YV17			
11.58-37.26	Syenite: locally altered and sheared.	01	17.9-19.05	0.3	0.07
		02	24.9-25.9	"	"
		03	36.37-37.26	0.3	"
37.26-39.22	Syenite Porphyry				
39.22-40.25	Syenite: locally siliceous	04	39.22-40.25	0.3	0.34
40.25-59.7	Syenite Porphyry: locally altered	05	42.0-43.59	"	0.07
		06	43.59-45.6	"	"
		07	58.83-59.7	0.3	0.21
59.7-60.25	Quartz vein: limonite fractures	08	59.7-60.25	0.5	33.1
60.25-60.28	Gouge / Breccia Zone - clay, qz	09	60.25-61.25	0.3	1.17
60.28-62.02	Rhyodacite Porphyry Dyke				
62.02-62.3	Syenite: local qz. seams	10	62.02-62.3	0.3	2.06
62.3-62.7	Quartz vein: lim. fractures	11	62.3-62.7	1.0	11.4
62.7-68.2	Syenite: moderate limonite alteration	12	62.7-63.4	0.5	0.21
		13	67.9-68.2	0.3	0.14
68.2-96.4	Dacite Feldspar Porphyry				
96.4-99.95	Syenite: locally altered				
99.95-115.21	Syenite Porphyry: locally clay, limonite, hematite altered.	14	99.95-100.85	0.5	0.07
		15	100.85-101.7	"	0.07
		16	101.7-102.6	0.3	"
		17	102.6-103.52	1.0	"
		18	103.52-104.5	0.5	"
		19	104.5-105.25	"	"
		20	quartz stringer: 2-3 cm	105.77-106.37	"

DDH YV86-18

Location: 415.3 N 2070.9 E

Az: 340° Dip: -47° Depth: 76.81 m.

Drilled to test ^{the} western extension of the quartz veins intersected in hole 17.

Interval	Description	Spl #	Interval	Ag gm/T	Av gm/T
0-7.01 m.	Overburden		YV18		
7.01-63.8	Syenite: locally weathered, limonitic, hematitic, clay altered, sheared. Local quartz stringers	01	39.4-40.55	0.5	<0.07
		02	60.65-61.6	"	"
63.8-63.9	Quartz Vein: limonitic fractures	03	63.2-63.9	1.0	13.44
63.9-67.4	Syenite	04	67.0-67.9	0.3	0.07
67.4-67.9	Altered Dyke				
67.9-69.17	Syenite: locally silicified	05	68.9-69.17	0.5	<0.07
69.17-70.45	Rhyolite / Rhyodacite Dyke				
70.45-76.81	Syenite: locally clay altered, limonitic				

EOH

DDH YV86-19

Location: 415 N 2175 E (not surveyed - compass grid coord.)

Az: 340° Dip: -46° Depth: 37.49 m.

Drilled to test the eastern extension of the quartz veins intersected in hole 17

0-7.0	Overburden
7.0-9.7	Syenite: weathered
9.7-37.49	Syenite: relatively fresh

EOH

Hole shut down because of blizzard and concurrent water supply freeze-up.