

007237

FILENAME: V46NR56.WR1	01-Mar-91		01:32 PM						
HOLE#	FROM	TO	SAMPLE#	ROCK	SB-WR	XFB	XZN	XFE	XBA
90V-87	20.4	23.5	60818	460	4.24	2.47	2.52	39.26	0.66
90V-67	92.2	93.6	62104	460	4.37	3.57	4.33	21.93	1.46
90V-120	39.5	40.8	62512	460	4.68	3.87	3.14	28.32	1.67
90V-11	7.9	9.6	60114	460	2.35	5.46	5.05	22.97	2.18
90V-45	33.4	34.8	60563	460	4.5	3.34	4.2	32.33	2.62
90V-76	36.4	38	60518	460	4.33	4.66	3.84	29.17	4.48
90V-11	9.6	11.3	60115	460	3.81	4.99	5.76	24.41	5.68
90V-14	23.6	24.8	60109	460	4.16	2.41	2.22	26.13	5.98
90V-48	34.1	36.3	60444	460	4.3	5.41	4.06	25.56	6.54
90V-38	3.8	5.3	60272	460	4.19	3.8	3.2	26.98	6.62
90V-45	32.1	33.4	60562	460	4	3.24	6.38	25.47	6.88
90V-72	10.4	11.9	60465	460	3.86	4.27	3.72	24.48	7.04
90V-71	17.1	18.7	60431	460	3.75	3.84	5.95	16.63	7.14
90V-35	13.5	15.1	60258	460	4.23	3.72	4.72	22.32	7.35
90V-19	25.2	26.4	60042	460	3.77	3.33	5.25	20.6	7.8
90V-67	85.3	86.9	62099	460	4.3	1.27	1.32	21.16	8.18
90V-20	13.3	14.5	60182	460	3.51	3.52	5.87	15.3	8.68
90V-29	38.7	40.4	60530	460	3.6	4.09	5.72	19.16	8.95
90V-35	15.5	16.5	60259	460	4.4	2.4	1.84	26.74	8.98
90V-67	88.2	89.5	62101	460	4.35	2.54	3.75	14.7	9.24
90V-67	90.9	92.2	62103	460	4.12	4.47	4.36	20.87	9.41
90V-79	18.4	19.6	60420	460	4.07	4.02	4.1	24.34	10.52
90V-04	20.3	21.2	60157	460	4.26	3.72	4.26	25.05	11.11
90V-71	18.7	20.3	60432	460	4.32	4.44	5.22	17.82	11.24
90V-136	50.6	52.4	62181	460	3.51	3.3	3.32	11.27	11.28
90V-102	83	84.3	61794	460	4.37	4.24	5.12	24.34	12.48
90V-43	37.2	38.6	60604	460	3.97	5.21	4.35	11.42	12.68
90V-70	24.5	25.8	61810	460	4.3	5.2	1.03	16.36	13.86
90V-67	83.8	85.3	62098	460	4.47	3.67	3.92	20.44	13.92
90V-120	40.8	42.2	62513	460	4.38	3.99	5.81	16.9	14.21
90V-22	10.7	12.2	60242	460	3.86	6.84	3.15	18.1	15.6
90V-111	41.8	43.1	62016	460	3.81	2.66	5.8	12.57	17.6
90V-49	48.4	50	60642	460	4.8	3.55	3.72	14.66	23.6
90V-111	47	48.3	62020	460	4.13	3.34	6.44	11.63	23.6
90V-116	69.6	71	61885	4604	4.33	3.6	3.77	24.3	11.28
90V-116	68.2	69.6	61884	4604	4.35	4.25	5.35	16.03	12.6
90V-101	76.2	76.8	61850	4604	4.42	11.7	10.3	10.17	20.52
90V-116	66.8	68.2	61883	4604	4.46	4.18	5.32	15.89	22.56
90V-84	48.4	49.7	61697	4607	4.55	4.37	3.23	27.66	14.19
90V-70	35.6	36.9	61819	4608	4.04	4.14	1.53	21.79	10.65
90V-53	39.5	40.6	60661	4608	3.18	2.9	5.05	8	17.6
90V-53	38.4	39.5	60660	4608	3.81	3.82	6.17	8.73	20.16
90V-20	14.5	15.5	60183	46087	4.35	2.64	3	25.5	8.6
90V-20	15.5	16.4	60184	46087	4.5	1.82	3.47	26.8	9.76
90V-38	8.6	10.6	60274	4608	4.05	3.25	3.01	26.74	7.44
90V-61	71.5	73.1	60894	4608	3.83	2.81	3.46	28.71	2.55
90V-61	73.1	74.7	60895	4608	3.97	1.98	2.78	18.01	2.73
90V-61	66.9	68.4	60891	4608	4.45	3.82	2.57	27.88	5.4
90V-61	70	71.5	60893	4608	3.62	2.71	4.01	24.7	7.74
90V-61	68.4	70	60892	4608	3.35	3.16	4.08	23.08	8.8
90V-80	21.7	23.1	60412	464	3.98	7.28	5.24	21.75	0.26
90V-76	33.2	34.8	60516	464	3.97	7.82	6.17	32.45	0.51
90V-35	12	13.5	60257	464	4.53	5.12	7.11	15.74	0.84
90V-24	29.6	30.7	60187	464	3.73	4.59	10.98	23.2	2.65
90V-24	29.6	30.7	60187	464	3.73	4.59	10.98	23.2	2.65
90V-78	34.8	36.3	60502	464	4.13	7.17	4.53	24.5	3.84
90V-137	49.4	50.1	62207	464	3.57	9.23	12.56	11.8	4.42
90V-37	10.8	11.9	60280	464	3.7	6.05	6.05	22.79	4.55
90V-72	11.9	13.4	60466	464	4.11	6.31	5.63	26.05	5.08

2 digits OK. ✓

90V-29	43.3	44.8	60534	464	3.36	5.22	7.88	22.92	5.28
90V-29	61.8	63.1	60547	464	4.36	7.32	9.69	29.66	5.8
90V-140	13.4	14.2	62222	464	3.98	6.16	9.58	13.72	5.83
90V-24	30.7	31.9	60188	464	3.59	5.21	8.27	20	5.94
90V-24	30.7	31.9	60188	464	3.59	5.21	8.27	20	5.94
90V-120	42.2	43.4	62514	464	4.72	4.72	5.98	19.09	6.62
90V-38	30.3	31.1	60277	464	3.55	4.6	6.5	16.16	6.71
90V-09	14.3	15.9	60072	464	3.22	7.7	10.49	14.33	7.06
90V-29	60.5	61.8	60546	464	3.94	5.79	10.69	25.82	7.4
90V-48	32.6	34.1	60443	464	4.12	5.84	5.24	24.39	7.68
90V-79	17.2	18.4	60419	464	4.31	5.25	5.21	21.9	8.3
90V-17	14.1	15.4	60095	464	3.91	4.36	6.03	27.73	8.32
90V-48	41.8	43.3	60449	464	4.32	4.49	5.65	22.7	8.34
90V-49	37.7	39	60640	464	4.12	9.08	8.4	19.4	8.36
90V-116	83.8	85.1	61896	464	4.42	5.26	5.08	24.25	8.45
90V-103	81.6	83	61750	464	4.34	3.56	2.78	26.55	8.93
90V-49	39	48.4	60641	464	3.9	4.76	5.39	16.39	10.1
90V-48	38.7	40.2	60447	464	4.32	6.38	6.73	20.76	10.16
90V-29	40.4	41.9	60532	464	4.24	9.06	9.71	21.81	10.2
90V-48	53.8	55.1	60457	464	4.29	6.83	8.11	18.86	10.2
90V-80	18.8	20.2	60410	464	3.09	3.83	6.48	12.1	10.32
90V-72	13.4	14.9	60467	464	4.07	6.4	7.48	16.35	10.4
90V-71	11.3	12.8	60428	464	4.39	5.19	5.31	19.11	10.4
90V-45	30.8	32.1	60561	464	4.21	5.24	7.23	23.09	10.56
90V-04	29.1	30.8	60162	464	3.93	4.26	7.73	13.18	11.07
90V-78	20.5	22	60499	464	4.95	8.45	7.66	23.81	11.16
90V-66	23.5	24.7	62346	464	3.82	7.47	7.7	17.67	11.44
90V-29	41.9	43.3	60533	464	4.23	7.97	9.13	16.99	11.44
90V-48	40.2	41.8	60448	464	4.07	6.11	5.78	21.11	11.56
90V-79	19.6	20.9	60421	464	4.19	5.98	5.01	17.19	11.76
90V-118	31.1	32.3	62285	464	4.3	4.34	7.21	17.12	12.1
90V-38	5.3	8.6	60273	464	3.4	5.08	5.58	11.68	12.23
90V-80	20.2	21.7	60411	464	4.03	4.83	7.53	15.48	12.4
90V-26	32.5	33.9	60367	464	4.3	5.49	5.21	24.65	12.41
90V-19	22.9	24	60040	464	3.95	7.5	10.06	14.7	12.56
90V-48	36.3	37.2	60445	464	4.5	8.37	7.83	17.46	12.92
90V-42	17.9	19.4	60343	464	3.94	6.85	8.2	20.17	12.98
90V-69	38.4	39.5	61973	464	4.55	5.17	5.59	21.5	13
90V-26	31.1	32.5	60366	464	4.27	5.7	5.45	20.78	13.29
90V-14	22.4	23.6	60188	464	4.2	4.61	6.61	21.16	13.46
90V-29	37.3	38.7	60529	464	4.41	6.77	9.28	19.99	13.56
90V-19	24	25.2	60041	464	4.14	5.97	7.2	14.9	13.6
90V-104	96.1	97.5	61931	464	4.19	5.85	7.05	19.82	13.9
90V-12	21.3	22.3	60055	464	4.3	3.93	5.95	22.42	13.9
90V-29	63.1	64.4	60548	464	4.71	4.74	6.63	24.54	13.92
90V-67	89.5	90.9	62102	464	4.36	4.95	5.73	21.49	14.64
90V-103	80.2	81.6	61743	464	4.28	6.01	6.35	19.12	14.74
90V-116	87.7	89	61899	464	4.23	4.35	7.71	13.06	15.72
90V-49	36.3	37.7	60639	464	4.15	6.9	7.59	15.85	15.72
90V-49	31.3	32.3	60636	464	4	5.47	6.37	16.4	15.76
90V-49	34.9	36.3	60638	464	4.42	9.37	7.98	18.45	15.8
90V-04	26.9	28.2	60160	464	4.2	5.52	7.74	19.33	15.8
90V-118	33.6	34.8	62287	464	3.97	5.13	6.77	16.83	15.84
90V-92	40.5	41.7	60833	464	4.46	2.74	9.62	22.12	16.13
90V-116	85.1	86.4	61897	464	4.66	4.98	6.11	22.66	16.2
90V-72	16.4	17.9	60469	464	4.24	4	7.73	14.2	16.68
90V-48	37.2	38.7	60446	464	4.56	11.8	4.06	30.23	16.8
90V-45	34.8	36.1	60564	464	3.97	4.11	9.01	13.7	16.8
90V-04	19.4	20.3	60156	464	4.37	5.44	7.68	18.65	16.94
90V-22	9.1	10.7	60241	464	4.04	7.97	3.37	15.6	17.2
90V-49	76.9	77.8	60649	464	3.83	5.71	7.8	11.04	17.2
90V-72	14.9	16.4	60468	464	3.63	5.6	7.76	12.67	17.28
90V-67	77.2	78.5	62095	464	4.39	10.32	8.85	11.5	17.28
90V-15	27.5	28.5	60021	464	4.04	3.37	7.16	14.77	17.46
90V-20	12.1	13.3	60181	464	3.91	5.55	8.28	15.1	17.6
90V-71	23.8	24.8	60435	464	3.98	5.48	8.87	6.06	17.8

90V-80	15.9	17.4	60408 464	3.98	9.09	17.4	17.9	
90V-76	34.8	36.4	60517 464	4.57	4.15	6.87	17.1	18.4
90V-76	53.5	54.8	60524 464	4.18	5.66	8.13	14.23	18.72
90V-22	7.6	9.1	60240 464	4.3	7.35	3.76	18.3	19.32
90V-29	44.8	46.7	60535 464	3.95	7.21	9.24	15.13	19.36
90V-78	19.1	20.5	60498 464	4.8	8.69	8.67	17.39	19.52
90V-67	82.2	83.8	62097 464	4.04	7.26	8.79	12.35	20.52
90V-45	42.2	42.9	60569 464	4.62	4.65	10.47	11.29	21.12
90V-67	74.5	75.9	62093 464	4.47	8.63	6.78	13.28	22.08
90V-104	75.8	77.6	61922 464	4.17	10.8	10.53	10.62	22.1
90V-12	10.5	11.8	60046 464	3.72	8.33	4.21	18.28	22.13
90V-66	22.4	23.5	62345 464	4.32	6.7	9.07	13.26	22.33
90V-49	76	76.9	60648 464	4.42	6.97	9.58	9.09	22.4
90V-61	36.5	37.8	60874 464	4.05	5.07	8.22	14.63	22.56
90V-84	24.7	26.3	61680 464	4.45	5.57	7.57	15.3	22.99
90V-67	75.9	77.2	62094 464	4.39	11.69	9.91	10.36	23.28
90V-80	17.4	18.8	60409 464	4.39	5.9	7.9	12.06	23.4
90V-66	46	46.9	62356 464	4.83	5.83	8.56	13.66	23.43
90V-61	32.8	33.9	60871 464	4.1	8.61	7.35	14.79	23.76
90V-61	33.9	35.2	60872 464	4.22	8.17	8.36	14.52	23.76
90V-26	33.9	35.3	60368 464	4.21	4.79	6.79	15.22	23.94
90V-66	45	46	62355 464	4.6	4.36	8.2	13.96	24.2
90V-42	19.4	20.7	60344 464	4.22	5.52	8.61	13.96	24.2
90V-61	35.2	36.5	60873 464	3.66	7.78	6.14	13.31	24.36
90V-32	12.7	14.1	60219 464	4.44	5.49	8.45	11	24.4
90V-82	40.4	41.7	60918 464	4.15	6.9	12	11.23	24.75
90V-36	11.2	12.8	60300 464	4.87	5.53	8.18	14.3	24.86
90V-116	86.4	87.7	61898 464	4.52	5.57	8.58	13.85	25.08
90V-15	30.5	31.6	60022 464	4.42	4.28	9.87	10.04	25.1
90V-35	10.5	12	60256 464	4.41	5.44	6.71	16.31	25.19
90V-15	31.6	32.6	60023 464	3.94	3.88	10.6	8.58	27.26
90V-17	12.7	14.1	60094 464	4.45	6.16	7.33	10.83	27.5
90V-71	24.8	25.8	60436 464	4.55	7.1	9.62	8.39	27.6
90V-09	7.8	9.8	60068 464	3.94	5.32	7.36	11.27	28.16
90V-12	20.5	21.3	60054 464	4.56	4.78	9.07	12.04	28.6
90V-67	78.5	79.8	62096 464	4.49	8.26	9.63	8.02	30.72
90V-09	6.6	7.8	60067 464	3.86	3.92	7.09	7.07	32.78
90V-17	11.3	12.7	60093 464	4	5.24	6.89	7.22	35.38
90V-43	35.9	37.2	60603 46417	4.29	5.07	8.02	20.69	6.78
90V-111	38.9	40.4	62014 46448#	3.66	6.28	8.14	14.08	9.48
90V-111	40.4	41.8	62015 46448#	4.35	7.08	8.28	13.46	18.4
90V-111	43.1	44.4	62017 46448#	4.14	6.11	8.93	36.08	18.4
90V-111	36.1	37.7	62013 46448#	4.31	6.12	7.7	13.6	25.1
90V-98	79.9	81.1	62394 4646	4.16	11.9	9.55	6.03	28.6
90V-117	15.7	17	62494 4647	4.01	6	6.85	16.36	8.65
90V-108	33.1	33.8	62258 4647	4.12	4.77	6.48	28.01	9.24
90V-102	77.6	79	61790 4647	3.91	6.14	6.16	19.69	10.6
90V-117	14.4	15.7	62495 4647	4.33	9.6	9.3	17.09	12.65
90V-84	49.7	51	61698 4647	4.47	4.02	7.73	13.75	30.25
90V-65	58.7	60.1	61639 46478	3.24	4.65	6.41	17	15.95
90V-96	110.7	111.9	61644 46478	4.3	5.05	7.54	14.12	19.69
90V-96	111.9	113.1	61645 46478	4.5	4.74	7.23	14.55	21.89
90V-112	62.3	63.8	62614 4648	4.04	13	12.5	26.98	2.4
90V-98	94.5	96	62403 4648	4.44	8.21	7.36	28.73	6.39
90V-04	17	18.6	60154 4648	4.69	6.49	5.15	25.73	6.82
90V-112	59.6	61	62612 4648	4.38	7.27	9.64	13.7	7.17
90V-78	31.9	32.9	60501 4648	4.51	7.09	5.72	21.57	8.1
90V-103	90.4	91.8	61770 4648	4.55	6.65	5.3	28.04	8.14
90V-106	55.4	56.4	61962 4648	4.05	6.22	6.84	17.78	8.22
90V-106	54.4	55.4	61961 4648	4.18	5.45	8.8	24.47	9.08
90V-131	75.5	77.1	62559 4648	3.82	7.23	5.49	15.55	9.35
90V-98	91.5	93	62401 4648	4.42	4.28	5.19	26.6	9.79
90V-106	78.7	79.4	61968 4648	2.83	4.84	6.75	12.98	10
90V-44	36.2	37.4	60621 4648	4.2	5.73	5.81	21.86	10.3
90V-104	106.7	108.2	61938 4648	4.24	5.59	6.96	22.53	10.5
90V-47	37.5	38.9	60323 4648	4.34	6.84	4.97	22.24	10.8

90V-108	23.1	24.1	62251	4648	3.81	6.99	6.55	22.76	11.22
90V-118	49.1	50.7	62297	4648	4.43	8.1	6.42	17.91	11.33
90V-125	84.8	86.3	62335	4648	3.92	6.55	8.08	14.95	11.53
90V-44	37.4	38.7	60622	4648	4.37	5.42	9.09	21.24	11.6
90V-125	86.3	87.8	62336	4648	4.36	6.14	7.62	16.13	11.66
90V-53	47	49.2	60668	4648	3.93	6.22	10.65	11.6	12.4
90V-67	96.3	97.9	62107	4648	4.54	8.32	6.71	21.21	12.48
90V-94	39.8	41.4	62057	4648	4.04	5.36	7.53	19.91	12.48
90V-117	48.1	49	62490	4648	4.32	6.14	7.77	14.46	12.54
90V-131	81.7	83.4	62555	4648	4.48	5.07	5.36	14.14	12.74
90V-131	78.6	80.2	62557	4648	4.67	7.23	7.34	11.66	12.98
90V-43	27.8	29.3	60597	4648	4.16	3.75	10.21	10.46	13.04
90V-47	33.1	34.6	60320	4648	4.35	5.16	6.1	19.26	14.08
90V-118	42.8	44.3	62293	4648	3.83	5.04	7.33	16.43	14.96
90V-98	96	97.5	62404	4648	4.14	6.66	9.8	18.78	15.29
90V-44	34.9	36.2	60620	4648	4.32	5.41	10.68	20.32	16.36
90V-84	28.5	30	61683	4648	4.52	6.81	7.58	20.66	16.72
90V-60	22.1	23.7	60843	4648	3.73	8.97	6.45	16.4	16.8
90V-106	50.8	52.3	61958	4648	4.4	9.62	9.14	10.36	16.8
90V-70	36.9	38.2	61820	4648	4.37	6.03	7.36	19.42	16.94
90V-43	29.3	30.7	60598	4648	4.28	6.62	13	14.34	16.96
90V-70	34.4	35.6	61818	4648	4.03	4.12	7.65	12.01	17.16
90V-84	30	31.5	61684	4648	4.57	6.94	7.32	19.1	17.38
90V-98	93	94.5	62402	4648	4.39	4.84	7.8	20.65	17.49
90V-106	52.3	53.9	61959	4648	4.36	6.46	9.01	13.35	17.7
90V-94	46.2	47.8	62061	4648	4.26	7.94	7.33	16.29	18.12
90V-112	61	62.3	62613	4648	4.17	5.98	9.44	16.71	18.26
90V-94	36.7	38.3	62055	4648	4.06	4.45	6.43	19.39	18.6
90V-67	94.8	96.3	62106	4648	4.26	4.88	6.14	16.92	18.84
90V-53	41.8	42.8	60663	4648	4.12	5.63	7.7	14	18.96
90V-111	49.6	50.9	62022	4648	4.15	4.95	6.76	15.15	19.1
90V-70	38.2	39.4	61821	4648	4.21	5.81	6.83	17.31	19.36
90V-84	34.6	36.1	61687	4648	4.45	7.59	7.43	17.53	19.47
90V-70	33.1	34.4	61817	4648	4.19	4.78	7.13	17.68	19.58
90V-47	31.7	33.1	60319	4648	4.04	4.44	6.44	16.57	19.62
90V-131	80.2	81.7	62556	4648	4.55	5.49	6.39	11.97	19.91
90V-47	34.6	36	60321	4648	4.29	4.97	7.42	14.21	19.98
90V-53	46	47	60667	4648	3.94	5.96	8.91	11.04	20.08
90V-94	43	44.6	62059	4648	3.95	3.9	7.25	17.07	20.28
90V-84	31.5	33	61685	4648	4.49	6.3	6.87	16	20.68
90V-94	50.9	52.5	62064	4648	4.19	4.29	5.92	15.86	21.12
90V-102	72.7	74	61787	4648	3.96	5.22	6.38	9.1	21.34
90V-111	45.6	47	62019	4648	4.09	3.33	7.02	12.59	21.4
90V-111	48.3	49.6	62021	4648	4.18	5.14	7.44	12.11	21.8
90V-60	25.2	26.8	60845	4648	4.47	7.72	8.72	16.4	21.84
90V-47	28.8	30.2	60317	4648	4.39	5.73	5.58	18.4	22.11
90V-94	52.5	54.1	62065	4648	4.05	3.95	6.41	13.39	22.2
90V-84	33	34.6	61686	4648	4.48	4.12	6.98	16.4	22.22
90V-94	54.1	55.9	62066	4648	4.23	4.21	7.46	12.57	22.32
90V-94	47.8	49.4	62062	4648	4.25	4.23	7.8	16.55	22.8
90V-117	46.8	48.1	62491	4648	4.4	5.57	9.56	17.5	23.1
90V-60	23.7	25.2	60844	4648	4.29	6.01	7.6	14.97	24.48
90V-102	75.3	76.7	61789	4648	3.86	3.62	7.41	10.55	24.75
90V-94	38.3	39.8	62056	4648	4.25	4.7	8.7	14.03	25.92
90V-53	45	46	60666	4648	4.54	6.05	8.36	8.95	26.4
90V-118	47.5	49.1	62296	4648	4.19	8.01	6.94	14.85	26.95
90V-47	36	37.5	60322	4648	4.45	5.5	7.24	13.08	27.83
90V-43	30.7	32	60599	4648	4.54	4.73	8.91	10.18	28.3
90V-53	42.8	43.9	60664	4648	4.48	4.77	7.34	9.64	28.8
90V-60	43.8	44.8	60853	4648	4.53	5.02	7.69	13.57	29.88
90V-53	43.9	45	60665	4648	4.54	4.64	7.76	9.55	30.5
90V-118	44.3	45.9	62294	4648	4.68	4.04	7.96	10	31.24
90V-86	45.8	47.8	61536	4648	4.23	4.16	6.67	9.73	31.46
90V-47	30.2	31.7	60318	4648	4.47	3.82	7.27	11.9	31.9
90V-84	47.1	48.4	61696	46487	4.46	5.68	6.05	26.58	9.75
90V-84	45.9	47.1	61695	46487	4.3	4.36	7.71	11.64	26.84

90V-70	59.6	60.7	61834 4648#	4.02	5.97	4.89	23.14	10.36
90V-111	31.1	32	62009 4648#	4.44	7.83	8.71	25.91	13.2
90V-70	57.5	58.9	61832 4648#	3.76	8.89	5.9	16.52	14.3
90V-70	56.1	57.5	61831 4648#	4.1	9.29	6.85	18.04	15.4
90V-70	54.7	56.1	61830 4648#	4.34	8.02	7.01	16.92	20.57
90V-97	60.6	61.8	62227 4648#	4.14	7.45	6.65	23.68	6.62
90V-97	63.2	64.5	62229 4648#	6.86	4.12	6.24	15.29	9.79
90V-97	61.8	63.2	62228 4648#	3.76	6.63	6.78	16.1	11.66
90V-117	51.6	52.7	62486 4648#	4.71	4.71	7.67	10.08	29.59
90V-117	52.7	53.8	62485 4648#	4.53	5.21	9.09	20.87	29.92
90V-108	19.8	21.3	62248 4648#	4.21	7.01	7.1	19.61	13.97
90V-108	18.3	19.8	62247 4648#	4.58	6.85	7.58	14.66	20.02
90V-104	92	93.4	61928 464#	3.78	4.29	6.28	13.16	9.5
90V-15	39.6	41.1	60024 464#	3.82	4.42	8.74	18.31	10.2
90V-61	45.4	46.2	60878 464#	3.74	2.15	11.51	16.75	11.81
90V-83	36.6	38.4	60986 464#	4.07	4.3	6.29	16.65	13.97
90V-106	87.3	87.5	61969 464#	3.65	5.54	7.52	12.14	14
90V-104	94.7	96.1	61930 464#	4.15	6.87	6.49	16.25	15.3
90V-104	93.4	94.7	61929 464#	3.94	4.82	7.32	15.65	15.4
90V-101	97.5	98.3	61852 464#	4.13	5.66	8.39	10.71	21.6
90V-54	45.7	47	60948 464#	4.18	6.08	5.48	13.11	21.89
90V-54	43.1	44.4	60946 464#B	4.28	9.23	7.79	17.85	19.36
90V-54	41.8	43.1	60945 464#B	4.23	6.86	7.26	17.91	22.55
90V-101	73	73.9	61849 464#	4.5	11.5	11.7	11.39	22.56
90V-134	17.2	18.4	62215 464#	3.99	3.76	7.62	15.71	15.84
90V-108	31.5	33.1	62257 464#B	3.91	4.31	7.03	19.97	10.89
90V-108	24.1	25.6	62252 464#B	4.45	5.42	6.46	14.76	13.09
90V-108	25.6	27.1	62253 464#B	4.6	8.36	8.44	12.94	13.64
90V-108	30	31.5	62256 464#B	4.6	3.98	7.05	17.22	19.8
90V-108	28.6	30	62255 464#B	4.22	3.91	8.87	8.06	30.6
90V-120	50.5	52.2	62520 46604	4.15	3.12	6.63	9.02	22.77
90V-120	52.2	53.8	62521 4664	4.9	3.26	7.32	8.06	15.29
90V-98	71.5	72.6	62391 4664	4.18	9.4	9.03	8	26.18
90V-98	73.8	75	62393 4664	4.42	7.3	9	7.41	31.1
90V-98	72.6	73.8	62392 4664	4.33	8.29	8.14	5.26	36.08
90V-98	66.2	67.5	62387 467	4.13	3.56	3.02	38.62	0.66
90V-98	70.2	71.5	62390 467	4.32	2.9	3.34	37.18	0.77
90V-98	67.5	68.9	62388 467	4.22	4.25	4.95	36.54	4.53
90V-98	64.9	66.2	62386 4674	4.11	9.53	7.66	23.68	9.35
90V-98	68.9	70.2	62389 4674	3.9	10.6	8.73	10.54	26.62
90V-115	35.5	37	62134 46741	3.52	6.44	6.88	16.05	11.55
90V-123	27.4	27.9	62443 4674#	4.76	11.8	8.47	19.31	10.23
90V-120	46	47.1	62517 468	4.26	2.05	2.8	27.92	1.33
90V-86	39.8	42	61532 468	4.36	2.26	4.14	28.57	2.53
90V-120	53.8	55	62522 468	3.91	3.36	4.54	18.53	5.79
90V-131	77.1	78.6	62558 468	4.32	3.9	5.49	19.21	6.91
90V-102	81.7	83	61793 468	4.46	4.87	7.37	24.68	8.76
90V-103	102.1	103.2	61779 468	4.17	0.26	0.14	33.1	9.13
90V-103	94.6	96	61773 468	4.49	2.72	4.64	13.6	9.33
90V-120	60.4	62	62527 468	4.81	2.84	4.27	25.24	10.1
90V-135	18.7	20	62201 468	4.02	2.87	4.26	22.58	11.88
90V-120	55	56.1	62523 468	4.58	3.42	5.85	19.37	11.99
90V-111	50.9	52.2	62023 468	4.45	4.39	4.98	21.97	12.6
90V-94	44.6	46.2	62060 468	4.17	2.68	4.4	20.87	14.16
90V-136	79	80.1	62188 468	4.07	0.08	0.11	15.88	14.88
90V-84	36.1	37.7	61688 468	4.32	3.91	5.22	22.91	16.06
90V-94	49.4	50.9	62063 468	3.66	3.82	2.8	16.38	16.32
90V-103	91.8	93.2	61771 468	4	0.6	0.03	1.34	17.82
90V-94	41.4	43	62058 468	4.22	3.24	6.26	17.95	18.48
90V-86	42.8	44.1	61534 468	4.38	4.21	5.2	16.71	19.14
90V-102	74	75.3	61788 468	3.95	4.06	5.69	7.26	19.6
90V-103	93.2	94.6	61772 468	4.49	2.66	2.24	9.21	20.02
90V-70	30.9	32	61815 468	4.12	5.55	3.34	12.35	20.13
90V-120	62	63.6	62528 468	4.46	3.89	5.87	16.57	21.45
90V-103	96	97.2	61774 468	4.42	2.27	4.44	37	21.56
90V-120	37.7	38.5	62511 4684	4.54	8.44	7.23	16.68	8.32

90V-120	56.1	57.3	62524 4684	4.28	3.62	6.44	21.34	10.12
90V-98	86.3	87.6	62397 4684	4.09	6	7.5	14.14	11.11
90V-98	83.8	85.1	62395 4684	4.28	5.2	6.96	22.6	13
90V-111	20.8	22	62001 4684	4.46	1.21	7.52	16.96	13.8
90V-120	57.3	58.9	62525 4684	4.42	4.06	8.38	25.41	14.08
90V-111	54.7	56	62026 4684	3.94	4.33	6.28	15.51	15.9
90V-111	53.5	54.7	62025 4684	4.25	4.7	6.96	12.47	16.4
90V-120	58.9	60.4	62526 4684	4.67	6.91	5.06	22.54	18.59
90V-98	85.1	86.3	62396 4684	4.45	5.77	5.49	24.88	19.25
90V-120	63.6	65.1	62529 4684	4.39	5.2	5.96	16.55	20.02
90V-111	52.2	53.5	62024 4684	4.18	4.31	7.47	11.84	23
90V-86	42	42.8	61533 4684	4.14	4.51	7.34	11.61	24.75
90V-101	106	107.2	61857 4684#	4.52	6.07	6.1	22.46	12.12
90V-101	104.8	106	61856 4684#	4.35	6.01	6.79	17.76	19.68
90V-101	103.5	104.8	61855 4684#	4.3	5.35	7.51	14.67	24.24
90V-70	32	33.1	61816 4687	4.02	3.25	6.04	30.97	8.1
90V-102	92.9	94.4	61801 4687	4.33	4.66	4.59	23.41	8.69
90V-140	17.7	18.7	62223 468#	4.04	4.96	7.04	16.6	7.92
90V-101	94.3	95.5	61851 468#	4.01	3.38	3.82	23.12	8.11
90V-104	80.4	81.9	61925 468#	4.52	2.37	2.08	28.32	8.4
90V-111	27.2	28.5	62006 468#	4.5	3.07	5.06	17.67	17.6
90V-111	25.9	27.2	62005 468#	4.4	3.28	3.41	19.34	19.2
90V-111	32.9	34.5	62011 468#	3.82	3.9	5.21	10.84	22.8
90V-111	34.5	36.1	62012 468#	4.35	5.21	7.15	14.38	27.7
90V-111	29.6	31.1	62008 468#4	4.41	5.55	5.34	16.93	7.76
90V-104	79	80.4	61924 468#4	3.79	5.73	6.05	22.73	10.02
90V-104	77.6	79	61923 468#4	4.12	7.22	10.79	14.78	11.2
90V-111	19.7	20.8	62000 468#4	4.46	7.57	8.49	16.54	14.6
90V-111	28.5	29.8	62007 468#4	4.49	4.57	7.58	22.97	15
90V-97	64.5	66	62230 468#	3.01	3.61	6.18	15.97	12.76
90V-74	21.3	22.3	60513 46L	3.29	2.88	3.99	10.67	5.08
90V-115	44.9	46.3	62139 46#	4.09	3.01	3.53	23.44	11.66
90V-54	44.4	45.7	60947 46#	4.2	4.08	2.76	6.46	25.96
90V-105	125.2	126.2	62589 46#8	3.86	0.04	0.01	12.95	6.58
90V-134	18.4	19.5	62216 46#0	3.6	2.65	5.61	14.37	13.92

HOLE#	TO	TD	SAMPLE#	ROCK	SG-WR	%PB	%ZN	%FE	%BA
90V-60	50.9	51.6	60858	4H0	3.53	0.85	0.63	32.73	0.12
90V-118	62.8	64	62307	4H04	3.67	1.63	1.49	39.86	0.11
90V-118	65.2	66.4	62309	4H04	3.74	0.60	0.86	38.91	0.27
90V-118	64	65.2	62308	4H04	3.38	0.59	1.01	33.02	0.30
90V-66	67.1	68.2	62372	4H1	3.66	0.75	1.72	29.31	0.15
90V-82	47.9	49.1	60923	4H1	3.38	1.80	2.42	34.79	0.19
90V-66	68.2	69.4	62373	4H1	3.69	1.22	1.91	30.56	0.65
90V-66	69.4	70.6	62374	4H1	3.62	0.67	1.11	26.83	1.26
90V-115	100.9	112.5	62178	4H14	3.71	3.59	1.83	30.87	0.86
90V-31	9.1	10.2	60207	4H314	3.58	3.40	2.17	19.40	0.37
90V-115	43.5	44.9	62138	4H4	4.06	2.13	1.64	34.46	1.76
90V-76	58.5	59.1	60528	4H41	4.15	2.18	3.22	41.84	0.16
90V-70	63.1	64.8	61837	4H41	3.48	2.99	2.36	35.90	0.46
90V-70	60.7	61.9	61835	4H41	3.84	6.45	4.92	39.25	1.52
90V-115	34	35.5	62133	4H41	3.52	6.86	8.73	20.46	2.55
90V-70	61.9	63.1	61836	4H41	3.35	2.84	1.53	30.67	4.49
90V-115	42.2	43.5	62137	4H46	3.97	3.14	3.68	36.85	5.32
90V-115	40.8	42.2	62136	4H46	4.48	5.09	6.45	23.75	5.48
90V-102	80.4	81.7	61792	4H46	4.01	4.33	5.80	28.46	5.83
90V-102	79	80.4	61791	4H46	4.11	3.70	5.96	21.80	6.45
90V-84	57	58.4	61703	4H8	4.09	1.72	1.37	38.12	0.87
90V-84	55.4	57	61702	4H84	3.76	4.70	2.93	28.12	0.33
90V-108	64.6	66.1	62272	4H*	3.72	0.32	0.36	31.87	0.18
90V-108	63.1	64.6	62271	4H*	3.47	0.22	0.23	10.12	0.24
90V-108	67.5	68.9	62274	4H*	3.53	0.72	1.54	33.24	0.31
90V-108	61.7	63.1	62270	4H*	3.65	0.13	0.16	6.76	0.31
90V-108	66.1	67.5	62273	4H*	4.00	0.50	1.11	41.67	0.51
90V-108	60.2	61.7	62269	4H*	3.63	0.27	0.42	14.58	0.62
90V-108	68.9	70.4	62275	4H*4	3.35	2.29	2.47	28.26	0.40
90V-108	70.4	71.9	62276	4H*4	3.38	2.62	3.21	24.70	1.97
90V-108	21.3	22.1	62249	4J478	3.93	9.64	7.23	24.54	1.69
90V-14	21.4	22.4	60107	4J478	4.24	6.94	5.51	20.42	9.33
90V-70	23	24.5	61809	4J487	4.08	6.09	7.02	34.64	0.19
90V-117	51.1	51.6	62487	4J4876	4.59	8.35	6.37	10.70	5.35
90V-66	56.8	58.2	62365	4J847	4.50	8.89	8.90	25.38	8.36
90V-66	55.5	56.8	62364	4J847	4.34	6.69	7.22	16.21	8.71
90V-103	75.5	77.1	61742	4J874	4.28	12.50	10.65	28.97	1.01
90V-103	73.9	75.5	61741	4J874	4.55	18.50	7.98	30.32	1.03
90V-103	72.3	73.9	61740	4J874	4.47	14.10	9.83	26.14	4.42
90V-103	88.2	89.3	61768	4K0	3.82	1.06	0.40	32.60	0.19
90V-103	87.1	88.2	61767	4K0	4.18	1.26	1.19	29.40	0.57
90V-103	89.3	90.4	61769	4K0	4.20	0.81	0.46	27.65	1.51
90V-120	43.4	44.7	62515	4K4	4.33	3.57	3.85	22.33	4.05
90V-120	44.7	46	62516	4K4	4.69	4.91	6.86	9.08	17.49
90V-102	88.2	89.8	61798	4K#	3.91	2.25	0.43	18.02	0.32
90V-102	91.3	92.9	61800	4K#	4.04	1.53	0.32	31.84	0.44
90V-116	82.4	83.8	61895	4K#	3.96	0.66	0.01	30.53	0.68
90V-102	89.8	91.3	61799	4K#	3.43	1.53	1.25	20.20	4.40
90V-116	79.8	81	61893	4K#04	3.94	1.35	0.35	25.52	0.22
90V-116	81	82.4	61894	4K#04	4.19	1.76	0.18	29.77	0.53
90V-116	78.4	79.8	61892	4K#04	4.03	1.23	0.40	30.94	0.98

filename:VALWRSS.WR1

01-Mar-91

02:14 PM

HOLE#	FROM	TO	SAMPLE#	ROCK	SG-WR	%P	%Z	%FE	%BA
90V-96	113.1	114.3	61646	4L	4.18	0.95	1.80	7.38	0.98
90V-83	33.8	35.1	60984	4L0	3.56	1.99	1.75	16.59	2.33
90V-137	46.7	47.9	62205	4L2	3.03	5.08	10.44	16.41	0.53
90V-92	35.2	36.4	60831	4L437	2.94	0.20	3.99	6.51	0.17
90V-92	34.1	35.2	60830	4L437	3.13	0.19	3.97	7.64	0.18
90V-92	32.9	34.1	60829	4L437	3.08	0.21	4.05	6.45	0.28
90V-86	76.8	78	61557	4L724	2.87	0.02	0.09	13.07	0.10
90V-86	78	79.9	61558	4L724	2.84	0.03	0.13	10.56	0.12
90V-86	75.1	76.8	61556	4L724	3.01	0.01	0.16	14.77	0.12
90V-86	73.6	75.1	61555	4L724	2.96	0.40	0.21	16.83	0.15