


03/10/90




007288

90-PL-26-27 tallus

90-PL-27-28 - 10m

90-PL-28-29 - 7m



03/10/90 Wed.
 11:50
 1140 bench

03/10/90

Last picket used was 90-PL-19

20 was knocked down

90-PL 21-21-A-15m at 132°

90-PL-21-A-22-6m @ 203°

90-PL-22-23 - 12m

90-PL 23-24 9m

90-PL 24-25 11m

90-PL 25-26 8m

Curragh Resources Inc.
 GEMCOM Services MSRV_032: DBVA=VANGORDA Deposit

Faro Mine : DAILY 'PICKUP' SURVEY REDUCTION: 90/10/04 : 8:53:08 PAGE
 : Survey Date = 90/10/03 Crew #1 Sequence #02 : = 1

CALCULATED SURVEY DATA

SET-UP STATION = 9046 HI = 1.380 H.EDM = 1.380 Location = 9767.461 N 10064.608 E 1134.096 El.
 BACKSIGHT STATION = 9026 Reference Horizontal Angle = 000-00-00 Location = 9690.072 N 9766.881 E 1155.877 El.
 Reference Backsight Azimuth= 255-25-54

Comments =
 Instrument = TOTAL STATION

Bench	Line Type	Shot No.	Horiz. Angle	Zenith Angle	Horiz. Distance	Shot Azimuth	Vertical Distance	Height Target	Height Boost	Offset T Dist.	Coordinates		
											Northing	Easting	Elevation
1140	20	1	303-22-33	093-22-20	213.836	198-48-27	-12.597	1.485	0.000	0.0	9565.043	9995.719	1141.394 ^{90-PL} 20
1140	20	1	302-47-05	092-57-23	239.268	198-12-59	-12.353	1.485	0.000	0.0	9540.184	9989.861	1141.638 22
1140	20	1	306-11-53	092-51-55	238.735	201-37-47	-11.945	1.485	0.000	0.0	9545.536	9976.658	1142.046 23
1140	20	1	308-27-17	092-54-28	243.352	203-53-11	-12.357	1.485	0.000	0.0	9544.952	9966.118	1141.634 24
1140	20	1	311-05-55	092-57-20	235.589	206-31-49	-12.160	1.485	0.000	0.0	9556.680	9959.427	1141.831 25
1140	20	1	313-25-08	092-50-21	237.551	208-51-02	-11.777	1.485	0.000	0.0	9559.395	9950.033	1142.214 26
1140	20	1	316-50-07	093-09-19	211.787	212-16-01	-11.672	1.485	0.000	0.0	9588.380	9951.592	1142.319 27
1140	20	1	320-12-26	093-17-57	207.563	215-38-20	-11.962	1.485	0.000	0.0	9598.774	9943.716	1142.049 28
1140	20	1	322-18-55	093-16-26	202.450	217-44-49	-11.578	1.485	0.000	0.0	9607.379	9940.723	1142.413 29