

TINTINA SILVER MINES LIMITED

007633

SUITE 200
931 YONGE STREET
TORONTO, ONTARIO
M4W 2H7

To the Shareholders
Tintina Silver Mines Limited

TELEPHONE: 962-8600

Tintina Silver Mines Limited announces that 48 holes have been completed on its Yukon property in the area of the Nos. 1, 2 and 3 showings. The drilling consists of a grid pattern of vertical and inclined holes in the same azimuth along six sections covering an area of approximately 350 by 450 feet.

The following table sets out the results of the drilling for which assay results are available. The unreported holes contain low grade mineralization, were lost due to mechanical problems or caving, or were drilled below the zone in the footwall argillites.

Hole No.	Coordinates	Azimuth	Dip	From	To	Feet	Silver oz./ton	Lead %	Zinc %
A-2	1200N 950E	028°	-45°	62	66.5	4.5	44.88	5.82	13.48
A-4	1200N 900E	028°	-50°	26	29	3.0	33.44	7.2	11.7
A-5	1200N 900E	028°	-80°	26	28.8	2.8	6.76	0.48	17.7
A-8	1265N 950E	028°	-45°	25	40	15.0	79.27	0.83	6.20
A-9	1265N 950E	-	-90°	32.2	45.0	12.8	1.92	0.23	2.08
A-12	1260N 900E	028°	-50°	12.2	21.0	8.8	50.37	0.09	0.54
A-13	1260N 898E	-	-90°	51.5	52.5	1.0	14.2	5.25	22.3
A-14	1263N 898E	028°	-50°	44.5	47.5	3.0	6.4	6.9	18.2
A-16	1254N 850E	-	-90°	21.6	24.4	2.8	0.32	0.12	9.42
A-19	1390N 950E	028°	-45°	51.7 129	57.8 130	6.1 1.0	1.03 16.52	1.77 11.80	9.82 0.87
A-23	1424N 849E	-	-90°	16.9 43.9	24.5 76.3	7.6 32.4	21.28 0.85	13.85 0.41	9.23 9.60

Hole No.	Coordinates	Azimuth	Dip	From	To	Feet	Silver oz./ton	Lead %	Zinc %
A-24	1424N 850E	028°	-65°	24.7	48.0	23.3	12.65	4.41	5.82
A-25	1425N 850E	028°	-40°	45.7 89.0	60.2 90.0	14.5 1.0	6.28 33.1	1.23 9.37	12.83 29.3
A-26	1368N 850E	-	-90°	15.5	23.0	7.5	3.96	1.80	2.92
A-27	1371N 850E	028°	-45°	14 26.5 or 14 71.5	26.5 39.0 39.0 97.3	12.5 12.5 25.0 25.8	16.47 1.91 9.19 0.20	12.60 1.57 7.08 0.11	14.93 2.63 8.78 13.62
A-28	1312N 848E	-	-90°	9.0	15.0	6.0	16.98	0.05	0.07
A-29	1315N 858E	028°	-45°	20	24.4	4.4	4.39	0.46	0.70
A-30	1353N 800E	-	-90°	68.8	75.5	6.7	1.94	0.73	6.09
A-31	1358N 800E	028°	-45°	61.7	65.5	3.8	6.36	0.44	2.89
A-32	1423N 807E	-	-90°	34.5	38.8	4.3	0.66	0.09	6.11
A-33	1421N 807E	028°	-45°	54.0	82.5	28.5	5.30	2.03	6.12
A-34	1464N 806E	028°	-65°	54.0 63.0 80	56.0 69.5 82.5	2.0 6.5 2.5	9.94 7.74 15.45	3.90 1.13 11.10	7.68 6.86 7.60
A-36	1400N 900E	028°	-50°	39.0	45.0	6.0	2.74	1.61	7.31
A-39	1351N 1000E	028°	-50°	12.8 61	18.8 69.7	6.0 8.7	3.88 1.30	3.22 0.55	1.00 12.78
A-41	1355N 1010E	-	-90°	13.6 58.7	25.3 65.7	11.7 7.0	127.28 6.77	11.44 1.76	19.60 8.46
A-42	1356N 1050E	028°	-70° or	19.5 19.5	31.5 44.0	12.0 24.5	46.92 24.59	13.90 7.46	11.57 11.90
A-43	1358N 1050E	028°	-40°	40.5	65.5	25.0	22.26	9.72	15.04
A-45	1400N 1000E	028°	-45°	59.2 75.7	75.7 95.5	16.5 19.8	21.53 3.58	18.25 3.38	18.79 7.57
A-47	1400N 1011E	-	-90°	90.2	92.2	2.0	11.64	11.30	4.62
A-48	1505N 950E	028°	-45°	27.0	33.8	6.8	3.91	3.69	1.64

Seven holes have been completed on the Number 8 zone, approximately 1500 feet to the south, which have confirmed that the zone dips west into the mountain at about 45 degrees.

The following are the results to date on the Number 8 zone, using a coordinate system established for this location:

Hole No.	Coordinates	Azimuth	Dip	From	To	Feet	Silver oz./ton	Lead %	Zinc %
B-1	1090N 975E	-	-90°	94.4	97.5	3.1	6.48	3.23	3.54
				108.6	116.6	8.0	2.71	1.14	5.32
				124	125	1.0	0.29	0.08	39.32
B-2	1090N 975E	010°	-50°	62	66.7	4.7	44.34	11.08	8.9
B-4	1065N 1000E	010°	-45°	82.5	89.0	6.5	11.36	4.85	17.43
B-6	1062N 1045E	010°	-60°	93.0	96.9	3.9	25.07	12.60	8.27
B-7	1063N 1024E	-	-90°	77.3	80.7	3.4	19.10	12.32	17.51
				87.8	93.0	5.2	4.75	2.18	2.36
				99.0	102.1	3.1	14.27	10.37	14.1

Your directors consider the results to date to be encouraging, both as to the values obtained, continuity and the information gained regarding the geological and structural controls of the mineralization. The silver-lead-zinc sulphide minerals are confined to a limestone horizon and appear to be localized by minor drag folds. The occurrence of such mineralization in a particular stratigraphic horizon holds promise for lateral extension of the known zones as well as potential for the discovery of others. The favorable limestone bed underlies a considerable part of the property, although in many places it is covered with talus or overlain by the upper argillites.

As previously reported, some 26 silver-lead-zinc occurrences as well as many areas of mineralized float are known to occur over an area of 7000 by 2000 feet and over a vertical range of 900 feet where windows of limestone are exposed. It is now apparent that considerably more work will be required to explore the full potential of the property.

Drilling is continuing with two machines and further results will be reported to shareholders as soon as they are available.

On behalf of the Board,

C. H. Franklin
President

Toronto, Ontario
August 1, 1974