

ASSAY TAG #	D.D.H.	FOOTAGE	Width	Cu	Pb	Zn	Ni	Au	Ag	MP	P.C NBR
2801	DDH 75-1	142.5-144.5	2.0	0.45	Tr.	1.32		Tr.	0.32		
2802*		144.5-148.9	4.4	0.12	Tr.	0.27		Tr.	0.06		
2803		148.9-150.9	2.0	1.33	0.01	0.27		Tr.	1.04		
2804		150.9-154.2	3.3	0.11	0.01	0.04		Tr.	0.06		
2805		154.2-155.6	1.4	1.88	0.04	2.94		Tr.	1.38		
2806*		155.6-159.0	3.4	0.07	0.01	0.03		Tr.	0.03		
2807		159.0-163.0	4.0	0.48	0.01	1.18		Tr.	0.29		
2808		163.0-168.0	5.0	0.11	0.04	0.70		Tr.	0.18		
2809		168.0-173.0	5.0	0.20	0.01	0.36		Tr.	0.12		
2810		173.0-175.7	2.7	0.10	0.01	0.46		Tr.	0.12		
2811*		175.7-180.7	5.0	0.95	0.01	0.76		Tr.	0.56		
2812		180.7-182.0	1.3	0.75	0.01	0.27		Tr.	0.44		
2813		182.0-187.0	5.0	0.06	0.01	0.17		Tr.	Tr.		
2814		187.0-189.6	2.6	0.05	0.01	0.03		Tr.	0.03		
2815		189.6-194.6	5.0	0.33	0.01	0.37		Tr.	0.15		
2816		194.6-198.0	3.4	0.14	0.01	0.27		Tr.	0.15		
2817		198.0-200.9	2.9	0.10	0.01	0.08		Tr.	Tr.		
2818*		200.9-205.9	5.0	0.44	0.01	0.71		Tr.	0.18		
2819		205.9-208.8	2.9	0.58	0.01	0.08		Tr.	0.18		
2820		208.8-210.0	1.2	0.18	0.01	0.04		Tr.	0.06		
2821		210.0-211.5	1.5	0.34	0.01	0.01		Tr.	0.12		
2822*		211.5-215.8	4.3	0.12	0.01	0.20		Tr.	0.06		
2823*		215.8-217.7	1.9	0.23	0.01	0.01		Tr.	0.09		
2824		217.7-220.7	3.0	0.05	0.01	0.01		Tr.	Tr.		
2825*		220.7-224.4	3.7	0.90	0.03	0.09		Tr.	0.35		
2835		224.4-227.9	3.5	0.37	0.01	0.11		Tr.	0.09		
2836*		227.9-232.2	4.3	0.55	0.01	0.03		Tr.	0.12		
2837		232.2-233.8	1.6	0.38	Tr.	0.09		Tr.	0.06		
2838		233.8-239.0	5.2	0.16	0.01	0.11		Tr.	Tr.		
2839		239.0-241.9	2.9	0.44	0.01	1.42		Tr.	0.10		
2840		241.9-246.0	4.1	0.23	0.01	1.00		Tr.	0.03		
2841		246.0-247.2	1.2	0.13	0.01	0.67		Tr.	Tr.		
2842		247.2-252.2	5.0	0.21	0.01	2.22		Tr.	0.03		
2876		252.2-256.0	3.8	0.16	0.01	0.02		Tr.		0.02	

NOTE: \*Denotes check assay being run on rejects by Bondar Clegg &amp; Co., Vancouver

AVERAGES: DDH 75-1

<u>FOOTAGE</u>	<u>Width</u>	<u>Cu</u>	<u>Pb</u>	<u>Zn</u>	<u>Ag</u>
142.5-182.0	39.5	0.42		0.64	0.29
142.5-208.8	66.30	0.36			
148.9-208.8	59.9	0.37			
159.0-208.8	49.8	0.33			
168.0-208.8	40.8	0.34			
175.7-211.5	35.8	0.37			
175.7-208.8	33.1	0.38			
175.7-246.0	70.3	0.36			
220.7-252.2	31.5	0.38			

ASSAY TAG #	D.D.H.	FOOTAGE	Width	Cu	Pb	Zn	Ni	Au	Ag	P.O. NBR
32826	DDH 75-2	50 - 55	5.0	0.03	0.01	0.05		Tr.	Tr.	
32827		55 - 60	5.0	0.03	0.01	0.03		Tr.	0.02	
32828		72.2- 76.2	4.0	0.06	0.01	0.05		Tr.	0.04	
32829		76.2- 77.0	0.8	0.13	0.01	3.06	—	.005	0.20	
32830		77.0- 79.6	2.6	0.06	0.01	0.07		Tr.	0.12	
32831		230.5-233.2	2.7	0.04	Tr.	0.01		Tr.	Tr.	
32832		313.0-315.4	2.4	0.04	Tr.	Tr.			Tr.	
32833		325.5-327.5	2.0	0.08	Tr.	0.01			Tr.	
32834		383.0-384.5	1.5	0.05	Tr.	0.01			Tr.	

ASSAY TAG #	D.D.H.	FOOTAGE	Width	Cu	Pb	Zn	Ni	Au	Ag	Mn	P.O NBR
2843	DDH 75-3	116.5-120.0	4.5	0.42	0.01	0.96					
2873		120.0-125.0	5.0	0.04	0.03	0.01				0.03	
2874		125.0-128.1	3.1	0.04	0.01	0.01				0.02	
2844		128.1-133.1	5.0	0.08	0.01	0.01					
2845		133.1-138.2	5.1	0.68	0.01	0.05					
2846		138.2-141.0	2.8	0.40	0.01	0.05					
2847		141.0-145.7	4.7	0.49	0.01	0.05					
2848		145.7-149.3	3.6	0.09	0.01	0.05					
2849		149.3-152.9	3.6	0.38	0.01	0.27					
2850		152.9-154.3	1.5	0.75	0.01	0.23					
2851		154.3-156.2	1.9	0.46	0.01	0.19					
2852		156.2-158.7	2.5	0.68	0.01	0.77					
2853		158.7-163.0	4.3	1.03	0.07	1.94					
2854		163.0-168.0	5.0	0.35	0.01	1.00					
2855		168.0-171.1	3.1	0.60	0.01	0.25					
2856		171.1-175.0	4.9	0.28	0.01	0.01					
2857		175.0-177.6	2.6	0.55	0.01	1.42					
2858		177.6-178.8	1.2	0.08	0.01	0.01					
2859		178.8-180.2	1.4	0.32	0.01	0.05					
2860		180.2-181.8	1.6	0.21	0.01	0.02					
2861		181.8-185.0	3.2	0.30	0.01	0.02					
2862		185.0-189.0	4.0	0.41	0.01	0.05					
2863		189.0-194.0	5.0	0.10	0.01	0.01					
2864		194.0-199.0	5.0	0.14	0.01	0.02					
2865		199.0-205.3	6.3	0.60	0.01	0.02					
2866		205.3-210.3	5.0	0.38	0.01	0.01					
2867		210.3-211.7	1.4	0.58	0.01	0.08					
2868		211.7-216.0	4.3	0.11	0.03	0.01					
2869		216.0-221.0	5.0	0.23	0.01	1.34					
2870		221.0-226.0	5.0	0.16	0.08	2.76					
2871		226.0-229.0	3.0	0.24	0.01	3.66					
2872		229.0-231.0	2.0	0.10	0.03	0.01					
2875		@ 249'	(For Mn.)	0.04	0.01	0.01				0.06	
<b>AVERAGES:</b>											
		133.1-145.7	12.6	0.55							
		133.1-177.6	44.5	0.52							
		178.8-189.0	10.2	0.33							
		199.0-211.7	12.7	0.51							
		116.5-231.0	114.5	0.35							
		156.2-168.0	11.8			1.29					
		216.0-229.0	13.0			2.42					