

BLOCK	AREA		CUBIC FEET x100	TONNAGE : 12	GRADE		TONS x GRADE		N.W. OVERBREAK			F.W. OVERBREAK			
	Square feet				Au %	Ag %	Au g	Ag g	Tons	Au %	Ag %	Tons	Au %	Ag %	
	HANGING WALL BAND and/or NW → EW.														
85-21	UPPER RAINBOW ZONE			7428	0.345	36.22	2562.66	269,042.2	1326	0.006	0.65	442	0.026	4.22	
85-14	"			10,079	0.158	17.56	1592.48	176,987.2							
85-4	"			12,783	0.170	11.24	2173.12	143,681.5							
85-18	"			13,054	0.116	13.23	1514.31	172,110.0							
85-5	"			5,108	0.155	12.68	791.73	64,768.5							
85-15	"			4,304	0.076	9.14	327.08	39,335.4							
				SUB TOTAL	0.17	16.43	8961.38	866,524.8						≈ 0.487 Au Equiv.	
85-19	LOWER RAINBOW ZONE			5,134	0.164	3.66	841.98	18,790							
				SUB TOTAL	0.169	15.29	9003.36	885,315							≈ 0.457 Au Equiv.
85-8	ROAD ZONE			3120	0.156	5.88	486.72	18,345.5							
85-10	"			3581	0.315	1.65	1128.11	5,909.2							
	Drill Indicated Proven			GRAND TOTAL	0.177	14.08	11,418.19	909,569.7							

Extended 15' from d.d.h. intersection or halfway to next d.d.h. intersect of ore grade but not exceeding 22.5' distance.  
= 0.443 Au Equiv.



DD. Hole Nos.	AREAS		AREA		THICKNESS		Vol	Tons	ADJOINING WALLS GRADE (to 1 ft)		F.W.	
	m <sup>2</sup>		m <sup>2</sup>	ft <sup>2</sup>	m	ft	ft <sup>3</sup>	Vol ÷ 12	H.W.		F.W.	
									ft	ft	ft	ft
85-8	0.5(28.6) 4.3	61.5			1.52	4.99						
	0.5(28.6) 16.1	230.2										
H.W. only	0.5(29.1) 16.8	244.4										
	0.5(29.1+27) 6.7	97.5										
	0.5(27) 4.7	63.5	697.1	7503			37,440	3120				
85-10	0.5(31.5) 7.5	118.1			1.5	4.92						
	0.5(21.6+14.5) 31.5	568.6										
H.W. only	0.5(32) 7.8	124.8	811.5	8735			42,976	3581				
Center + W. 0.1200 ft 4.1000												
SUB TOTAL - ROAD E. Wt. Av.			16,238		4.95		80,416	6701				
<u>GRAND TOTAL, Wt. Av. Thickness</u>			89,509		<u>8.66</u>		775,092					

