


CONTOUR INTERVAL ..... 20 GAMMA  
 MEAN FLIGHT LINE SPACING ..... 1000 FEET  
 MEAN TERRAIN CLEARANCE (BIRD) ..... 100 FEET  
 500 GAMMA CONTOUR ..... ..... 100 FEET  
 100 GAMMA CONTOUR ..... ..... 100 FEET  
 20 GAMMA CONTOUR ..... ..... 100 FEET  
 MAGNETIC LOW ..... ..... 100 FEET  
 FIDUCIAL POINTS ..... ..... 100 FEET  
 FLIGHT LINES ..... ..... 100 FEET

MEAN FLIGHT LINE SPACING ..... 1000 FEET  
 MEAN TERRAIN CLEARANCE (BIRD) ..... 100 FEET  
 ELECTROMAGNETIC CONTOURS 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100  
 FIDUCIAL POINTS ..... ..... 100 FEET  
 FLIGHT LINES ..... ..... 100 FEET

The contours represent amplitude of in phase response of the resultant field expressed in parts per million of the primary.  
 The figures represent amplitude in phase component.  
 The frequency of the primary current is 4000 cycles per second.


TAY RIVER AREA  
YUKON TERRITORY

SCALE - 1 inch to 1320 Feet



010306

Flown and Compiled  
 for  
 DYNASTY EXPLORATION LIMITED  
 by  
 LOCKWOOD SURVEY CORPORATION LIMITED  
 TORONTO, CANADA  
 1965



HF 6-205

107 R  
 1000000 1000  
 Tay River  
 12 of 13