

CONTOUR INTERVAL 20 GAMMA
 MEAN FLIGHT LINE SPACING 1000 FEET
 MEAN TERRAIN CLEARANCE (BIRD) 100 FEET
 500 GAMMA CONTOUR 100 FEET
 100 GAMMA CONTOUR 20 GAMMA
 20 GAMMA CONTOUR MAGNETIC LOW
 FIDUCIAL POINTS 3890.0
 FLIGHT LINES


MEAN FLIGHT LINE SPACING 1000 FEET
 MEAN TERRAIN CLEARANCE (BIRD) 100 FEET
 ELECTROMAGNETIC CONTOURS 5, 10, 15 etc. 1, 2, 3, 4, etc.
 FIDUCIAL POINTS 3890.0
 FLIGHT LINES

The contours represent amplitude of in phase response of the resultant field expressed in parts per million of the primary.
 The figures (5, 10, 15 etc.) represent amplitude of phase response of the primary.
 The frequency of the primary current is 4000 cycles per second.

TAY RIVER AREA YUKON TERRITORY

010311

SCALE - 1 Inch to 1320 Feet



Flown and Compiled
for
DYNASTY EXPLORATION LIMITED
by
LOCKWOOD SURVEY CORPORATION LIMITED
TORONTO, CANADA
1965

