


SW

NE
4500



4205
4170
4135
4100
4065
4030
3990
3950
3910
3870
3830
3790
3750

4205
4170
4135
4100
4065
4030
3990
3950
3910
3870
3830
3790
3750

263-388-75.0
Pb. 3.38%
Zn. 8.13%
Ag. 2.25 oz

110-150-200.0
Pb. 2.46%
Zn. 7.35%
Ag. 1.44 oz

MINERALIZED ZONE 143-158
BELOW GRADE

285-325-40.0
Pb. 5.17%
Zn. 6.08%
Ag. 1.45 oz

220-250-30.0
Pb. 3.92%
Zn. 6.32%
Ag. 2.18 oz

325-373-48.0
Pb. 2.63%
Zn. 6.55%
Ag. 0.85 oz

178-208-30.0
Pb. 3.13%
Zn. 5.98%
Ag. 0.54 oz

335-500-165.0
Pb. 5.18%
Zn. 7.11%
Ag. 1.88 oz

315-450-135.0
Pb. 3.77%
Zn. 5.96%
Ag. 2.45 oz

205-373-168.0
Pb. 2.34%
Zn. 6.25%
Ag. 1.54 oz

285-500-215.0
Pb. 5.49%
Zn. 6.59%
Ag. 1.45 oz

480-485-25.0
Pb. 2.74%
Zn. 6.40%
Ag. 0.55 oz

315-485-170.0
Pb. 3.81%
Zn. 5.94%
Ag. 1.93 oz

UG-26

UG-25

0-100=100.0
Pb. 4.25%
Zn. 6.34%
Ag. 1.80 oz

130-355=205.0
Pb. 5.36%
Zn. 8.26%
Ag. 1.72 oz

360-375=15.0
Pb. 2.86%
Zn. 5.46%
Ag. 1.24 oz

390-430=40.0
Pb. 4.31%
Zn. 6.18%
Ag. 1.62 oz

0-430=430.0
Pb. 4.25%
Zn. 6.48%
Ag. 1.61 oz

0-170=170.0
Pb. 4.91%
Zn. 6.81%
Ag. 2.04 oz

180-205=25.0
Pb. 2.12%
Zn. 6.18%
Ag. 1.46 oz

210-320=110.0
Pb. 3.31%
Zn. 7.50%
Ag. 1.09 oz

0-320=320.0
Pb. 3.95%
Zn. 6.79%
Ag. 1.63 oz

3570

3570

3000

ZONE N° 1


ANVIL MINING CORP.

010438 WHITEHORSE

SECTION 106
THRU
DIAMOND DRILL HOLE N° 65-11

DATE: 3-23-66
SCALE: 1" = 100'
DRAWN BY: [Signature]

DRAWING N°
FILE: WB-30



E. 12.500


[Handwritten signature]

SW

NE

4500

18 Feb
19 Feb
20 Feb
21 Feb
22 Feb
23 Feb
24 Feb
25 Feb
26 Feb



4000

3500

ZONE N° 1


ANVIL MINING CORP.

WHITEHORSE

SECTION **108**
THRU
DIAMOND DRILL HOLE N° 66-12

DATE: 3-23-66
SCALE: 1" = 100'
DRAWN BY: *[Signature]*


DRAWING N°
FILE: 6 **WB-29**



Note
Revised May 3, 1972 *[Signature]*

SW

NE
4500



ZONE N^o 1


ANVIL MINING CORP.

WHITEHORSE

SECTION ~~110~~ 110
THRU
DIAMOND DRILL HOLE N^o 65-5A


DATE: 3-23-66
SCALE: 1" = 100'
DRAWN BY: *[Signature]*

DRAWING N^o
FILE: WB-28



SW

NE
4500



4065
4030
3990
3950
3910
3870
3830
3790
3750
3710
3670
3630

4065
4030
3990
3950
3910
3870
3830
3790
3750
3710
3670
3630

4000
3500

ADIT

NO ASSAY

NO MINERALIZATION

400 - 435 = 35.0'
Pb 4.65 %
Zn 8.38 %
Ag 1.45 oz

455 - 465 = 10.0'
Pb 2.00 %
Zn 4.70 %
Ag 1.04 oz

400 - 465 = 65.0'
Pb 3.25 %
Zn 6.18 %
Ag 1.28 oz

365 - 460 = 95.0'
Pb 5.72 %
Zn 7.99 %
Ag 1.75 oz

285 - 530 = 245.0'
Pb 4.05 %
Zn 5.75 %
Ag 1.19 oz

302 - 396 = 64.0'
Pb 2.36 %
Zn 4.66 %
Ag 0.52 oz

396 - 416 = 20.0'
Pb 1.92 %
Zn 3.47 %
Ag 0.12 oz

431 - 539 = 108.0'
Pb 4.43 %
Zn 8.06 %
Ag 0.41 oz

302 - 539 = 237.0'
Pb 2.90 %
Zn 5.64 %
Ag 0.36 oz

130 - 140 = 10.0'
Pb 4.05 %
Zn 6.60 %
Ag 2.72 oz

170 - 215 = 45.0'
Pb 2.51 %
Zn 4.83 %
Ag 0.54 oz

185 - 195 = 10.0'
Pb 3.55 %
Zn 11.80 %
Ag 1.00 oz


215 - 285 = 70.0'
Pb 3.77 %
Zn 8.66 %
Ag 0.52 oz

295 - 360 = 65.0'
Pb 2.31 %
Zn 6.14 %
Ag 0.44 oz

385 - 405 = 20.0'
Pb 2.18 %
Zn 6.50 %
Ag 0.83 oz

415 - 405 = 10.0'
Pb 2.53 %
Zn 6.55 %
Ag 0.44 oz

415 - 440 = 25.0'
Pb 3.58 %
Zn 7.44 %
Ag 2.07 oz



ZONE N° 1


ANVIL MINING CORP.	
WHITEHORSE	
SECTION N° 112 THRU DIAMOND DRILL HOLE N° 66-8	
DATE: 3-23-66 SCALE: 1" = 100' DRAWN BY: <i>[Signature]</i>	DRAWING N° WB-27 FILE:

1305.0

E. 13,500

1382.0

E. 14,500



350-470 = 120.0'
 Pb. 4.28 %
 Zn. 5.47 %
 Ag. 1.80 oz

284-325 = 41.0'
 Pb. 2.15 %
 Zn. 3.21 %
 Ag. 1.04 oz

345-480 = 135.0'
 Pb. 3.18 %
 Zn. 6.29 %
 Ag. 1.96 oz

284-480 = 196.0'
 Pb. 2.73 %
 Zn. 5.62 %
 Ag. 0.36 oz

LOST HOLE
 220-230 = 10.0'
 Pb. 3.15 %
 Zn. 6.95 %
 Ag. 1.01 oz

275-280 = 5.0'
 Pb. 3.1 %
 Zn. 4.8 %
 Ag. 0.92 oz

295-385 = 90.0'
 Pb. 2.68 %
 Zn. 6.80 %
 Ag. 0.60 oz

410-480 = 70.0'
 Pb. 2.52 %
 Zn. 5.99 %
 Ag. 0.62 oz

295-480 = 185.0'
 Pb. 2.37 %
 Zn. 5.88 %
 Ag. 0.57 oz

505-526 = 21.0'
 Pb. 2.87 %
 Zn. 7.57 %
 Ag. 0.99 oz

295-310 = 15.0'
 Pb. 1.87 %
 Zn. 4.03 %
 Ag. 0.87 oz

380-390 = 10.0'
 Pb. 1.15 %
 Zn. 3.95 %
 Ag. 0.62 oz


400-465 = 65.0'
 Pb. 1.97 %
 Zn. 7.54 %
 Ag. 0.86 oz

355-360 = 5.0'
 Pb. 5.70 %
 Zn. 6.60 %
 Ag. 1.64 oz

DIORITE
 DYKES


NO ASSAY

LOOKING NW



ZONE No. 1	
ANVIL MINING CORP	
WHITEHORSE	
SECTION No. 116 THRU	
DIAMOND DRILL HOLE No. 66-9	
DATE: 3-23-66	DRAWING No. WB-25
SCALE: 1" = 100'	DRAWN BY: S.M.
FILE:	
REVISED BY:	
DATE:	

BT SECTION



3750
3710
3670
3630
3590
3550
3510
3470
3430
3390
3350

3750
3710
3670
3630
3590
3550
3510
3470
3430
3390
3350


514-539 = 25.0'
Pb. 2.76 %
Zn. 4.42 %
Ag. 1.35 oz.

515-620 = 105.0'
Pb. 3.18 %
Zn. 6.88 %
Ag. 1.61 oz.

553-586 = 33.0'
Pb. 4.96 %
Zn. 8.87 %
Ag. 2.14 oz.
620-654 = 34.0'
Pb. 3.67 %
Zn. 5.07 %
Ag. 1.42 oz.
674-734 = 60.0'
Pb. 2.23 %
Zn. 5.08 %
Ag. 0.80 oz.
553-734 = 181.0'
Pb. 2.71 %
Zn. 4.85 %
Ag. 1.08 oz.

480-555 = 75.0'
Pb. 3.64 %
Zn. 5.00 %
Ag. 2.01 oz.
605-634 = 29.0'
Pb. 3.62 %
Zn. 6.88 %
Ag. 1.79 oz.
650-675 = 25.0'
Pb. 3.94 %
Zn. 8.26 %
Ag. 1.03 oz.
685-740 = 55.0'
Pb. 3.79 %
Zn. 6.95 %
Ag. 1.24 oz.
480-740 = 260.0'
Pb. 3.05 %
Zn. 5.14 %
Ag. 1.30 oz.

480-490 = 30.0'
Pb. 2.05 %
Zn. 4.89 %
Ag. 0.66 oz.
515-524 = 9.0'
Pb. 3.86 %
Zn. 6.60 %
Ag. 1.16 oz.
549.0-622.8 = 73.8'
Pb. 5.26 %
Zn. 7.56 %
Ag. 0.61 oz.



ZONE No 1

ANVIL MINING CORP.	
WHITEHORSE	
SECTION No 3 <i>118</i> THRU DIAMOND DRILL HOLE No 66-3	
DATE: 3-23-66	DRAWING No
SCALE: 1" = 100'	WB-24
DRAWN BY: <i>[Signature]</i>	FILE:

part section - pl.

SW

NE

4500

Section 16

Sec 18

Sec 19

Sec 20

Sec 21

Sec 22

Sec 23

Sec 24

Sec 25

Sec 26

Sec 28

DDH. 71-3


DDH. 70-17

DDH. 66-49

DDH. 66-7

DDH. 7

DDH. 66-47



555 - 595 = 40.0'
 Pb 5.52 %
 Zn 6.70 %
 Ag 2.43 oz

625 - 680 = 55.0'
 Pb 3.05 %
 Zn 4.11 %
 Ag 1.11 oz

555 - 680 = 125.0'
 Pb 3.54 %
 Zn 4.60 %
 Ag 1.58 oz

588 - 648 = 60.0'
 Pb 3.89 %
 Zn 7.96 %
 Ag 0.68 oz

605 - 615 = 10.0'
 Pb 2.65 %
 Zn 4.40 %
 Ag 0.77 oz

ZONE N° 1


ANVIL MINING CORP.

WHITEHORSE

SECTION N° 120
 THRU
 DIAMOND DRILL HOLE N° 66-7

DATE: 3-23-66
 SCALE: 1" = 100'
 DRAWN BY: *[Signature]*

DRAWING N°
 FILE: WB-23



Revised June 29/72 R.E.F.

SW

NE
4600

Sec 14

Sec 16

Sec 17

Sec 19

Sec 20

Sec 21

Sec 22

Sec 23

Sec 24

Sec 25

Sec 26

Sec 28


DDM 71-1 PROJECTED 100'S

DDM 70-12 PROJECTED 5' W

DDM 67-12 PROJECTED 45'

DDM 66-10

DDM 72-16 PROJ. 224' W




576 - 601 = 25.0'
 Pb = 2.00 %
 Zn = 2.52 %
 Ag = 1.79 oz.

565 - 580 = 15.0'
 Pb 4.26 %
 Zn 5.26 %
 Ag 1.84 oz.

639 - 734 = 95.0'
 Pb 2.4 %
 Zn 4.0 %
 Ag 0.71 oz.
 Cu 0.16 %

1006.0
 560 - 660 = 100.0
 Pb 3.1 %
 Zn 5.4 %
 Ag 1.06 oz.
 Cu 0.20 %


E. 14,500



E. 14,500
 Revised June 24, 72
 D.C.F.

ZONE N° 1

ANVIL MINING CORP.	
WHITEHORSE	
SECTION N° 122 THRU DIAMOND DRILL HOLE N° 66-10	
DATE: 3-23-66	DRAWING N°
SCALE: 1" = 100'	FILE: WB-22
DRAWN BY: <i>[Signature]</i>	



Sec 16 Sec 18 Sec 20 Sec 22 Sec 24


DDH. 71-4 PROJECTED 80'S.
 DDH. 67-30 PROJECTED 15'
 DDH. 67-11 PROJECTED 25'S.
 DDH. 67-6 PROJECTED 20'S.
 DDH. 67-9 PROJECTED 10'S.

487-567 = 80.0'
 Pb 3.3 %
 Zn 5.0 %
 Ag 1.82 oz.
 Cu 0.12 %

723.0
 520-555 = 35.0'
 Pb 3.4 %
 Zn 7.4 %
 Ag 1.84 oz.
 Cu 0.12 %
 585-640 = 55.0'
 Pb 2.4 %
 Zn 6.0 %
 Ag 0.72 oz.

853.0
 588-633 = 45.0'
 Pb 2.3 %
 Zn 4.2 %
 Ag 1.37 oz.
 668-783 = 115.0'
 Pb 2.5 %
 Zn 4.8 %
 Ag 0.92 oz.

800.0
 695-700 = 5.0'
 Pb 6.1 %
 Zn 4.1 %
 Ag 0.92 oz.
 Cu 0.01 %




NOTE
 Holes shown differ slightly in location due to error in original survey.

ANVIL MINING CORP.	
WHITEHORSE	
FARO ZONE 3	
SECTION no. 00 124	
DATE: 1 MAR 67	DWG No. WB-83
SCALE: 1"=100'	FILE: 5
DRAWN BY: <i>FG</i>	
REVISED BY:	
1 MAY 67	
18 JUN 67	
17 JUL 67	
2 MAY 72	



ANVIL MINING CORP	
WHITEHORSE	
FARO ZONE 3	
SECTION No. 98 126	
DATE: 1 MAR 67	DWG No. WB-82
SCALE: 1" = 100'	FILE: 5
DRAWN BY: <i>FG</i>	
REVISED BY	
1 MAY 67 <i>JR</i>	
16 JUN 67 <i>JR</i>	
14 JUL 70 <i>GF</i>	
APR 27 72 <i>GF</i>	



Sec 16

Sec 18

Sec 20

Sec 22

Sec 24

DDH 70-13 PROJECTED 15' S.

DDH 67-7


DDH 67-5 PROJECTED 30' S.

DDH 67-4 PROJECTED 60' S.

DDH 67-8 PROJECTED 10' S.

located

LOOKING NW



NOTE

Holes shown differ slightly in location due to error in original survey.

ANVIL MINING CORP.	
WHITEHORSE	
FARO ZONE 3	
SECTION No. 07 128	
DATE: 28 FEB 67	DWG No. WB-81
SCALE: 1" = 100'	FILE: 5
DRAWN BY: JG	
REVISIONS	
NO.	BY
1	JG
2	JG

366-381 = 15.0'
Pb 2.7 %
Zn 3.2 %
Ag 1.46 oz.

310-320 = 10.0'
Pb 2.9 %
Zn 6.4 %
Ag 1.21 oz.
Cu 0.15 %

365-380 = 15.0'
Pb 4.5 %
Zn 10.8 %
Ag 1.77 oz.
Cu 0.08 %

390-485 = 95.0'
Pb 2.4 %
Zn 5.5 %
Ag 0.67 oz.
Cu 0.17 %

419-434 = 15.0'
Pb 1.5 %
Zn 5.9 %
Ag 0.48 oz.
Cu 0.11 %

459-469 = 10.0'
Pb 1.4 %
Zn 5.4 %
Ag 0.80 oz.
Cu 0.01 %

524-569 = 45.0'
Pb 3.2 %
Zn 5.1 %
Ag 0.80 oz.
Cu 0.22 %

589-649 = 60.0'
Pb 4.5 %
Zn 9.3 %
Ag 0.56 oz.

660-695 = 35.0'
Pb 3.2 %
Zn 7.1 %
Ag 1.09 oz.
Cu 0.04 %

4000

4000

3750

3750

3710

3710

3670

3670

3630

3630

3590

3590

3550

3550

3510

3510

3470

3470

3430

3430

3390

3390

3350

3350

3000

3000

702.0

14.0

76.0

51.0

40.0

468.0

518.0


551.0

567.0


649.0

806.0

742.0



LOOKING NW



NOTE
 Holes shown differ slightly in location due to error in original survey.

ANVIL MINING CORP.	
WHITEHORSE	
FARO ZONE 3	
SECTION No. 05 132	
DATE: 27 FEB 67	DWG No.
SCALE: 1" = 100'	WB-79
DRAWN BY: JG	FILE: 5
REVISED BY	
1 MAY 67	
3 MAY 72	
Aug 28, 74 B.E.	