

THE DECLINATION OF THE COMPASS NEEDLE 1952

The declination of the compass needle at any place along a red line is the declination given on that red line. All other declinations are between those given on the neighbouring red lines; thus at the place marked A, the declination is between 31' and 32' E. The declination of the compass needle is decreasing 3" annually.

Produced by the Surveys and Mapping Branch, Department of Mines and Technical Surveys, 1953, from air photographs taken in 1948 and 1949. Printed by the Army Survey Establishment, R.C.E. Department of National Defence, 1954.


REFERENCE

Road, Hard Surface, All Weather	1 Line	2 Lines	3 Lines	4 Lines
Road, Loose Surface	1 Line	2 Lines	3 Lines	4 Lines
Water Road, Cut Track, etc.	1 Line	2 Lines	3 Lines	4 Lines
Railway, Standard Gauge	1 Line	2 Lines	3 Lines	4 Lines
Boundary, International	1 Line	2 Lines	3 Lines	4 Lines
Boundary, Provincial	1 Line	2 Lines	3 Lines	4 Lines
Boundary, County or District	1 Line	2 Lines	3 Lines	4 Lines
Boundary, Indian Res. Park, etc.	1 Line	2 Lines	3 Lines	4 Lines
Telephone or Telegraph Line	1 Line	2 Lines	3 Lines	4 Lines

Universal Transverse Mercator Projection

SNAG
YUKON TERRITORY

Scale 1:250,000
1 Inch to 4 Miles Approximately




All Elevations in Feet above Mean Sea Level
Contour Interval 500 Feet

Copies may be obtained from the Map Distribution Office, Department of Mines and Technical Surveys, Ottawa, at 25 cents per copy.

REFERENCE

City or Large Town	Post Office	Boundary Marker
Town	Station	Astronomical Position
Village or Settlement	Mine	Horizontal Control Point
Stream, Intermittent or Dry	Marsh or Swamp	Land Subject to Inundation
Stream, Indefinite or Unsurveyed	Sand, Gravel or Mud	Stream on Dry River Bed
Irrigation Canal or Ditch	Wooded Area	Sealane Base
Fields and Farms	Water	
Lake, Intermittent		
Airport or Airfield		

SNAG Y.T.
SHEET 115 J & 115 K (E 1/2)
FIRST EDITION



012208