

GRID ZONE DESIGNATION  
 7V  
 E F V J  
 U L U F U  
 5 6

10 SQUARE METRE TO METRE (100 METRES)  
 EXAMPLE: HOUSE  
 SQUARE: Road lines at 100.00 m. square F V  
 EXISTING: Road numbers on grid line  
 loose or stabilized surface, all weather  
 loose surface, dry weather  
 cart track  
 trail or portage


MILITARY GRID REFERENCE  
 17° spacing toward 17° in any direction  
 1000 Foot Line Designation: 7VU2151  
 FV2151

TEN THOUSAND METRE  
 UNIVERSAL TRANSVERSE MERCATOR GRID  
 ZONE 7

Second edition map, derived from large scale mapping. Produced 1970, by the SURVEYS AND MAPPING BRANCH, DEPARTMENT OF ENERGY, MINES AND RESOURCES. Printed 1971.  
 Magnetic declination 1970 varies from 30°05' westerly at centre, of west edge to 31°15' westerly at centre of east edge. Mean annual change 3.6' westerly.

Roads:  
 loose or stabilized surface, all weather..... 2 lines or more ..... less than 2 lines  
 loose surface, dry weather.....  
 cart track.....  
 trail or portage.....

FOR COMPLETE REFERENCE SEE REVERSE SIDE



CONTOUR INTERVAL 500 FEET  
 Elevations in Feet above Mean Sea Level  
 North American Datum 1927  
 Transverse Mercator Projection



ÉQUIDISTANCE DES COURBES 500 PIEDS  
 Élévations en pieds au-dessus du niveau moyen de la mer  
 Système de référence géodésique nord-américain, 1927  
 Projection transversale de Mercator

Copies may be obtained from the Map Distribution Office,  
 Department of Energy, Mines and Resources, Ottawa.

Ces cartes sont en vente au Bureau de distribution des cartes  
 ministère de l'Énergie, des Mines et des Ressources, Ottawa.

Routes:  
 gravel agglomerated, toute saison..... 2 voies ou plus ..... moins de 2 voies  
 de gravel période sèche.....  
 de terre.....  
 sentier ou portage.....

POUR UNE LISTE COMPLÈTE DES SIGNES, VOIR AU VERSO



Ca. Ph. 2a. Co.