



116 A5

GRID ZONE DESIGNATION	TO GIVE A STANDARD REFERENCE ON THIS SHEET TO NEAREST 1000 METRES
40 720	MG 13
LF MF	MG 14
360000	8 WMG1814

TEN THOUSAND METRE  
UNIVERSAL TRANSVERSE MERCATOR GRID  
ZONE 8

THE DECLINATION OF THE COMPASS NEEDLE 1954

The declination of the compass needle at any place along a broken line in the declination diagram shall be taken from the declination diagram. At other places the declination is between those given on the neighbouring broken lines. The declination is between 34°00' E and 34°30' E. The declination of the compass needle is decreasing 4 1/2 minutes annually.

Produced by the Survey and Mapping Branch, Department of Mines and Technical Surveys, from air photographs taken in 1951 and 1952. Printed by the Army Survey Establishment, R.C.E., Department of National Defence, 1955.

Universal Transverse Mercator Projection


Contour Interval 500 Feet  
All Elevations in Feet above Mean Sea Level  
North American Datum 1927

REFERENCE	Symbol
Wagon or Water Road	---
Trail or Portage	.....
Village or Settlement	○
Post Office	P
Building or Cabin	□
Horizontal Control Point	△
Astronomical Position	⊙
Spot Elevation, in feet	4275

# LARSEN CREEK


YUKON TERRITORY

Scale 1:250,000  
1 Inch to 4 Miles Approximately



REFERENCE

Contours, Elevation	.....
Contours, Depression	.....
Contours, Approximate	.....
Stream, intermittent or dry	.....
Sand Gravel or Mud	.....
Rapids or Falls	.....
Marsh or Swamp	.....
Wooded Area	.....



Sketch geology  
Tinkler 1969