

012987



# BARRINGER RESEARCH

304 Carlingview Drive  
Rexdale, Ontario  
Phone (416) 677-2491  
Telex 06-217893

1170 Hornby Street  
Vancouver, B.C.  
Phone (604) 685-4231  
Telex 04-507739

307 Alexander at 4th  
Whitehorse, Yukon  
Phone (403) 667-2661

## GEOCHEMICAL LABORATORY REPORT NO. 126-A

FROM: Cyrus David Mining  
Face 4.5

P.O. NO. \_\_\_\_\_ PROJECT NO. Rackla-469

DATE RECEIVED Sept 21/74 DATE COMPLETED Sept 25/74

ANALYSED FOR	WEIGHT SAMPLE USED	EXTRACTION	METHOD OF ANALYSIS
<u>Pb Zn Ag</u>	<u>500 mgm</u>	<u>HClO<sub>4</sub></u>	<u>AA</u>

REMARKS:

chip samples from Casino Silver Mines drill core left on claims at drill site.  
uf.  
1974

APPROVED BY: [Signature]

SR

SAMPLE TYPE:	SAMPLE NUMBER	K <sub>2</sub> O Pb ppm	Zn ppm	Ag ppm	SAMPLE No	Pb ppm	Zn ppm	Ag ppm								
CS DDH-3	107-130	8044	68	3000	4.8	CS DDH-3	206-236	16450	35	155	2.0					
"	130-152	8045	70	850	3.3	CS DDH-4	2-20	451	820	7450	12.0					
"	152-183	8046	175	410	3.6	"	20-28	452	320	13,500	9.0					
"	183-208	8047	625	5550	4.0	"	28-39	453	270	6700	5.2					
"	208-224	8048	670	22,750	26.0	"	39-54	454	125	2900	4.2					
"	224-235	8049	50	450	2.6	"	54-59	455	365	15,500	3.6					
"	235-240	8050	90	295	2.4	"	59-73 excl. 68-70	456	215	3500	4.0					
"	240-244	8051	135	370	3.5	"	68-70	457	385	22,750	15.5					
"	244-261	8052	3300	1600	6.8	"	73-85	458	250	2500	3.4					
"	261-283	8053	135	390	2.4	"	85-102	459	610	3500	3.2					
"	283-303	8054	130	2500	3.0	"	102-113	460	3200	12,250	7.6					
CS DDH-3	32-70	16443	28	190	2.7	"	113-135 excl. 131-134	461	105	2100	3.4					
"	70-113	444	28	130	2.8	"	131-134	462	5200	6800	16.5					
"	113-127	445	49	165	3.2	"	135-154	463	265	1700	6.2					
"	127-136	446	42	60	3.4	"	154-183	464	28	240	1.6					
"	136-163	447	50	160	3.4	"	183-216	465	28	1400	1.8					
"	163-183	448	58	115	3.8	"	216-230	466	57	1100	2.1					
"	183-202	449	52	240	2.2	"	230-259	467	43	1300	2.2					

SAMPLE TYPE:		Pb	Zn	Pb	SAMPLE		Pb	Zn	Pb		
SAMPLE NUMBER		ppm	ppm	ppm	Nº		ppm	ppm	ppm	ppm	
CS DDH-4	259-278	16468	750	2.0	CS DDH-3 534-557	16486	2600	1550	5.8		
"	278-302	469	360	2.2	" 557-567	487	430	72,500	13.0		
"	302-337	470	1600	2.2	" 567-576	488	350	10,500	6.2		
"	337-377	471	6100	6.8	" 576-583	489	440	12%	15.5		
"	377-417	472	600	8.8	" 583-617	490	31	4900	3.0		
"	417-456	473	1550	3.6	" 617-634	491	25	74	2.4		
"	456-486	474	1350	4.4	" 479-503	492	575	5300	4.2		
"	486-522	475	700	3.8	CS DDH-1 20-45	493	225	2300	4.6		
CS DDH-3	236-259	476	105	2.2	" 135-144	494	685	5100	7.6		
"	259-288	477	53	2.2	" 144-174	495	2300	4350	9.8		
"	288-325	478	62	2.0	CS DDH-2 1-29	496	70	475	3.6		
"	325-359	479	140	2.0	" 29-34	497	130	4300	8.0		
"	359-393	480	3300	5.4	" 34-60	498	74	3350	4.8		
"	393-424	481	2500	6.0	" 60-83	499	52	875	4.0		
"	424-458	482	21,750	10.5	" 83-107	16500	83	400	10.6		
"	458-497	483	5800	5.8							
"	497-503	484	4500	4.6							
"	503-534	485	2650	3.8							